| QUALIFICATIONS CERTIFIED |
| EVERY 2 YEARS |

QPL-81659-13
7 January 1997
SUPERSEDING
QPL-81659-12
3 October 1994

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-81659

CONNECTOR, ELECTRICAL, RECTANGULAR CRIMP CONTACTS,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND, (NAVAIR), Code 4.5.6.1. The NAVAIR representative is currently located at the Naval Air Warfare Center, Aircraft Division, Code 456100C77DAL/MS77, 6000 East 21st Street, Indianapolis, IN 46219-2190.

Questions concerning this QPL may be directed to the Hughes Technical Services Company, CNE550/MS60, 6125 E. 21st Street, Indianapolis, IN 46219-2058, Peggy Plymate, (317) 306-7719.

MANUFACTURER'S FULL NAME, CAGE #, OFFICE ADDRESS, MANUFACTURING PLANT ADDRESS AND ASSEMBLY PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

AMSC N/A FSC 5935

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

For the sake of brevity, Part Number designations are displayed as shown in the following example:

Government Designation		Manufacturer's Designation		
M81659/XXA2-	1111	0000-	UU	-33 P00
/YYA2-	2222		VV	-34 S00
	3333		WW	P00
	4444		XX	S00

M81659/XXA2-1111	0000-UU-33P00
-2222	-VV-33S00
-3333	-WW-33P00
-4444	-XX-33S00
M81659/YYA2-1111	0000-UU-34P00
-2222	-VV-34S00
-3333	-WW-34P00
-4444	-XX-34S00

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
/29 - Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Single Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).					
M81659/29A2-	0001	MME1P	26P	-00	AMP, Inc.
/31A2-	0002	MME1R	26S		
	0009		40P		NAC N07.06/3-31-94
	0010		40S		
	0017		45P		
	0018		45S		
	0025		57P		
	0026		57S		
	0033		67P		
	0034		67S		
	0041		106P		
	0042		106S		
	0083		D8P		
	0084		D8S		
	0103		33C4P		
	0104		33C4S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION				MANUFACTURER'S NAME AND QUAL.TEST REF.
	0139		32C2P			AMP, Inc.
	0140		32C2S			(cont'd)
	0141		40C1P			
	0142		40C1S			
M81659/29A2-	0001	DPXBNE	26M	-33	P00	ITT Cannon
/31A2-	0002		26M	-34	S00	
	0009		40M		P00	NAC G07.08/12-31-95
	0010		40M		S00	
	0017		45M		P00	
	0018		45M		S00	
	0025		57M		P00	
	0026		57M		S00	
	0033		67M		P00	
	0034		67M		S00	
	0041		A106		P00	
	0042		A106		S00	
	0083		D8M		P00	
	0084		D8M		S00	
	0135		W8M		P00	
	0136		W8M		S00	
	0137		10W3M		P00	
	0138		10W3M		S00	
	0139		32W2M		P00	
	0140		32W2M		S00	
	0141		40W1M		P00	
	0142		40W1M		S00	
	0149		32W4M		P00	
	0150		32W4M		S00	
M81659/29A2-	0001	DSXE1P	S26P	73		Radiall
/31A2-	0002	DSXE1R	S26S	00		
	0009		S40P			NAC 00720001.AA/11-30-96
	0010		S40S			
	0017		S45P			
	0018		S45S			
	0025		S57P			
	0026		S57S			
	0033		S67P			
	0034		S67S			
	0041		S106P			
	0042		S106S			
	0083		SD8P			
	0084		SD8S			
	0103		S33C4P			
	0104		S33C4S			
	0135		XC8P			
	0136		XC8S			
	0139		S32C2P			
	0140		S32C2S			
	0141		S40C1P			Radiall
	0142		S40C1S			(cont'd)
	0149		S32C4P			
	0150		S32C4S			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
M81659/29A2-	0033	TRNE1P-	67P	-00	Tri-Star Electronics
/31A2-	0034	TRNE1R-	67S		
	0041		106P		NAC H07.07/11-30-95
	0042		106S		

/33 - Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

/35 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

M81659/33A2-	0003	MME2P	26P26P	-00	AMP, Inc.
/35A2-	0004	MME2R	26S26S		
	0011		40P40P		NAC N07.06/3-31-94
	0012		40S40S		
	0019		45P45P		
	0020		45S45S		
	0027		57P57P		
	0028		57S57S		
	0035		67P67P		
	0036		67S67S		
	0043		106P106P		
	0044		106S106S		
	0057		106S26P		
	0058		106P26S		
	0059		26P106S		
	0060		26S106P		
	0071		67P106S		
	0072		67S106P		
	0089		106S67P		
	0090		106P67S		
	0117		C8S106P		
	0118		C8P106S		
	0121		32C2P40C1P		
	0122		32C2S40C1S		
	0123		32C2P45P		
	0124		32C2S45S		
	0125		32C2P57P		
	0126		32C2S57S		
	0127		32C2P67P		
	0128		32C2S67S		AMP, Inc.
	0129		32C2P106S		(cont'd)
	0130		32C2S106P		
	0131		40C1P40C1P		
	0132		40C1S40C1S		
	0133		57P106S		
	0134		57S106P		
	0145		C8P57P		
	0146		C8S57S		
	0147		57P26P		
	0148		57S26S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
M81659/33A2-	0003	DPX2NE	26MP26MP	33B00	ITT Cannon
/35A2-	0004		26MS26MS	34B00	
	0011		40MP40MP		NAC G07.08/12-31-95
	0012		40MS40MS		
	0019		45MP45MP		
	0020		45MS45MS		
	0027		57MP57MP		
	0028		57MS57MS		
	0035		67MP67MP		
	0036		67MS67MS		
	0043		A106PA106P		
	0044		A106SA106S		
	0057		A106S26MP		
	0058		A106P26MS		
	0059		26MPA106S		
	0060		26MSA106P		
	0071		67MPA106S		
	0072		67MSA106P		
	0087		A106SW8MP		
	0088		A106PW8MS		
	0089		A106S67MP		
	0090		A106P67MS		
	0109		C2P40W1MP		
	0110		C2S40W1MS		
	0111		C2P57MP		
	0112		C2S57MS		
	0113		AC3P67MP		
	0114		AC3S67MS		
	0115		AC3PA106S		
	0116		AC3SA106P		
	0117		W8MPA106S		
	0118		W8MSA106P		
	0119		10W3MP32W2MP		
	0120		10W3MS32W2MS		
	0121		32W2MP40W1MP		
	0122		32W2MS40W1MS		
	0123		32W2MP45MP		
	0124		32W2MS45MS		
	0125		32W2MP57MP		
	0126		32W2MS57MS		ITT Cannon
	0127		32W2MP67MP		(cont'd)
	0128		32W2MS67MS		
	0129		32W2MPA106S		
	0130		32W2MSA106P		
	0131		40W1MP40W1MP		
	0132		40W1MS40W1MS		
	0133		57MPA106S		
	0134		57MSA106P		
	0145		W8MP57MP		
	0146		W8MS57MS		
	0147		57MP26MP		
	0148		57MS26MS		
	0151		32W4MPA106S		
	0152		32W4MSA106P		
	0155		W8MP32W4MP		
	0156		W8MS32W4MS		
	0159		32W4MPW8MP		
	0160		32W4MSW8MS		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL.TEST REF.
M81659/33A2-	0003	DSXE2P	S26PS26P	73 Radiall
/35A2-	0004	DSXE2R	S26SS26S	00
	0011		S40PS40P	NAC 00720001.AA/11-30-96
	0012		S40SS40S	
	0019		S45PS45P	
	0020		S45SS45S	
	0027		S57PS57P	
	0028		S57SS57S	
	0035		S67PS67P	
	0036		S67SS67S	
	0043		S106PS106P	
	0044		S106SS106S	
	0057		S106SS26P	
	0058		S106PS26S	
	0059		S26PS106S	
	0060		S26SS106P	
	0071		S67PS106S	
	0072		S67SS106P	
	0087		S106SXC8P	
	0088		S106PXC8S	
	0089		S106SS67P	
	0090		S106PS67S	
	0105		S33C4PS106S	
	0106		S33C4SS106P	
	0107		S33C4PXC8P	
	0108		S33C4SXC8S	
	0109		XMC2PS40C1P	
	0110		XMC2SS40C1S	
	0111		XMC2PS57P	
	0112		XMC2SS57S	
	0113		XMC3PS67P	
	0114		XMC3SS67S	Radiall
	0115		XMC3PS106S	(cont'd)
	0116		XMC3SS106P	
	0117		XC8PS106S	
	0118		XC8SS106P	
	0121		S32C2PS40C1P	
	0122		S32C2SS40C1S	
	0123		S32C2PS45P	
	0124		S32C2SS45S	
	0125		S32C2PS57P	
	0126		S32C2SS57S	
	0127		S32C2PS67P	
	0128		S32C2SS67S	
	0129		S32C2PS106S	
	0130		S32C2SS106P	
	0131		S40C1PS40C1P	
	0132		S40C1SS40C1S	
	0133		S57PS106S	
	0134		S57SS106P	
	0145		XC8PS57P	
	0146		XC8SS57S	
	0147		S57PS26P	
	0148		S57SS26S	
	0151		S32C4PS106S	
	0152		S32C4SS106P	
	0155		XC8PS32C4P	
	0156		XC8SS32C4S	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
	0159		S32C4PXC8P		
	0160		S32C4SXC8S		
M81659/33A2-	0035	TRNE2P-	67P67P	-00	Tri-Star Electronics
/35A2-	0036	TRNE2R-	67S67S		
	0043		106P106P		NAC H07.07/11-30-95
	0044		106S106S		
	0071		67P106S		
	0072		67S106P		
	0089		106S67P		
	0090		106P67S		

/37 - Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Shell Designator A).

/39 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

M81659/37A2-	0005	MME3P-	26P26P26P	-00	AMP, Inc.
/39A2-	0006	MME3R-	26S26S26S		
	0013		40P40P40P		NAC N07.06/3-31-94
	0014		40S40S40S		
	0021		45P45P45P		
	0022		45S45S45S		
	0029		57P57P57P		
	0030		57S57S57S		
	0037		67P67P67P		
	0038		67S67S67S		
	0045		106P106P106P		
	0046		106S106S106S		
	0075		67P67P106S		
	0076		67S67S106P		
	0079		67P106S67P		
	0080		67S106P67S		
	0091		106S106S67P		
	0092		106P106P67S		

M81659/37A2-	0005	DPX3NE	78M	-33	P00	ITT Cannon
/39A2-	0006		78M	-34	S00	
	0013		120M		P00	NAC G07.08/12-31-95
	0014		120M		S00	
	0021		135M		P00	
	0022		135M		S00	
	0029		171M		P00	
	0030		171M		S00	
	0037		201M		P00	
	0038		201M		S00	
	0045		A318		P00	
	0046		A318		S00	
	0065		24M		P00	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
	0066		24M	S00	
	0067		122M	SP00	
	0068		122M	PS00	
	0073		142M	P00	
	0074		142M	S00	
	0075		240M	P00	
	0076		240M	S00	
	0079		A240M	SP00	
	0080		A240M	PS00	
	0091		279M	SP00	
	0092		279M	PS00	
	0157		244M	SP00	
	0158		244M	PS00	
M81659/37A2-	0005	DSXE3P	S26PS26PS26P	73	Radiall
/39A2-	0006	DSXE3R	S26SS26SS26S	00	
	0013		S40PS40PS40P		NAC 00720001.AA/11-30-96
	0014		S40SS40SS40S		
	0021		S45PS45PS45P		Radiall
	0022		S45SS45SS45S		(cont'd)
	0029		S57PS57PS57P		
	0030		S57SS57SS57S		
	0037		S67PS67PS67P		
	0038		S67SS67SS67S		
	0045		S106PS106PS106P		
	0046		S106SS106SS106S		
	0065		XC8PXC8PXC8P		
	0066		XC8SXC8SXC8S		
	0067		XC8PXC8PS106S		
	0068		XC8SXC8SS106P		
	0073		S67PS67PXC8P		
	0074		S67SS67SXC8S		
	0075		S67PS67PS106S		
	0076		S67SS67SS106P		
	0079		S67PS106SS67P		
	0080		S67SS106PS67S		
	0091		S106SS106SS67P		
	0092		S106PS106PS67S		
	0157		S106SS106SS32C4P		
	0158		S106PS106PS32C4S		
M81659/37A2-	0037	TRNE3P-	67P67P67P	-00	Tri-Star Electronics
	0046		106S106S106S		
	0075		67P67P106S		NAC H07.07/11-30-95
	0079		67P106S67P		
	0091		106S106S67P		

/41 - Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

/43 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
M81659/41A2-	0007	MME4P-	26P26P26P26P	-00	AMP, Inc.
/43A2-	0008	MME4R-	26S26S26S26S		
	0015		40P40P40P40P		NAC N07.06/3-31-94
	0016		40S40S40S40S		
	0023		45P45P45P45P		
	0024		45S45S45S45S		
	0031		57P57P57P57P		
	0032		57S57S57S57S		
	0039		67P67P67P67P		
	0040		67S67S67S67S		
	0047		106P106P106P106P		
	0048		106S106S106S106S		AMP, Inc.
	0061		26P26P26P26S		(cont'd)
	0062		26S26S26S26P		
	0101		106S106S67P67P		
	0102		106P106P67S67S		

M81659/41A2-	0007	DPX4NE	104M	-33	P00	ITT Cannon
/43A2-	0008		104M	-34	S00	
	0015		160M		P00	NAC G07.08/12-31-95
	0016		160M		S00	
	0023		180M		P00	
	0024		180M		S00	
	0031		228M		P00	
	0032		228M		S00	
	0039		268M		P00	
	0040		268M		S00	
	0047		A424		P00	
	0048		A424		S00	
	0061		104M		P00	
	0062		104M		S00	
	0063		95M		P00	
	0064		95M		S00	
	0085		150M		P00	
	0086		150M		S00	
	0095		326M		SP00	
	0096		326M		PS00	
	0097		287M		SP00	
	0098		287M		PS00	
	0099		189M		SP00	
	0100		189M		PS00	
	0101		346M		SP00	
	0102		346M		PS00	

M81659/41A2-	0007	DSXE4P	S26PS26PS26PS26P	73	Radiall
/43A2-	0008	DSXE4R	S26SS26SS26SS26S	00	
	0015		S40PS40PS40PS40P		NAC 00720001.AA/11-30-96
	0016		S40SS40SS40SS40S		
	0023		S45PS45PS45PS45P		
	0024		S45SS45SS45SS45S		
	0031		S57PS57PS57PS57P		
	0032		S57SS57SS57SS57S		
	0039		S67PS67PS67PS67P		
	0040		S67SS67SS67SS67S		
	0047		S106PS106PS106PS106P		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
	0048		S106SS106SS106SS106S		
	0061		S26PS26PS26PS26S		
	0062		S26SS26SS26SS26P		
	0081		S67PS67PS33C4PS33CEP		
	0082		S67SS67SS33C4SS33C4S		
	0085		SC8PSC8PS67PS67P		
	0086		SC8SSC8SS67SS67S		Radiall
	0095		S106SSC8PS106SS106S		(cont'd)
	0096		S106PSC8SS106PS106P		
	0097		S106SS67PS106SSC8P		
	0098		S106PS67SS106PSC8S		
	0099		S106SS67PSC8PSC8P		
	0100		S106PS67SSC8SSC8S		
	0101		S106SS106SS67PS67P		
	0102		S106PS106PS67SS67S		

/61 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type III, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

M81659/61A2-	0001	MM1R-	26P	-00	AMP, Inc.
	0002		26S		
	0009		40P		NAC N07.06/3-31-94
	0010		40S		
	0017		45P		
	0018		45S		
	0025		57P		
	0026		57S		
	0033		67P		
	0034		67S		
	0041		106P		
	0042		106S		
	0083		D8P		
	0084		D8S		

M81659/61A2-	0001	DPXBNE-	26M-34P	29	ITT Cannon
	0002		26M-34S		
	0009		40M-34P		NAC G07.08/12-31-95
	0010		40M-34S		
	0017		45M-34P		
	0018		45M-34S		
	0025		57M-34P		
	0026		57M-34S		
	0033		67M-34P		
	0034		67M-34S		
	0041		A106-34P		
	0042		A106-34S		
	0083		D8M-34P		
	0084		D8M-34S		
	0135		W8M-34P		
	0136		W8M-34S		
	0137		10W3M-34P		
	0138		10W3M-34S		
	0139		32W2M-34P		
	0140		32W2M-34S		
	0141		40W1M-34P		ITT Cannon

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
	0142		40W1M-34S		(cont'd)
	0149		32W4M-34P		
	0150		32W4M-34S		
M81569/61A2-	0001	DSXT1R	S26P	00	Radiall
	0009		S40P		
	0017		S45P		NAC 00720001.AA/11-30-96
	0025		S57P		
	0033		S67P		
	0042		S106S		
	0083		SD8P		
	0103		S33C4P		
	0135		XC8P		
	0139		S32C2P		
	0141		S40C1P		
	0149		S32C4P		
M81659/61A2-	0033	TRNM1R-	67P	-00	Tri-Star Electronics
	0042		106S		NAC H07.07/11-30-95

/62 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type III, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

M81659/62A2-	0003	MM2R-	26P26P	-00	AMP, Inc.
	0004		26S26S		
	0011		40P40P		NAC N07.06/3-31-94
	0012		40S40S		
	0019		45P45P		
	0020		45S45S		
	0027		57P57P		
	0028		57S57S		
	0035		67P67P		
	0036		67S67S		
	0043		106P106P		
	0044		106S106S		
	0057		106S26P		
	0058		106P26S		
	0059		26S106P		
	0060		26P106S		
	0071		67P106S		
	0072		67S106P		
	0089		106S67P		
	0090		106P67S		
	0133		57P106S		
	0134		57S106P		
	0147		57P26P		AMP, Inc.
	0148		57S26S		(cont'd)
M81659/62A2-	0003	DPX2NE-	26MP26MP	-34B-29	ITT Cannon
	0004		26MS26MS		
	0011		40MP40MP		NAC G07.08/12-31-95
	0012		40MS40MS		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL.TEST REF.
	0019		45MP45MP	
	0020		45MS45MS	
	0027		57MP57MP	
	0028		57MS57MS	
	0035		67MP67MP	
	0036		67MS67MS	
	0043		A106PA106P	
	0044		A106SA106S	
	0057		A106S26MP	
	0058		A106P26MS	
	0059		26MPA106S	
	0060		26MSA106P	
	0071		67MPA106S	
	0072		67MSA106P	
	0087		A106SW8MP	
	0088		A106PW8MS	
	0089		A106S67MP	
	0090		A106P67MS	
	0109		C2P40W1MP	
	0110		C2S40W1MS	
	0111		C2P57MP	
	0112		C2S57MS	
	0113		AC3P67MP	
	0114		AC3S67MS	
	0115		AC3PA106S	
	0116		AC3SA106P	
	0117		W8MPA106S	
	0118		W8MSA106P	
	0119		10W3MP32W2MP	
	0120		10W3MS32W2MS	
	0121		32W2MP40W1MP	
	0122		32W2MS40W1MS	
	0123		32W2MP45MP	
	0124		32W2MS45MS	
	0125		32W2MP57MP	
	0126		32W2MS57MS	
	0127		32W2MP67MP	
	0128		32W2MS67MS	
	0129		32W2MPA106S	
	0130		32W2MSA106P	
	0131		40W1MP40W1MP	
	0132		40W1MS40W1MS	
	0133		57MPA106S	
	0134		57MSA106P	
	0145		W8MP57MP	ITT Cannon
	0146		W8MS57MS	(cont'd)
	0147		57MP26MP	
	0148		57MS26MS	
	0151		32W4MPS106S	
	0152		32W4MSA106P	
	0155		W8MP32W4MP	
	0156		W8MS32W4MS	
	0159		32W4MPW8MP	
	0160		32W4MSW8MS	
M81659/62A2-	0003	DSXT2R	S26PS26P	00 Radiall
	0011		S40PS40P	
	0019		S45PS45P	NAC 00720001.AA/11-30-96

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL.TEST REF.
	0027	S57PS57P		
	0035	S67PS67P		
	0044	S106SS106S		
	0057	S106SS26P		
	0059	S26PS106S		
	0071	S67PS106S		
	0087	S106SXC8P		
	0089	S106SS67P		
	0105	S33C4PS106S		
	0107	S33C4PXC8P		
	0109	XMC2PS40C1P		
	0111	XMC2PS57P		
	0113	XMC3PS67P		
	0115	XMC3PS106S		
	0117	XC8PS106S		
	0121	S32C2PS40C1P		
	0123	S32C2PS45P		
	0125	S32C2PS57P		
	0127	S32C2PS67P		
	0129	S32C2PS106S		
	0131	S40C1PS40C1P		
	0133	S57PS106S		
	0145	XC8PS57P		
	0147	S57PS26P		
	0151	S32C4PS106S		
	0155	XC8PS32C4P		
	0159	S32C4PXC8P		
M81659/62A2-	0035	TRNM2R-	67P67P	-00 Tri-Star Electronics
	0044		106S106S	
	0071		67P106S	NAC H07.07/11-30-95
	0089		106S67P	

/63 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Triple Insert, Type III, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

M81659/63A2-	0005	MM3R-	26P26P26P	-00	AMP, Inc.
	0006		26S26S26S		
	0013		40P40P40P		NAC N07.06/3-31-94
	0014		40S40S40S		
	0021		45P45P45P		
	0022		45S45S45S		
	0029		57P57P57P		
	0030		57S57S57S		
	0037		67P67P67P		
	0038		67S67S67S		
	0045		106P106P106P		
	0046		106S106S106S		
	0075		67P67P106S		
	0076		67S67S106P		
	0079		67P106S67P		
	0080		67S106P67S		
	0091		106S106S67P		
	0092		106P106P67S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
M81659/63A2-	0005	DPX3NE-	78M	-34P-29	ITT Cannon
	0006		78M		
	0013		120M		NAC G07.08/12-31-95
	0014		120M		
	0021		135M		
	0022		135M		
	0029		171M		
	0030		171M		
	0037		201M		
	0038		201M		
	0045		A318		
	0046		A318		
	0065		24M		
	0066		24M		
	0067		122M		
	0068		122M		
	0073		142M		
	0074		142M		
	0075		240M		
	0076		240M		
	0079		A240M		
	0080		A240M		
	0091		279M		
	0092		279M		
	0157		244M		
	0158		244M		
M81659/63A2-	0005	DSXT3R	S26PS26PS26P	00	Radiall
	0013		S40PS40PS40P		
	0021		S45PS45PS45P		NAC 00720001.AA/11-30-96
	0029		S57PS57PS57P		
	0037		S67PS67PS67P		
	0046		S106SS106SS106S		
	0065		XC8PXC8PXC8P		
	0067		XC8PXC8PS106S		
	0073		S67PS67PXC8P		
	0075		S67PS67PS106S		
	0079		S67PS106SS67P		
	0091		S106SS106SS67P		
	0157		S106SS106SS32C4P		
M81659/63A2-	0037	TRNM3R-	67P67P67P	-00	Tri-Star Electronics
	0046		106S106S106S		
	0075		67P67P106S		NAC H07.07/11-30-95
	0079		67P106S67P		NAC H07.07/10-29-96
	0080		67S106P67S		
	0091		106S106S67P		

/64 - Connectors, Electrical Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type III, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

M81659/64A2-	0007	MM4R-	26P26P26P26P	-00	AMP, Inc.
	0008		26S26S26S26S		
	0015		40P40P40P40P		NAC N07.06/3-31-94

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL.TEST REF.
	0016		40S40S40S40S		
	0023		45P45P45P45P		
	0024		45S45S45S45S		
	0031		57P57P57P57P		
	0032		57S57S57S57S		
	0039		67P67P67P67P		
	0040		67S67S67S67S		
	0047		106P106P106P106P		
	0048		106S106S106S106S		
	0061		26P26P26P26S		
	0062		26S26S26S26P		
	0101		106S106S67P67P		
	0102		106P106P67S67S		
M81659/64A2-	0007	DPX4NE-	104M-34P	-29	ITT Cannon
	0008		104M-34S		
	0015		160M-34P		NAC G07.08/12-31-95
	0016		160M-34S		
	0023		180M-34P		
	0024		180M-34S		
	0031		228M-34P		ITT Cannon
	0032		228M-34S		(cont'd)
	0039		268M-34P		
	0040		268M-34S		
	0047		A424-34P		
	0048		A424-34S		
	0061		104M-34P		
	0062		104M-34S		
	0063		95M-3P		
	0064		95M-34S		
	0085		150M-34P		
	0086		150M-34S		
	0095		326M-34SP		
	0096		326M-34PS		
	0097		287M-34SP		
	0098		287M-34PS		
	0099		189M-34SP		
	0100		189M-34PS		
	0101		346M-34SP		
	0102		346M-34PS		
M81659/64A2-	0007	DSXT4R	S26PS26PS26PS26P	00	Radiall
	0015		S40PS40PS40PS40P		
	0023		S45PS45PS45PS45P		NAC 00720001.AA/11-30-96
	0031		S57PS57PS57PS57P		
	0039		S67PS67PS67PS67P		
	0048		S106SS106SS106SS106S		
	0081		S67PS67PS33C4PS33C4P		
	0085		SC8PSC8PS67PS67P		
	0095		S106SSC8PS106SS106S		
	0097		S106SS67PS106SSC8P		
	0099		S106SS67PSC8PSC8P		
	0101		S106SS106SS67PS67P		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REF.

/65 - Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

/66 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

/67 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 degrees to +125 degrees C), Series 2, Shell Designator A, Clinch Nut Mounting).

/68 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 degrees C to +125 degrees C), Series 2, Shell Designator A, Float Mounting).

M81659/65A2-	0001	M1P-	26P	-00	AMP, Inc.
/66A2-	0002	M1R-	26S	-00	
/67A2-	0009	M1R-	40P	-01	NAC N07.06/3-31-94
/68A2-	0010	M1R-	40S	-23	
	0017		45P		
	0018		45S		
	0025		57P		
	0026		57S		
	0033		67P		
	0034		67S		
	0041		106P		
	0042		106S		
	0083		D8P		
	0084		D8S		

M81659/65A2-	0001	DPXBNA	26M-33P	00	ITT Cannon
	0002		26M-33S		
	0009		40M-33P		NAC G07.08/12-31-95
	0010		40M-33S		
	0017		45M-33P		
	0018		45M-33S		
	0025		57M-33P		
	0026		57M-33S		
	0033		67M-33P		
	0034		67M-33S		
	0041		A106-33P		
	0042		A106-33S		
	0083		D8M-33P		
	0084		D8M-33S		
	0135		W8M-33P		
	0136		W8M-33S		
	0137		10W3M-33P		
	0138		10W3M-33S		
	0139		32W2M-33P		
	0140		32W2M-33S		
	0141		40W1M-33P		
	0142		40W1M-33S		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL.TEST REF.
	0149		32W4M-33P	
	0150		32W4M-33S	
M81659/66A2-	0001	DPXBNA	26M-34P 00	
/67A2-	0002		26M-34S 01	
/68A2-	0009		40M-34P 23	
	0010		40M-34S	
	0017		45M-34P	
	0018		45M-34S	
	0025		57M-34P	ITT Cannon
	0026		57M-34S	(cont'd)
	0033		67M-34P	
	0034		67M-34S	
	0041		A106-34P	
	0042		A106-34S	
	0083		D8M-34P	
	0084		D8M-34S	
	0135		W8M-34P	
	0136		W8M-34S	
	0137		10W3M-34P	
	0138		10W3M-34S	
	0139		32W2M-34P	
	0140		32W2M-34S	
	0141		40W1M-34P	
	0142		40W1M-34S	
	0149		32W4M-34P	
	0150		32W4M-34S	
M81659/65A2-	0001	DSXN1P	S26P 73	Radiall
/66A2-	0002	DSXN1R	S26S 00	
/67A2-	0009	DSXN1R	S40P 01	NAC 00720001.AA/11-30-96
/68A2-	0010	DSXN1R	S40S 23	
	0017		S45P	
	0018		S45S	
	0025		S57P	
	0026		S57S	
	0033		S67P	
	0034		S67S	
	0041		S106P	
	0042		S106S	
	0083		SD8P	
	0084		SD8S	
	0103		S33C4P	
	0104		S33C4S	
	0135		XC8P	
	0136		XC8S	
	0139		S32C2P	
	0140		S32C2S	
	0141		S40C1P	
	0142		S40C1S	
	0149		S32C4P	
	0150		S32C4S	
M81659/65A2-	0033	TRN1P-	67P -00	Tri-Star Inc.
/66A2-	0034	TRN1R-	67S -00	
/67A2-	0041	TRN1R-	106P -01	NAC H07.07/11-30-95
/68A2-	0042	TRN1R-	106S -23	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REF.

/69 - Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

/70 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1 (-65 degrees C to +125 degrees C), Series 2, Shell Designator A).

/71 - Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 degrees C to +125 degrees C), Series 2, Shell Designator A, Clinch Nut Mounting).

/72 - Connectors, Electrical Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 degrees C to +125 degrees C), Series 2, Shell Designator A, Float Mounting).

M81659/69A2-	0003	M2P-	26P26P	-00	AMP, Inc.
/70A2-	0004	M2R-	26S26S	-00	
/71A2-	0011	M2R-	40P40P	-01	NAC N07.06/3-30-94
/72A2-	0012	M2R-	40S40S	-23	
	0019		45P45P		
	0020		45S45S		
	0027		57P57P		
	0028		57S57S		
	0035		67P67P		
	0036		67S67S		
	0043		106P106P		
	0044		106S106S		
	0057		106S26P		
	0058		106P26S		
	0059		26P106S		
	0060		26S106P		
	0071		67P106S		
	0072		67S106P		
	0089		106S67P		
	0090		106P67S		
	0117		C8P106S		
	0118		C8S106P		
	0133		57P106S		
	0134		57S106P		
	0147		57P26P		
	0148		57S26S		

M81659/69A2-	0003	DPX2NA	26MP26MP	33B00	ITT Cannon
/70A2-	0004		26MS26MS	34B00	
/71A2-	0011		40MP40MP	34B01	NAC G07.08/12-31-95
/72A2-	0012		40MS40MS	34B23	
	0019		45MP45MP		ITT Cannon
	0020		45MS45MS		(cont'd)
	0027		57MP57MP		
	0028		57MS57MS		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUAL.TEST REF.
	0035		67MP67MP	
	0036		67MS67MS	
	0043		A106PA106P	
	0044		A106SA106S	
	0057		A106S26MP	
	0058		A106P26MS	
	0059		26MPA106S	
	0060		26MSA106P	
	0071		67MPA106S	
	0072		67MSA106P	
	0087		A106SW8MP	
	0088		A106PW8MS	
	0089		A106S67MP	
	0090		A106P67MS	
	0109		C2P40W1MP	
	0110		C2S40W1MS	
	0111		C2P57MP	
	0112		C2S57MS	
	0113		AC3P67MP	
	0114		AC3S67MS	
	0115		AC3PA106S	
	0116		AC3SA106P	
	0117		W8MPA106S	
	0118		W8MSA106P	
	0119		10W3MP32W2MP	
	0120		10W3MS32W2MS	
	0121		32W2MP40W1MP	
	0122		32W2MS40W1MS	
	0123		32W2MP45MP	
	0124		32W2MS45MS	
	0125		32W2MP57MP	
	0126		32W2MS57MS	
	0127		32W2MP67MP	
	0128		32W2MS67MS	
	0129		32W2MPA106S	
	0130		32W2MSA106P	
	0131		40W1MP40W1MP	
	0132		40W1MS40W1MS	
	0133		57MPA106S	
	0134		57MSA106P	
	0145		W8MP57MP	
	0146		W8MS57MS	
	0147		57MP26MP	
	0148		57MS26MS	
	0151		32W4MPA106S	
	0152		32W4MSA106P	
	0155		W8MP32W4MP	
	0156		W8MS32W4MS	
	0159		32W4MPW8MP	ITT Cannon
	0160		32W4MSW8MS	(cont'd)
M81659/69A2-	0003	DSXN2P	S26PS26P	73 Radiall
/70A2-	0004	DSXN2R	S26SS26S	00
/71A2-	0011	DSXN2R	S40PS40P	01 NAC 00720001.AA/11-30-96
/72A2-	0012	DSXN2R	S40SS40S	23
	0019		S45PS45P	
	0020		S45SS45S	
	0027		S57PS57P	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REF.
	0028 | S57SS57S	
	0035 | S67PS67P	
	0036 | S67SS67S	
	0043 | S106PS106P	
	0044 | S106SS106S	
	0057 | S106SS26P	
	0058 | S106PS26S	
	0059 | S26PS106S	
	0060 | S26SS106P	
	0071 | S67PS106S	
	0072 | S67SS106P	
	0087 | S106SXC8P	
	0088 | S106PXC8S	
	0089 | S106SS67P	
	0090 | S106PS67S	
	0105 | S33C4PS106S	
	0106 | S33C4SS106P	
	0107 | S33C4PXC8P	
	0108 | S33C4SXC8S	
	0109 | XMC2PS40C1P	
	0110 | XMC2SS40C1S	
	0111 | XMC2PS57P	
	0112 | XMC2SS57S	
	0113 | XMC3PS67P	
	0114 | XMC3SS67S	
	0115 | XMC3PS106S	
	0116 | XMC3SS106P	
	0117 | XC8PS106S	
	0118 | XC8SS106P	
	0121 | S32C2PS40C1P	
	0122 | S32C2SS40C1S	
	0123 | S32C2PS45P	
	0124 | S32C2SS45S	
	0125 | S32C2PS57P	
	0126 | S32C2SS57S	
	0127 | S32C2PS67P	
	0128 | S32C2SS67S	
	0129 | S32C2PS106S	
	0130 | S32C2SS106P	
	0131 | S40C1PS40C1P	
	0132 | S40C1SS40C1S	
	0133 | S57PS106S	Radiall
	0134 | S57SS106P	(cont'd)
	0145 | XC8PS57P	
	0146 | XC8SS57S	
	0147 | S57PS26P	
	0148 | S57SS26S	
	0151 | S32C4PS106S	
	0152 | S32C4SS106P	
	0155 | XC8PS32C4P	
	0156 | XC8SS32C4S	
	0159 | S32C4PXC8P	
	0160 | S32C4SXC8S	
M81659/69A2-	0035 | TRN2P- | 67P67P |-00	Tri-Star Inc.
/70A2-	0036 | TRN2R- | 67S67S |-00	
/71A2-	0043 | TRN2R- | 106P106P |-01	NAC H07.07/11-30-95
/72A2-	0044 | TRN2R- | 106S106S |-23	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REF.
0071	67P106S	
0072	67S106P	
0089	106S67P	
0090	106P67S	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S COMPLETE NAME AND ADDRESS

Manufacturers and Plants	Cage #
Office:	
AMP, Inc. P.O. Box 3608 Harrisburg, PA 17105	00779
Manufacturing Plant:	
AMP Incorporated 1250 E. Main Street Mt. Joy, PA 17552	00779
Assembly Plant:	
Hamilton/Hall-Mark 10A Centennial Drive Peabody, MA 01960	
Office:	
ITT Cannon 666 E. Dyer Rd. Santa Ana, CA 92705-5684	71468
Manufacturing Plant:	
Same as above	
Assembly Plants:	
ITT Cannon Canada Four Cannon Court Whitby, Ontario, Canada	17549
Electro Air Corporation 500 Lakeridge Drive Smyrna, GA 30082	
Capstone Electronics Corp. 9801 Legler Road Lenexa, KS 66219	
Time Electronics/Arizona 1301 West Geneva Drive Tempe, AZ 85282	
Office:	
Radiall, S.A. Rue Velpeau Z.I No. 1 37110 Chateau-Renault FRANCE	F0987
Manufacturing Plant:	
Same as above	
Office:	
Tri-Star Electronics International Inc.	55104

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

QPL-81659-13

MANUFACTURER'S COMPLETE NAME AND ADDRESS

Manufacturers and Plants	Cage #

2201 Rosecrans Blvd.
EL Segundo, CA 90245

Manufacturing Plant :

Same as above

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.