MILITARY SPECIFICATION

MINE, ANTI-TANK, TRAINING: M85 WITH FUZE, MINE, ANTI-TANK, TRAINING; PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This specification is approved for use by the U.S. Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers quality assurance provisions and preparation delivery of the M85 Anti-Tank Training Mine.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1. Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards, of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-M-45406 - Mine, Anti-Tank, M21, Parts For.

MIL-F-45430 - Fuze, Mine AT, M607, Parts For.

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For.

STANDARDS

MILITARY

MXL-STD-105 - Sampling Procedures And Tables For Inspection By Attributes.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

2.1.2 Other Governmental documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein.

DRAWINGS (see 6.4)

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

9343033 - Mine, Anti-Tank, Training: M85 with Fuze, Mine, Anti-Tank, Training.

9344288 - Packing and Marking for Mine, AT, Training: M85

(Copies of specifications, standards, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.1.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Materials and parts. Materials and parts shall be in accordance with the applicable drawings, specifications and standards.

3.2 Mine assembly. The mine assembly shall comply with all requirements specified on drawing 343033, all associated drawings, and with all requirements specified in applicable specifications and standards.

3.3 First article inspection. This specification contains technical provisions for first article Inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

3.4 Workmanship. The mine assembly shall be fabricated and finished in a thorough, workmanlike manner. It shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to the parts nor shall the parts be contaminated by the cleaning agents. All markings and stampings shall be neat and sharply defined. The mine shall be manufactured and processed in such a manner as to be uniform in quality and free from defects that will affect life, configuration and serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspections. The folLowing types of inspections shall be conducted on this item:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).

4.3 First article inspection,

4.3.1 Submission. The contractor shall submit a first article sample as designated by the Contracting Officer for evaluation in accordance with the provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated below and Table 1.

Part Description	Drawings	Quantity
Metal parts assembly	8831343	10
Body assembly	9347092	10
Fuze, Mine, AT, Training	9343035	10
Mine, AT, Training - M85	9343034	10
Mine, AT, Training: M85 with Fuze, Mine, AT, Training	9343033	10

4.3.2 Inspections to be performed. See MIL-A-48078 and Table I specified herein.

4.3.3 Rejection. See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

TABLE I. FIRST ARTICLE INSPECTION.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63449(AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
	Mine, AT, Training: M85 with Fuze, Mine, AT, Training	1 OF 1	See below
			NEXT HIGHER ASSEMBLY: --

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Mine, AT, M21, Metal Parts Assembly (Dwg. 8831343)				
	Examination for defects	10		3.2	4.4.2.1
	Body Assembly (Dwg. 9347092)				
	Examination for defects	10		3.2	4.4.2.2
	Fuze, Mine, AT, Training (Dwg. 9343035)				
	Examination for defects	10		3.2	4.4.2.3
	Mine, AT, Training: M85 Loading Assembly (Dwg. 9343034)				
	Examination for defects	10		3.2	4.4.2.4
	Mine, AT, Training: M85 with Fuze, Mine, AT, Training (Dwg. 9343033)				
	Examination for defects	10		3.2	4.4.2.5

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection.

4.4.1 Inspection lot formation. Inspection lots shall comply with the

4.4.1 Examination. See MIL-A-48078. Unless otherwise specified in the Classification of Defects and Tests Tables, sampling plans for major and minor defects shall *be* in accordance with M1L-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63449(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.1	Mine, AT, M21, Metal Parts Assembly				8831343
					NEXT HIGHER ASSEMBLY 9343034
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	As required by specification		(a)	3.2	MIL-M-45406
Minor 201	As required by specification		(a)	3.2	MIL-M-45406

NOTES:

a. First Article and lot acceptance criteria shall be as required in MIL-M-45406.

DRDAR QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63449(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.2	Body Assembly				9347092
					NEXT HIGHER ASSEMBLY
					9343035
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	As required by specification		(a)	3.2	MIL-F-45430
Minor 201	As required by specification		(a)	3.2	MIL-F-45430

NOTES:

a. First Article and lot acceptance criteria shall be as required in MIL-F-45430.

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63449(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.3	Fuze, Mine, AT, Training				9343035
					NEXT HIGHER ASSEMBLY
					9343033
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Retainer or retainer stake missing or unsatisfactory		100%	3.2	Visual
102	Explosive component present (when viewed through closure assembly hole)		100%	3.2	Visual
103	Part or assembly loose		0.40%	3.2	Manual
104	Part or assembly damaged		0.40%	3.2	Visual
105	Part or assembly missing		0.40%	3.2	Visual
Minor					
201	Lacquer finish missing or incomplete		0.65%	3.2	Visual
202	Marking incorrect, illegible or missing		0.65%	3.2	Visual
203	Poor workmanship		1.0%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63449(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.4	Mine, AT, Training: XM85, Loading Assembly				9343034
					NEXT HIGHER ASSEMBLY 9343033
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Breakaway torque of charge cap, min	Note 1		3.2	Torque wrench
102	Total height		0.40%	3.2	Gage
103	Outside diameter, max		0.40%	3.2	Gage
104	Shipping plug or closing plug not hand-tight		0.40%	3.2	Manual
105	Part missing (shipping plug, closing cap, closing plug, inert filler)		0.40%	3.2	Visual
106	Part incorrectly assembled		0.40%	3.2	Visual
107	Part damaged		0.40%	3.2	Visual
108	Filler on outer surface or any opening		0.40%	3.2	Visual
109	Charge cap sealing compound missing		0.40%	3.2	Visual
Minor					
201	Poor workmanship		1.0%	3.4	Visual

NOTES:

1. Ten (10) assemblies shall be selected from each lot for this test. If any assembly fails to comply with the specified requirement the lot shall be rejected.

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63449(AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.5	Mine, Anti-Tank, Training: M85 with Fuze, Mine, Anti-Tank, Training	1 OF 1	9343033
			NEXT HIGHER ASSEMBLY 9332440

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Part or assembly missing, damaged or incorrectly assembled		0.40%	3.2	Visual
Minor					
201	Markings incorrect, illegible or missing		0.65%	3.2	Visual
202	Lacquer coating inadequate (bare spot)		0.65%	3.2	Visual
203	Poor workmanship		1.0%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. Testing is described in the First Article and Quality Conformance Inspection tables.

4.4.4 Inspection equipment. The inspection equipment required to perform the inspections and tests-prescribed herein is described in the Paragraph/Inspection Method columnn in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6.3 herein.

5. PACKAGING

5.1 Preservation and packaging. The mines shall be preserved and packaged in accordance with Dwg. 9344288.

5.2 Packing. The mines, preserved and packaged, shall be packed for shipment in accordance with Dwg. 9344288.

5.3 Marking. Marking of the carton shall comply with Dwg. 9344288.

5.4 Shipping. When mines of more than one lot are shipped as a carload, each lot shall be kept separate and the division between lots clearly indicated to prevent mixing of the lots in transit.

6. NOTES

6.1 Intended use. The mine covered by this specification is intended for use as a training device.

6.2 Ordering data. See MIL-A-48078.

6.3 Submission of inspection equipment Designs for approval. (See 6.2 of MIL-A-48078). Equipment designs shal be submitted as required to:Commander, U.S. Army Armament Research and Development Command, ATTN: DRDAR-QAT-I, Dover, New Jersey 07801. Request letter of submittal should state contractor, contract number, specification number, item nomenclature, and classification of defects and test paragraph number.

6.4 Drawings. Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by and identified as: Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal, or Picatinny Arsenal drawings. Technical data originally prepared by these activities are now under the cognizance of ARRADCOM.

6.5 Distribution of certificate of compliance. Distribution of the certificate of compliance for each lot shall be sent to: Commander, ARRADCOM, ATTN: DRDAR-QAT-M, Dover, New Jersey 07801,

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

6.6 Data cards. (See MIL-A-48078). Distribution of data cards shall include the address specified in 6.5.

Custodian:
Army-AR

Preparing activity:
Army–AR

Project 1345-A157

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Armament R&D Command
ATTN: DRDAR-QAT-M
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE MIL-M-63449(AR): Mine, Anti-Tank, Training: M85, with Fuze, Mine, Anti-tank, Training; Parts For and Loading Assembling and Packing.

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 202610-23T02:54Z
Check the source to verify that this is the current version before use.