DDD-C-441C
September 7, 1972
SUPERSEDING
Fed. Spec. DDD-C-441B
July 10, 1963

FEDERAL SPECIFICATION

CLOTH, POLISHING

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 Scope. This specification covers requirements for cotton polishing cloths of one type and size.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

UU-P-268	-	Paper, Kraft, Untreated, Wrapping.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-T-45	-	Tape, Gummed, Paper, Reinforced and Plain, For Sealing and Securing.

Federal Standards:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civil Agencies).
Fed. Test Method Std. No. 191 - Textile Test Methods.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D. C. 20402.

FSC 7920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N. W., Washington, D. C. 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Material.

3.1.1 Cloth. The cloth shall be woven, made from cotton which has been cleaned, carded, drawn, and evenly spun into single yarns.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

3.1.1.1 Size. The dimensions of polishing cloths shall be 17-1/2 by 21 inches. A tolerance of ± 1 inch is permitted on each dimension.

3.1.1.2 Edges. All edges other than selvage edges shall be bound, hemmed, or overedged with cotton sewing thread.

3.1.1.3 Yarns per inch. The number of yarns per inch shall be not less than 42 in the warp and 40 in the filling, when tested as specified in 4.4.

3.1.1.4 Breaking strength. The minimum breaking strength (grab method) shall be 25 pounds in the warp and 11 pounds in the filling, when tested as specified in 4.4.

3.1.1.5 Weight. The weight shall be not less than 3.3 ounces per square yard, when tested as specified in 4.4.

3.1.1.6 Color. The polishing cloths may be furnished in natural or in any color.

3.1.1.7 Finish. The cloths shall have a soft finish and shall be lightly napped on both sides.

3.2 Workmanship. The cloths shall be free of holes, cuts, tears, spots, stains, streaks, or imbedded foreign matter.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.2.1 Component and material inspection. In accordance with 4.1, components and materials shall be tested in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

4.2.2 Inspection of end item.

4.2.2.1 Examination of the end item. Examination of the end item shall be made in accordance with the classification of defects, inspection levels, and acceptable quality levels (AQL's) set forth below. The lot size, for purpose of determining the sample size in accordance with MIL-STD-105, shall be expressed in units of polishing cloths for examinations in 4.2.2.1.1 and 4.2.2.1.2.

4.2.2.1.1 Examination of the end item for defects in appearance, construction and workmanship. The sample unit for this examination shall be one polishing cloth.

Examine	Defect
Appearance, construction, and workmanship	Any hole, cut, or tear. Spot, stain, or streak. Lumps or embedded foreign matter. Not cut, sewn, or finished as specified. Edges, other than selvage, not bound, hemmed, or overedged. Not a soft finish and not lightly napped on both sides.

4.2.2.1.2 Examination of the end item for defects in dimensions. Inspection shall be made of the polishing cloths for compliance with dimensions specified in 3.1.1.1. Any deviation from the specified dimensions shall constitute a defect.

4.2.2.1.3 Inspection levels and acceptable quality levels (AQL's for examinations. The inspection levels for determining the sample size, and the acceptable quality levels (AQL's expressed in defects per hundred units shall be as follows:

Examination paragraph	Inspection level	AQL
4.2.2.1.1	S-4	2.5
4.2.2.1.2	S-2	2.5

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:34Z
Check the source to verify that this is the currentversion before use.

4.3 Examination of preparation for delivery requirements. An examination shall be made to determine that the packaging, packing, and marking complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one shipping container fully prepared for delivery with the exception that it need not be closed. Defects of closure listed below shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-2 and the AQL shall be 2.5 defects per hundred units.

Examine	Defect
Marking (exterior and interior)	Omitted, incorrect, illegible, of improper size, location, sequence, or method of application.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components, such as incomplete closure of container flaps, improper taping, loose strapping or inadequate stapling. Bulged or distorted container.
Content	Number of bundles per container is more or less than required. Number per bundle is more or less than required. 1/

1/ For this defect, five bundles shall be examined from each shipping container in the sample.

4.4 Testing of the end item. The methods of testing specified in FED-STD-191 wherever applicable and listed in table I shall be followed. The physical and chemical values specified in section 3 apply to the average of the determinations made on a sample unit for test purposes, as specified in the applicable test method. The lot size shall be expressed in units of polishing cloths. The sample unit shall be two polishing cloths. Five sample units randomly taken from throughout the lot shall be tested. The lot shall be unacceptable if one or more sample units fail to meet any test requirement specified. All test reports shall contain the individual values utilized in expressing the final results.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

TABLE I.- Test methods

Characteristic	Requirement reference	Test method	Number of determinations per individual sample unit	Results reported as
Fiber identification	3.1	1200	1	Pass or fail
Yarns per inch	3.1.1.3	5050	3	Average of 3 determinations to nearest whole number
Breaking strength	3.1.1.4	5100	3	Average of 3 determinations to nearest whole number
Weight	3.1.1.5	5041	3	Average of 3 determinations to nearest 0.1 ounce

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A, or C, as specified (see 6.2).

5.1.1 Level A. Twelve cloths shall be neatly stacked and then completely wrapped in 30-pound minimum basis weight kraft paper conforming to grade B of UU-P-268. The paper wrap shall be secured with 2-inch minimum width gummed paper tape conforming to grade A, type III of PPP-T-45.

5.1.3 Level C. Cloths shall be packaged to afford adequate protection against physical damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing. Packing shall be level A, B, or C, as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:34Z
Check the source to verify that this is the currentversion before use.

5.2.1 Level A. Six hundred cloths (50 packages) packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC-L, grade V2s of PPP-B-636. The inside of each container shall be fitted with a taped box liner conforming to type CF, class weather resistant, variety DW, grade V15c of PPP-B-636. Each shipping container shall be closed, waterproofed, and reinforced in accordance with the appendix of the container specification.

5.2.2 Level B. Six hundred cloths packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC-L, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Each shipping container shall be closed in accordance with method II as specified in the appendix of the container specification.

5.2.3 Level C. Cloths, packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Marking.

5.3.1 Civil agencies. In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with FED-STD-123.

5.3.2 Military requirements. In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. The cloths covered by this specification are intended to be used for polishing.

6.2 Ordering data. Purchasers should exercise any desired options offered herein and procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Selection of applicable levels of packaging and packing (5.1 and 5.2).

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:34Z
Check the source to verify that this is the currentversion before use.

MILITARY CUSTODIANS:

Army - GL
Air Force - 84

Preparing activity:

Army - GL

Civil Agency Interest:

COM	JUS
DC	DOT
GSA-FSS	PO
HEW-NIH	TR
INT	VA
	NAS

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

Cloth, Polishing DDD-C-441C

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

U.S.MAIL

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-LCS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.