INCH-POUND

L-D-350E
December 6, 1995
SUPERSEDING
L-D-350D
December 31, 1990

FEDERAL SPECIFICATION

DINING PACKETS

The General Services Administration has authorized the use of this federal specification, by all federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers three types of accessory inflight dining packets.

1.2 Classification.

Type I - Dining packet, inflight
Type II - Dining packet, food container
Type III - Dining packet, inflight, modified

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, U.S. Army Natick Research, Development and Engineering Center, ATTN: SSCNC-WEF, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 7360

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

Federal Specifications

A-A-461	-	Hand Cleaner (Premoistened Paper Towelette in Packet)
A-A-1052	-	Tube, Drinking, (Plastic)
A-A-1056	-	Toothpick (Wood)
A-A-1080	-	Opener, Can, Hand (Disposable, Combination Opener and Punch)
A-A-2789	-	Napkins, Paper, Quarter-Folded
A-A-2838	-	Napkins, Paper, Dispenser
A-A-20001	-	Spices; Ground and Whole, and Spice Blends
A-A-20041	-	Salt, Table, Iodized
A-A-20135	-	Sugar, Refined and Sugar, Brown
A-A-20175	-	Chewing Gum
L-F-560	-	Fork, Knife, and Spoon, Picnic, Plastic

(Activities outside the Federal Government may obtain copies of federal specifications, standards, and commercial item descriptions as specified in the General Information section of the Index of Federal Specifications, Standards and Commercial Item Descriptions. The Index is for sale on a subscription basis from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

(Single copies of this specification, and other federal specifications and commercial item descriptions required by activities outside the Federal Government for bidding purposes, are available without charge from the General Services Administration, Federal Supply Service Bureau, Specification Section, Suite 8100, 470 L'Enfant Plaza, SW, Washington, DC 20407.)

(Federal Government activities may obtain copies of federal standardization documents and the index of Federal Specifications, Standards and Commercial Item Descriptions from established distribution points in their agencies.)

2.2 Other publications. The following document forms a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

Laws and Regulations

U.S. Department of Health and Human Services

Federal Food, Drug, and Cosmetic Act

(Applications for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

American National Standards Institute (ANSI)/
American Society of Quality Control (ASQC)

ANSI/ASQC Z1.4 - Sampling Procedures and Tables for Inspection by Attributes

(Application for copies should be addressed to the American Society for Quality Control, 611 E.Wisconsin Avenue, Milwaukee, WI 53202-4606.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, shall supersede applicable laws and regulations unless a specific exception has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample shall be subjected to first article inspection, in accordance with 4.3.

3.2 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials or the associated recovery/recycling processes.

3.2.1 Recycled, recovered, and virgin materials. Except when the intended use of the item will be jeopardized by the use of recovered or recycled materials:

a. There is no exclusion to the use of recovered materials.

b. There is no requirement that an item be manufactured from virgin materials.

c. Recycled or recovered materials are defined as materials which were previously utilized in a product and that have been reprocessed to the condition of virgin raw materials for use in manufacturing processes associated with the production of another newly manufactured item. Previously used items that have been subject to rebuild or reconditioning shall not be accepted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

3.3 Sanitary packaging. All components shall be packed and assembled under strictly sanitary conditions by methods that will produce the best possible finished product consistent with the material requirements specified in the following paragraphs.

3.4 Deliveries. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.5 Components.

3.5.1 Type I. The type I dining packet shall consist of 12 components as specified in table I (see 6.2) and assembled into a packet in accordance with 5.1.

TABLE I. Components and unit packaging of dining packet

Item	Quantity	Component	Details
1	one	Can opener	Conforming to A-A-1080 except the dimensions shall be 3-1/4 inches (+ 3/8; - 1/4 inch) long, by 5/8 ± 1/64-inch wide.
2	one	Chewing gum	Conforming to type I of A-A-20175, unit packaged with 2 tablets per package.
3	one	Fork (white)	Conforming to type III, item 5 of L-F-560, or
3a	one	Fork (green)	Conforming to type III, item 5a of L-F-560, or
3b	one	Fork (tan/sand)	Conforming to type III, item 5b of L-F-560.
4	one	Knife (white)	Conforming to type III, item 6 of L-F-560, or
4a	one	Knife (green)	Conforming to type III, item 6a of L-F-560, or
4b	one	Knife(tan/sand)	Conforming to type III, item 6b of L-F-560.
5	one	Napkin (white)	Conforming to A-A-2789, or type II of A-A-2838, or

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

5a	one	Napkin (green)	Conforming to A-A-2789, or type II of A-A-2838,and the color shall approximate that of the flatware, or
5b	one	Napkin(tan/sand)	Conforming to A-A-2789, or type II of A-A-2838, and the color shall approximate that of the flatware.
6	.15 gram min.	Pepper packet	Pepper, Black, Ground conforming to A-A-20001, unit package .15 gram min.in a sealed envelope.
7	1.0 gram min.	Salt packet	Salt conforming to A-A-20041, unit package 1.0 gram min. in a sealed envelope.
8	one	Spoon (white)	Conforming to type III, item 7 of L-F-560, or
8a	one	Spoon (green)	Conforming to type III, item 7a of L-F-560, or
8b	one	Spoon(tan/sand)	Conforming to type III, item 7b of L-F-560.
9	6.0 gram min.	Sugar packet	Sugar conforming to type I, class 1 or 2 of A-A- 20135, one unit package 6.0 gram minimum or two unit packages 3.0 gram minimum each, Contained in a sealed packet.
10	two	Toothpick	Conforming to type I or II of A-A-1056, individually wrapped.
11	one	Towel packet	Conforming to A-A-461, unit packaged.
12	one	Drinking tube	Drinking tube conforming to Type I of A-A-1052, except the length shall be 5-3/8 inches to 6 inches and the inside diameter of 0.235 $\pm$ .035 inches.

Source: https://assist.dla.mil --Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

3.5.2 Type II. The dining packet shall consist of 7 components as follows: 3a, fork (green)or 3b, fork (tan/sand); 4a, knife (green) or 4b, knife (tan/sand); 5a, napkin (green) or 5b, napkin (tan/sand) per A-A-2789 only; 6, pepper packet; 7, salt packet; 8a, spoon (green) or 8b, spoon (tan/sand); and 9, sugar packets as specified in table I. Components shall be assembled into a packet in accordance with 5.1.

3.5.3 Type III. The dining packet shall consist of 9 components as specified in table I (see 6.2), except items 1, 2, and 9 (can opener, chewing gum tablets, and sugar packet) shall be omitted, and assembled into a packet in accordance with 5.1.

3.6 Workmanship. The dining packet shall be clean, well made, and free from any defects which may affect appearance or serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the government. The government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of section 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve that contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

4.1.2 Responsibility for dimensional requirements. Unless otherwise specified in the contract or purchase order, the contractor is responsible for ensuring that all specified dimensions have been met. When dimensions cannot be examined on the end item, inspection shall be made at any point, or at all points in the manufacturing process necessary to ensure compliance with all dimensional requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).

4.3 First article inspection. When a first article is required (see 3.1 and 6.2), it shall be examined as specified in 4.4.1 and for the defects specified in 4.4.2. The presence of any non-conformity or defect shall be cause for rejection of the first article.

4.4 Quality conformance inspection. Conformance inspection shall include the examinations of 4.4.1 and 4.4.2. Unless other specified, sampling for inspection shall be performed in accordance with ANSI/ASQC Z1.4.

4.4.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.4.2 End item visual examination. The end items shall be examined for the defects listed in table II. The lot size shall be expressed in units of all dining packets of one type offered for inspection at one time. The sample unit shall be one completely fabricated dining packet. Unless otherwise specified in the contract or purchase order, the inspection level shall be S-2 and the acceptable quality level (AQL), expresssed in terms of defects per hundred units, shall be 4.0.

TABLE II. End item visual examination

Examine	Defect
Components	Not as specified Quantity not as specified Not placed as specified
Bag	Not made of materials specified Not sealed as specified
Marking	Illegible, not as specified
Workmanship	Not clean Defects that affect serviceability

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Preservation, packing, labeling, and marking. Preservation, packing, labeling and marking shall be as specified in the contract or purchase order (see 6.2).

6. NOTES

(INFORMATION FOR GUIDANCE ONLY)

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The type I and type III dining packets are intended for one time use only. The type I is used with inflight lunch boxes. The type II is for one time use with food containers.

6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Type required (see 1.2).
c. When a first article is required (see 3.1)
d. The color required for types I and II, items 3, 4, 5, and 8 shall be as specified (see 3.5.1 and 3.5.3).
e. Packaging requirements (see 5.1).

6.3 Subject term (key word) listing.

Feeding utensils
Condiments

MILITARY INTERESTS:

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activities:

Army - MD, QM
Navy - YD-1
Air Force - 35, 84
DLA - SS

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS
HHS - NIH
VA - OSS

PREPARING ACTIVITY:

Army - GL

(Project 7360-0183)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	L-D-350E	95-12-06

3. DOCUMENT TITLE

Dining Packets

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)

7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)
U.S. Army Natick RD&E Center	(1) Commercial: (508) 233-5175 (2) AUTOVON/DSN: 256-5175
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SSCNC-WEF Natick, MA 01760-5018	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: 2025-01-16T14:49:32
Check the source to verify that this is the most current version to use.