MIL-D-48120A(AR)
AMENDMENT 2
16 April 1984
SUPERSEDING
AMENDMENT 1
10 October 1980

MILITARY SPECIFICATION

DETONATOR, ELECTRIC M100 PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-D-48120A(AR), dated 6 March 1978, and is approved for use by the U.S. Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1 Add the following drawings:

"9326743 - Container Microdetonator Clip Assembly

9340705 - Bag, Barrier

9340707 - Packaging and Marking for Container (Inner)

9340708 - Packaging and Marking for Box"

PAGE 13

4.4.2.6 Major Defect 105, delete words "or incorrect" and substitute "deformed or scratched". Para/Ref delete the word "Gage" and substitute "Visual".

Delete Major 106 in its entirety and substitute "Major Defect 106. Anvil spherical radius verification -- 3.2, Gage/4.5.10".

FSC 1345

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:14Z
Check the source to verify that this is the current version before use.

4.5.10 Add new paragraph as follows:

"4.5.10 Tool control for spherical radius. The contractor shall verify at the beginning and end of each detonator lot produced that the anvil used meets the spherical radius requirements of (Dwg. 9245691). Non-compliance with the above requirements shall result in the rejection of the lot."

* 5.1 Delete the paragraph in its entirety and substitute the following:

"5.1 Preservation and packaging. The electric detonators shall be packaged in accordance with Drawing 9340707. In addition, each detonator shall be electrically shorted during shipment and storage by means of a metallic connection from the detonator pin to the cup by assembly into microdetonator clip assembly, Drawing 9326705."

* 5.2 Delete the paragraph in its entirety and substitute the following:

"5.2 Packing. Detontors shall be packed in accordance with Drawing 9340708."

* 5.3 Delete the paragraph in its entirety and substitute the following:

"5.3 Marking. Inner container, intermediate carton set-up box or comparable container shall be marked in accordance with Drawing 9340707 and 9340708."

6.8 Add the following paragraphs:

"6.8 Check test for possible deterioration. The following test is designed to prevent the loading of detonators which have deteriorated into a major ammunition item. The test shall be performed on detonators from each lot which has been stored under normal conditions for more than two years or under adverse conditions for any period of time. If the specification for the ammunition item into which the detonators are loaded does not require that the check test be performed, the contracting officer should insert a provision for the performance of the check test in the contract. The contracting officer will arrange for the contractor to be reimbursed for expenses incurred in the performance of the check test for possible deterioration. Two hundred (200) detonators shall be selected from each lot for this test."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:14Z
Check the source to verify that this is the current version before use.

"6.8.1 Functioning. The detonators shall be selected at random from each lot. The detonators shall be tested in the following sequence:

a. Measure the resistance between electrode and cup as specified in 4.5.7. If two (2) or more detonators fail to comply with the resistance requirement specified in Dwg. 9245691, the lot shall be rejected.

b. The detonators that are not classed defective in step "a" shall be functioned as specified in 4.5.2.2 and meet the output requirements of 3.5.2. If any detonator fails to meet the output requirements, it shall be classed defective. If three or more defectives occur, the lot shall be rejected."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This as done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1345-A309)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:14Z
Check the source to verify that this is the current version before use.