INCH-POUND

MIL-M-63394(AR)
AMENDMENT 2
17 APRIL 1990
SUPERSEDING
AMENDMENT 1
30 June 1982

MILITARY SPECIFICATION

MINE, ANTI-TANK: HE M75
METAL PARTS FOR

This amendment forms a part of Military Specification MIL-M-63394(AR) dated 22 March 1980, and is approved for use by the US Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Change item designation from "XM75" to "M75" wherever it appears in this specification.

2.1, Under SPECIFICATIONS, MILITARY: Change "MIL-S-48078" to MIL-A-48078".

PAGE 2

* 2.2, Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR TESTING AND MATERIALS

ASTM E 18 - Standard Method of test for Rockwell Hardness
ASTM E 80 - Standard Method of Preparation of Metallographic Specimens.

(Application for copies should be addressed to: American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103)"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:46Z
Check the source to verify that this is the current version before use.

PAGE 9

* 4.4.2.3 Case, Mine:

Major 106: Change "(a)" to "1/"

Major 107: Delete in its entirety and replace with the following: "107, true position, inside height to overall height---0.4% 3.2 Gage"

Add the following Major categories:

"108, Material incorrect 2/ -----3.2 4.5.1"

"109, Hardness incorrect --- 0-1 3.2 3/ ASTME-18"

Notes: Change "(a)" to "1/"

Add the following notes:

"2/ One (1) sample per tube or portion thereof.

3/ Hardness test shall be performed on tube sample taken for metallurgical examination.

PAGE 15

4.4.2.9:

Major 103, change to read:

"Tape extends into I.D. of bracket or over notch".

Delete Major 104 and 105 in their entirety, and substitute Major 106:

"Location of slotted cup (See Note 1 below) 0.40% 3.2 Gage".

Under Notes, add:

"Note 1 - May be checked prior to application of insulator".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:46Z
Check the source to verify that this is the current version before use.

PAGE 18

4.4.2.12:

Major 103, change to read:

"Location of slotted cup (See Note 1 below".

Add Major 104:

"Tape extends into I.D. of bracket or over notch 0.40% 3.2 Visual".

Under Notes: add:

"Note 1 - May be checked prior to application of insulator".

PAGE 20

★ Add new paragraph 4.4.2.15 as Page 20.A included.

PAGE 21

Add the following paragraph:

4.5 Methods of inspection.

* 4.5.1 Metallurgical examination. One (1) case length sample (approximately three (3) inches) shall be cut from each tube, or portion thereof, prior to use. The test specimens shall be prepared and examined in accordance with ASTM E3-80. Observation shall be made for conformance with the applicable drawing requirement. Any specimen exhibiting lamination shall be the cause for rejection of the parent tube (Destructive Test)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:46Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.15	Electronic Cover and Gasket Assembly	1 OF 1	12913703
			NEXT HIGHER ASSEMBLY: 9292227/9330380

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major 101	Gasket improperly positioned		0.40%	3.2	Gage
Minor 201	Poor workmanship		0.65%	3.4	Visual

NOTES:

Source: https://assist.dla.mil/ - Downloaded: 2026-10-23T02:46Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1345-A571)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:46Z
Check the source to verify that this is the current version before use.