| INCH-POUND |

MIL-R-50858C (AR)
AMENDMENT 2
18 April 1991
SUPERSEDING
AMENDMENT 1
18 September 1987

MILITARY SPECIFICATION

ROCKET, PRACTICE, 35MM, SUBCALIBER, M73
PARTS FOR LOADING AND ASSEMBLING

This amendment forms a part of Military Specification MIL-R-50858C, dated 7 November 1979, and is approved for use by the U.S. Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1 Delete and Substitute:

"2.1 Government documents.

2.1.1 Specifications and standards. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

SPECIFICATIONS, Military:

Delete "MIL-C-45662 Calibration System Requirements"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:40Z
Check the source to verify that this is the current version before use.

* Beneficial comments block: Delete line 3 in its entirety and substitute: "Commander, U.S. Army ARDEC, ATTN: SMCAR-BAC-S, Picatinny Arsenal, New Jersey, 07806-5000

At bottom of page, add:

"DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited."

PAGE 2

SPECIFICATIONS, Military:

Delete: "MIL-P-60048 Primer, Stab, M26; Parts for."

SPECIFICATIONS, Standards

MIL-STD-1168: Change title to read "Ammunition Lot Numbering"

Add: MIL-STD-45662 Calibration System Requirements

* Insert the following parenthetical source statement after the list of military standards:

"(Unless otherwise indicated, copies of federal and military specifications and standards are available from the Naval Publications and Forms Center, Standardization Documents Order Desk, Building 4D, 700 Robbins Ave., Philadelphia, PA 19111-5094.)"

Insert the following new paragraph prior to the heading "Drawings"

"2.1.2 Other Government documents, drawings and publications. The following other Government drawings and publications form a part of this specification to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation."

PAGE 3

* Parenthetical source statement after "PUBLICATIONS:" Delete the words "specifications, standards" from line 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

* 2.2 Delete and substitute:

"2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents which are current on the date of the solicitation."

Delete unnumbered paragraph "Technical Society and Technical Association...."

Add the following new paragraph:

"2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained."

3.1. Add new 3.1 paragraph, as follows:

"3.1 First article. When specified in the contract or purchase order, a sample shall be subjected to first article inspection (see 4.2 and 6.1)."

* 3.2 Delete and substitute:

"3.2 Materials, parts and assembly. Materials and parts shall be in accordance with applicable drawings and specifications. The M73 practice rocket assembly shall comply with all of the requirements specified on drawing (dwg) 10242725, and with all of the requirements specified in all of the applicable specifications."

3.4, line 2: Delete "MIL-P-60048 and".

4.1.1 Add new 4.1.1 paragraph as follows and renumber old 4.1.1 paragraph as 4.1.2:

"4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

PAGE 8

* 4.1.3 Add new paragraph 4.1.3 as follows:

"4.1.3 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.2).

b. Quality conformance inspection (see 4.3)."

PAGE 34

6.8 Add the following new paragraph:

"6.8 Subject term (key word) listing.

Rocket
Rocket, Practice
Rocket, Subcaliber"

Under "Review Activity" delete "PA" and substitute "AR".

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A861)

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:40Z
Check the source to verify that this is the currentversion before use.