[INCH-POUND]
A-A-55481/2
September 18, 1995

COMMERCIAL ITEM DESCRIPTION

TAPE, VIDEO RECORDING, CASSETTE, SUPER VIDEO HOME SYSTEM (S VHS) FORMAT, 0.5-INCH WIDE

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers the general requirements for 0.5 in. wide, S VHS format, video recording cassette tape. Video recording tapes covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part or Identification Number (PIN) as shown in the following example (see 6.1).



3. SALIENT CHARACTERISTICS

3.1 Design and construction. Video recording tapes supplied to this CID shall be as specified herein and shall meet the requirements of IEC 774. Also, these tapes shall be licensed and adhere to JVC manufacturer's specification for VHS cassette tapes, and shall meet the additional requirements as specified in table II.

3.2 Recording time code characteristics. The recording time code characteristics shall be as specified in table I.

3.5 Used or reconditioned material. A manufacturer shall not furnish any video recording tape which is either used and reconditioned or is comprised of used or reconditioned material.

3.6 Tape characteristics. Tape characteristics shall be as specified in table II.

TABLE I. Tape length code characteristics.

Recording time code	Cassette type	Recording time in standard play (SP) mode	Recording time in extended play (EP) mode
030	ST-30	30 minutes	1 hour, 30 minutes
060	ST-60	60 minutes	3 hours
120	ST-120	120 minutes	6 hours
160	ST-160	160 minutes	8 hours

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Electronics Supply Center, ATTN: DESC-ELDM, 1507 Wilmington Pike, Dayton, OH 45444-5765, or telephone (513) 296-5257, or facsimile (FAX) (513) 296-8868.

AMSC N/A FSC 5836
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE II. Tape characteristics.

Video performance	Radio frequency (RF) output at 6.5 megahertz (MHz) 1/	-1.0 dB minimum
	Video signal-to-noise (S/N) 1/	-0.5 dB minimum
	Color (S/N) 1/	-1.0 dB minimum
	Dropouts (maximum avg/min) 2/	< 10
Audio performance	Audio sensitivity at 1 kHz 1/	-1.0 dB minimum

1/ Compared to JVC's SRT-1 reference tape.
2/ A dropout is defined as a 20 dB or greater loss in signal output for a period of 15 microseconds.

3.7 Marking. Video recording tapes supplied to this CID shall be marked with the S VHS logo trademark and the manufacturer's standard commercial PIN.

4. QUALITY ASSURANCE PROVISIONS. Quality assurance provisions shall be as specified in A-A-55481.

5. PACKAGING. Packaging shall be as specified in A-A-55481.

6. NOTES

6.1 PIN. The PIN should be used for government purposes to buy commercial products to this CID. See section 2.1 for PIN format.

6.2 CAGE code. For ordering purposes, inventory control, and submission of these video recording cassette tapes to DESC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

6.3 Source of documents.

Commercial Item Description

A-A-55481 - Tape, Electronic Data Processing, Cartridge, General Specification for.

(Copies of commercial item descriptions are available from the Defense Printing Service Detachment Office, Building 4D (Customer Service), 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

Other Publications

VICTOR COMPANY OF JAPAN, LIMITED (JVC)

JVC's Specification for VHS Video Cassette Recording Tapes.

(Applications for copies should be addressed to the Victor Company of Japan, Limited, Intellectual Property Department, 12, 3-Chome, Moriya-Cho, Kanagawa-Ku, Yokohama 221, Japan.)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

6.4 Government users. To acquire information on obtaining these video recording tapes from the Government inventory system, contact Defense Electronics Supply Center, ATTN: DESC-EOC, 1507 Wilmington Pike, Dayton, OH 45444-5520, or telephone (513) 296-5625.

6.5 Ordering data. Ordering data shall be as specified in A-A-55481.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

6.6 Suggested sources of supply. Suggested sources of supply are listed below. Additional sources will be added as they become available.

CID dash number (see table I) AA55481/02-	Vendor commercial PIN CAGE 28091	Vendor commercial PIN CAGE 94961
030	289ST030A or 289ST030C	MASTER BROADCAST S-VHS ST-30
060	289ST060A or 289ST060C	MASTER BROADCAST S-VHS ST-60
120	289ST120A or 289ST120C	MASTER BROADCAST S-VHS ST-120
160	---	---

Vendor CAGE number	Vendor name and address
28091	Ampex Recording Media Corporation P.O. Box 190, Marvyn Parkway Opelika, AL 36803-0190 (205) 745-7643
94961	Minnesota Mining and Manufacturing Company 3M Audio and Video Products Division 3M Center St. Paul, MN 44144-1000 (612) 733-9697

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - KMR

Preparing Activity:

DLA - ES

Project 5836-D005-02

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.