MIL-R-14601F
18 March 1988
SUPERSEDING
MIL-R-14601E
21 December 1982

MILITARY SPECIFICATION

RANGE AND ACCESSORY OUTFITS, FIELD, GASOLINE

This specification is approved for use by all Departments and Agencies of the Department of Defense.


1. SCOPE

* 1.1 Scope. This specification covers the components of a range outfit and an accessory outfit required to accommodate a field kitchen for 50 men and multiples thereof.

1.2 Classification. The range and accessory outfits shall be the following items as specified (see 6.2).

Item 1 - Range outfit
Item 2 - Accessory outfit

* 1.3 Part identification number. The part identification number shall consist of the specification number and the item number as follows:



2. APPLICABLE DOCUMENTS

2.1 Government documents.

* 2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

* Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this specification should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 7360

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

*	A-A-203	- Paper, Kraft, Untreated
*	A-A-1106	- Extinguisher, Fire, Carbon Dioxide
*	A-A-1953	- Peeler, Potato, Hand
*	A-A-1954	- Measuring Set, Spoon (Stainless Steel)
	H-B-178	- Brushes, Wire and Platers, General Specification for
	FF-O-601	- Openers, Can; Hand and Mounted
	RR-D-400	- Dippers, Kitchen, (Corrosion-Resisting Steel)
	RR-F-575	- Food Turners
	RR-L-30	- Ladles, Kitchen, (Stainless Steel)
	RR-W-456	- Wireware, Kitchen and Bakeshop: Pot Cleaners, Potato Masher, Skimmer, and Eggwhips
	SS-S-736	- Stones, Sharpening
	VV-L-820	- Lubricating Oil, General Purpose (Light)
	XX-P-746	- Pump, Inflating, Manual, (For Rubber Tires)
	GGG-C-746	- Cutlery, Galley and Kitchen
	GGG-S-60	- Saws, Butcher's, and Blades, Butcher's Handsaw
	GGG-S-121	- Screwdriver and Screw Starter, Hand
	GGG-W-631	- Wrenches, Adjustable: Open-End, Auto and Monkey
	PPP-B-585	- Boxes, Wood, Wirebound
	PPP-B-601	- Boxes, Wood, Cleated-Plywood
	PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner
	PPP-B-636	- Boxes, Shipping, Fiberboard
	PPP-C-96	- Cans, Metal, 28 Gage and Lighter
	PPP-T-45	- Tape, Gummed, Paper, Reinforced and Plain, for Sealing and Securing
	PPP-T-60	- Tape: Packaging, Waterpoof
	PPP-T-76	- Tape, Packaging, Paper (for Carton Sealing)

MILITARY

MIL-P-116	- Preservation, Methods of
MIL-B-121	- Barrier Material, Greaseproofed, Waterproofed, Flexible
MIL-S-1285	- Spout, Can, Flexible
MIL-C-1429	- Cleaner, Burner Slot, For Range, Field, M-1937
MIL-P-1601	- Protectors, Arm, Gasoline Field Range Outfit
MIL-C-1700	- Chest: Tool, Gasoline Field Range Accessory Outfit
MIL-P-1735	- Pots, Cooking: With Covers and Splash Plate
MIL-P-1747	- Pan, Baking and Roasting, Aluminum: Pan, Cover, and Warmer Adapter; for Range, Field, Gasoline
MIL-R-1982	- Roll, Cutlery, Canvas

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

MIL-C-2070	-	Chain Assembly, Single Leg, for Cabinet, Gasoline, Field Range Outfit
MIL-T-5544	-	Thread Compound, Antiseize, Graphite-Petrolatum
MIL-L-10547	-	Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible
MIL-W-10698	-	Wrenches, Open End, and Wrench Assembly, Stamped Steel
MIL-U-10815	-	Utensils, Cooking, Corrosion-Resisting Steel
MIL-P-12851	-	Pan, Baking and Roasting; Rectangular: with Handles
MIL-S-17531	-	Scraper, Bakers
MIL-C-40077	-	Cabinet, Gasoline, Field Range Outfit, Model 59, and Cradle, Cookpot
MIL-B-40098	-	Burner Unit, Gasoline, Field Range Outfit, M2A
MIL-R-43658	-	Rack Set, Baking for Cabinets, Gasoline, Field Range, M1937 and M1959

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage

* (Copies of specifications, standards, and handbooks required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

* 2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issues of the nongovernment documents which are current on the date of solicitation.

* AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3951 Standard Practice for Commercial Packaging

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

* (Nongovernment standards and other publications are normally available from the organizations which prepare or which distribute the documents. These documents also may be available in or through libraries or other informational services.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

* 2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

* 3.1 First article. When specified in the contract or purchase order, a sample outfit shall be subjected to first article inspection (see 4.3, 6.2, and 6.3).

3.2 Materials. Materials not definitely specified shall be of the quality normally used by the manufacturer, provided the completed item complies with all provisions of this document (see 6.4).

3.3 Design. The components of item 1, range outfit, and item 2, accessory outfit, shall conform to the applicable documents and requirements specified herein.

3.4 Components.

3.4.1 Item 1, range outfit. The range outfit shall consist of the following components:

	Quantity
Adapter, warmer conforming to item 3 of MIL-P-1747	1
Cabinet conforming to MIL-C-40077	1
Cook Pot cradle conforming to MIL-C-40077	1
Cover, pan conforming to item 2 of MIL-P-1747	1
Covers, cooking pot conforming to MIL-P-1735	2
Dipper conforming to size 2 of RR-D-400	1
Forks, food preparation conforming to type I, of MIL-U-10815	2
Knife, boning, conforming to type III, grade D, plastic molded handle, of GGG-C-746	1
Knife, cook's, conforming to type IV, size 1, grade A, plastic molded handle, of GGG-C-746	1
Knives, paring, conforming to type V, grade D, plastic molded handle, of GGG-C-746	2
Knife, steak, conforming to type VII, grade D, plastic molded handle, of GGG-C-746	1
Ladle, conforming to size D of RR-L-30	1
* Measuring set, spoon conforming to A-A-1954	1
Pan, baking and roasting, gasoline, field range conforming to item 1 of MIL-P-1747	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

	Quantity
Pans, baking and roasting rectangular, conforming to MIL-P-12851	2
* Peelers, potato, hand, conforming to A-A-1953	3
Plate, splash, conforming to MIL-P-1735	1
Pot cooking, 10 gallon, conforming to MIL-P-1735	1
Pot cooking, 15 gallon, conforming to MIL-P-1735	1
Protector arm, long, conforming to type I, size 2, of MIL-P-1601	1
Protector arm, short, conforming to type II, size 2 of MIL-P-1601	1
Skimmer, conforming to type V of MIL-U-10815	1
Spoons, basting, conforming to type II of MIL-U-10815	2
Turner, food, conforming to type I, class A of RR-F-575	1
Unit, burner conforming to MIL-B-40098	1

3.4.2 Item 2, accessory outfit. The accessory outfit shall consist of the following components:

	Quantity
Blade, butcher's handsaw conforming to size 1 of GGG-S-60	1
Brush, wire, conforming to part no. H-B-178-2-3 of H-B-178/2	1
Butchers' steel, conforming to type XII, grade C of GGG-C-746	1
Can for small parts conforming to type V, round, class 1 of PPP-C-96 1/	1
Chain, tie-in right, conforming to style 1 of MIL-C-2070	1
Chain, tie-in left, conforming to style 2 of MIL-C-2070	1
Chest, tool, conforming to MIL-C-1700	1
Cleaner, burner slot, conforming to MIL-C-1429	1
Eggwhip, conforming to item 7, size 3 of RR-W-456	1
* Extinguisher, fire, conforming to type I, size 5 of A-A-1106	1
Generators, preheater, conforming to MIL-B-40098	4
Lubricating oil, conforming to VV-L-820 in a 4-ounce spout can	1
Opener, can, conforming to type III, grade A of FF-O-601	1

Source: https://assist.dla.mil -- Downloaded: 202640-18T03:29Z
Check the source to verify that this is the current version before use.

	Quantity
Pump, inflating, conforming to type II of XX-P-746 with extension on two sides, and a synthetic rubber hose 30 inches long	1
Rack set, baking, conforming to MIL-R-43658	1
* Roll, cutlery, conforming to type II of MIL-R-1982	1
Saw, butcher's, conforming to size 1 of GGG-S-60	1
Scraper, baker's, conforming to MIL-S-17531	1
Screwdriver, conforming to type I, class 5, design A, shape A of GGG-S-121. The tip of the blade shall be 3/8 inch wide and length of the blade shall be 8 inches measured from under the handle	1
* Screwdriver, conforming to type VI, class 1 of GGG-S-121. The blade point size shall be no. 2, and the length of the blade shall be 4 inches measured from under the handle	1
Spout, can, flexible, 2-1/4 inch diameter cap, conforming to MIL-S-1285	1
Stone, sharpening, having a medium grit and conforming to type II, class A-2, style 1, 8" x 2" x 1" of SS-S-736	1
Technical manual (see 3.6)	1
Thread compound, conforming to MIL-T-5544 packed in a 1-pound can	1
Wrench conforming to type I, class 1, size 3 of GGG-W-631	1
Wrench assembly conforming to type III of MIL-W-10698	1

1/ The can shall have a lacquer or enamel finish inside and outside and a 3-1/2-inch inside diameter opening, a 4-inch inside diameter bottom, and a 1-inch inside height.

3.5 Marking for identification. Identification marking shall be as specified in the individual specification for each component item.

3.6 Government furnished property. The Government will furnish one copy of a technical manual. Source of delivery shall be as specified (see 6.2).

3.7 Workmanship. The workmanship of each component shall be in accordance with the applicable referenced specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

* 4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).

* 4.3 First article inspection. When a first article is required (see 6.2), one sample outfit of the required item shall be examined for missing components and for compliance with the requirements of 4.4.2. Any missing component or any component not meeting specified requirements shall be cause for rejection of the first article.

* 4.4 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.4.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

* 4.4.2 End item visual examination. The ranges and accessory outfits, as applicable, shall be examined for missing components. The inspection lot shall consist of all complete range outfits or accessory outfits offered for inspection at one time. The sample unit shall be one completely fabricated range or accessory outfit, as applicable. The inspection level shall be II. Any missing component shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 202610-18T03:29Z
Check the source to verify that this is the current version before use.

* 4.4.3 Packaging examination. Examination for conformance to preservation and unit packing requirements shall be performed in accordance with MIL-P-116. The fully packaged end items shall be examined for the defects listed below. The lot size shall be expressed in units of shipping containers. The sample unit shall be one shipping container fully packaged. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 2.5.

Examine	Defect
Marking (exterior and interior)	Omitted; incorrect; illegible; of improper size; location, sequence, or method of application.
Materials	Any component missing, damaged, or not as specified.
Workmanship	Caseliner missing or incomplete closure of caseliner. Inadequate application of components, such as: incomplete sealing or closure of flap, improper taping, loose strapping or inadequate stapling. Bulged or distorted container.
Content	Number per container is more or less than required.

5. PACKAGING

5.1 Preservation. Preservation shall be level A or Commercial as specified (see 6.2).

5.1.1 Level A.

5.1.1.1 Range outfit. The component parts for each range outfit shall be preserved in accordance with table I. Methods of cleaning and preservation shall conform to MIL-P-116. Types of greaseproof barrier material shall conform to MIL-B-121. Secure greaseproof barrier material wraps with minimum 1-1/2 inch width paper tape conforming to type III, grade A of PPP-T-45 or PPP-T-76.

5.1.1.2 Accessory outfit. The component parts for each accessory outfit shall be preserved in accordance with table II. Methods of cleaning and preservation shall conform to MIL-P-116. Types of greaseproof barrier material shall conform to MIL-B-121. Clean and apply preservative to unpainted or uncoated ferrous metal surfaces only. Wrap preserved surfaces with greaseproof barrier material. Secure greaseproof barrier material wraps with minimum 1-1/2 inch width paper tape conforming to type III, grade A of PPP-T-45 or PPP-T-76. Seal openings with tape conforming to PPP-T-60.

* 5.1.2 Commercial. Each accessory outfit and each range outfit shall be preserved in accordance with ASTM D 3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

TABLE I. Preservation for range outfit

	Quantity per unit	Item	Method of cleaning	Type of preservative and application	Type of greaseproof barrier	Method of preservation	Special requirements
	1	Adapter warmer	none	none	none	none	
	1	Dipper	none	none	none	none	
	2	Fork, food preparation, 15 inches	none	none	none	none	
	1	Knife, boning	C-1	P-14 dip, blade only	Type I or II, grade A	I	Protect cutting edge
	1	Knife, cook's	C-1	P-14 dip, blade only	Type I or II, grade A	I	Protect cutting edge
	2	Knife, paring	C-1	P-14 dip, blade only	Type I or II, grade A	I	Protect cutting edge
	1	Knife, steak	C-1	P-14 dip, blade only	Type I or II, grade A	I	Protect cutting edge
	1	Ladle	none	none	none	none	
	1	Measuring set, spoon	none	none	none	none	Nest spoons
*	3	Peeler, potato	C-1	P-14 dip	Type I or II, grade A	I, wrap 3 items together	Protect cutting edges
	1	Protector, arm, long	none	none	none	none	
	1	Protector, arm, short	none	none	none	none	
	1	Skimmer	none	none	none	none	
	2	Spoon, basting	none	none	none	none	
	1	Turner, food	none	none	none	none	
		Above 20 items shall be placed in rectangular baking and roasting pan below.					
*		Wrap the above unpreserved items together in min. 40 lb. kraft paper conforming to A-A-203.					

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

TABLE I. Preservation for range outfit (cont'd)

Quantity per unit	Item	Method of cleaning	Type of preservative and application	Type of greaseproof barrier	Method of preservation	Special requirements
2	Pan, baking and roasting, rectangular Above pan shall be placed in baking and roasting pan below.	none	none	none	none	Contains items as noted
1	Pan, baking and roasting, gasoline field range	none	none	none	none	Contains items as noted
1	Cover, pan Above cover shall be placed on above pan and pan placed in top compartment of cabinet below.	none	none	none	none	
1	Cover, Cooking pot, round Above cover shall be placed on 10-gallon cook pot below.	none	none	none	none	
1	Pot, cooking, 10-gallon	none	none	none	none	Contains cover as noted
1	Plate, splash Above two items shall be placed in 15-gallon cook pot below.	none	none	none	none	
1	Pot, cooking, 15-gallon	none	none	none	none	Contains items as noted

Source: https://assist.dla.mil - Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

TABLE I. Preservation for range outfit (cont'd)

Quantity per unit	Item	Method of cleaning	Type of preservative and application	Type of greaseproof barrier	Method of preservation	Special requirements
1	Cook pot cradle 15 gallon cook pot shall be placed in cook pot cradle within cabinet below.	C-1	P-14 brush	none	none	
1	Cover, cooking pot, round Above three items shall be placed in compartment of cabinet above burner unit with cover on edge in front of cradle. The cradle shall be securely wired at four points to the rails with not less than 0.072-inch diameter annealed wire.	none	none	none	none	
1	Unit, burner Above burner shall be placed in bottom compartment of cabinet below.	C-1	P-14, burner only	Type I or II, grade A	I	
1	Cabinet	C-1	P-14 brush	none	I	Apply preservative to uncoated ferrous metal surfaces only

Source: https://assist.dla.mil -- Downloaded: 2026/10-18T03:29Z
Check the source to verify that this is the current version before use.

TABLE II. Preservation for accessory outfit

Quantity per unit	Item	Method of cleaning	Type of preservative and application	Type of greaseproof barrier	Method of preservation	Special requirements
1	Butchers' steel	C-1	P-14 dip	Type I or II, grade A	I	
1	Saw, butcher's	C-1	P-14 brush	Type I or II, grade A	I	
	Above two items shall be placed within the proper pockets of cutlery roll below.					
1	Rack set, baking	none	none	none	none	Unit packed in accordance with the applicable level A requirements of MIL-R-43658
1	Roll, cutlery	none	none	none	none	Contains items as noted
4	Generators, preheater	C-1	none	Type I or II, grade A	I	
	Above four generators shall be placed in small parts can below.					
1	Can	none	none	none	none	Contains items as noted
1	Cleaner, burner slot	none	none	none	none	
1	Blade, butcher's hand saw	C-1	P-14 dip	Type II, grade A	I	

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

TABLE II. Preservation for accessory outfit (cont'd)

	Quantity per unit	Item	Method of cleaning	Type of preservation and application	Type of greaseproof barrier	Method of preservation	Special requirements
		Above three items shall be placed in the inside cover of tool chest below.					
	1	Thread compound	none	none	none	none	
	1	Brush, wire	C-1	P-14 dip	Type I or II, grade A	I	
	1	Chain, tie-in, left	none	none	none	none	
	1	Chain, tie-in, right	none	none	none	none	
	1	Lubricating oil	none	none	none	none	
	1	Pump, inflating 1/	none	none	none	none	
*	1	Screwdriver, Flat Tip	C-1	P-14 dip	Type I or II, grade A	I	
*	1	Screwdriver, Phillips	C-1	P-14 dip	Type I or II grade A	I	
	1	Stone, sharpening	none	none	none	none	
	1	Technical manual	none	none	- - -	IC-1	Heat seal bag
	1	Wrench	C-1	P-14 dip	Type I or II, grade A	I	
	1	Wrench assembly	C-1	P-14 dip	Type I or II, grade A	I	
	1	Spout, can, flexible	none	none	none	none	
	1	Above twelve items shall be placed within the bottom portion of the tool chest below.					
	1	Chest, tool	none	none	none	none	Contains items as noted

Source: https://assist.dla.mil-13 Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

TABLE II. Preservation for accessory outfit (cont'd)

Quantity per unit	Item	Method of cleaning	Type of preservative and application	Type of greaseproof barrier	Method of preservation	Special requirements
1	Eggwhip	none	none	none	none	
1	Extinguisher, fire	none	none	none	none	
1	Opener, can	C-1	P-14 brush	Type I or II, grade A	I	
1	Scraper baker's	C-1	P-14 dip blade only	Type I or II, grade A	I	
	Above five items and cutlery roll shall be individually unit packed within snug-fitting corrugated fiberboard boxes conforming to type CF, class domestic of PPP-B-636. Closure shall be in accordance with appendix of PPP-B-636.					

1/ Seal openings with tape conforming to PPP-T-60.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

5.2 Packing. Packing shall be level A, B, or Commercial as specified (see 6.2).

5.2.1 Level A packing.

5.2.1.1 Range outfit. Each range outfit, preserved as specified in 5.1, shall be packed as specified for level A shipments of cabinets in MIL-C-40077.

5.2.1.2 Accessory outfit. Each accessory outfit, preserved as specified in 5.1, shall be packed in a snug-fitting shipping container conforming to overseas type, style A, B, or J, type 2 load of PPP-B-601; class 2, style 2 or 4, type 2 load of PPP-B-621; or style 1, 2, class 3 use, type 2 load of PPP-B-585. Each shipping container shall be provided with a type I or II, grade C sealed case liner conforming to MIL-L-10547. Closure and strapping shall be in accordance with the appendix of the applicable container specification.

5.2.2 Level B packing.

5.2.2.1 Range outfit. Each range outfit, preserved as specified in 5.1, shall be packed as specified for level B shipment of cabinets in MIL-C-40077.

5.2.2.2 Accessory outfit. Each accessory outfit, preserved as specified in 5.1, shall be packed in a snug-fitting shipping container conforming to domestic type, style A or B, type 2 load of PPP-B-601; class 1, style 2 or 4, type 2 load of PPP-B-621; or style 1 or 2, class 1 use, type 2 load of PPP-B-585. Closure shall be in accordance with the appendix of the applicable container specification.

* 5.2.3 Commercial packing. Each accessory outfit, preserved as specified in 5.1, shall be packed in accordance with ASTM D 3951.

* 5.3 Marking. In addition to any special marking required by the contract or purchase order, interior packs and shipping containers shall be marked in accordance with MIL-STD-129 or ASTM D 3951, as applicable.

6. NOTES

6.1 Intended use.

6.1.1 Range outfit. The range outfit is intended for use in field kitchens for baking or cooking and also for frying by using the baking and roasting pan cover as a griddle, or for keeping cooked foods warm by use of the warming adapter.

6.1.2 Accessory outfit. The accessory outfit consists of accessories, tools, and utensils for a field kitchen. One accessory outfit is required for any field kitchen comprised of from one up to, and including, four range outfits.

Source: https://assist.dla.mil -- Downloaded: 202640-18T03:29Z
Check the source to verify that this is the currentversion before use.

6.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. Item required (see 1.2).
c. When a first article is required (see 3.1, 4.3, and 6.3).
d. Source of delivery of Government furnished technical manual (see 3.6).
e. Selection of applicable levels of preservation and packing (see 5.1 and 5.2).

* 6.3 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should include specific instructions in all acquisition instruments regarding arrangements for selection, inspection, and approval of the first article.

6.4 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of this specification (see 3.2).

* 6.5 Subject term (key word) listing.

Accessory Outfits
Field Equipment
Range Outfits

* 6.6 Changes from previous issue. The margins of this specification are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this specification based on the entire content, irrespective of the marginal notations and relationship to the previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - YD
Air Force - 99

Review activities:

Army - MD
Navy - MC
Air Force - 84
DLA - GS

User activity:

Navy - SA

Preparing activity:

Army - GL

Project No. 7360-0160

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

US ARMY NATICK RESEARCH
and DEVELOPMENT CENTER
ATTN: STRNC-ES
Natick, MA 01760-5014

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
STRNC-ES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research
and Development Center
ATTN: STRNC-ES
Natick, MA 01760-5014

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-R-14601F	Range and Accessory Outfits, Field, Gasoline

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 1426 72 MAR PREVIOUS EDITION IS OBSOLETE. MATTOX OP 30 Nov 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:29Z
Check the source to verify that this is the current version before use.