THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION

SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPT OF DEFENSE

Form Approved
OMB No. 0704-0188




TABLE I. DIMENSIONS

NOMINAL DIA	DIA		øA	B REF	C	øE REF	F	R RAD	S	T RAD	W
1/16	.062	+.003 -.001	.125 ± .006	.054	.027	.031	.015	.054	.016	.019	.020
3/32	.094		.187 ± .009	.141	.040	.046	.023	.082	.023	.029	
1/8	.125		.250 ± .012	.168	.054	.062	.031	.108	.031	.039	
5/32	.156	+.004 -.001	.312 ± .016	.234	.067	.078	.039	.135	.039	.049	.025
3/16	.187		.375 ± .019	.281	.080	.093	.046	.164	.047	.059	
1/4	.250		.500 ± .025	.375	.107	.125	.062	.217	.062	.078	.030
5/16	.312		.625 ± .031	.468	.133	.156	.078	.272	.078	.098	
3/8	.375		.750 ± .037	.562	.161	.187	.093	.328	.094	.117	
7/16	.437	+.005 -.001	.875 ± .043	.625	.189	.218	.109	.383	.110	.137	

REQUIREMENTS

1. MATERIAL: COPPER, ASTM B3 (UNS C11000)
   NICKLE-COPPER ALLOY (MONEL), QQ-N-281 CLASS A, (UNS N04400)
   BRASS, QQ-W-321, ALLOY 270, 1/8 HARD (UNS C27000)
2. FINISH: ONLY WHEN SPECIFIED NICKEL-COPPER ALLOY (MONEL) CADMIUM PLATE QQ-P-416 TYPE II CLASS 2
3. SHEAR STRENGTH: COPPER, 17,000 PSI TO 30,000 PSI
   NICKEL-COPPER ALLOY (MONEL), 49,000 PSI TO 59,000 PSI
4. RIVETS MAY BE FURNISHED PLAIN OR WITH CHAMFERED ENDS WITH A RADIUS TO THE "T" DIMENSION OR A 20° CHAMFER TO THE "S" DIMENSION
5. RIVET SHALL DRIVE COLD SATISFACTORILY WITH A FULL HEAD FREE FROM CRACKS
6. RIVETS MUST BE TRUE TO FORM, CONCENTRIC AND FREE FROM INJURIOUS SCALE, FINS, SEAMS, AND ALL OTHER INJURIOUS DEFECTS.
7. PART NUMBER: THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER FROM TABLE II ADDITIONAL 1/32 INCREMENTS MAY BE OBTAINED BY ADDING "R" AFTER THE LAST DASH NUMBER

   EXAMPLE OF PART NUMBER:

   MS20615-2M8 = RIVET, UNIVERSAL HEAD, NICKEL COPPER ALLOY, 1/16 INCH DIA, 1/2 INCH LONG
   MS20615-2M8R = RIVET, UNIVERSAL HEAD NICKEL COPPER ALLOY 1/16 INCH DIA 5/32 LONG

© ENTIRE DOCUMENT REVISED

INCH-POUND

PREPARING ACTIVITY: DLA-IS CUSTODIANS: ARMY- AV NAVY- AS AIR FORCE- 82 DLA- REVIEW: 99 USER -- (1 NUMBER 5320-0528 EDITION STATEMENT	MILITARY SPECIFICATION SHEET TITLE RIVET, SOLID-UNIVERSAL HEAD BRASS, COPPER, NICKEL-COPPER ALLOY	SPECIFICATION SHEET NUMBER MS20615 13 FEB 1995 REV G SUPERSEDING MS20615F 30 AUG 1990 AMSC N/A FSC 5320

Approved for public release; distribution is unlimited.

DD Form 672 MAY 88

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:23Z
Check the source to verify that this is the current version before use.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT SECTION OF THE DODISS SPECIFIED IN THE SOLICITATION (NOW)

SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

Form Approved
OMB No. 0704-0188

NOTES:

1. DIMENSIONS ARE IN INCHES
2. UNLESS OTHERWISE SPECIFIED TOLERANCES: DECIMALS ± .010
3. MS20615 CAN UNIVERSALLY REPLACE THE INACTIVED MS20435 RIVETS OF THE SAME MATERIAL, SHANK DIAMETER AND LENGTH BUT THE INACTIVE MS20435 RIVETS CANNOT REPLACE THE SUPERSEDING MS20615 RIVETS.
4. IN THE EVENT OF A CONFLICT THE TEXT OF THIS DOCUMENT AND THE REFERENCE CITED HEREIN, THE TEXT OF THIS DOCUMENT SHALL TAKE PRECEDENCE.
5. UNLESS OTHERWISE SPECIFIED, ISSUES OF REFERENCED DOCUMENTS ARE THOSE IN EFFECT AT THE TIME OF SOLICITATION.

TABLE II. DASH NUMBERS

BRASS DASH NO	COPPER DASH NO	MONEL DASH NO	MONEL CADMIUM PLATED	DIA.	LENGTH
-2B2	-2CU2	-2M2	-2MP2	1/16	125
-2B3	-2CU3	-2M3	-2MP3		187
-2B4	-2CU4	-2M4	-2MP4		250
-2B5	-2CU5	-2M5	-2MP5		312
-2B6	-2CU6	-2M6	-2MP6		375
-2B7	-2CU7	-2M7	-2MP7		438
-2B8	-2CU8	-2M8	-2MP8		500
-2B9			-2MP9		562
-3B2	-3CU3	-3M3	-3MP3	3/32	187
-3B4	-3CU4	-3M4	-3MP4		250
-3B5	-3CU5	-3M5	-3MP5		312
-3B6	-3CU6	-3M6	-3MP6		375
-3B7	-3CU7	-3M7	-3MP7		438
-3B8	-3CU8	-3M8	-3MP8		500
-3B9		-3M9	-3MP9		562
-3B10	-3CU10	-3M10	-3MP10		625
-3B11		-3M11	-3MP11		688
-3B12	-3CU12	-3M12	-3MP12		750
	-3CU14		-3MP14		875
	-3CU16		-3MP16		1 000
-4B3		-4M3	-4MP3	1/8	187
-4B4	-4CU4	-4M4	-4MP4		.250
-4B5	-4CU5	-4M5	-4MP5		.312
-4B6	-4CU6	-4M6	-4MP6		.375
-4B7	-4CU7	-4M7	-4MP7		438
-4B8	-4CU8	-4M8	-4MP8		.500
-4B9		-4M9	-4MP9		562
-4B10	-4CU10	-4M10	-4MP10		625
-4B11		-4M11	-4MP11		688
-4B12	-4CU12	-4M12	-4MP12		750
-4B13		-4M13	-4MP13		812
-4B14	-4CU14	-4M14	-4MP14		875
-4B15		-4M15	-4MP15		938
-4B16	-4CU16	-4M16	-4MP16		1 000
-4B18		-4M18	-4MP18		1 125
-4B20		-4M20	-4MP20		1 250
-5B4		-5M4	-5MP4	5/32	250
-5B5		-5M5	-5MP5		312
-5B6	-5CU6	-5M6	-5MP6		.375
-5B7	-5CU7	-5M7	-5MP7		438
-5B8	-5CU8	-5M8	-5MP8		500
-5B9		-5M9	-5MP9		562
-5B10	-5CU10	-5M10	-5MP10		625
-5B11		-5M11	-5MP11		688
-5B12	-5CU12	-5M12	-5MP12		750
-5B13		-5M13	-5MP13		812
-5B14	-5CU14	-5M14	-5MP14		875
-5B15		-5M15	-5MP15		938
-5B16	-5CU16	-5M16	-5MP16		1 000
-5B18		-5M18	-5MP18		1 125
		-5M20	-5MP20		1 250
		-5M22	-5MP22		1 375
		-5M24	-5MP24		1 500
		-5M28	-5MP28		1 750
		-5M32	-5MP32		2 000

BRASS DASH NO	COPPER DASH NO	MONEL DASH NO	MONEL CADMIUM PLATED	DIA.	LENGTH
-6B4		-6M4	-6MP4	3/16	250
-6B5		-6M5	-6MP5		312
-6B6	-6CU6	-6M6	-6MP6		375
-6B7	-6CU7	-6M7	-6MP7		438
-6B8	-6CU8	-6M8	-6MP8		500
-6B9		-6M9	-6MP9		562
-6B10	-6CU10	-6M10	-6MP10		625
-6B11		-6M11	-6MP11		688
-6B12	-6CU12	-6M12	-6MP12		750
-6B13		-6M13	-6MP13		812
-6B14	-6CU14	-6M14	-6MP14		875
-6B15		-6M15	-6MP15		938
-6B16	-6CU16	-6M16	-6MP16		1 000
-6B18	-6CU18	-6M18	-6MP18		1 125
-6B20	-6CU20	-6M20	-6MP20		1 250
-6B22	-6CU22	-6M22	-6MP22		1 375
-6B24	-6CU24	-6M24	-6MP24		1 500
-6B28		-6M28	-6MP28		1 750
-6B32		-6M32	-6MP32		2 000
-8B5	-8CU5	-8M5	-8MP5	1/4	312
-8B6	-8CU6	-8M6	-8MP6		375
-8B7	-8CU7	-8M7	-8MP7		438
-8B8	-8CU8	-8M8	-8MP8		500
-8B9	-8CU9	-8M9	-8MP9		562
-8B10	-8CU10	-8M10	-8MP10		625
-8B11	-8CU11	-8M11	-8MP11		688
-8B12	-8CU12	-8M12	-8MP12		750
-8B13	-8CU13	-8M13	-8MP13		812
-8B14	-8CU14	-8M14	-8MP14		875
-8B15	-8CU15	-8M15	-8MP15		938
-8B16	-8CU16	-8M16	-8MP16		1 000
-8B18	-8CU18	-8M18	-8MP18		1 125
-8B20	-8CU20	-8M20	-8MP20		1 250
-8B22	-8CU22	-8M22	-8MP22		1 375
-8B24	-8CU24	-8M24	-8MP24		1 500
-8B28	-8CU28	-8M28	-8MP28		1 750
-8B32	-8CU32	-8M32	-8MP32		2 000
-10B10	-10CU10	-10M10	-10MP10	5/16	625
-10B12	-10CU12	-10M12	-10MP12		750
-10B14	-10CU14	-10M14	-10MP14		875
-10B16	-10CU16	-10M16	-10MP16		1 000
-10B20	-10CU20	-10M20	-10MP20		1 250
-10B24	-10CU24	-10M24	-10MP24		1 500
-10B28	-10CU28	-10M28	-10MP28		1 750
-10B32	-10CU32	-10M32	-10MP32		2 000
-12B12	-12CU12	-12M12	-12MP12	3/8	750
-12B14	-12CU14	-12M14	-12MP14		875
-12B16	-12CU16	-12M16	-12MP16		1 000
-12B20	-12CU20	-12M20	-12MP20		1 250
-12B24	-12CU24	-12M24	-12MP24		1 500
-12B28	-12CU28	-12M28	-12MP28		1 750
-12B32	-12CU32	-12M32	-12MP32		2 000
-14B16	-14CU16	-14M16	-14MP16	7/16	1 000
-14B20	-14CU20	-14M20	-14MP20		1 250
-14B24	-14CU24	-14M24	-14MP24		1 500
-14B28	-14CU28	-14M28	-14MP28		1 750
-14B32	-14CU32	-14M32	-14MP32		2 000

PREPARING ACTIVITY: DLA-IS

CUSTODIANS: ARMY- AV NAVY- AS AIR FORCE- 82 DLA-

REVIEWER: NAVY

USER:

NUMBER: 5320-0828

MILITARY SPECIFICATION SHEET

TITLE: RIVET, SOLID-UNIVERSAL HEAD, BRASS COPPER NICKEL-COPPER ALLOY

SPECIFICATION SHEET NUMBER: MS20615 13 FEB 1995 REV C

SUPERSEDING: MS20615F 30 AUG 1990

AMSC N/A FSC 5320

A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:23Z
Check the source to verify that this is the current version before use.

Form Approved
OMB No 0704-0188

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION NONE

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

TABLE III INTERCHANGEABILITY TABLE

DASH NUMBERS					
MONEL		MONEL CADMIUM PLATED		COPPER	
INACTIVE MS20435	REPLACEMENT MS20615	INACTIVE MS20435	REPLACEMENT MS20615	INACTIVE MS20435	REPLACEMENT MS20615
-M2-2	-2M2	-M2C2	-2MP2	-CU2-2	-2CU2
-M2-3	-2M3	-M2C3	-2MP3	-CU2-3	-2CU3
-M2-4	-2M4	-M2C4	-2MP4	-CU2-4	-2CU4
-M2-5	-2M5	-M2C5	-2MP5	-CU2-5	-2CU5
-M2-6	-2M6	-M2C6	-2MP6	-CU2-6	-2CU6
-M2-7	-2M7	-M2C7	-2MP7	-CU2-7	-2CU7
-M2-8	-2M8	-M2C8	-2MP8	-CU2-8	-2CU8
-M3-3	-3M3	-M3C3	-3MP3	-CU3-3	-3CU3
-M3-4	-3M4	-M3C4	-3MP4	-CU3-4	-3CU4
-M3-5	-3M5	-M3C5	-3MP5	-CU3-5	-3CU5
-M3-6	-3M6	-M3C6	-3MP6	-CU3-6	-3CU6
-M3-7	-3M7	-M3C7	-3MP7	-CU3-7	-3CU7
-M3-8	-3M8	-M3C8	-3MP8	-CU3-8	-3CU8
-M3-10	-3M10	-M3C10	-3MP10	-CU3-10	-3CU10
-M3-12	-3M12	-M3C12	-3MP12	-CU3-12	-3CU12
-M3-14	--	--	--	-CU3-14	-3CU14
-M3-16	--	--	--	-CU3-16	-3CU16
-M4-3	-4M3	-M4C3	-4MP3	-CU4-3	-4CU3
-M4-4	-4M4	-M4C4	-4MP4	-CU4-4	-4CU4
-M4-5	-4M5	-M4C5	-4MP5	-CU4-5	-4CU5
-M4-6	-4M6	-M4C6	-4MP6	-CU4-6	-4CU6
-M4-7	-4M7	-M4C7	-4MP7	-CU4-7	-4CU7
-M4-8	-4M8	-M4C8	-4MP8	-CU4-8	-4CU8
-M4-10	-4M10	-M4C10	-4MP10	-CU4-10	-4CU10
-M4-12	-4M12	-M4C12	-4MP12	-CU4-12	-4CU12
-M4-14	-4M14	-M4C14	-4MP14	-CU4-14	-4CU14
-M4-16	-4M16	-M4C16	-4MP16	-CU4-16	-4CU16
-M4-18	-4M18	-M4C18	-4MP18	--	--
-M5-4	-5M4	-M5C4	-5MP4	--	--
-M5-5	-5M5	-M5C5	-5MP5	--	--
-M5-6	-5M6	-M5C6	-5MP6	-CU5-6	-5CU6
-M5-7	-5M7	-M5C7	-5MP7	-CU5-7	-5CU7
-M5-8	-5M8	-M5C8	-5MP8	-CU5-8	-5CU8
-M5-10	-5M10	-M5C10	-5MP10	-CU5-10	-5CU10
-M5-12	-5M12	-M5C12	-5MP12	-CU5-12	-5CU12
-M5-14	-5M14	-M5C14	-5MP14	-CU5-14	-5CU14
-M5-16	-5M16	-M5C16	-5MP16	-CU5-16	-5CU16
-M5-18	-5M18	-M5C18	-5MP18	--	--
-M6-4	-6M4	--	--	--	--
-M6-5	-6M5	--	--	--	--
-M6-6	-6M6	--	--	-CU6-6	-6CU6
-M6-7	-6M7	--	--	-CU6-7	-6CU7
-M6-8	-6M8	--	--	-CU6-8	-6CU8
-M6-10	-6M10	--	--	-CU6-10	-6CU10
-M6-12	-6M12	--	--	-CU6-12	-6CU12
-M6-14	-6M14	--	--	-CU6-14	-6CU14
-M6-16	-6M16	--	--	-CU6-16	-6CU16
-M6-18	-6M18	--	--	-CU6-18	-6CU18
-M6-20	-6M20	--	--	-CU6-20	-6CU20
-M6-22	-6M22	--	--	-CU6-22	-6CU22
-M6-24	-6M24	--	--	-CU6-24	-6CU24
-M8-5	-8M5	--	--	--	--
-M8-6	-8M6	--	--	--	--
-M8-7	-8M7	--	--	--	--
-M8-8	-8M8	--	--	--	--
-M8-10	-8M10	--	--	--	--
-M8-12	-8M12	--	--	--	--
-M8-14	-8M14	--	--	--	--
-M8-16	-8M16	--	--	--	--
-M8-20	-8M20	--	--	--	--
-M8-24	-8M24	--	--	--	--

PREPARING ACTIVITY: DLA-IS
CUSTODIANS: ARMY-AV NAVY-AS AIR FORCE-82 DLA-
REVIEW: 99
USER:
PROCUREMENT NUMBER: 5320-0828

MILITARY SPECIFICATION SHEET

TITLE: RIVET, SOLID-UNIVERSAL HEAD, BRASS, COPPER NICKEL-COPPER ALLOY

SPECIFICATION SHEET NUMBER: MS20615 REV G 13 FEB 1995

SUPERSEDING: MS20615F 30 AUG 1990

AMSC- N/A FSC 5320

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Page 3 of 3

DD Form 672 MAY 88

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:23Z
Check the source to verify that this is the current version before use.