NOTICE When Government drawings specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto

DD FORM 672-1
1 OCT 52

MWM CORP DAYTON OHIO
11/60
30C

CUSTODIANS
AIR FORCE

PROCUREMENT SPECIFICATION
NONE

OTHER INT
A -
N -
AF -


SUPERSEDES

MILITARY STANDARD

INSERT ARRANGEMENT – ELECTRICAL CONNECTOR RECEPTACLE

MS24242 (USAF)


SHEET 1 OF 4




ALTERNATE INSERT POSITIONS
KEYWAY LOCATIONS (DEGREES)

INDICATOR	16-03	16-10	INDICATOR	16-03	16-10
V	180	180	E	40	40
W	80	80	F	320	320
Z	280	280	G	140	140
X	110	110	H	220	200
Y	250	250			

(B)



TYPE 16-03 (a)



TYPE 16-10 (b)

(a) NO 20 CONTACTS SERVICE 3 (A, B & C)

(b) NO 20 CONTACTS SERVICE 2 (C, E & H) SERVICE 1 (ALL OTHERS)

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED, TOLERANCES DECIMALS ± 002.

PIN INSERTS AS VIEWED FROM ENGAGING END (SOCKET INSERTS OPPOSITE).

THIS IS A DESIGN STANDARD - NOT USED AS A PART NUMBER

APPROVED 9-JAN-58 REVISED (A) 27 MAY 58 (B) 18 OCT 60

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:50Z
Check the source to verify that this is the current version before use.

NOTICE When Government drawings specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished, or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto

DD FORM 672-1
1 OCT 52

M.W.M.CORP DAYTON OHIO
11/60
3500

CUSTODIANS
AIR FORCE

OTHER INT.
A-
K-
AF-

PROCUREMENT SPECIFICATION
NONE


SUPERSEDES:

MILITARY STANDARD


INSERT ARRANGEMENT-ELECTRICAL CONNECTOR RECEPTACLE

MS24242 (USAF)

SHEET 2 OF 4



ALTERNATE INSERT POSITIONS KEYWAY LOCATIONS(DEGREES)	
INDICATOR	19-20
V	180
W	80
Z	280
X	110
Y	250
E	40
(B) F	320
G	140
H	220



TYPE 19-20 (a)

(a) NO 20 CONTACTS SERVICE 2 (A, E & K) SERVICE 1 (ALL OTHERS)

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES DECIMALS ±.002.

PIN INSERTS AS VIEWED FROM ENGAGING END (SOCKET INSERTS OPPOSITE).

FED SUP CLASS

THIS IS A DESIGN STANDARD - NOT USED AS A PART NUMBER

APPROVED 9-JAN-58 REVISED (A) 27 MAY 58 (B) 18 OCT 60

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:50Z
Check the source to verify that this is the current version before use.

NOTICE When Government drawings specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto

DD FORM 672-1 1 OCT 57

PROCUREMENT SPECIFICATION NONE

CUSTODIANS AIR FORCE

OTHER INT A - N - AF -

SUPERSEDES


MILITARY STANDARD

INSERT ARRANGEMENT - ELECTRICAL CONNECTOR RECEPTACLE

MS24242 (USAF)

SHEET 3 OF 4


M W M CORP DAYTON, OHIO 11/60 3500




INSERT POSITIONS

ALTERNATE INSERT POSITIONS KEYWAY LOCATIONS (DEGREES)		
INDICATOR	21-13	21-23
V	180	180
W	80	80
Z	280	280
X	110	110
Y	250	250
E	40	40
F	320	320
G	140	140
H	220	220

(B)



TYPE 21-13 (a)



TYPE 21-23 (b)

(a) NO 20 CONTACTS SERVICE 3 (A,B,C E & F) SERVICE 1 (ALL OTHERS)

(b) NO 20 CONTACTS SERVICE 2 (A,B,C,D,E,F,H,K,L&M) SERVICE 1 (ALL OTHERS)

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED, TOLERANCES DECIMALS ± 002

PIN INSERTS AS VIEWED FROM ENGAGING END (SOCKET INSERTS OPPOSITE)

THIS IS A DESIGN STANDARD - NOT USED AS A PART NUMBER

FED SUP CLASS

APPROVED 9 JAN 58 REVISED (A) 27 MAY 58 (B) 18 OCT 60

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:50Z
Check the source to verify that this is the current version before use.

NOTICE When Government drawings specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto

DD FORM 672-1 OCT 52

MWMCORP DAYTON, OHIO 11/60 3500

PROCUREMENT SPECIFICATION NONE

CUSTODIANS AIR FORCE

OTHER INT A - N - AF -


SUPERSEDES

MILITARY STANDARD

INSERT ARRANGEMENT - ELECTRICAL CONNECTOR RECEPTACLE

MS24242 (USAF)


SHEET 4 OF 4



ALTERNATE INSERT POSITIONS KEYWAY LOCATIONS (DEGREES)

INDICATOR	21-30	21-50	INDICATOR	21-30
V	180	—	E	40
W	80	80	F	320
Z	280	280	G	140
X	110	110	H	220
Y	250	250		

(B)



TYPE 21-30 (a)

(a) NO 20 CONTACTS SERVICE 2 (A,B & C) SERVICE 1 (ALL OTHERS)

(B)

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED, TOLERANCES DECIMALS ± 002.

PIN INSERTS AS VIEWED FROM ENGAGING END (SOCKET INSERTS OPPOSITE).

FTD SLP CLASS

THIS IS A DESIGN STANDARD - NOT USED AS A PART NUMBER

APPROVED 9-JAN-58 REVISED (A) 27 MAY 58 (B) 18 OCT 60

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:50Z
Check the source to verify that this is the current version before use.