[INCH-POUND]
A-A-55504/5E
10 June 2020
SUPERSEDING
A-A-55504/5D
6 January 2016

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, SCREWDRIVER KNOB FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

The complete requirements for procuring the fuseholders described herein shall consist of this document and the issue in effect of CID A-A-55504.

CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This commercial item description (CID) specification sheet uses a classification system which is included in the PIN as shown in the following example (see NOTES).

AA55504/05-	Accommodates fuse	Rear terminal configuration
001A	3AG	A
001B	3AG	B
001C	3AG	C
001D	3AG	D
002A	5 mm x 20 mm	A
002B	5 mm x 20 mm	B
002C	5 mm x 20 mm	C
002D	5 mm x 20 mm	D

SALIENT CHARACTERISTICS.

Interface and physical dimensions. Fuseholders supplied to this CID specification sheet shall be as specified herein (see figure 1).


Rear terminal configuration. The rear terminal configuration shall be as specified in A-A-55504.

Mounting hole. The mounting hole shall be as specified in figure 1.


NOTES.

PIN. The PIN should be used for Government purposes to buy commercial products to this CID specification sheet. See classification information for PIN format example.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.



SUGGESTED MOUNTING HOLES



Ltr	Inches		mm		Ltr	Inches		mm	
	Min	Max	Min	Max		Min	Max	Min	Max
A	---	.627	---	15.93	F	---	.311	---	7.90
B	.030	.039	.76	.99	G	---	.692	---	17.58
C	.250	.255	6.48	12.70	H	.469	.480	11.91	12.19
D	.150	.180	3.81	4.57	J	.500	.509	12.70	12.93
E	1.476	1.539	37.49	39.09	K	.457	.465	11.61	11.81

NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerance is ±.005 inch (0.13 mm).

FIGURE 1. Configuration and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

Commercial products. As part of the market analysis and research effort, this CID specification sheet was coordinated with the following manufacturers of commercial products. At the time of CID specification sheet preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID specification sheet. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict acquisition to only the manufacturers shown.)

MFR's CAGE	MFR's name and address
71400	Cooper Bussmann, LLC 114 Old State Road Ellisville, MO 63021-5915 Phone number (636) 394-2877 Facsimile number (636) 527-1415 E-mail: debbiewortmann@eaton.com Uniform Resource Locator (URL): https://www.eaton.com
75915	Littelfuse Incorporated 8755 West Higgins Road, Suite 500 Chicago, IL 60631-2701 Phone number (773) 628-0621 E-mail: tburl@littelfuse.com URL: https://www.littelfuse.com

Part number (P/N) supersession data. These CID specification sheet PINs supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE I. P/N supersession data.

CID dash number AA55504/05- (see table I)	MFR's CAGE 71400	MFR's CAGE 75915
	MFR's P/N 1/	MFR's P/N 1/
001A	HTB-32I	3453LS2
001B	HTB-34I	3453LS1
001C	HTB-36I	3453LS8
001D	HTB-38I	3453LS7
002A	HTB-32M	3455LS2
002B	HTB-34M	3455LS1
002C	HTB-36M	3455LS8
002D	HTB-38M	3455LS7

1/ The manufacturer's P/N shall not be used for acquisition to the requirements of this CID specification sheet. At the time of preparation of this CID specification sheet, the aforementioned commercial products were reviewed and could be replaced by the CID P/N shown. For actual part marking requirements see the marking paragraph of A-A-55504.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

National stock number (NSN). The following is a list of NSN's assigned which correspond to this CID specification sheet. The list is for information only and may not be indicative of all possible NSN's associated with the CID specification sheet. For up to date information on assigned NSN's, please contact the aforementioned DLA Land and Maritime office (see A-A-55504).

TABLE II. NSN's.

Dash number (see table I) AA55504/05-	NSN
001A	N/A
001B	5920-01-233-4244
001C	N/A
001D	N/A
002A	N/A
002B	5920-01-362-5183
002C	N/A
002D	N/A

Changes from previous issue. The margins of this CID are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

MILITARY INTERESTS:

Custodians:
Navy - EC
Air Force - 85
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FAS

Preparing activity:

DLA-CC

Project 5920-2020-020

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.