MILITARY SPECIFICATION SHEET

MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED;

HAZARDOUS MATERIAL SYMBOLS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring hazardous material symbol markers described herein shall consist of this document and the issue in effect of MIL-M-43719.

REQUIREMENTS

Material. Material for the basic marker (figure 1) shall conform to type I, class 3, reflectivity 1, color white of L-S-300.

Colors. Colors shall conform to the following (see table I of MIL-M-43719):

Color name	Color number
Red	11105
Light yellow	13655
Orange yellow	13538
Light blue	15102
Insignia blue	15044
Jet black	17038

Design. The design of the basic marker shall be as shown in figure 1. The size and dimensions of the basic marker shall be as shown in figure 2.

Specific hazard symbols and numerals. Specific hazard symbols and numerals shall be mounted on a translucent transfer sheet in accordance with 3.1.2 of MIL-M-43719.

Specific hazard symbols. Specific hazard symbols are as follows:

ACID, ALK, COR, OXY, ~~W~~

The heights of the letters shall be one-half the height of the coresponding numerals for the specified size marker. The color of the letters shall be black. In all other respects, they shall conform to MIL-M-43719/3.

Numerals. Numerals are as follows:

0, 1, 2, 3, and 4

Numerals shall conform to MIL-M-43719/1. The color of the numerals shall be black or white as specified.

FSC 7690

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:09Z
Check the source to verify that this is the current version before use.

Adhesion. Adhesion shall conform to type I, class 2 of MIL-M-43719.

QUALITY ASSURANCE PROVISIONS

Reflectivity. Reflectivity shall be determined in accordance with L-S-300.

PACKAGING

Markers or marker sets shall be packaged as follows:

Basic markers. Basic markers of one size only shall be furnished in unit packs of 100 each.

Marker sets. Marker sets shall be furnished in unit packs containing 10 each of the appropriate size numerals, specific hazard symbols and basic markers.

Intended use. Hazardous material symbol markers described herein are for use in connection with the National Fire Protection Association Standard No. 704M.

Ordering data. Procurement documents should specify the following in addition to the ordering data listed in the general specification:

(a) Size of basic marker, numerals and specific hazard symbols required.
(b) If black or white numerals are required.
(c) If basic markers only are required.
(d) If marker sets are required.

Custodians:

Army - GL
Navy - AS

Review activity:

DLA - GS

Preparing activity:

Army - GL

Project No. 7690-0056

Source: https://assist.dla.mil -- Downloaded: 202610-21T22:09Z
Check the source to verify that this is the current version before use.








FIGURE 1. BASIC MARKER

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:09Z
Check the source to verify that this is the current version before use.









SIZE	A	B	C	E	W	T	BORDER (WHERE REQD)	TYPE SIZE POINTS MIN	MAX
3	4	2.500	.750	.375	.625	.156	.016	7	8
4	4	2.500	1.000	.500	.750	.156	.016	7	8
6	6	3.750	1.500	.750	1.000	.219	.016	10	12
8	8	5.000	2.000	1.000	1.500	.312	.031	14	16
12	12	7.500	3.000	1.500	2.125	.469	.062	20	24

FIGURE 2. DIMENSIONS

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:09Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development
Laboratories
ATTN: DRDNA-ES (Mr. D. Luppino)
Natick, MA 01760

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:09Z
Check the source to verify that this is the current version before use.