1 September 1969

SUPERSEDING
MIL-C-38778(USAF)
7 December 1966

MILITARY SPECIFICATION

CHECKLISTS: TITLE PAGE, LIST OF EFFECTIVE PAGES, PRINTING AND BINDERS; GENERAL REQUIREMENTS FOR PREPARATION OF

1. SCOPE

1.1 This specification covers the general requirements for the preparation of checklists. It also covers the preparation of title pages and list of effective pages, printing, and binders for checklists. When the requirements of any technical content checklist specification conflict with the contents herein, the requirements of this specification shall apply.

1.2 *Classification.* This specification covers checklists of the following types and classes:

Type I. Flight Crew
- Class 1. For insertion in standard plastic insert binders. (MIL-C-27278)
- Class 2. For attachment to clipboards. (MIL-C-27278)
- Class 3. Scroll. (MIL-C-27278)
- Class 4. Cargo Loading. (MIL-C-9927)
- Class 5. Nonnuclear Munitions Delivery. (MIL-M-38384)
- Class 6. Nuclear Munitions Delivery. (MIL-T-25832, MIL-T-25848, MIL-B-27026, MIL-T-27579)
- Class 7. Acceptance and/or Functional Check Flight. (MIL-M-5096)

Type II. Operational and Organizational Maintenance
- Class 1. Aircraft (MIL-C-9927) (Includes Jet Engine Conditioning)
- Class 2. Missile and Space Systems (except Class 3 below) (MIL-C-9883)
- Class 3. ICBM Operational (MIL-M-38311)
- Class 4. Weapon System Simulator (MIL-C-9927)

Type III. Nonnuclear and Chemical/Biological Munitions
- Class 1. Loading (MIL-M-9977 and MIL-M-38716)
- Class 2. Storage and Maintenance (MIL-M-38781)

Type IV. Nuclear Munitions
- Class 1. Loading (MIL-M-9977, MIL-T-25802, MIL-T-27018, MIL-T-27586)
- Class 2. Operational Readiness and Serviceable Condition (MIL-C-38782)

Type V. Field Maintenance (Bench Check) (MIL-C-38720)

Type VI. Basic Weight (MIL-M-5920)

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on the date of invitation for bids, or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

Federal

L-T-90	Tape, Pressure—Sensitive Adhesive (Cellophane and Cellulose Acetate)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

Military

MIL-M-4410	Manuals, Technical: Title Page and List of Effective Pages; Certificate of Destruction Page; Transmittal Notice; Reproduction Assembly Sheet; Photolithographic Negatives; Printing; and Binders
MIL-M-38730	Manuals, Technical: General Requirement for Preparation of
MIL-P-38790	Printing Production of Technical Manuals: General Requirements for

(Copies of documents required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 *General.* Reproducible copy for checklists shall be so prepared that printing can be accomplished in the following sizes: 8¼ by 10¾ inch (standard technical order size); 4 by 8 inches (pocket size); 4⅛ by 7 inches (flight crew use); 5 by 8 inches (staple/clipboard style) (copy to be prepared vertically on the page); 2 19/16 by 96 (maximum) inches (scroll type). The general requirements of MIL-M-38730 are also applicable except that no page shall contain color nor shall there be any foldout pages. Checklists shall be furnished in the form (reproducible copy, negatives, printed copies) specified in the contract.

3.1.1 *Security classification.* Normally, only unclassified information will be inserted in a checklist. However, when a classified checklist must be issued, the requirements of MIL-M-38730 are applicable.

3.1.2 *Negatives and reproduction assembly sheets.* Though MIL-P-38790 is not specifically applicable to checklists, appropriate portions thereof regarding preparation of negatives and reproduction assembly sheets shall be considered to apply to checklists. In particular, if the checklist is 4 by 8 inch size, or 8¼ by 10¾ inch size, the requirements of MIL-P-38790 are applicable.

3.1.2.1 For 4½ by 7 inch size checklists, the outside dimensions of negatives shall be no larger than 4¾ by 7¼ inches, and no smaller than 4⅝ by 7⅛ inches. The printing area shall be 4 by 6½ inches or 24 picas wide by 39 picas deep. For 5 by 8 inch size checklists, the outside dimensions of negatives shall be no longer than 5¼ by 8¼ inches, and no smaller than 5⅛ by 8⅛ inches. The printing area shall be 4½ by 7½ inches or 27 picas wide by 45 picas deep, except when the checklist is of the clipboard style, in which case the depth of the printing area shall be 7 inches (42 picas) to allow ½ inch clipboard space. The layout of negative requirements of MIL-P-38790 are applicable.

3.2 *Front matter.* The front matter of a checklist shall consist of a title page, list of effective pages, table of contents, list of illustrations (if applicable), list of tables (if applicable), safety precautions (if applicable), and introduction. Refer to 3.2.4, 3.2.6, and 3.3.1 for exceptions.

3.2.1 *Title page.* Title pages for checklists shall agree with the requirements of MIL-M-4410. See figures 1 through 4. Also see figure 5 and refer to 3.2.4 regarding Acceptance and/or Functional Check Flight Checklist title information. Figure 6 illustrates the beginning and ending of a scroll checklist.

3.2.1.1 *Distribution limitation statements.* One of the following statements shall be placed on the title page of each checklist:

'Each transmittal of this document outside of the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.' (Unclassified checklists only)

'In addition to security requirements which apply to this document and must be met, each transmittal outside of the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.' (Classified checklists only)

3.2.2 *List of effective pages.* The requirements of MIL-M-4410 are applicable. See figure 7 for sample.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

3.2.3 *Table of contents, list of illustrations, list of tables, introduction.* The requirements of MIL-M-38730 are applicable.

3.2.4 *Acceptance and/or functional check flight checklists.* This type of checklist is normally revised, not changed, therefore, title page information shall be in an abbreviated style. Such information shall consist of the checklist title, publication number, aircraft model, replacement note (when applicable), authority notice (all at the top of the first page) and date of issue at the bottom of the page. See figure 5.

3.2.5 *Safety precautions.* When applicable, a summary of safety precautions shall be provided. The summary shall follow the list of effective pages and shall include all general precautions (high voltage warning, warning against servicing alone, and resuscitation statement).

3.2.6 *Munitions loading procedures checklists for tactical aircraft.* A list of illustrations and a list of tables are not required for this type of checklist.

3.3 *Style and format of text pages.* Checklist pages that will be printed head to head shall show the publication number in the upper-outer corner of the page, the page number in the lower-outer corner, and the change number, when applicable, next to the page number; for pages printed head to foot, such information shall be placed in the right-hand corners. Pages preceding Section 1 shall be numbered in lower case Roman numerals, i, ii, iii, etc. Section I pages shall be numbered 1-1, 1-2, 1-3, etc; Section II pages 2-1, 2-2, 2-3, etc. Added changed pages, for example two pages added between 2-2 and 2-3 shall be numbered 2-2A, 2-2B. If the checklist sections bear titles, such as Normal Procedures, Emergency Procedures, Alert Procedures, etc, the pages of each section shall be numbered N-1, E-1, A-1, etc. If the checklist is not divided into sections, pages shall be numbered consecutively with a single Arabic numeral. The type styles of MIL-M-38730 are applicable (also refer to 3.3.5.1). Copy shall be single spaced, except double spacing shall be used between procedural steps. All these requirements shall agree with the requirements of MIL-M-38730.

3.3.1 *Scroll type.* Scroll type checklists shall show the applicable publication number at the beginning and end of the scroll.

3.3.2 *Nomenclature.* Nomenclature used in a checklist shall be identical with the nomenclature used in any manual to which the checklist applies. Abbreviated nomenclature is acceptable. Abbreviations shall be in accordance with MIL-M-38730.

3.3.3 *Notes, cautions, warnings.* The requirements of MIL-M-38730 are applicable, except that in checklists for nonnuclear and nuclear munitions (Type III, Class 1, and Type IV, Class 1) warnings (including heading and text) shall be outlined by a narrow black line.

3.3.4 *Margins.* The printing area on each size page is as follows:

Over-all Page Size	*Printing Area*	*Top/Bottom Margin*	*Unbound/Bound, or Right/Left Margin*
4 by 8"	3⅛ by 7½"	¼"	(U)¼ – (B)⅝"
●4½ by 7"	4 by 6½"	¼"	¼"
5 by 8"	4½ by 7½"	¼"	¼"
*5 by 8"	4½ by 7"	#(T)⅜ – (B)¼"	¼"
8¼ by 10¾"	7 by 10"	(T)¼ – (B)½"	(U)¼ – (B)1"
**2¹³⁄₁₆ by ##96"	2⁹⁄₁₆ by ##91"	2½"	⅛"

●See figure 9 for dimensions applicable to flight crew checklist, clipboard style.
*Clipboard style
#For odd-numbered pages, reverse for even numbered pages. Refer to 3.6.1.
**Scroll type ## Maximum.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

3.3.5 *Detailed requirements.* Detailed requirements for text are contained in each individual technical content specification for a specific type of checklist.

3.3.5.1 *Type sizes and faces.* The following type sizes and faces are suggested for Type I, Classes 1, 2, and 3, checklists. Similar sizes and faces are acceptable for all checklists.

Class 1

Table of Contents, page numbers: 12-point Futura boldface, upper case.

Text: 12-point Garamond bold, upper and lower case, 2-point leading, except certain critical emergency procedures which shall be 12-point Futura boldface upper case.

Primary side heads: 14-point Futura boldface, upper case.

First subordinate and subsequent side heads: 12-point Futura bold, upper case.

Class 2

Table of Contents, page numbers: 12-point Futura boldface, upper case. (May be reduced for Emergency Procedures table of contents to provide for listing of all titles.)

Text: Emergency procedures—12-point Garamond bold, upper and lower case, 2-point leading. Other procedures—10-point Garamond bold, upper and lower case, 2-point leading.

Major heads: 12-point Futura bold, upper case.

Secondary heads: 10-point Futura bold, upper case.

Tertiary heads: 10-point Futura demi-bold, upper case.

Boldface items: Emergency procedures—10-point Futura demi-bold, upper case. (Note: to insure correct alignment, 12-point Garamond bold shall be used for numerical and alphabetical identification of steps on boldface items.)

Tab titles (bottom of Emergency Procedure pages): 12-point Futura bold condensed, upper and lower case.

Class 3

Preparation of text shall be in a continuous strip $2^{9}/_{16}$ inches wide by 8 feet maximum length. The reproducible copy shall be rolled, not folded. The following type sizes and faces are suggested; similar sizes and faces are acceptable.

Text: Varitype No. 660–12, upper and lower case; No. 16 spacing between lines.

Primary side heads and title: Varitype No. 670–12, upper case.

Subordinate side heads: Varitype No. 670–12, upper and lower case; No. 28 spacing between heads and text.

3.4 *Introductory page.* The introductory page for organizational maintenance checklists shall begin with the following standard paragraph:

"This checklist is a step by step guide in abbreviated form for use as a reference to insure accomplishment of selected tasks by a predetermined sequence procedure. The intent of this checklist is to eliminate the probability of omission of a step in the accomplishment of the intended task. The procedures contained herein are presented in the shortest practical form for use by qualified personnel and are not intended to provide full technical instructions. This checklist provides, in abbreviated form, sequenced procedures for _____. The procedures herein are derived from, but do not replace, the detailed procedures contained in TO(s) (insert applicable publication numbers). When malfunctions are encountered reference to the source data (applicable technical manual) shall be made."

3.5 *Emergency page markings.* Pages containing emergency information shall be marked with $^{3}/_{16}$ inch black diagonal markings, $^{3}/_{16}$ inch wide, $^{3}/_{16}$ inch apart, 45 degree angled up to the right, bled to two, three or four edges of the page as shown in Table I. Also see figure 8.

3.6 *Printing.* Checklists shall be printed, and bound as shown in Table I. (Additional printing requirements are contained in MIL-P-38790.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

3.6.1 *Clipboard style.* Checklists prepared for attachment to a clipboard (other than Type I, Class 2) shall have an extra one-half inch blank space at the top of each odd numbered page and at the bottom of each even numbered page.

3.6.2 *Insert.* For Type I, Class 2, checklists a transparent plastic sheet shall be placed immediately before the Take-Off and Landing Data (TOLD) page(s). This sheet shall be equal in strength to the checklist paper and shall be of such quality that it may be written upon with grease pencil, lead pencil, or ball point pen. Marks shall be easy to remove and leave no permanent stain.

3.6.3 *Scroll type.* Each printed checklist shall be rolled fairly tight and held in a rolled position with a rubber band of adequate strength.

3.7 *Binders.* Pocket size binders may be procured through local purchase, FSN 7510-082-2667. Plastic insert binders may also be procured through local purchase, FSN 7510-766-4268, 7510-766-4269, 7510-766-4270, for 15, 25, and 40 envelopes, respectively.

3.8 *Changes and revisions.* The requirements of MIL-M-4410 and MIL-M-38730 are applicable.

4. QUALITY ASSURANCE PROVISIONS

4.1 The requirements of MIL-M-38730 and MIL-P-38790 are applicable.

5. PREPARATION FOR DELIVERY

5.1 The requirements of MIL-M-38730 and MIL-P-38790 are applicable.

6. NOTES

6.1 *Intended use.* Checklists prepared in accordance with the general style and format requirements of this specification are intended for use by experienced personnel in lieu of the regular technical manual in the operation and maintenance of equipment that is in military service. Checklists briefly define what to do and the proper sequence of performance in order to assure safe operation of equipment or to ascertain operational readiness of equipment.

Custodian:
Air Force—16

Preparing Activity:
Air Force—16

Review Activities:
Air Force—01, 10, 11, 15, 16, 18, 70, 71, 80, 82, 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

TABLE I

Size	Paper	Color	Arrangement	Drilling	Emergency Page Marking	Binders	Application
4½ by 7"	JCP D10, 40 lbs or JCP A60, 100 lbs	Yellow	Head to Head	None	4	Plastic Insert	Type I, Class 1 Type I, Class 4 Type I, Class 5
4½ by 7"	JCP K10, 220 lbs	Yellow	Head to Head	Four ¼" holes	2	*Clipboard Backing Metal Rings at Side	Type I, Class 2
4½ by 7"	JCP G40, 32 lbs	Yellow	Head to Head	None	4	None	Type I, Class 6
4 by 8"	JCP J10, 64 lbs	White	Head to Head	Six ¼" holes	3	Pocket Size	Type II, Class 1 (Except **)
4 by 8"	JCP B40, 160 lbs	White	Head to Head	Six ¼" holes	3	Pocket Size	**Type II, Class 1
5 by 8"	JCP J10, 64 lbs	White	Head to Foot	None	4	One Staple	Type I, Class 7
5 by 8"	JCP J10, 64 lbs	White	Head to Head	None	4	#Plastic Insert	Type II, Class 4
5 by 8"	JCP K10, 220 lbs	White	Head to Foot	None	4	One Staple	Type II, Class 2 Type II, Class 3 Type III, Class 1
5 by 8"	JCP K1[illegible]	White	Head to Foot	None	4	Clipboard	Type III, Class 2 Type IV, Class 1 Type IV, Class 2
8½ by 10¾"	JCP A60, 100 lbs	White	Head to Head	Three 9/32" holes	3	Standard Technical Order	Type V Type V
##2 1/16 by 96" (max)	See Notes @ and @@ below	Not Applicable	Scroll	None	None	None	Type I, Class 5

* Backing board JCP Q20, 420 lbs, orange, see figure 9. Will be temporarily stapled (one staple until placed on clipboard.) Using Commands will locally procure the necessary rings.
** Organizational maintenance checklists subject to oil and grease stains.
Using Commands will procure own binders.
Width must be closely controlled.
2 Emergency page markings shall be on top and unbound edge.
3 Emergency page markings shall be on top, bottom, and unbound edge.
4 Emergency page markings shall be on all four edges.
@ Film Special UV emulsion (special product) black image sensitized on one side; 4.3 mil, Mylar Polyester film, matte on reverse side. (Technifax part number P320004 or equal.)
@@ Printed copies may be spliced or mended with Pressure-Sensitive Adhesive Tape, Federal Specification L-T-90, FSN 7510-551-9824.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

T O 1B-52H-1CL-3
(Formerly T O 1B-52H-CL-1-3)

RADAR NAVIGATOR'S

FLIGHT CREW CHECKLIST

USAF SERIES

B-52H

AF 34(601)-17550

Commanders are responsible for bringing this checklist to the attention of all personnel cleared for operation of the aircraft.

Each transmittal of this document outside of the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.

PUBLISHED UNDER AUTHORITY
OF THE SECRETARY OF THE AIR FORCE

1 OCTOBER 1967
CHANGE 4—2 JANUARY 1969

Figure 1. Flight Crew Checklist Title Page

T O 1B-58A-2-22CL-1

BOMB RELEASE SYSTEMS
ORGANIZATIONAL MAINTENANCE

CHECK LIST

USAF SERIES
B-58A AIRCRAFT

GENERAL DYNAMICS/FORT WORTH
Contract AF [redacted]

Each transmittal of this document outside of the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.


THIS PUBLICATION AUGMENTS
TO 1B-58A-2-22 DATED
2 OCTOBER 1968.

PUBLISHED UNDER AUTHORITY OF THE
SECRETARY OF THE AIR FORCE

2 October 1968

Figure 2. Organizational Maintenance Checklist Title Page

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.



T O 1F-100F-33-3-2CL-3

CHECKLIST

NONNUCLEAR MUNITIONS LOADING PROCEDURES

USAF SERIES

F-100F

AIRCRAFT

TYPE M-39 GUNS

Each transmittal of this document outside of the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.

Published Under Authority of the Secretary of the Air Force

30 OCTOBER 1968

Figure 3. Nonnuclear Munitions Checklist Title Page

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

TO 1F-4C-16-2CL-1

CHECKLIST

NUCLEAR WEAPON LOADING PROCEDURES (B28)

USAF SERIES
F-4C, F-4D, AND F-4E
AIRCRAFT

NOw (A) 64-0001-f
F29601-67-C-0041

Each transmittal of this document outside of the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.

THIS PUBLICATION REPLACES TO 1F-4C-16-2CL-1 DATED 15 OCTOBER 1965.

COMMANDERS ARE RESPONSIBLE FOR BRINGING THIS PUBLICATION TO THE ATTENTION OF ALL AFFECTED PERSONNEL.

PUBLISHED UNDER AUTHORITY
OF THE SECRETARY OF THE AIR FORCE

1 MAY 1969

Figure 4. Nuclear Weapons Checklist Title Page

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

ACCEPTANCE AND/OR FUNCTIONAL CHECK FLIGHT CHECKLIST

T O 1C-118A-6CF-1CL-1

USAF SERIES

C-118A

AIRCRAFT

THIS PUBLICATION REPLACES T O 1C-118A-6MS-1CF DATED 1 Jan 65

PUBLISHED UNDER AUTHORITY OF THE SECRETARY OF THE AIR FORCE.

1. AIRCRAFT TYPE, MODEL, SERIES AND SERIAL NO.	2. DATE

3. REASON FOR FUNCTIONAL CHECK FLIGHT

4. TEST PILOT'S SIGNATURE

5. SYMBOLS * Record actual reading
S- SATISFACTORY
U- UNSATISFACTORY

I PREFLIGHT	SYM
A. Briefing	
B. Aircraft Forms	
C. Preflight Inspection	
II TAXI & RUNUP	
A. Steering	
B. Taxi Check	
C. Nav-Aids	
D. Propeller Reverse	
E. Engine Runup Check	
F. Max Power	
G. Before Takeoff Check	
III TAKEOFF	
A. Instruments	
B. After Takeoff Climb Check	
IV CLIMB	
A. Pressurization	
B. Autopilot	
C. Flight Instruments	
D. Windshield	
E. Carburetor	
F. Landing Gear	
G. Heaters	
H. Fire Warning	
I. Blower Shift	

V CRUISE	SYM
A. Wing Flaps	
B. Autopilot	
C. Pressurization	
D. Air Conditioning	
E. Comm-Nav Equipment	
F. Compasses	
G. Flight Controls	
H. Fuel Dump	
I. Feathering	
VI DESCENT	
A. High Airspeed	
B. Flight Instruments	
C. Descent Checks	
D. Approach Coupler	
E. Before Landing Check	
VII LANDING	
A. Propeller Reverse	
B. Antiskid Brakes	
C. After Landing Check	
VIII AFTER LANDING	
A. Engines	
B. Before Lv Acft Check	
C. Exterior Inspection	
D. De-briefing	
NOTES: Use Reverse Side	

31 January 1966

Figure 5. Acceptance and/or Functional Check Flight Checklist Abbreviated Title Page

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

STOP TURNING

T O 1C-97(H)G-1CL-1-1

1 DECEMBER 1964

PILOTS' SCROLL CHECKLIST
USAF SERIES
HC-97G

NOTE: This scroll checklist reflects information contained in the Pilots' abbreviated flight crew checklist T.O. 1C-97(H)G-1CL-1 dated 1 December 1964.

BEFORE STARTING ENGINES

1. Visual Inspection–"COMPLETED" (P)
2. Form 781 and 365F–"CHECKED AND SIGNED" (P)
3. Takeoff and Landing Data–"COMPUTED" (P)
4. Lights–"AS REQUIRED" (CP, P)
5. Parking Brake–"SET" (P)
6. Hydraulic Pressure–"WITHIN LIMITS" (CP)
7. Nose Wheel Steering–"ENGAGED" (P)
8. Autopilot–"OFF" (P)
9. Flight Controls–"LOCKED" (CP)
10. Landing Gear Switch–"DOWN · COVER IN PLACE" (CP)
11. Wing Flaps–"AS REQUIRED" (P, CP)
12. Radios–"AS REQUIRED" (P)
13. Depressurization and Emergency Charging Valve–"EMERG BRAKE CHARGING" (CP)
14. Door Warning Light–"OUT" (CP)
15. Engineer's Report–"BEFORE STARTING ENGINES CHECK COMPLETED" (E)
16. Before Starting Engines Check–"COMPLETED" (CP)

BEFORE LEAVING THE AIRCRAFT

1. All Switches, Radios, and Lights–"OFF" (CP, P)
2. IFF–"OFF, CODES REMOVED" (CP, N)
3. Landing Gear Switch–"DOWN, COVER IN PLACE" (CP)
4. Chocks–"IN PLACE" (CP, P)
5. Parking Brake–"OFF" (P)
6. Windows–"CLOSED" (CP, P)
7. Engineer's Report–"BEFORE LEAVING AIRCRAFT CHECK COMPLETED" (E)
8. Before Leaving Aircraft Check–"COMPLETED" (CP)

END
T O 1C-97(H)G-1CL-1-1

STOP TURNING

Figure 6. Beginning and End of Scroll Checklist

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.




Figure 7. List of Effective Pages

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.




Figure 8. Marking for Pages Containing Emergency Information

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.




Figure 9. Flight Crew Checklist for Attachment to Clipboard

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE AIR FORCE

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 73236 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE AIR FORCE
AFCL/MMAPD
Wright-Patterson AFB, OH 45433-5001

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-10-21T15:26Z
Check the source to verify that this is the current version before use.