MIL-H-83267A(USAF)
AMENDMENT 2

20 Jul 84
SUPERSEDING
AMENDMENT 1
24 August 1978

MILITARY SPECIFICATION

HOISTING UNIT, AIRCRAFT MAINTENANCE HLU-213/E;
HELICOPTER SERVICING, 8,000 POUND CAPACITY

This amendment forms a part of Military Specification MIL-H-83267A(USAF) dated 20 September 1971, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Add to bottom of page:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio ALC/MMEDO, Kelly AFB, Texas 78241 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

1.1, delete in its entirety and substitute:

* "1.1 Scope. This specification covers an 8,000 pound capacity helicopter servicing, aircraft maintenance hoisting unit, designated HLU-213/E."

2.1, delete and substitute the following 2.1 and add new paragraph 2.1.1:

"2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein."

*Under SPECIFICATIONS, Federal, delete title to QQ-S-781 and substitute: "Strapping, Steel, and Seals."

*PPP-T-60, delete title and substitute "Tape, Packaging, Waterproof."

*Delete "MIL-S-207 Sulfuric Acid, Electrolyte, Packaging, Packing, and Marking for Shipment and Storage of" and substitute "O-S-801 Sulfuric Acid Electrolyte for Storage Batteries."

PAGE 2

*Delete "MIL-T-5021 Test, Aircraft and Missile Welding Operator's Qualifications" and substitute "MIL-STD-1595 Qualification of Aircraft, Missile and Aerospace Fusion Welders."

FSC 1730

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:44Z
Check the source to verify that this is the current version before use.

*Under STANDARDS, Military delete, "MIL-STD-100 Engineering Drawing Practices" and substitute "DOD-STD-100 Engineering Drawing Practices."

*Delete title opposite MIL-STD-808 and substitute "Finish Materials and Processes for Corrosion Prevention and Control in Support Equipment."

PAGE 3

Delete parenthetical source paragraph and substitute the following:

*"(Copies of specifications and standards required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

2.2, delete in its entirety and substitute the following:

* "2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable."

Add the following new paragraph 2.3:

*"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

*3.1, delete in its entirety and substitute the following:

"3.1 First article. This specification makes provisions for first article testing."

PAGE 4

*Add new paragraph 3.4.1.1:

"3.4.1.1 Reclaimed materiels. The use of reclaimed materiels shall be encouraged to the maximum extent possible."

PAGE 6

*3.5.7, line 2, delete "MIL-T-5021, Class A" and substitute "MIL-STD-1595."

PAGE 16

*3.8, line 3, delete "MIL-STD-100" and substitute "DOD-STD-100."

PAGE 18

*4.1, line 2 and line 4, delete "supplier" and substitute "contractor."

*4.2.a, delete "Preproduction tests" and substitute "First Article tests."

PAGE 19

*4.4, delete "Preproduction testing" and substitute "First article."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:44Z
Check the source to verify that this is the current version before use.

*4.4.2, line 1, delete "preproduction tests" and substitute "first article test."

PAGE 20

*4.4.3, delete in its entirety and substitute:

"4.4.3, First article tests. The first article tests shall consist of all tests specified under 4.6."

PAGE 24

*5, delete in its entirety and substitute:

"5.1 Preservation. Preservation shall be level A, or C, as specified (see 6.2)."

PAGE 25

*5.1.1.1.7.1, line 5, delete "MIL-S-207" and substitute "0-S-801."

PAGE 28

*6.2.b, delete "MIL-M-008090E(USAF) dated 18 April 1966" and substitute "MIL-M-8090F dated 1 Feb 1974."

*6.2.d, delete "preproduction" and substitute "first article."

*6.2.e, delete "preproduction" and substitute "first article."

*6.2.f, delete and substitute the following:

"f. Selection of applicable levels of preservation and packing (see 5.1 and 5.2)."

PAGE 29

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Air Force - 99

Review activity:
Air Force - 84

Preparing activity:
Air Force - 82

(Project 1730F274)

FSC 1730

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:44Z
Check the source to verify that this is the current version before use.