A-A-50209A
September 15, 1986
SUPERSEDING
A-A-50209
June 6, 1983

COMMERCIAL ITEM DESCRIPTION

STRAIGHTEDGES, STEEL, DRAFTSMEN'S

The General Services Adminstration has authorized the use of this commercial item description in preference to Federal Specification GG-S-776.

This description covers straightedges used in general drafting practices for scaling and drawing straight lines.

Salient characteristics:

Design: The straightedges shall be straight, parallel, and of uniform thickness. All surfaces shall be true planes. The ends shall be at right angles to the ruling edges. Each straightedge shall have a hole approximately 1-1/4 inch from one end of the straightedge. The straightedge shall be marked with the manufacturer's identification.

Material: Corrosion-resisting steel, smooth on both sides.

Types: Types of straightedges shall be shown below:

Type	Description
I - Squared Edge	Both edges squared for full thickness
II - One edge beveled	One edge squared for full thickness. The other edge shall be squared for a uniform thickness and shall be beveled uniformly.
III - Plotting	Both working edges beveled on one face. Both edges shall be parallel for uniform thickness and shall be beveled uniformly. Both beveled edges shall be graduated at a scale of 1:50,000. One edge shall be graduated in meters and the other edge shall be graduated in yards.

AMSC

FSC 6675

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

Size. The length and width shall be as follows:

Nominal size	
Length (Inches)	Width (Inches)
12	2
15	2
18	2
24	2
30	2
36	2
42	2
48	2
60	2
72	2

Type III straightedge.

a. Graduation marks shall be etched or scribed into the surface of each beveled edge and shall be centered in the overall length of the straight edge.

b. Scale shall read in meters to the left of the zero mark to a maximum of 100 meters and to the right of the zero mark to the maximum reading shown below. The graduations on the left of the zero mark shall provide minimum readings of 10 meters, and the graduations on the right of the zero mark shall provide minimum readings of 100 meters. The graduation marks to the right of the zero mark shall be numbered from left to right every 500 meters to include the maximum graduation shown below. The 50-meter and 100-meter marks to the left of the zero mark shall be numbered from right to left.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

c. Scale shall read in yards to the left of the zero mark to a maximum of 100 yards, and to the right of the zero mark to the maximum reading shown below. The graduations on the left side of the zero shall provide minimum readings of 10 yards, and the graduations of the right of the zero mark shall provide minimum readings of 100 yards. The graduation marks to the right of the zero mark shall be numbered from left to right every 500 yards to include the maximum graduation shown below. The 50-yard and the 100-yard marks to the left of the zero mark shall be numbered from right to left.

Graduations

Nominal size (length)	Maximum graduation to right of zero mark	
Inches	Meters	Yards
24	14,500	16,000
30	18,000	20,000
42	26,000	28,500
60	37,500	41,000

d. The ratio "1:50,000" and the word "YARDS" and "METERS", as applicable, shall be etched or scribed close to the zero mark of each scale. Lettering shall be of readily legible size.

e. The straightedge sizes 60 and 72 shall be equipped with two stainless steel fitting knobs and shall be located approximately 15 inches from each end. The knobs shall be a commercial size shaped to permit easy lifting of the straightedge.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Packaging and marking. Military packaging shall be specified when shipments are to overseas Department of Defense (DOD) consignees. Commercial packaging may be specified for shipments to DOD consignees within Continental United States and to non-DOD consignees worldwide. When a supplier's normal packaging will satisfy the requirements for military packaging, it may be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

Military packaging. Each straightedge shall be preserved and packed to protect against physical damage and deterioration in a logistic environment characterized by the following:

1. Multiple handling during transportation and intransit storage.
2. Shock, vibration, and static loading forces during worldwide shipment by all transport modes.
3. Uncontrolled warehouse storage for extended periods.
4. Weather exposure during shipment and intransit transfers.
5. Stacking loads during shipment and storage.

Straightedges of like description only shall be packed in each exterior container.

Commercial. Each straight edge shall be packaged in accordance with the supplier's normal method for retail distribution. Individually packaged straightedges of like description only shall be packed in each exterior container. Shipping containers shall comply with Uniform Freight Classification or National Motor Freight Classification rules.

Marking. Unit, intermediate (when provided), and exterior packs shall be marked with the item nomenclature, stock or part number, quantity per pack, and contract number as a minimum; additional marking shall be as specified in the contract or order. Exterior packs shall have in addition the complete consignee's address. Markings shall be applied in a legible manner in a contrasting color, of an appropriate size, and with waterproof materials.

Quality assurance. The straightedges shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

1. Design not as specified.
2. Material not as specifies.
3. Type not as specified.
4. Size not as specified.
5. Graudations and markings not as specified.
6. Packaging and marking not as specified.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:40Z
Check the source to verify that this is the currentversion before use.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial market place for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Small business. A small business that cannot neet the certification-of-commercial-item requirement of this document, may make an offer under this solicitation; and, if such small business is the apparent successful offeror, the Government may require the small business to submit a sample straightedge. Any such straightedge may be evaluated for this soliciation if time to contract award permits. Such evaluation would be to determine conformance to all requirements of this commercial item description and to determine equivalency to straightedges available in the commercial marketplace in the areas of durability, human factors, engineering and safety. It should be noted that bid samples are not required unless specifically requested by the contracting officer. Note. The Government may elect not to evaluate a bid sample from an apparent low bidder for award for this soliciatation if a determination of urgency is made by the contracting officer. The bid sample would then be evaluated prior to future solicitation for comparable items.

Note.

1. The ordering activity shall specify type and size required.
2. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

MILITARY INTERESTS:

Custodians
Army - ME
Navy - YD
Air Force - 99

Review activities
Air Force - 82
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA-FSS

PREPARING ACTIVITY:
Army - ME

Project 6675-0810

U.S. GOVERNMENT PRINTING OFFICE: 1986 - 704-036/45301

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.