INCH-POUND
MIL-DTL-1183/5A
20 December 2016
SUPERSEDING
MIL-F-1183/5
17 June 1983

DETAIL SPECIFICATION SHEET

FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; ELBOW, PIPE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-1183.

REQUIREMENTS:

1. Elbow type. 90 degree (see figure 1), 45 degree (see figure 2), and 90 degree long turn (see figure 3) elbows shall be Type A (streamlined interior).




FIGURE 1. Elbow, 90 degree.




FIGURE 2. Elbow, 45 degree.




FIGURE 3. Elbow, 90 degree, long turn.

2. Center-to-end dimensions. The center-to-end dimensions for 45 degree, 90 degree, and 90 degree long turn elbows shall be as specified in table I.

TABLE I. Center-to-end dimensions, inches.

Nominal pipe size	Center-to-end		
	A	B	C
¼	0.71	0.56	1.25
⅜	0.82	0.63	1.50
½	1.01	0.78	1.75
¾	1.18	0.89	2.00
1	1.43	1.06	2.31

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:48Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions, inches – Continued.

Nominal pipe size	Center-to-end		
	A	B	C
1¼	1.69	1.22	2.75
1½	1.84	1.30	3.13
2	2.12	1.45	3.75
2½	2.70	1.95	4.50
3	3.08	2.17	5.44
3½	3.42	2.39	6.19
4	3.79	2.61	6.94
5	4.50	3.05	8.13
6	5.13	3.46	9.00
8	6.56	4.28	10.00
10	8.08	5.16	11.00
12	9.50	5.97	

3. Specification sheet part number. The specification sheet part number is a definitive part number that is formed by combining the specification sheet code number (M1183/5 for MIL-DTL-1183/5) with a dash after it, the elbow style and pipe size code number, and the brazing ring groove and code letter. Elbows covered by this specification sheet shall be designated in the following form (see 6.2.b of MIL-DTL-1183):

M1183/5 – **XX** **X**

Specification sheet code number

Elbow style and pipe size code number (see requirement 4 herein)

Brazing ring groove and brazing ring code letter (see requirement 5 herein)

4. Elbow style and pipe size. The elbow style (45 degree, 90 degree, or 90 degree long turn) and nominal pipe size are identified by two digits (see table II.)

TABLE II. Code number to style and size.

90 degree	45 degree	90 degree long turn	Nominal pipe size (inches)
01	21	41	¼
02	22	42	⅜
03	23	43	½
04	24	44	¾
05	25	45	1
06	26	46	1¼
07	27	47	1½
08	28	48	2
09	29	49	2½
10	30	50	3

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:48Z
Check the source to verify that this is the current version before use.

TABLE II. Code number to style and size – Continued.

90 degree	45 degree	90 degree long turn	Nominal pipe size (inches)
11	31	51	3½
12	32	52	4
13	33	53	5
14	34	54	6
15	35	55	8
16	36	56	10
17	37		12

5. Brazing ring groove and brazing ring. Face fed (no groove), grooved without brazing ring, grooved with brazing ring inserted in groove, grooved with brazing ring(s) separately packaged and attached to the elbow, or grooved with brazing ring(s) separately packaged and shipped with but not attached to the elbow socket ends are identified by a single letter (see table III).

TABLE III. Code letter to socket condition.

Code letter	Condition of socket
N	No groove (face fed)
G 1/	Grooved (no brazing ring)
R 1/	Grooved with brazing ring inserted
A 2/	Grooved with brazing ring separately packaged and attached
S 1/ 2/	Grooved with brazing ring separately packaged and shipped with

NOTES:

1/ No National Stock Number (NSN) shall be established or exist in the Federal Supply System for elbow with the code letter of G, R, or S.

2/ When the socket condition code letter is A or S, the brazing rings are not to be inserted in the grooves, but packaged separately. For condition code letter A, the packaged brazing ring shall be either included within each individual elbow package or physically attached to the elbow. For condition code letter S, the brazing ring shall be included within each individual bend package.

CHANGES FROM PREVIOUS ISSUE. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:
Army – CR4
Navy – SH
Air Force – 99

Preparing activity:
Navy – SH
(Project 4730-2016-093)

Review activity:
DLA – CC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:48Z
Check the source to verify that this is the current version before use.