
MILITARY SPECIFICATION SHEET

FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; LATERAL, PIPE

This specification is approved for use by all Departments and Agencies of the Department of Defense.


The complete requirements for acquiring the laterals described herein shall consist of this document and latest issue of specification MIL-F-1183.



SH 12168

FIGURE 1. Lateral.

(Commercial name- Y-branch)



SH 12169

FIGURE 2. Reducing lateral.

(Commercial name- reducing Y-branch)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions.

Nominal pipe size (inches)	Bushed from pipe size	Center-to-end (Inches)	
		A	B
1/4 (all ends)		0.43	1.07
3/8 x 3/8 x 1/4		.50	1.28
3/8 (all ends)		.50	1.28
1/2 x 3/8 x 3/8		.61	1.58
1/2 x 1/2 x 1/4	1/2 x 1/2 x 3/8	.61	1.58
1/2 x 1/2 x 3/8		.61	1.58
1/2 (all ends)		.61	1.58
3/4 x 1/2 x 1/2		.72	1.90
3/4 x 1/2 x 3/4		.72	1.90
3/4 x 3/4 x 1/4	3/4 x 3/4 x 1/2	.72	1.90
3/4 x 3/4 x 3/8	3/4 x 3/4 x 1/2	.72	1.90
3/4 x 3/4 x 1/2		.72	1.90
3/4 (all ends)		.72	1.90
1 x 1/2 x 1		.85	2.33
1 x 3/4 x 3/4		.85	2.33
1 x 1 x 1/2		.85	2.33
1 x 1 x 3/4	1 x 1 x 1	.85	2.33
1 (all ends)		.85	2.33
1-1/4 x 1 x 1		1.02	2.83
1-1/4 x 1 x 1-1/4		1.02	2.83
1-1/4 x 1-1/4 x 1/2		1.02	2.83
1-1/4 x 1-1/4 x 1		1.02	2.83
1-1/4 (all ends)		1.02	2.83
1-1/2 x 3/4 x 1-1/2		1.10	3.14
1-1/2 x 1-1/4 x 1-1/4		1.10	3.14
1-1/2 x 1-1/2 x 1/2		1.10	3.14
1-1/2 x 1-1/2 x 3/4	1-1/2 x 1-1/2 x 1	1.10	3.14
1-1/2 x 1-1/2 x 1		1.10	3.14
1-1/2 x 1-1/2 x 1-1/4		1.10	3.14
1-1/2 (all ends)		1.10	3.14
2 x 3/4 x 3/4		1.24	3.76
2 x 1 x 2		1.24	3.76
2 x 1-1/4 x 1-1/4		1.24	3.76
2 x 1-1/2 x 1-1/2		1.24	3.76
2 x 1-1/2 x 2		1.24	3.76
2 x 2 x 1		1.24	3.76
2 x 2 x 1-1/4	2 x 2 x 1-1/2	1.24	3.76
2 x 2 x 1-1/2		1.24	3.76
2 (all ends)		1.24	3.76
2-1/2 x 2 x 2		1.52	4.73
2-1/2 x 2 x 2-1/2		1.52	4.73
2-1/2 x 2-1/2 x 1		1.52	4.73
2-1/2 x 2-1/2 x 2		1.52	4.73
2-1/2 (all ends)		1.52	4.73

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions. - Continued


Nominal pipe size (Inches)	Bushed from pipe size	Center-to-end (Inches)	
		A	B
3 x 1 x 3		1.71	5.55
3 x 2 x 3	3 x 2-1/2 x 3	1.71	5.55
3 x 2-1/2 x 2	3 x 2-1/2 x 3	1.71	5.55
3 x 2-1/2 x 3		1.71	5.55
3 x 3 x 3/4		1.71	5.55
3 x 3 x 1-1/2		1.71	5.55
3 x 3 x 2	3 x 3 x 2-1/2	1.71	5.55
3 x 3 x 2-1/2		1.71	5.55
3 (all ends)		1.71	5.55
3-1/2 x 2-1/2 x 3		1.85	6.25
3-1/2 x 3 x 3		1.85	6.25
3-1/2 x 3-1/2 x 1		1.85	6.25
3-1/2 x 3-1/2 x 2-1/2		1.85	6.25
3-1/2 (all ends)		1.85	6.25
4 x 2 x 4		2.01	6.97
4 x 3 x 4	4 x 3-1/2 x 4	2.01	6.97
4 x 3-1/2 x 4		2.01	6.97
4 x 4 x 1-1/2	4 x 4 x 2	2.01	6.97
4 x 4 x 2		2.01	6.97
4 x 4 x 2-1/2		2.01	6.97
4 x 4 x 3	4 x 4 x 3-1/2	2.01	6.97
4 x 4 x 3-1/2		2.01	6.97
4 (all ends)		2.01	6.97
5 x 3 x 5	5 x 4 x 5	2.34	8.43
5 x 4 x 5		2.34	8.43
5 x 5 x 1-1/4	5 x 5 x 2	2.34	8.43
5 x 5 x 2		2.34	8.43
5 x 5 x 3		2.34	8.43
5 x 5 x 4		2.34	8.43
5 (all ends)		2.34	8.43
6 x 6 x 4		2.66	9.81
6 (all ends)		2.66	9.81
8 x 8 x 6	8 x 8 x 8	3.31	12.75
8 (all ends)		3.31	12.75

1. Lateral type. Regular laterals (see figure 1) except the 8 inch lateral shall be type A (streamlined interior). The 8 inch lateral is a type B (interior not streamlined).

2. Reducing lateral type. Reducing laterals (see figure 2) shall be type B (interior not streamlined).


Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

3. Identification of reducing lateral end sizes. In identifying reducing lateral end sizes, the largest run size is given first, then the size at the opposite end of the run and last is the size of the outlet. A lateral with reducing outlet as shown on figure 3 is identified as a 4 x 4 x 2 inch nominal pipe size reducing lateral. A lateral with reduced run and outlet as specified on figure 4 is identified as a 3 x 2-1/2 x 2 inch nominal pipe size reducing lateral.



SH 12170

FIGURE 3. Reduced outlet.



SH 12171

FIGURE 4. Reduced run and outlet.

4. Center-to-end dimensions. The center-to-end dimensions for laterals and reducing laterals shall be as specified in table I. Regular laterals (same size on all ends) and reducing laterals have the same center-to-end dimensions when the regular lateral size is the same size as the largest run end of the reducing lateral.

5. Military specification sheet part number. Laterals covered by this specification sheet shall be designated in the following form (see 6.2(b) of MIL-F-1183).

M1183/6 - XX X

Military specification sheet code number
Lateral style and pipe size code number (see requirement 6 herein)
Brazing ring groove and brazing ring code letter (see requirement 7 herein)

6. Lateral style and pipe size. The lateral style (lateral or reducing lateral) and nominal pipe size(s) are identified by two digits (see table II).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE II. Code number to style and size.

Lateral (type A)	Reducing lateral (type B)	Nominal pipe size (inches)
01		1/4 (all ends)
	21	3/8 x 3/8 x 1/4
02		3/8 (all ends)
	22	1/2 x 3/8 x 3/8
	23	1/2 x 1/2 x 1/4
	24	1/2 x 1/2 x 3/8
03		1/2 (all ends)
	25	3/4 x 1/2 x 1/2
	26	3/4 x 1/2 x 3/4
	27	3/4 x 3/4 x 1/4
	28	3/4 x 3/4 x 3/8
	29	3/4 x 3/4 x 1/2
04		3/4 (all ends)
	30	1 x 1/2 x 1
	31	1 x 3/4 x 3/4
	32	1 x 1 x 1/2
	33	1 x 1 x 3/4
05		1 (all ends)
	34	1-1/4 x 1 x 1
	35	1-1/4 x 1 x 1-1/4
	36	1-1/4 x 1-1/4 x 1/2
	37	1-1/4 x 1-1/4 x 1
06		1-1/4 (all ends)
	38	1-1/2 x 3/4 x 1-1/2
	39	1-1/2 x 1-1/4 x 1-1/4
	40	1-1/2 x 1-1/2 x 1/2
	41	1-1/2 x 1-1/2 x 3/4
	42	1-1/2 x 1-1/2 x 1
	43	1-1/2 x 1-1/2 x 1-1/4
07		1-1/2 (all ends)
	44	2 x 3/4 x 3/4
	45	2 x 1 x 2
	46	2 x 1-1/4 x 1-1/4
	47	2 x 1-1/2 x 1-1/2
	48	2 x 1-1/2 x 2
	49	2 x 2 x 1
	50	2 x 2 x 1-1/4
	51	2 x 2 x 1-1/2
08		2 (all ends)
	52	2-1/2 x 2 x 2
	53	2-1/2 x 2 x 2-1/2
	54	2-1/2 x 2-1/2 x 1
	55	2-1/2 x 2-1/2 x 2
09		2-1/2 (all ends)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE II. Code number to style and size. - Continued

Lateral (type A)	Reducing lateral (type B)	Nominal pipe size (inches)
	56	3 x 1 x 3
	57	3 x 2 x 3
	58	3 x 2-1/2 x 2
	59	3 x 2-1/2 x 3
	60	3 x 3 x 3/4
	61	3 x 3 x 1-1/2
	62	3 x 3 x 2
	63	3 x 3 x 2-1/2
10		3 (all ends)
	64	3-1/2 x 2-1/2 x 3
	65	3-1/2 x 3 x 3
	66	3-1/2 x 3-1/2 x 1
	67	3-1/2 x 3-1/2 x 2-1/2
11		3-1/2 (all ends)
	68	4 x 2 x 4
	69	4 x 3 x 4
	70	4 x 3-1/2 x 4
	71	4 x 4 x 1-1/2
	72	4 x 4 x 2
	73	4 x 4 x 2-1/2
	74	4 x 4 x 3
	75	4 x 4 x 3-1/2
12		4 (all ends)
	76	5 x 3 x 5
	77	5 x 4 x 5
	78	5 x 5 x 1-1/4
	79	5 x 5 x 2
	80	5 x 5 x 3
	81	5 x 5 x 4
13		5 (all ends)
	82	6 x 6 x 4
14		6 (all ends)
	83	8 x 8 x 6
1/15		8 (all ends)

1/ Eight inch lateral is type B (interior not streamlined).

7. Brazing ring groove and brazing ring. Face fed (no groove), grooved without brazing ring, grooved with brazing ring inserted in groove, grooved with brazing ring(s) separately packaged and attached to the lateral or grooved with brazing ring(s) separately packaged and shipped with but not attached to the lateral socket ends are identified by a single letter (see table III).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE III. Code letter to socket condition.

Code letter	Condition of socket
N	No groove (face fed)
G 1/	Grooved (no brazing ring)
R 1/	Grooved with brazing ring inserted
A 2/	Grooved with brazing ring separately packaged and attached
S 1/	Grooved with brazing ring separately packaged and shipped with

1/ No National Stock Number (NSN) shall be established or exist in the Federal Supply System for lateral with the code letter of G, R or S.

2/ When the socket condition code letter is A, the brazing rings are not to be inserted in the grooves but packaged separately and either included within each individual lateral package or physically attached to the lateral.

8. Military specification part number definition. The military specification sheet part number is a definitive part number which is formed by combining the military specification sheet code number (M1183/6 for MIL-F-1183/6) with a dash after it, the lateral style and pipe size code number and the brazing ring groove and brazing ring code letter as specified in requirement 5.

Custodians:
Army - ME
Navy - SH
Air Force - 99

Review activity:
DLA - CS

Preparing activity:
Navy - SH

Agent:
DLA - CS

(Project 4730-0049)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.