
MILITARY SPECIFICATION SHEET

FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; TEE, PIPE


This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the tees described herein shall consist of this document and the latest issue of specification MIL-F-1183.




SH 12177

FIGURE 1. Tee.




SH 12178

FIGURE 2. Long turn single sweep tee.



SH 12179

FIGURE 3. Long turn double sweep tee.



SH 12180

FIGURE 4. Reducing tee (type A).

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions (type A).

Nominal pipe size (Inches)	Tee	Long turn sweep tee		Reducing tee		
	A (Inches)	B (Inches)	C (Inches)	D (Inches)	E (Inches)	F (Inches)
1/4 (all ends)	0.71	1.25	0.75			
1/4 x 1/4 x 3/8				0.78	0.78	0.75
3/8 x 1/4 x 1/4				.75	.72	.78
3/8 x 3/8 x 1/4				.75	.75	.78
3/8 (all ends)	.82	1.50	.88			
3/8 x 3/8 x 1/2				.91	.91	.94
1/2 x 1/4 x 1/2				1.01	.86	1.01
1/2 x 3/8 x 3/8				0.94	.81	0.91
1/2 x 1/2 x 1/4				.87	.87	.87
1/2 x 1/2 x 3/8				.94	.94	.91
1/2 (all ends)	1.01	1.75	1.00			
1/2 x 1/2 x 3/4				1.13	1.13	1.09
3/4 x 3/8 x 3/8				1.00	0.93	1.00
3/4 x 3/8 x 1/2				1.06	.91	1.13
3/4 x 3/8 x 3/4				1.18	1.11	1.18
3/4 x 1/2 x 1/2				1.08	1.01	1.11
3/4 x 1/2 x 3/4				1.18	1.11	1.18
3/4 x 3/4 x 1/4				1.00	1.00	1.00
3/4 x 3/4 x 3/8				1.00	1.00	1.00
3/4 x 3/4 x 1/2				1.08	1.08	1.11
3/4 (all ends)	1.18	2.00	1.19			
3/4 x 3/4 x 1				1.31	1.31	1.31
1 x 3/8 x 1				1.44	1.13	1.44
1 x 1/2 x 1/2				1.20	1.08	1.24
1 x 1/2 x 3/4				1.31	1.13	1.31
1 x 1/2 x 1				1.43	1.24	1.43
1 x 3/4 x 3/8				1.20	1.08	1.24
1 x 3/4 x 1/2				1.20	1.08	1.24
1 x 3/4 x 3/4				1.30	1.18	1.31
1 x 3/4 x 1				1.43	1.31	1.43
1 x 1 x 1/4				1.12	1.12	1.13
1 x 1 x 3/8				1.13	1.13	1.13
1 x 1 x 1/2				1.20	1.20	1.24
1 x 1 x 3/4				1.30	1.30	1.31
1 (all ends)	1.43	2.31	1.31			
1 x 1 x 1-1/4				1.59	1.59	1.13
1-1/4 x 1/2 x 1				1.53	1.25	1.59
1-1/4 x 3/4 x 3/4				1.39	1.30	1.48
1-1/4 x 3/4 x 1				1.52	1.43	1.60
1-1/4 x 3/4 x 1-1/4				1.69	1.48	1.69
1-1/4 x 1 x 3/4				1.39	1.30	1.48
1-1/4 x 1 x 1				1.52	1.43	1.60
1-1/4 x 1 x 1-1/4				1.69	1.59	1.69
1-1/4 x 1-1/4 x 3/8				1.29	1.29	1.41
1-1/4 x 1-1/4 x 1/2				1.29	1.29	1.41
1-1/4 x 1-1/4 x 3/4				1.39	1.39	1.48
1-1/4 x 1-1/4 x 1				1.52	1.52	1.60

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.


TABLE I. Center-to-end dimensions (type A). - Continued

Nominal pipe size (Inches)	Tee	Long turn sweep tee		Reducing tee		
	A (Inches)	B (Inches)	C (Inches)	D (Inches)	E (Inches)	F (Inches)
1-1/4 (all ends)	1.69	2.75	1.68			
1-1/2 x 1/2 x 1-1/2				1.84	1.60	1.84
1-1/2 x 3/4 x 3/4				1.55	1.52	1.72
1-1/2 x 3/4 x 1				1.55	1.52	1.72
1-1/2 x 3/4 x 1-1/4				1.84	1.60	1.84
1-1/2 x 3/4 x 1-1/2				1.84	1.60	1.84
1-1/2 x 1 x 1				1.55	1.52	1.72
1-1/2 x 1 x 1-1/4				1.72	1.69	1.81
1-1/2 x 1 x 1-1/2				1.84	1.81	1.84
1-1/2 x 1-1/4 x 1/2				1.31	1.28	1.53
1-1/2 x 1-1/4 x 1				1.55	1.52	1.72
1-1/2 x 1-1/4 x 1-1/4				1.72	1.69	1.81
1-1/2 x 1-1/4 x 1-1/2				1.84	1.81	1.84
1-1/2 x 1-1/2 x 3/8				1.32	1.32	1.53
1-1/2 x 1-1/2 x 1/2				1.32	1.32	1.53
1-1/2 x 1-1/2 x 3/4				1.42	1.42	1.60
1-1/2 x 1-1/2 x 1				1.55	1.55	1.72
1-1/2 x 1-1/2 x 1-1/4				1.72	1.72	1.81
1-1/2 (all ends)	1.84	3.13	1.88			
2 x 1/2 x 2				2.12	1.84	2.12
2 x 3/4 x 2				2.13	1.84	2.13
2 x 1 x 2				2.12	2.07	2.12
2 x 1-1/4 x 1-1/4				1.77	1.72	2.04
2 x 1-1/4 x 1-1/2				1.89	1.84	2.07
2 x 1-1/4 x 2				2.12	2.07	2.12
2 x 1-1/2 x 1				1.77	1.72	2.04
2 x 1-1/2 x 1-1/4				1.78	1.72	2.03
2 x 1-1/2 x 1-1/2				1.89	1.84	2.07
2 x 1-1/2 x 2				2.13	2.06	2.13
2 x 2 x 1				1.59	1.59	1.95
2 x 2 x 1-1/4				1.77	1.77	2.04
2 x 2 x 1-1/2				1.89	1.89	2.07
2 (all ends)	2.12	3.75	2.13			
2-1/2 x 1/2 x 2-1/2				2.69	2.22	2.69
2-1/2 x 1-1/2 x 1-1/2				2.39	2.25	2.60
2-1/2 x 1-1/2 x 2				2.39	2.25	2.60
2-1/2 x 1-1/2 x 2-1/2				2.69	2.59	2.69
2-1/2 x 2 x 1-1/2				2.39	2.25	2.60
2-1/2 x 2 x 2				2.38	2.25	2.59
2-1/2 x 2-1/2 x 3/4				1.87	1.87	2.37
2-1/2 x 2-1/2 x 1				1.87	1.87	2.37
2-1/2 x 2-1/2 x 1-1/2				2.16	2.16	2.50
2-1/2 x 2-1/2 x 2				2.39	2.39	2.60
2-1/2 (all ends)	2.70	4.50	2.56			
3 x 2 x 2				2.83	2.70	2.99
3 x 2 x 3				3.09	3.00	3.09
3 x 2-1/2 x 2				2.83	2.70	2.99

Source: https://assist.dla.mil -- Downloaded: 20260-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions (type A). - Continued

Nominal pipe size (Inches)	Tee	Long turn sweep tee		Reducing tee		
	A (Inches)	B (Inches)	C (Inches)	D (Inches)	E (Inches)	F (Inches)
3 x 2-1/2 x 2-1/2				2.84	2.69	3.00
3 x 3 x 1-1/2				2.28	2.28	2.81
3 x 3 x 2				2.53	2.53	2.88
3 x 3 x 2-1/2				2.83	2.83	2.99
3 (all ends)	3.08	5.44	2.88			
3-1/2 x 2-1/2 x 2-1/2				2.93	2.93	3.24
3-1/2 x 3 x 2-1/2				2.93	2.83	3.24
3-1/2 x 3-1/2 x 2-1/2				2.93	2.93	3.24
3-1/2 x 3-1/2 x 3				3.42	3.42	3.42
3-1/2 (all ends)	3.42	6.19	3.25			
4 x 3 x 3				3.30	3.08	3.60
4 x 4 x 3				3.30	3.30	3.60
4 x 4 x 3-1/2				3.54	3.54	3.69
4 (all ends)	3.79	6.94	3.56			
5 x 3 x 4				4.00	3.59	4.41
5 x 5 x 4				4.00	4.00	4.41
5 (all ends)	4.50	8.13	4.31			
6 x 6 x 4				4.13	4.13	4.94
6 x 6 x 5				4.63	4.63	5.03
6 (all ends)	5.13	9.00	5.00			
8 x 8 x 6				5.56	5.56	6.38
8 (all ends)	6.56					
10 x 10 x 8				8.09	8.09	8.09
10 (all ends)	8.08					
12 x 12 x 8				9.50	9.50	9.50
12 (all ends)	9.50					



SH 12181

FIGURE 5. Reducing tee (type B).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.


TABLE II. Center-to-end dimensions - reducing tee (type B).

Nominal pipe size (inches)	Bushed from pipe size (Inches)	Center-to-end		
		G (Inches)	H (Inches)	J (Inches)
1/4 x 1/4 x 1/2	- - -	0.89	0.89	0.91
3/8 x 1/4 x 3/8	- - -	.82	.78	.82
3/8 x 3/8 x 3/4	- - -	1.09	1.09	1.00
1/2 x 3/8 x 1/2	- - -	1.01	0.90	1.01
1/2 x 1/2 x 3/8	- - -	0.93	.92	0.90
1/2 x 1/2 x 1	3/4 x 3/4 x 1	1.31	1.31	1.31
1/2 x 1/2 x 1-1/4	- - -	1.44	1.44	1.28
3/4 x 1/4 x 3/4	- - -	1.19	0.97	1.19
3/4 x 3/8 x 1	- - -	1.44	1.28	1.38
3/4 x 1/2 x 3/8	- - -	1.00	0.93	1.00
3/4 x 1/2 x 1	- - -	1.44	1.38	1.38
3/4 x 3/4 x 1-1/4	- - -	1.63	1.63	1.44
1 x 1/4 x 1	- - -	1.50	1.22	1.50
1 x 3/8 x 3/4	- - -	1.37	1.13	1.44
1 x 3/4 x 1-1/4	- - -	1.66	1.63	1.59
1 x 1 x 1-1/2	- - -	1.72	1.72	1.55
1-1/4 x 1/4 x 1	- - -	1.56	1.22	1.66
1-1/4 x 1/4 x 1-1/4	- - -	1.75	1.41	1.75
1-1/4 x 3/8 x 1-1/4	1-1/4 x 1/2 x 1-1/4	1.69	1.40	1.69
1-1/4 x 1/2 x 1-1/4	- - -	1.69	1.40	1.69
1-1/4 x 3/4 x 1/2	- - -	1.34	1.19	1.53
1-1/4 x 1 x 1/2	1-1/4 x 1 x 3/4	1.39	1.30	1.48
1-1/4 x 1-1/4 x 1/4	- - -	1.16	1.16	1.28
1-1/4 x 1-1/4 x 1-1/2	- - -	1.81	1.81	1.72
1-1/4 x 1-1/4 x 2	- - -	2.09	2.09	1.91
1-1/2 x 3/8 x 1-1/2	- - -	1.94	1.56	1.94
1-1/2 x 1/2 x 3/4	- - -	1.53	1.22	1.75
1-1/2 x 1 x 3/4	1-1/2 x 1 x 1	1.55	1.52	1.72
1-1/2 x 1-1/4 x 3/4	1-1/2 x 1-1/4 x 1	1.55	1.52	1.72
1-1/2 x 1-1/2 x 2	- - -	2.07	2.07	1.89
2 x 1 x 1	- - -	1.72	1.50	2.03
2 x 2 x 1/2	2 x 2 x 3/4	1.47	1.47	1.84
2 x 2 x 3/4	- - -	1.47	1.47	1.84
2 x 2 x 2-1/2	- - -	2.60	2.60	2.39
2-1/2 x 3/4 x 2	- - -	2.39	1.98	2.60
2-1/2 x 2 x 3/4	- - -	1.75	1.59	2.31
2-1/2 x 2 x 2-1/2	- - -	2.70	2.60	2.70
2-1/2 x 2-1/2 x 1/2	2-1/2 x 2-1/2 x 1	1.87	1.87	2.37
2-1/2 x 2-1/2 x 1-1/4	- - -	2.04	2.04	2.45
2-1/2 x 2-1/2 x 3	- - -	2.99	2.99	2.83
3 x 1 x 3	- - -	3.09	2.66	3.09
3 x 1-1/2 x 3	- - -	3.06	2.63	3.06
3 x 2 x 2-1/2	3 x 2-1/2 x 2-1/2	2.83	2.70	2.99
3 x 2-1/2 x 3	- - -	3.08	2.99	3.08
3 x 3 x 3/4	- - -	1.88	1.88	2.63
3 x 3 x 1	3 x 3 x 1-1/4	2.17	2.17	2.74
3 x 3 x 1-1/4	- - -	2.17	2.17	2.74

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE II. Center-to-end dimensions - reducing tee (type B). - Continued

Nominal pipe size (Inches)	Bushed from pipe size (Inches)	Center-to-end		
		G (Inches)	H (Inches)	J (Inches)
3-1/2 x 3/4 x 3-1/2	- - -	3.42	2.86	3.42
3-1/2 x 3 x 2	- - -	2.62	2.52	3.14
3-1/2 x 3 x 3	3-1/2 x 3-1/2 x 3	3.42	3.42	3.42
3-1/2 x 3 x 3-1/2	3-1/2 x 3-1/2 x 3-1/2	3.42	3.42	3.42
3-1/2 x 3-1/2 x 2	- - -	2.62	2.62	3.14
4 x 3 x 4	- - -	3.79	3.60	3.79
4 x 4 x 1-1/4	4 x 4 x 1-1/2	2.51	2.51	3.32
4 x 4 x 1-1/2	- - -	2.51	2.51	3.32
4 x 4 x 2	- - -	2.74	2.74	3.41
4 x 4 x 2-1/2	4 x 4 x 3	3.30	3.30	3.60
5 x 5 x 2-1/2	- - -	3.26	3.26	4.13
5 x 5 x 3	- - -	3.51	3.51	4.22
6 x 6 x 2	- - -	3.08	3.08	4.56
6 x 6 x 2-1/2	6 x 6 x 3	3.64	3.64	4.75
6 x 6 x 3	- - -	3.64	3.64	4.75



SH 12182

FIGURE 6. Reducing long turn single sweep tee (type B).

Source: https://assist.dla.mil -- Downloaded: 202610-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE III. Center-to-end dimensions - reducing long turn single sweep tee (type B).

Nominal pipe size (Inches)	Bushed from pipe size (Inches)	Center-to-end		
		K (Inches)	L (Inches)	M (Inches)
1/2 x 3/8 x 3/8	1/2 x 3/8 x 1/2	1.75	1.00	1.75
1/2 x 3/8 x 1/2	- - -	1.75	1.00	1.75
1/2 x 1/2 x 3/8	- - -	1.75	1.00	1.75
3/4 x 3/8 x 3/8	3/4 x 3/4 x 1/2	2.00	1.18	2.00
3/4 x 3/8 x 3/4	3/4 x 1/2 x 3/4			
3/4 x 1/2 x 3/4				
3/4 x 3/4 x 3/8	3/4 x 3/4 x 1/2			
3/4 x 3/4 x 1/2	- - -			
3/4 x 3/4 x 1	- - -	2.00	1.18	2.00
1 x 3/8 x 1	1 x 3/4 x 1	2.31	1.31	2.31
1 x 1/2 x 3/8	1 x 1 x 1/2			
1 x 1/2 x 1/2	1 x 1 x 1/2			
1 x 3/4 x 1/2	1 x 3/4 x 1			
1 x 3/4 x 3/4	1 x 3/4 x 1			
1 x 3/4 x 1	- - -			
1 x 1 x 3/8	1 x 1 x 1/2			
1 x 1 x 1/2	- - -			
1 x 1 x 3/4	- - -	2.31	1.31	2.31
1-1/4 x 3/8 x 1-1/4	1-1/4 x 1/2 x 1-1/4	2.75	1.62	2.75
1-1/4 x 1/2 x 1/2	1-1/4 x 1/2 x 1-1/4			
1-1/4 x 1/2 x 1-1/4	- - -			
1-1/4 x 3/4 x 1	1-1/4 x 1-1/4 x 1			
1-1/4 x 3/4 x 1-1/4	1-1/4 x 1-1/4 x 1-1/4			
1-1/4 x 1 x 1	1-1/4 x 1-1/4 x 1			
1-1/4 x 1 x 1-1/4	1-1/4 x 1-1/4 x 1-1/4			
1-1/4 x 1-1/4 x 3/8	1-1/4 x 1-1/4 x 3/4			
1-1/4 x 1-1/4 x 1/2	1-1/4 x 1-1/4 x 3/4			
1-1/4 x 1-1/4 x 3/4	- - -			
1-1/4 x 1-1/4 x 1	- - -	2.75	1.62	2.75
1-1/2 x 3/4 x 3/4	1-1/2 x 1-1/4 x 3/4	3.12	1.87	3.12
1-1/2 x 3/4 x 1-1/2	1-1/2 x 1 x 1-1/2			
1-1/2 x 1 x 1	1-1/2 x 1 x 1-1/2			
1-1/2 x 1 x 1-1/2	- - -			
1-1/2 x 1-1/4 x 3/4	- - -			
1-1/2 x 1-1/4 x 1-1/4	1-1/2 x 1-1/4 x 1-1/2			
1-1/2 x 1-1/4 x 1-1/2	- - -			
1-1/2 x 1-1/2 x 3/8	1-1/2 x 1-1/2 x 3/4			
1-1/2 x 1-1/2 x 1/2	1-1/2 x 1-1/2 x 3/4			
1-1/2 x 1-1/2 x 3/4	- - -			
1-1/2 x 1-1/2 x 1	- - -			
1-1/2 x 1-1/2 x 1-1/4	- - -	3.12	1.87	3.12
2 x 3/4 x 2	- - -	3.75	2.12	3.75
2 x 1 x 2	- - -			
2 x 1-1/4 x 1-1/4	2 x 1-1/2 x 2			
2 x 1-1/4 x 2	2 x 1-1/2 x 2			
2 x 1-1/2 x 1-1/4	2 x 1-1/2 x 2			

Source: https://assist.dla.mil -- Downloaded: 202640-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE III. Center-to-end dimensions - reducing long turn single sweep tee (type B). - Continued

Nominal pipe size (Inches)	Bushed from pipe size (Inches)	Center-to-end		
		K (Inches)	L (Inches)	M (Inches)
2 x 1-1/2 x 1-1/2	2 x 1-1/2 x 2			
2 x 1-1/2 x 2	- - -			
2 x 2 x 3/4	- - -			
2 x 2 x 1	- - -			
2 x 2 x 1-1/4	2 x 2 x 1-1/2			
2 x 2 x 1-1/2	- - -	3.75	2.12	3.75
2-1/2 x 1 x 2-1/2	- - -	4.50	2.56	4.50
2-1/2 x 1-1/2 x 2	2-1/2 x 1-1/2 x 2-1/2			
2-1/2 x 1-1/2 x 2-1/2	- - -			
2-1/2 x 2 x 1-1/4	2-1/2 x 2-1/2 x 1-1/4			
2-1/2 x 2 x 1-1/2	2-1/2 x 2-1/2 x 2			
2-1/2 x 2 x 2	2-1/2 x 2-1/2 x 2			
2-1/2 x 2 x 2-1/2	2-1/2 x 2-1/2 x 2-1/2			
2-1/2 x 2-1/2 x 3/4	- - -			
2-1/2 x 2-1/2 x 1	2-1/2 x 2-1/2 x 1-1/4			
2-1/2 x 2-1/2 x 1-1/4	- - -			
2-1/2 x 2-1/2 x 2	- - -	4.50	2.56	4.50
3 x 1-1/2 x 3	- - -	5.43	2.87	5.43
3 x 2 x 2	3 x 2-1/2 x 2			
3 x 2 x 3	- - -			
3 x 2-1/2 x 2	- - -			
3 x 2-1/2 x 2-1/2	3 x 3 x 3			
3 x 3 x 3/4	3 x 3 x 1			
3 x 3 x 1	- - -			
3 x 3 x 1-1/2	3 x 3 x 3			
3 x 3 x 2	3 x 3 x 3			
3 x 3 x 2-1/2	3 x 3 x 3	5.43	2.87	5.43
3-1/2 x 2-1/2 x 2-1/2	- - -	6.18	3.25	6.18
4 x 1 x 4	- - -	6.93	3.56	6.93
4 x 2 x 2	- - -			
4 x 2 x 4	- - -			
4 x 2-1/2 x 3	- - -			
4 x 2-1/2 x 4	4 x 3 x 4			
4 x 3 x 3	- - -			
4 x 3 x 4	- - -			
4 x 4 x 1-1/2	4 x 4 x 2			
4 x 4 x 2	- - -			
4 x 4 x 3	4 x 4 x 4	6.93	3.56	6.93
5 x 1-1/2 x 5	5 x 2 x 5	8.12	4.31	8.12
5 x 2 x 5	- - -			
5 x 3 x 5	5 x 4 x 5			
5 x 4 x 5	- - -			
5 x 5 x 1-1/4	5 x 5 x 2			
5 x 5 x 1-1/2	5 x 5 x 2			
5 x 5 x 2	- - -			
5 x 5 x 4	5 x 5 x 5	8.12	4.31	8.12

Source: https://assist.dla.mil -- Downloaded: 20260-16T12:50Z
Check the source to verify that this is the current version before use.

1. Tee type. Regular tees (see figure 1) shall be type A (streamlined interior).

2. Reducing tee type. Reducing tees (see figures 4 and 5) are type A or type B depending on the nominal pipe size of the ends. Reducing tees (see figure 4) of the sizes listed in table I shall be type A (streamlined interior). Reducing tees (see figure 5) of the sizes listed in table II shall be type B (interior not streamlined).

3. Long turn single sweep tee type. Long turn single sweep tees (see figure 2) shall be type A (streamlined interior).

4. Reducing long turn single sweep tee type. Reducing long turn single sweep tees (see figure 6) shall be type B (interior not streamlined).

5. Long turn double sweep tee type. Long turn double sweep tees (see figure 3) shall be type A (streamlined interior).

6. Identification of reducing tee and reducing long turn single sweep tee end sizes. In identifying tees with reduced end sizes, the largest run size is given first, then the size at the opposite end of the run and last is the size of the outlet. A tee with reducing outlet as shown on figure 7 is identified as a 3 x 3 x 2 inch nominal pipe size reducing tee. A tee with reduced run and outlet as shown on figure 8 is identified as a 4 x 3 x 3 inch nominal pipe size reducing tee. Tees which have an outlet size larger than the run size are called bulkhead tees.




FIGURE 7. Reduced outlet.




FIGURE 8. Reduced run and outlet.

7. Center-to-end dimensions. The center-to-end dimensions for type A tees (regular tees, long turn single sweep tees, long turn double sweep tees and certain size reducing tees) shall be as specified in table I. The center-to-end dimensions for type B reducing tees shall be as specified in table II. The center-to-end dimensions for type B reducing long turn single sweep tees shall be as specified in table III.

8. Military specification sheet part number. Tees covered by this specification sheet shall be designated in the following form (see 6.2(b) of MIL-F-1183).

M1183/9 - XXX X

Military specification sheet code number
Tee type, style and pipe size code number (see requirement 9 herein)
Brazing ring groove and brazing ring code letter (see requirement 10 herein)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

9. Tee type, style and pipe size. The tee type, style (regular tee, long turn single sweep tee, long turn double sweep tee, reducing tee (type A), reducing tee (type B) and reducing long turn single sweep tee) and nominal pipe size(s) are identified by three digits (see tables IV, V and VI). Table IV identifies type A tees (regular tee, long turn single sweep tee, long turn double sweep tee and reducing tee) and relates to the 100, 200, 300 and 400 series code numbers and code numbers 041, 042 and 043. Table V identifies type B reducing tees and relates to the 500 series code numbers. Table VI identifies type B reducing long turn single sweep tees and relates to the 600 series code numbers.

TABLE IV. Code number to type, style and size (type A).

Type A				Nominal pipe size (Inch)
Tee	Long turn single sweep	Long turn double sweep	Reducing tee	
100	200	300		1/4 (all ends)
			400	1/4 x 1/4 x 3/8
			401	3/8 x 1/4 x 1/4
			402	3/8 x 3/8 x 1/4
101	201	301		3/8 (all ends)
			403	3/8 x 3/8 x 1/2
			404	1/2 x 1/4 x 1/2
			405	1/2 x 3/8 x 3/8
			406	1/2 x 1/2 x 1/4
			407	1/2 x 1/2 x 3/8
102	202	302		1/2 (all ends)
			408	1/2 x 1/2 x 3/4
			409	3/4 x 3/8 x 3/8
			410	3/4 x 3/8 x 1/2
			411	3/4 x 3/8 x 3/4
			412	3/4 x 1/2 x 1/2
			413	3/4 x 1/2 x 3/4
			414	3/4 x 3/4 x 1/4
			415	3/4 x 3/4 x 3/8
			416	3/4 x 3/4 x 1/2
103	203	303		3/4 (all ends)
			417	3/4 x 3/4 x 1
			418	1 x 3/8 x 1
			419	1 x 1/2 x 1/2
			420	1 x 1/2 x 3/4
			421	1 x 1/2 x 1
			422	1 x 3/4 x 3/8
			423	1 x 3/4 x 1/2
			424	1 x 3/4 x 3/4
			425	1 x 3/4 x 1
			426	1 x 1 x 1/4
			427	1 x 1 x 3/8
			428	1 x 1 x 1/2
			429	1 x 1 x 3/4
104	204	304		1 (all ends)
104	204			

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE IV. Code number to type, style and size (type A). - Continued

Type A				
Tee	Long turn single sweep	Long turn double sweep	Reducing tee	Nominal pipe size (Inches)
			430	1 x 1 x 1-1/4
			431	1-1/4 x 1/2 x 1
			432	1-1/4 x 3/4 x 3/4
			433	1-1/4 x 3/4 x 1
			434	1-1/4 x 3/4 x 1-1/4
			435	1-1/4 x 1 x 3/4
			436	1-1/4 x 1 x 1
			437	1-1/4 x 1 x 1-1/4
			438	1-1/4 x 1-1/4 x 3/8
			439	1-1/4 x 1-1/4 x 1/2
			440	1-1/4 x 1-1/4 x 3/4
			441	1-1/4 x 1-1/4 x 1
105	205	305		1-1/4 (all ends)
			442	1-1/2 x 1/2 x 1-1/2
			443	1-1/2 x 3/4 x 3/4
			444	1-1/2 x 3/4 x 1
			445	1-1/2 x 3/4 x 1-1/4
			446	1-1/2 x 3/4 x 1-1/2
			447	1-1/2 x 1 x 1
			448	1-1/2 x 1 x 1-1/4
			449	1-1/2 x 1 x 1-1/2
			450	1-1/2 x 1-1/4 x 1/2
			451	1-1/2 x 1-1/4 x 1
			452	1-1/2 x 1-1/4 x 1-1/4
			453	1-1/2 x 1-1/4 x 1-1/2
			454	1-1/2 x 1-1/2 x 3/8
			455	1-1/2 x 1-1/2 x 1/2
			456	1-1/2 x 1-1/2 x 3/4
			457	1-1/2 x 1-1/2 x 1
			458	1-1/2 x 1-1/2 x 1-1/4
106	206	306		1-1/2 (all ends)
			459	2 x 1/2 x 2
			460	2 x 3/4 x 2
			461	2 x 1 x 2
			462	2 x 1-1/4 x 1-1/4
			463	2 x 1-1/4 x 1-1/2
			464	2 x 1-1/4 x 2
			465	2 x 1-1/2 x 1
			466	2 x 1-1/2 x 1-1/4
			467	2 x 1-1/2 x 1-1/2
			468	2 x 1-1/2 x 2
			469	2 x 2 x 1
			470	2 x 2 x 1-1/4
			471	2 x 2 x 1-1/2
107	207	307		2 (all ends)
			472	2-1/2 x 1/2 x 2-1/2
			473	2-1/2 x 1-1/2 x 1-1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE IV. Code number to type, style and size (type A). - Continued

Type A				Nominal pipe size (Inches)
Tee	Long turn single sweep	Long turn double sweep	Reducing tee	
			474	2-1/2 x 1-1/2 x 2
			475	2-1/2 x 1-1/2 x 2-1/2
			476	2-1/2 x 2 x 1-1/2
			477	2-1/2 x 2 x 2
			478	2-1/2 x 2-1/2 x 3/4
			479	2-1/2 x 2-1/2 x 1
			480	2-1/2 x 2-1/2 x 1-1/2
			481	2-1/2 x 2-1/2 x 2
108	208	308		2-1/2 (all ends)
			482	3 x 2 x 2
			483	3 x 2 x 3
			484	3 x 2-1/2 x 2
			485	3 x 2-1/2 x 2-1/2
			486	3 x 3 x 1-1/2
			487	3 x 3 x 2
			488	3 x 3 x 2-1/2
109	209	309		3 (all ends)
			489	3-1/2 x 2-1/2 x 2-1/2
			490	3-1/2 x 3 x 2-1/2
			491	3-1/2 x 3-1/2 x 2-1/2
			492	3-1/2 x 3-1/2 x 3
110	210	310		3-1/2 (all ends)
			493	4 x 3 x 3
			494	4 x 4 x 3
			495	4 x 4 x 3-1/2
111	211	311		4 (all ends)
			496	5 x 3 x 4
			497	5 x 5 x 4
112	212	312		5 (all ends)
			498	6 x 6 x 4
			499	6 x 6 x 5
113	213	313		6 (all ends)
			041	8 x 8 x 6
114				8 (all ends)
			042	10 x 10 x 8
115				10 (all ends)
			043	12 x 12 x 8
116				12 (all ends)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE V. Code number to type, style and size (type B) reducing.

Reducing tee (type B)	Nominal pipe size (Inches)
500	1/4 x 1/4 x 1/2
501	3/8 x 1/4 x 3/8
502	3/8 x 3/8 x 3/4
503	1/2 x 3/8 x 1/2
504	1/2 x 1/2 x 3/8
505	1/2 x 1/2 x 1
506	1/2 x 1/2 x 1-1/4
507	3/4 x 1/4 x 3/4
508	3/4 x 3/8 x 1
509	3/4 x 1/2 x 3/8
510	3/4 x 1/2 x 1
511	3/4 x 3/4 x 1-1/4
512	1 x 1/4 x 1
513	1 x 3/8 x 3/4
514	1 x 3/4 x 1-1/4
515	1 x 1 x 1-1/2
516	1-1/4 x 1/4 x 1
517	1-1/4 x 1/4 x 1-1/4
518	1-1/4 x 3/8 x 1-1/4
519	1-1/4 x 1/2 x 1-1/4
520	1-1/4 x 3/4 x 1/2
521	1-1/4 x 1 x 1/2
522	1-1/4 x 1-1/4 x 1/4
523	1-1/4 x 1-1/4 x 1-1/2
524	1-1/4 x 1-1/4 x 2
525	1-1/2 x 3/8 x 1-1/2
526	1-1/2 x 1/2 x 3/4
527	1-1/2 x 1 x 3/4
528	1-1/2 x 1-1/4 x 3/4
529	1-1/2 x 1-1/2 x 2
530	2 x 1 x 1
531	2 x 2 x 1/2
532	2 x 2 x 3/4
533	2 x 2 x 2-1/2
534	2-1/2 x 3/4 x 2
535	2-1/2 x 2 x 3/4
536	2-1/2 x 2 x 2-1/2
537	2-1/2 x 2-1/2 x 1/2
538	2-1/2 x 2-1/2 x 1-1/4
539	2-1/2 x 2-1/2 x 3
540	3 x 1 x 3
541	3 x 1-1/2 x 3
542	3 x 2 x 2-1/2
543	3 x 2-1/2 x 3
544	3 x 3 x 3/4
545	3 x 3 x 1
546	3 x 3 x 1-1/4
547	3-1/2 x 3/4 x 3-1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE V. Code number to type, style and size (type B) reducing. - Continued

Reducing tee (type B)	Nominal pipe size (Inches)
548	3-1/2 x 3 x 2
549	3-1/2 x 3 x 3
550	3-1/2 x 3 x 3-1/2
551	3-1/2 x 3-1/2 x 2
552	4 x 3 x 4
553	4 x 4 x 1-1/4
554	4 x 4 x 1-1/2
555	4 x 4 x 2
556	4 x 4 x 2-1/2
557	5 x 5 x 2-1/2
558	5 x 5 x 3
559	6 x 6 x 2
560	6 x 6 x 2-1/2
561	6 x 6 x 3

TABLE VI. Code number to type, style and size (type B) long turn.

Reducing long turn single sweep (type B)	Nominal pipe size (Inches)
600	1/2 x 3/8 x 3/8
601	1/2 x 3/8 x 1/2
602	1/2 x 1/2 x 3/8
603	3/4 x 3/8 x 3/8
604	3/4 x 3/8 x 3/4
605	3/4 x 1/2 x 3/4
606	3/4 x 3/4 x 3/8
607	3/4 x 3/4 x 1/2
608	3/4 x 3/4 x 1
609	1 x 3/8 x 1
610	1 x 1/2 x 3/8
611	1 x 1/2 x 1/2
612	1 x 3/4 x 1/2
613	1 x 3/4 x 3/4
614	1 x 3/4 x 1
615	1 x 1 x 3/8
616	1 x 1 x 1/2
617	1 x 1 x 3/4
618	1-1/4 x 3/8 x 1-1/4
619	1-1/4 x 1/2 x 1/2
620	1-1/4 x 1/2 x 1-1/4
621	1-1/4 x 3/4 x 1
622	1-1/4 x 3/4 x 1-1/4
623	1-1/4 x 1 x 1
624	1-1/4 x 1 x 1-1/4

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE VI. Code number to type, style and size (type B) long turn. - Continued

Reducing long turn single sweep (type B)	Nominal pipe size (Inches)
625	1-1/4 x 1-1/4 x 3/8
626	1-1/4 x 1-1/4 x 1/2
627	1-1/4 x 1-1/4 x 3/4
628	1-1/4 x 1-1/4 x 1
629	1-1/2 x 3/4 x 3/4
630	1-1/2 x 3/4 x 1-1/2
631	1-1/2 x 1 x 1
632	1-1/2 x 1 x 1-1/2
633	1-1/2 x 1-1/4 x 3/4
634	1-1/2 x 1-1/4 x 1-1/4
635	1-1/2 x 1-1/4 x 1-1/2
636	1-1/2 x 1-1/2 x 3/8
637	1-1/2 x 1-1/2 x 1/2
638	1-1/2 x 1-1/2 x 3/4
639	1-1/2 x 1-1/2 x 1
640	1-1/2 x 1-1/2 x 1-1/4
641	2 x 3/4 x 2
642	2 x 1 x 2
643	2 x 1-1/4 x 1-1/4
644	2 x 1-1/4 x 2
645	2 x 1-1/2 x 1-1/4
646	2 x 1-1/2 x 1-1/2
647	2 x 1-1/2 x 2
648	2 x 2 x 3/4
649	2 x 2 x 1
650	2 x 2 x 1-1/4
651	2 x 2 x 1-1/2
652	2-1/2 x 1 x 2-1/2
653	2-1/2 x 1-1/2 x 2
654	2-1/2 x 1-1/2 x 2-1/2
655	2-1/2 x 2 x 1-1/4
656	2-1/2 x 2 x 1-1/2
657	2-1/2 x 2 x 2
658	2-1/2 x 2 x 2-1/2
659	2-1/2 x 2-1/2 x 3/4
660	2-1/2 x 2-1/2 x 1
661	2-1/2 x 2-1/2 x 1-1/4
662	2-1/2 x 2-1/2 x 2
663	3 x 1-1/2 x 3
664	3 x 2 x 2
665	3 x 2 x 3
666	3 x 2-1/2 x 2
667	3 x 2-1/2 x 2-1/2
668	3 x 3 x 3/4
669	3 x 3 x 1
670	3 x 3 x 1-1/2
671	3 x 3 x 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE VI. Code number to type, style and size (type B) long turn. - Continued

Reducing long turn single sweep (type B)	Nominal pipe size (Inches)
672	3 x 3 x 2-1/2
673	3-1/2 x 2-1/2 x 2-1/2
674	4 x 1 x 4
675	4 x 2 x 2
676	4 x 2 x 4
677	4 x 2-1/2 x 3
678	4 x 2-1/2 x 4
679	4 x 3 x 3
680	4 x 3 x 4
681	4 x 4 x 1-1/2
682	4 x 4 x 2
683	4 x 4 x 3
684	5 x 1-1/2 x 5
685	5 x 2 x 5
686	5 x 3 x 5
687	5 x 4 x 5
688	5 x 5 x 1-1/4
689	5 x 5 x 1-1/2
690	5 x 5 x 2
691	5 x 5 x 4

10. Brazing ring groove and brazing ring. Face fed (no groove), grooved without brazing ring, grooved with brazing ring inserted in groove, grooved with brazing ring(s) separately packaged and attached to the tee or grooved with brazing ring(s) separately packaged and shipped with but not attached to the tee socket ends are identified by a single letter (see table VII).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:50Z
Check the source to verify that this is the current version before use.

TABLE VII. Code letter to socket condition.

Code letter	Condition of socket
N	No groove (face fed)
G 1/	Grooved (no brazing ring)
R 1/	Grooved with brazing ring inserted
A 2/	Grooved with brazing ring separately packaged and attached
S 1/	Grooved with brazing ring separately packaged and shipped with

1/ No National Stock Number (NSN) shall be established or exist in the Federal Supply System for tee with the code letter of G, R or S.

2/ When the socket condition code letter is A, the brazing rings are not to be inserted in the grooves, but packaged separately and either included within each individual tee package or physically attached to the tee.

11. Military specification part number definition. The military specification sheet part number is a definitive part number which is formed by combining the military specification sheet code number (M1183/9 for MIL-F-1183/9) with a dash after it, the tee type, style and pipe size code number and the brazing ring groove and brazing code letter as specified in requirement 8.

Custodians:
Army - ME
Navy - SH
Air Force - 99

Review activity:
DLA - CS

Preparing activity:
Navy - SH

Agent:
DLA - CS

(Project 4730-0052)

Source: https://assist.dla.mil -- Downloaded: 202640-16T12:50Z
Check the source to verify that this is the currentversion before use.