INCH-POUND
MIL-DTL-1183/9A
w/AMENDMENT 1
20 August 2019
SUPERSEDING
MIL-DTL-1183/9A
20 December 2016

DETAIL SPECIFICATION SHEET

FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; TEE, PIPE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-1183.

REQUIREMENTS:

1. Tee type. Regular tees (see figure 1) shall be Type A (streamlined interior).

2. Long turn single sweep tee type. Long turn single sweep tees (see figure 2) shall be Type A (streamlined interior).

3. Long turn double sweep tee type. Long turn double sweep tees (see figure 3) shall be Type A (streamlined interior).

4. Reducing tee type. Reducing tees (see figures 4 and 5) are Type A or Type B depending on the nominal pipe size of the ends. Reducing tees (see figure 4) of the sizes listed in table I shall be Type A (streamlined interior). Reducing tees (see figure 5) of the sizes listed in table II shall be Type B (interior not streamlined).




FIGURE 1. Tee.




FIGURE 2. Long turn single sweep tee.

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.




FIGURE 3. Long turn double sweep tee.




FIGURE 4. Reducing tee (type A).

5. Center-to-end dimensions. The center-to-end dimensions for Type A tees (regular tees, long turn single sweep tees, long turn double sweep tees, and certain size reducing tees) shall be as specified in table I. The center-to-end dimensions for Type B reducing tees shall be as specified in table II. The center-to-end dimensions for Type B reducing long turn single sweep tees shall be as specified in table III.

TABLE I. Center-to-end dimensions (type A), inches.

Nominal pipe size	Tee	Long turn sweep tee		Reducing tee		
	A	B	C	D	E	F
¼ (all ends)	0.71	1.25	0.75			
¼ x ¼ x ⅜				0.78	0.78	0.75
⅜ x ¼ x ¼				0.75	0.72	0.78
⅜ x ⅜ x ¼				0.75	0.75	0.78
⅜ (all ends)	0.82	1.50	0.88			
⅜ x ⅜ x ½				0.91	0.91	0.94
½ x ¼ x ½				1.01	0.86	1.01
½ x ⅜ x ⅜				0.94	0.81	0.91
½ x ½ x ¼				0.87	0.87	0.87
½ x ½ x ⅜				0.94	0.94	0.91
½ (all ends)	1.01	1.75	1.00			
½ x ½ x ¾				1.13	1.13	1.09
¾ x ⅜ x ⅜				1.00	0.93	1.00
¾ x ⅜ x ½				1.06	0.91	1.13
¾ x ⅜ x ¾				1.18	1.11	1.18
¾ x ½ x ½				1.08	1.01	1.11
¾ x ½ x ¾				1.18	1.11	1.18
¾ x ¾ x ¼				1.00	1.00	1.00
¾ x ¾ x ⅜				1.00	1.00	1.00
¾ x ¾ x ½				1.08	1.08	1.11

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions (type A), inches – Continued.

Nominal pipe size	Tee	Long turn sweep tee		Reducing tee		
	A	B	C	D	E	F
¾ (all ends)	1.18	2.00	1.19			
¾ x ¾ x 1				1.31	1.31	1.31
1 x ⅜ x 1				1.44	1.13	1.44
1 x ½ x ½				1.20	1.08	1.24
1 x ½ x ¾				1.31	1.13	1.31
1 x ½ x 1				1.43	1.24	1.43
1 x ¾ x ⅜				1.20	1.08	1.24
1 x ¾ x ½				1.20	1.08	1.24
1 x ¾ x ¾				1.30	1.18	1.31
1 x ¾ x 1				1.43	1.31	1.43
1 x 1 x ¼				1.12	1.12	1.13
1 x 1 x ⅜				1.13	1.13	1.13
1 x 1 x ½				1.20	1.20	1.24
1 x 1 x ¾				1.30	1.30	1.31
1 (all ends)	1.43	2.31	1.31			
1 x 1 x 1¼				1.59	1.59	1.53
1¼ x ½ x 1				1.53	1.25	1.59
1¼ x ¾ x ¾				1.39	1.30	1.48
1¼ x ¾ x 1				1.52	1.43	1.60
1¼ x ¾ x 1¼				1.69	1.48	1.69
1¼ x 1 x ¾				1.39	1.30	1.48
1¼ x 1 x 1				1.52	1.43	1.60
1¼ x 1 x 1¼				1.69	1.59	1.69
1¼ x 1¼ x ⅜				1.29	1.29	1.41
1¼ x 1¼ x ½				1.29	1.29	1.41
1¼ x 1¼ x ¾				1.39	1.39	1.48
1¼ x 1¼ x 1				1.52	1.52	1.60
1¼ (all ends)	1.69	2.75	1.68			
1½ x ½ x 1½				1.84	1.60	1.84
1½ x ¾ x ¾				1.55	1.52	1.72
1½ x ¾ x 1				1.55	1.52	1.72
1½ x ¾ x 1¼				1.84	1.60	1.84
1½ x ¾ x 1½				1.84	1.60	1.84
1½ x 1 x 1				1.55	1.52	1.72
1½ x 1 x 1¼				1.72	1.69	1.81
1½ x 1 x 1½				1.84	1.81	1.84
1½ x 1¼ x ½				1.31	1.28	1.53
1½ x 1¼ x 1				1.55	1.52	1.72

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions (type A), inches – Continued.

Nominal pipe size	Tee	Long turn sweep tee		Reducing tee		
	A	B	C	D	E	F
1½ x 1¼ x 1¼				1.72	1.69	1.81
1½ x 1¼ x 1½				1.84	1.81	1.84
1½ x 1½ x ⅜				1.32	1.32	1.53
1½ x 1½ x ½				1.32	1.32	1.53
1½ x 1½ x ¾				1.42	1.42	1.60
1½ x 1½ x 1				1.55	1.55	1.72
1½ x 1½ x 1¼				1.72	1.72	1.81
1½ (all ends)	1.84	3.13	1.88			
2 x ½ x 2				2.12	1.84	2.12
2 x ¾ x 2				2.13	1.84	2.13
2 x 1 x 2				2.12	2.07	2.12
2 x 1¼ x 1¼				1.77	1.72	2.04
2 x 1¼ x 1½				1.89	1.84	2.07
2 x 1¼ x 2				2.12	2.07	2.12
2 x 1½ x 1				1.77	1.72	2.04
2 x 1½ x 1¼				1.78	1.72	2.03
2 x 1½ x 1½				1.89	1.84	2.07
2 x 1½ x 2				2.13	2.06	2.13
2 x 2 x 1				1.59	1.59	1.95
2 x 2 x 1¼				1.77	1.77	2.04
2 x 2 x 1½				1.89	1.89	2.07
2 (all ends)	2.12	3.75	2.13			
2½ x ½ x 2½				2.69	2.22	2.69
2½ x 1½ x 1½				2.39	2.25	2.60
2½ x 1½ x 2				2.39	2.25	2.60
2½ x 1½ x 2½				2.69	2.59	2.69
2½ x 2 x 1½				2.39	2.25	2.60
2½ x 2 x 2				2.38	2.25	2.59
2½ x 2½ x ¾				1.87	1.87	2.37
2½ x 2½ x 1				1.87	1.87	2.37
2½ x 2½ x 1½				2.16	2.16	2.50
2½ x 2½ x 2				2.39	2.39	2.60
2½ (all ends)	2.70	4.50	2.56			
3 x 2 x 2				2.83	2.70	2.99
3 x 2 x 3				3.09	3.00	3.09
3 x 2½ x 2				2.83	2.70	2.99
3 x 2½ x 2½				2.84	2.69	3.00

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE I. Center-to-end dimensions (type A), inches – Continued.

Nominal pipe size	Tee	Long turn sweep tee		Reducing tee		
	A	B	C	D	E	F
3 x 3 x 1½				2.28	2.28	2.81
3 x 3 x 2				2.53	2.53	2.88
3 x 3 x 2½				2.83	2.83	2.99
3 (all ends)	3.08	5.44	2.88			
3½ x 2½ x 2½				2.93	2.93	3.24
3½ x 3 x 2½				2.93	2.83	3.24
3½ x 3½ x 2½				2.93	2.93	3.24
3½ x 3½ x 3				3.42	3.42	3.42
3½ (all ends)	3.42	6.19	3.25			
4 x 3 x 3				3.30	3.08	3.60
4 x 4 x 3				3.30	3.30	3.60
4 x 4 x 3½				3.54	3.54	3.69
4 (all ends)	3.79	6.94	3.56			
5 x 3 x 4				4.00	3.59	4.41
5 x 5 x 4				4.00	4.00	4.41
5 (all ends)	4.50	8.13	4.31			
6 x 6 x 4				4.13	4.13	4.94
6 x 6 x 5				4.63	4.63	5.03
6 (all ends)	5.13	9.00	5.00			
8 x 8 x 6				5.56	5.56	6.38
8 (all ends)	6.56					
10 x 10 x 8				8.09	8.09	8.09
10 (all ends)	8.08					
12 x 12 x 8				9.50	9.50	9.50
12 (all ends)	9.50					




FIGURE 5. Reducing tee (type B).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE II. Center-to-end dimensions – reducing tee (type B), inches.

Nominal pipe size	Bushed from pipe size	Center-to-end		
		G	H	J
¼ x ¼ x ½		0.89	0.89	0.91
⅜ x ¼ x ⅜		0.82	0.78	0.82
⅜ x ⅜ x ¾		1.09	1.09	1.00
½ x ⅜ x ½		1.01	0.90	1.01
½ x ½ x ⅜		0.93	0.92	0.90
½ x ½ x 1	¾ x ¾ x 1	1.31	1.31	1.31
½ x ½ x 1¼		1.44	1.44	1.28
¾ x ¼ x ¾		1.19	0.97	1.19
¾ x ⅜ x 1		1.44	1.28	1.38
¾ x ½ x ⅜		1.00	0.93	1.00
¾ x ½ x 1		1.44	1.38	1.38
¾ x ¾ x 1¼		1.63	1.63	1.44
1 x ¼ x 1		1.50	1.22	1.50
1 x ⅜ x ¾		1.37	1.13	1.44
1 x ¾ x 1¼		1.66	1.63	1.59
1 x 1 x 1½		1.72	1.72	1.55
1¼ x ¼ x 1		1.56	1.22	1.66
1¼ x ¼ x 1¼		1.75	1.41	1.75
1¼ x ⅜ x 1¼	1¼ x ½ x 1¼	1.69	1.40	1.69
1¼ x ½ x 1¼		1.69	1.40	1.69
1¼ x ¾ x ½		1.34	1.19	1.53
1¼ x 1 x ½	1¼ x 1 x ¾	1.39	1.30	1.48
1¼ x 1¼ x ¼		1.16	1.16	1.28
1¼ x 1¼ x 1½		1.81	1.81	1.72
1¼ x 1¼ x 2		2.09	2.09	1.91
1½ x ⅜ x 1½		1.94	1.56	1.94
1½ x ½ x ¾		1.53	1.22	1.75
1½ x 1 x ¾	1½ x 1 x 1	1.55	1.52	1.72
1½ x 1¼ x ¾	1½ x 1¼ x 1	1.55	1.52	1.72
1½ x 1½ x 2		2.07	2.07	1.89
2 x 1 x 1		1.72	1.50	2.03
2 x 2 x ½	2 x 2 x ¾	1.47	1.47	1.84
2 x 2 x ¾		1.47	1.47	1.84
2 x 2 x 2½		2.60	2.60	2.39
2½ x ¾ x 2		2.39	1.98	2.60
2½ x 2 x ¾		1.75	1.59	2.31
2½ x 2 x 2½		2.70	2.60	2.70

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE II. Center-to-end dimensions – reducing tee (type B), inches – Continued.

Nominal pipe size	Bushed from pipe size	Center-to-end		
		G	H	J
2½ x 2½ x ½	2½ x 2½ x 1	1.87	1.87	2.37
2½ x 2½ x 1¼		2.04	2.04	2.45
2½ x 2½ x 3		2.99	2.99	2.83
3 x 1 x 3		3.09	2.66	3.09
3 x 1½ x 3		3.06	2.63	3.06
3 x 2 x 2½	3 x 2½ x 2½	2.83	2.70	2.99
3 x 2½ x 3		3.08	2.99	3.08
3 x 3 x ¾		1.88	1.88	2.63
3 x 3 x 1	3 x 3 x 1¼	2.17	2.17	2.74
3 x 3 x 1¼		2.17	2.17	2.74
3½ x ¾ x 3½		3.42	2.86	3.42
3½ x 3 x 2		2.62	2.52	3.14
3½ x 3 x 3	3½ x 3½ x 3	3.42	3.42	3.42
3½ x 3 x 3½	3½ x 3½ x 3½	3.42	3.42	3.42
3½ x 3½ x 2		2.62	2.62	3.14
4 x 3 x 4		3.79	3.60	3.79
4 x 4 x 1¼	4 x 4 x 1½	2.51	2.51	3.32
4 x 4 x 1½		2.51	2.51	3.32
4 x 4 x 2		2.74	2.74	3.41
4 x 4 x 2½	4 x 4 x 3	3.30	3.30	3.60
5 x 5 x 2½		3.26	3.26	4.13
5 x 5 x 3		3.51	3.51	4.22
6 x 6 x 2		3.08	3.08	4.56
6 x 6 x 2½	6 x 6 x 3	3.64	3.64	4.75
6 x 6 x 3		3.64	3.64	4.75

6. Reducing long turn single sweep tee type. Reducing long turn single sweep tees (see figure 6) shall be Type B (interior not streamlined).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.




FIGURE 6. Reducing long turn single sweep tee (type B).

TABLE III. Center-to-end dimensions – reducing long turn single sweep tee (type B), inches.

Nominal pipe size	Bushed from pipe size	Center-to-end		
		K	L	M
½ x ⅜ x ⅜	½ x ⅜ x ½	1.75	1.00	1.75
½ x ⅜ x ½		1.75	1.00	1.75
½ x ½ x ⅜		1.75	1.00	1.75
¾ x ⅜ x ⅜	¾ x ¾ x ½	2.00	1.18	2.00
¾ x ⅜ x ¾	¾ x ½ x ¾			
¾ x ½ x ¾				
¾ x ¾ x ⅜	¾ x ¾ x ½			
¾ x ¾ x ½				
¾ x ¾ x 1		2.00	1.18	2.00
1 x ⅜ x 1	1 x ¾ x 1	2.31	1.31	2.31
1 x ½ x ⅜	1 x 1 x ½			
1 x ½ x ½	1 x 1 x ½			
1 x ¾ x ½	1 x ¾ x 1			
1 x ¾ x ¾	1 x ¾ x 1			
1 x ¾ x 1				
1 x 1 x ⅜	1 x 1 x ½			
1 x 1 x ½				
1 x 1 x ¾		2.31	1.31	2.31
1¼ x ⅜ x 1¼	1¼ x ½ x 1¼	2.75	1.62	2.75
1¼ x ½ x ½	1¼ x ½ x 1¼			
1¼ x ½ x 1¼				
1¼ x ¾ x 1	1¼ x 1¼ x 1			
1¼ x ¾ x 1¼	1¼ x 1¼ x 1¼			
1¼ x 1 x 1	1¼ x 1¼ x 1			
1¼ x 1 x 1¼	1¼ x 1¼ x 1¼			

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE III. Center-to-end dimensions – reducing long turn single sweep tee (type B) – Continued.

Nominal pipe size	Bushed from pipe size	Center-to-end		
		K	L	M
1¼ x 1¼ x ⅜	1¼ x 1¼ x ¾			
1¼ x 1¼ x ½	1¼ x 1¼ x ¾			
1¼ x 1¼ x ¾				
1¼ x 1¼ x 1		2.75	1.62	2.75
1½ x ¾ x ¾	1½ x 1¼ x ¾	3.12	1.87	3.12
1½ x ¾ x 1½	1½ x 1 x 1½			
1½ x 1 x 1	1½ x 1 x 1½			
1½ x 1 x 1½				
1½ x 1¼ x ¾				
1½ x 1¼ x 1¼	1½ x 1¼ x 1½			
1½ x 1¼ x 1½				
1½ x 1½ x ⅜	1½ x 1½ x ¾			
1½ x 1½ x ½	1½ x 1½ x ¾			
1½ x 1½ x ¾				
1½ x 1½ x 1				
1½ x 1½ x 1¼		3.12	1.87	3.12
2 x ¾ x 2		3.75	2.12	3.75
2 x 1 x 2				
2 x 1¼ x 1¼	2 x 1½ x 2			
2 x 1¼ x 2	2 x 1½ x 2			
2 x 1½ x 1¼	2 x 1½ x 2			
2 x 1½ x 1½	2 x 1½ x 2			
2 x 1½ x 2				
2 x 2 x ¾				
2 x 2 x 1				
2 x 2 x 1¼	2 x 2 x 1½			
2 x 2 x 1½		3.75	2.12	3.75
2½ x 1 x 2½		4.50	2.56	4.50
2½ x 1½ x 2	2½ x 1½ x 2½			
2½ x 1½ x 2½				
2½ x 2 x 1¼	2½ x 2½ x 1¼			
2½ x 2 x 1½	2½ x 2½ x 2			
2½ x 2 x 2	2½ x 2½ x 2			
2½ x 2 x 2½	2½ x 2½ x 2½			
2½ x 2½ x ¾				
2½ x 2½ x 1	2½ x 2½ x 1¼			

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE III. Center-to-end dimensions – reducing long turn single sweep tee (type B) – Continued.

Nominal pipe size	Bushed from pipe size	Center-to-end		
		K	L	M
2½ x 2½ x 1¼				
2½ x 2½ x 2		4.50	2.56	4.50
3 x 1½ x 3		5.43	2.87	5.43
3 x 2 x 2	3 x 2½ x 2			
3 x 2 x 3				
3 x 2½ x 2				
3 x 2½ x 2½	3 x 3 x 3			
3 x 3 x ¾	3 x 3 x 1			
3 x 3 x 1				
3 x 3 x 1½	3 x 3 x 3			
3 x 3 x 2	3 x 3 x 3			
3 x 3 x 2½	3 x 3 x 3	5.43	2.87	5.43
3½ x 2½ x 2½		6.18	3.25	6.18
4 x 1 x 4		6.93	3.56	6.93
4 x 2 x 2				
4 x 2 x 4				
4 x 2½ x 3				
4 x 2½ x 4	4 x 3 x 4			
4 x 3 x 3				
4 x 3 x 4				
4 x 4 x 1½	4 x 4 x 2			
4 x 4 x 2				
4 x 4 x 3	4 x 4 x 4	6.93	3.56	6.93
5 x 1½ x 5	5 x 2 x 5	8.12	4.31	8.12
5 x 2 x 5				
5 x 3 x 5	5 x 4 x 5			
5 x 4 x 5				
5 x 5 x 1¼	5 x 5 x 2			
5 x 5 x 1½	5 x 5 x 2			
5 x 5 x 2				
5 x 5 x 4	5 x 5 x 5	8.12	4.31	8.12

7. Identification of reducing tee and reducing long turn single sweep tee end sizes. In identifying tees with reduced end sizes, the largest run size is given first, then the size at the opposite end of the run, and last is the size of the outlet. A tee with reducing outlet, as shown on figure 7, is identified as a 3- by 3- by 2-inch nominal pipe size reducing tee. A tee with reduced run and outlet, as shown on figure 8, is identified as a 4- by 3- by 3-inch nominal pipe size reducing tee. Tees that have an outlet size larger than the run size are called bulkhead tees.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.




FIGURE 7. Reduced outlet.




FIGURE 8. Reduced run and outlet.

8. Specification sheet part number. The specification sheet part number is a definitive part number that is formed by combining the specification sheet code number (M1183/9 for MIL-DTL-1183/9) with a dash after it; the tee type, style, and pipe size code number; the brazing ring groove and code letter; and an optional dash and lead-free fitting identifier. Tees covered by this specification sheet shall be designated in the following form (see 6.2.b of MIL-DTL-1183):

M1183/9 – XXX X - PW

Specification sheet code number

Tee type, style, and pipe size code number (see requirement 9 herein)

Brazing ring groove and brazing ring code letter (see requirement 10 herein)

Lead-free fitting identifier (optional) (see 3.2 of MIL-DTL-1183)

9. Tee type, style, and pipe size. The tee type, style (regular tee, long turn single sweep tee, long turn double sweep tee [Type A], reducing tee [Type B], and reducing long turn single sweep tee), and nominal pipe size(s) are identified by three digits (see tables IV, V, and VI). Table IV identifies Type A tees (regular tee, long turn single sweep tee, long turn double sweep tee, and reducing tee) and relates to the 100, 200, 300, and 400 series code numbers and code numbers 041, 042, and 043. Table V identifies Type B reducing tees and relates to the 500 series code numbers. Table VI identifies Type B reducing long turn single sweep tees and relates to the 600 series code numbers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE IV. Code number to type, style, and size (type A).

Type A				Nominal pipe size (inches)
Tee	**Long turn single sweep**	**Long turn double sweep**	**Reducing tee**	
100	200	300		¼ (all ends)
			400	¼ x ¼ x ⅜
			401	⅜ x ¼ x ¼
			402	⅜ x ⅜ x ¼
101	201	301		⅜ (all ends)
			403	⅜ x ⅜ x ½
			404	½ x ¼ x ½
			405	½ x ⅜ x ⅜
			406	½ x ½ x ¼
			407	½ x ½ x ⅜
102	202	302		½ (all ends)
			408	½ x ½ x ¾
			409	¾ x ⅜ x ⅜
			410	¾ x ⅜ x ½
			411	¾ x ⅜ x ¾
			412	¾ x ½ x ½
			413	¾ x ½ x ¾
			414	¾ x ¾ x ¼
			415	¾ x ¾ x ⅜
			416	¾ x ¾ x ½
103	203	303		¾ (all ends)
			417	¾ x ¾ x 1
			418	1 x ⅜ x 1
			419	1 x ½ x ½
			420	1 x ½ x ¾
			421	1 x ½ x 1
			422	1 x ¾ x ⅜
			423	1 x ¾ x ½
			424	1 x ¾ x ¾
			425	1 x ¾ x 1
			426	1 x 1 x ¼
			427	1 x 1 x ⅜
			428	1 x 1 x ½
			429	1 x 1 x ¾

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE IV. Code number to type, style, and size (type A) – Continued.

Type A				Nominal pipe size (inches)
Tee	Long turn single sweep	Long turn double sweep	Reducing tee	
104	204	304		1 (all ends)
			430	1 x 1 x 1¼
			431	1¼ x ½ x 1
			432	1¼ x ¾ x ¾
			433	1¼ x ¾ x 1
			434	1¼ x ¾ x 1¼
			435	1¼ x 1 x ¾
			436	1¼ x 1 x 1
			437	1¼ x 1 x 1¼
			438	1¼ x 1¼ x ⅜
			439	1¼ x 1¼ x ½
			440	1¼ x 1¼ x ¾
			441	1¼ x 1¼ x 1
105	205	305		1¼ (all ends)
			442	1½ x ½ x 1½
			443	1½ x ¾ x ¾
			444	1½ x ¾ x 1
			445	1½ x ¾ x 1¼
			446	1½ x ¾ x 1½
			447	1½ x 1 x 1
			448	1½ x 1 x 1¼
			449	1½ x 1 x 1½
			450	1½ x 1¼ x ½
			451	1½ x 1¼ x 1
			452	1½ x 1¼ x 1¼
			453	1½ x 1¼ x 1½
			454	1½ x 1½ x ⅜
			455	1½ x 1½ x ½
			456	1½ x 1½ x ¾
			457	1½ x 1½ x 1
			458	1½ x 1½ x 1¼
106	206	306		1½ (all ends)
			459	2 x ½ x 2
			460	2 x ¾ x 2
			461	2 x 1 x 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE IV. Code number to type, style, and size (type A) – Continued.

Type A				Nominal pipe size (inches)
Tee	Long turn single sweep	Long turn double sweep	Reducing tee	
			462	2 x 1¼ x 1¼
			463	2 x 1¼ x 1½
			464	2 x 1¼ x 2
			465	2 x 1½ x 1
			466	2 x 1½ x 1¼
			467	2 x 1½ x 1½
			468	2 x 1½ x 2
			469	2 x 2 x 1
			470	2 x 2 x 1¼
			471	2 x 2 x 1½
107	207	307		2 (all ends)
			472	2½ x ½ x 2½
			473	2½ x 1½ x 1½
			474	2½ x 1½ x 2
			475	2½ x 1½ x 2½
			476	2½ x 2 x 1½
			477	2½ x 2 x 2
			478	2½ x 2½ x ¾
			479	2½ x 2½ x 1
			480	2½ x 2½ x 1½
			481	2½ x 2½ x 2
108	208	308		2½ (all ends)
			482	3 x 2 x 2
			483	3 x 2 x 3
			484	3 x 2½ x 2
			485	3 x 2½ x 2½
			486	3 x 3 x 1½
			487	3 x 3 x 2
			488	3 x 3 x 2½
109	209	309		3 (all ends)
			489	3½ x 2½ x 2½
			490	3½ x 3 x 2½
			491	3½ x 3½ x 2½
			492	3½ x 3½ x 3
110	210	310		3½ (all ends)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE IV. Code number to type, style, and size (type A) – Continued.

Type A				Nominal pipe size (inches)
Tee	Long turn single sweep	Long turn double sweep	Reducing tee	
			493	4 x 3 x 3
			494	4 x 4 x 3
			495	4 x 4 x 3½
111	211	311		4 (all ends)
			496	5 x 3 x 4
			497	5 x 5 x 4
112	212	312		5 (all ends)
			498	6 x 6 x 4
			499	6 x 6 x 5
113	213	313		6 (all ends)
			041	8 x 8 x 6
114				8 (all ends)
			042	10 x 10 x 8
115				10 (all ends)
			043	12 x 12 x 8
116				12 (all ends)

TABLE V. Code number to type, style, and size (type B) reducing.

Reducing tee (Type B)	Nominal pipe size (inches)
500	¼ x ¼ x ½
501	⅜ x ¼ x ⅜
502	⅜ x ⅜ x ¾
503	½ x ⅜ x ½
504	½ x ½ x ⅜
505	½ x ½ x 1
506	½ x ½ x 1¼
507	¾ x ¼ x ¾
508	¾ x ⅜ x 1
509	¾ x ½ x ⅜
510	¾ x ½ x 1
511	¾ x ¾ x 1¼
512	1 x ¼ x 1
513	1 x ⅜ x ¾

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE V. Code number to type, style, and size (type B) reducing – Continued.

Reducing tee (Type B)	Nominal pipe size (inches)
514	1 x ¾ x 1¼
515	1 x 1 x 1½
516	1¼ x ¼ x 1
517	1¼ x ¼ x 1¼
518	1¼ x ⅜ x 1¼
519	1¼ x ½ x 1¼
520	1¼ x ¾ x ½
521	1¼ x 1 x ½
522	1¼ x 1¼ x ¼
523	1¼ x 1¼ x 1½
524	1¼ x 1¼ x 2
525	1½ x ⅜ x 1½
526	1½ x ½ x ¾
527	1½ x 1 x ¾
528	1½ x 1¼ x ¾
529	1½ x 1½ x 2
530	2 x 1 x 1
531	2 x 2 x ½
532	2 x 2 x ¾
533	2 x 2 x 2½
534	2½ x ¾ x 2
535	2½ x 2 x ¾
536	2½ x 2 x 2½
537	2½ x 2½ x ½
538	2½ x 2½ x 1¼
539	2½ x 2½ x 3
540	3 x 1 x 3
541	3 x 1½ x 3
542	3 x 2 x 2½
543	3 x 2½ x 3
544	3 x 3 x ¾
545	3 x 3 x 1
546	3 x 3 x 1¼
547	3½ x ¾ x 3½
548	3½ x 3 x 2
549	3½ x 3 x 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE V. Code number to type, style, and size (type B) reducing – Continued.

Reducing tee (Type B)	Nominal pipe size (inches)
550	3½ x 3 x 3½
551	3½ x 3½ x 2
552	4 x 3 x 4
553	4 x 4 x 1¼
554	4 x 4 x 1½
555	4 x 4 x 2
556	4 x 4 x 2½
557	5 x 5 x 2½
558	5 x 5 x 3
559	6 x 6 x 2
560	6 x 6 x 2½
561	6 x 6 x 3

TABLE VI. Code number to type, style, and size (type B) long turn.

Reducing long turn single sweep (Type B)	Nominal pipe size (inches)
600	½ x ⅜ x ⅜
601	½ x ⅜ x ½
602	½ x ½ x ⅜
603	¾ x ⅜ x ⅜
604	¾ x ⅜ x ¾
605	¾ x ½ x ¾
606	¾ x ¾ x ⅜
607	¾ x ¾ x ½
608	¾ x ¾ x 1
609	1 x ⅜ x 1
610	1 x ½ x ⅜
611	1 x ½ x ½
612	1 x ¾ x ½
613	1 x ¾ x ¾
614	1 x ¾ x 1
615	1 x 1 x ⅜
616	1 x 1 x ½
617	1 x 1 x ¾
618	1¼ x ⅜ x 1¼
619	1¼ x ½ x ½

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE VI. Code number to type, style, and size (type B) long turn – Continued.

Reducing long turn single sweep (Type B)	Nominal pipe size (inches)
620	1¼ x ½ x 1¼
621	1¼ x ¾ x 1
622	1¼ x ¾ x 1¼
623	1¼ x 1 x 1
624	1¼ x 1 x 1¼
625	1¼ x 1¼ x ⅜
626	1¼ x 1¼ x ½
627	1¼ x 1¼ x ¾
628	1¼ x 1¼ x 1
629	1½ x ¾ x ¾
630	1½ x ¾ x 1½
631	1½ x 1 x 1
632	1½ x 1 x 1½
633	1½ x 1¼ x ¾
634	1½ x 1¼ x 1¼
635	1½ x 1¼ x 1½
636	1½ x 1½ x ⅜
637	1½ x 1½ x ½
638	1½ x 1½ x ¾
639	1½ x 1½ x 1
640	1½ x 1½ x 1¼
641	2 x ¾ x 2
642	2 x 1 x 2
643	2 x 1¼ x 1¼
644	2 x 1¼ x 2
645	2 x 1½ x 1¼
646	2 x 1½ x 1½
647	2 x 1½ x 2
648	2 x 2 x ¾
649	2 x 2 x 1
650	2 x 2 x 1¼
651	2 x 2 x 1½
652	2½ x 1 x 2½
653	2½ x 1½ x 2
654	2½ x 1½ x 2½
655	2½ x 2 x 1¼

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

TABLE VI. Code number to type, style, and size (type B) long turn – Continued.

Reducing long turn single sweep (Type B)	Nominal pipe size (inches)
656	2½ x 2 x 1½
657	2½ x 2 x 2
658	2½ x 2 x 2½
659	2½ x 2½ x ¾
660	2½ x 2½ x 1
661	2½ x 2½ x 1¼
662	2½ x 2½ x 2
663	3 x 1½ x 3
664	3 x 2 x 2
665	3 x 2 x 3
666	3 x 2½ x 2
667	3 x 2½ x 2½
668	3 x 3 x ¾
669	3 x 3 x 1
670	3 x 3 x 1½
671	3 x 3 x 2
672	3 x 3 x 2½
673	3½ x 2½ x 2½
674	4 x 1 x 4
675	4 x 2 x 2
676	4 x 2 x 4
677	4 x 2½ x 3
678	4 x 2½ x 4
679	4 x 3 x 3
680	4 x 3 x 4
681	4 x 4 x 1½
682	4 x 4 x 2
683	4 x 4 x 3
684	5 x 1½ x 5
685	5 x 2 x 5
686	5 x 3 x 5
687	5 x 4 x 5
688	5 x 5 x 1¼
689	5 x 5 x 1½
690	5 x 5 x 2
691	5 x 5 x 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.

10. Brazing ring groove and brazing ring. Face fed (no groove), grooved without brazing ring, grooved with brazing ring inserted in groove, grooved with brazing ring(s) separately packaged and attached to the tee, or grooved with brazing ring(s) separately packaged and shipped with but not attached to the tee socket ends are identified by a single letter (see table VII).

TABLE VII. Code letter to socket condition.

Code letter	Condition of socket
N	No groove (face fed)
G 1/	Grooved (no brazing ring)
R 1/	Grooved with brazing ring inserted
A 2/	Grooved with brazing ring separately packaged and attached
S 1/ 2/	Grooved with brazing ring separately packaged and shipped with

NOTES:

1/ No National Stock Number (NSN) shall be established or exist in the Federal Supply System for tee with the code letter of G, R, or S.

2/ When the socket condition code letter is A or S, the brazing rings shall not be inserted in the grooves, but packaged separately. For condition code letter A, the packaged brazing ring shall be either included within each individual tee package or physically attached to the tee. For condition code letter S, the brazing ring shall be included within each individual tee package.

AMENDMENT NOTATIONS. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

CONCLUDING MATERIAL

Custodians:
Army – CR4
Navy – SH

Preparing activity:
Navy – SH
(Project 4730-2019-029)

Review activity:
DLA – CC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:49Z
Check the source to verify that this is the current version before use.