
THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN SOLICITATION: NONE

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

FORM APPROVED
OMB NO. 0704-0188



G DENOTES CHANGE

DESIGN STANDARD

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV NAVY — AS
AIR FORCE — 99 DLA —

REVIEW: USAF-71,82,DLA-CS,ARMY-MI
USER: ARMY-GL,ME,AT,MARINE CORPS-MC
PROJECT NUMBER: 4730-0021

MILITARY SPECIFICATION SHEET

TITLE
FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL

SPECIFICATION SHEET NUMBER
MS33514G 21 MAY 90

SUPERSEDING
MS33514F 27 JAN 69

AMSC — N/A FSC 4730

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:03Z
Check the source to verify that this is the current version before use.

FORM APPROVED
OMB NO. 0704-0188

TABLE I. DIMENSIONS DATA

SIZE NO.	TUBE OD	THREAD T MIL-S-8879	A ±.003	B GAGE	C REF	D +.004 -.000	E		F +.002 -.003	H ±.003	J ±.010	K ±.010 DIA	M MAX RAD
2	.125	.3125-24 UNJF-3A	.093	.1630	.189	.135	.563		.250	.188	.375	.549	
3	.188	.3750-24 UNJF-3A	.125	.2340	.267	.196	.625		.312	.234	.422	.611	.005
4	.250	.4375-20 UNJF-3A	.187	.2930	.319	.261	.688		.364		.453	.674	
5	.313	.5000-20 UNJF-3A	.234	.3560	.382	.324	.750	+.003 -.004	.426	.250		.736	
6	.375	.5625-18 UNJF-3A	.297	.4160	.441	.386	.813		.481		.469	.799	
8	.500	.7500-16 UNJF-3A	.422	.5600	.601	.514	1.000		.660	.305	.562	.986	.010
10	.625	.8750-14 UNJF-3A	.500	.6860	.727	.641	1.125		.773	.350	.625	1.111	
12	.750	1.0625-12 UNJ -3A	.656	.8100	.852	.766	1.375		.945		.688	1.361	
16	1.000	1.3125-12 UNJ -3A	.875	1.0620	1.102	1.016	1.625	±.016	1.195	.415		1.599	
20	1.250	1.6250-12 UNJ -3A	1.093	1.3160	1.355	1.270	1.875		1.507			1.849	.015
24	1.500	1.8750-12 UNJ -3A	1.344	1.5650	1.604	1.520	2.125	±.020	1.756	.485		2.095	
32	2.000	2.5000-12 UNJ -3A	1.813	2.0680	2.108	2.022	2.750		2.381			2.720	

SIZE NO.	O +.015 -.000	Y RAD MAX	Y RAD MIN	W MAX	X ±.005	Y ±.010
2	.063	.010	.005	.002	.128	.250
3		.015	.010		.158	.310
4	.075				.174	.365
5					.190	.425
6	.083				.193	.480
8	.094				.210	.660
10	.107				.255	.775
12	.125			.003	.253	.945
16					.322	1.195
20		.030	.020		.325	1.505
24					.390	1.755
32					.395	2.380

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV NAVY — AS
AIR FORCE — 99 DLA —

REVIEW: USAF-71,82,DLA-CS,ARMY-MI
USER: ARMY-GL,ME,AT,MARINE CORPS-MC
PROJECT NUMBER: 4730-0021

MILITARY SPECIFICATION SHEET

TITLE
FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL

SPECIFICATION SHEET NUMBER
MS33514G 21 MAY 90

SUPERSEDING
MS33514F 27 JAN 69

AMSC — N/A FSC 4730

DISTRIBUTION STATEMENT
A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:03Z
Check the source to verify that this is the current version before use.

FORM APPROVED
OMB NO. 0704-0188

(G) NOTES:

1. CONCENTRICITY: D, C, AND T (PITCH DIA) SHALL BE CONCENTRIC TO EACH OTHER WITHIN .008 FULL INDICATOR MOVEMENT (F.I.M.). F AND T (PITCH DIA) SHALL BE CONCENTRIC TO EACH OTHER WITHIN .005 F.I.M.
2. SQUARENESS BETWEEN THREAD AND FACE OF HEX SHALL NOT EXCEED W WHEN MEASURED AT DIA K.
3. SURFCE ROUGHNESS IN ACCORDANCE WITH ANSI/ASME B46.1.
4. REMOVE ALL BURRS, SLIVERS AND SHARP EDGES.
5. DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED, TOLERANCES: ANGLES 0.5°.
6. EXAMPLE OF DESIGN IDENTIFICATION NUMBERS: MS33514 E 8
   - 8 — SIZE OF FITTING END IN 16THS
   - E - STYLE E
   - G - STYLE G
   - MS33514 — BASIC DESIGN NUMBER
7. IN THE EVENT OF CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
8. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

PREPARING ACTIVITY: NAVY — AS
CUSTODIANS: ARMY — AY NAVY — AS
AIR FORCE — 99 DLA —
REVIEW: USAF-71,82,DLA-CS,ARMY-MI
USER: ARMY-GL,ME,AT,MARINE CORPS-MC
PROJECT NUMBER: 4730-0021

MILITARY SPECIFICATION SHEET

TITLE
FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL

SPECIFICATION SHEET NUMBER
MS33514G 21 MAY 90
SUPERSEDING
MS33514F 27 JAN 69
AMSC — N/A FSC 4730

DISTRIBUTION STATEMENT
A. APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:03Z
Check the source to verify that this is the current version before use.