A-A-53460A
13 September 1988
Superseding
A-A-0053460(DM)
22 April 1988

COMMERCIAL ITEM DESCRIPTION

BOTTLE, SAFETY CAP
(Plastic, Light-Resistant, Liquid Prescription)

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers a light-resistant plastic bottle with one type of screwcap safety closure suitable for dispensing liquid pharmaceutical preparations.

Salient characteristics:

Shall be a narrow mouth, light-resistant plastic bottle with a molded plastic safety closure, suitable for dispensing liquid pharmaceutical preparations.

The bottle shall be fabricated of polyethylene terephthalate PET material, or PETG a PET Copolymer.

Shall comply with the provisions of the Pharmacopeia of the United States (USP) pertaining to Permeation Standards for tight containers and Light Transmission for light-resistant type NP containers.

The bottle shall have a narrow mouth opening, with shoulders formed by the extension of the neck into the sides of the bottle. The neck of the bottle shall have an exterior continuous type threaded finish for the screw cap closure, and a flat top surface, level and free of discernible ridges, to make contact with the liner of the closure cap. The sides of the bottle shall be rectangular or oval, or flat on one side and oval on the other. The capacity point of the bottle (i.e., liquid level in bottle of nominal capacity) shall not extend above bottom level of the neck or below bottom level of the shoulder. The nominal capacity of the bottle shall be

AMSC N/A FSC 6530
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.

indicated on the bottle. The manufacturer's commercial symbol or designation for the milliliter or fluid ounce capacity of the bottle shall be acceptable. All bottles shall have an available prescription label surface height of 51 millimeters (2 inches). The closure cap on the bottle shall be one that can only be opened by two coordinated actions of pushing down on the top while turning in a counter clockwise direction.

The closure cap shall be a two-piece screwcap design consisting of an inner cap and an outer cap. The inner cap shall have a continuous type thread for closure, and a liner to form a seal when full contact is made with the top surface of the bottle. The outer cap shall fit over the inner cap in such a manner that the two caps do not separate. Instructions for opening the safety closure shall be embossed on the top surface of the outer cap with the lettering in either contrasting color to the body of the cap or with letter size at least 2.5 millimeters in height.

The safety closure shall be designed to conform to the Poison Prevention Packaging Act of 1970 (Public Law 91-601 dated 30 December 1970) under 16 CFR 1700.20 (Testing Procedure for Special Packaging). A copy of test data showing successful conformance shall be submitted to the Consumer Product Safety Commission.

The contractor shall submit a copy of protocol test data to the contracting officer, prior to award of contract, as proof that the child-resistant bottles to be delivered under the contract conform to the Poison Prevention Packaging Act under 16 CFR 1700.20. Compliance with this paragraph does not excuse compliance with other requirements of the specification and contract or purchase order.

The bottles shall be furnished in the following sizes:

Size 1 - 2 oz. (60 ml)
Size 2 - 4 oz. (120 ml)
Size 3 - 8 oz. (240 ml)
Size 4 - 16 oz. (480 ml)

Workmanship. The safety cap bottle shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Package (PG). One package containing one hundred bottles of 2 or 4 ounce, or fifty bottles of 8 ounce, or twenty-five bottles of 16 ounce, as specified, constitutes one unit.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.

Referenced standard. Where standard is referenced herein, the issue of that standard in effect on the date of solicitation shall be used to determine compliance with stated requirements.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Inspections and tests. Inspections and tests shall be conducted in accordance with commercial practice to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling for inspection and tests. Sampling for inspection and tests shall be conducted in accordance with commercial practice. The unit of product for test purposes shall be one safety cap bottle.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producer's own drawings,

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.

specifications standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Numbers are covered by this document:

6530-01-272-5118	2 oz (60 cc)
6530-01-272-5119	4 oz (120 cc)
6530-01-271-5688	8 oz (240 cc)
6530-01-271-5687	16 oz (480 cc)

Ordering data. (Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing Activity:

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6530-2024

Location: Disk # 9

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
53460A	BOTTLE, SAFETY CAP (Plastic, Light-Resistant, Liquid Prescription

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements All users of military standardization documents are invited to provide suggestions This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems Enter in block 6 any remarks not related to a specific paragraph of the document If block 7 is filled out an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 4966 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
ATTN. DPSC-RSTE
2800 South 20th Street
Philadelphia, Pennsylvania 19101-8419

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:20Z
Check the source to verify that this is the current version before use.