A-A-50208A
August 5, 1987
SUPERSEDING
A-A-50208
May 23, 1983

COMMERCIAL ITEM DESCRIPTION

PROTRACTOR, RECTANGULAR

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-P-11720.

This description covers a protractor for use in laying out angles and distances in sketching and in note keeping for surveys.

Salient characteristics: The protractor shall be made of methacrylic, extruded, or cast acrylic plastic and shall be similar to figure 1.

Graduations, numerals, and markings. All graduations, numerals, and other markings shall be molded, impressed, or printed on the underside of the protractor. Lettering and numerals shall be readily legible. Molded or impressed graduations, numerals, and other markings shall be filled with permanent black ink or paint. Graduation lines should be within 0.010 inch (0.25 millimeter [mm]) of their true relative position and should be 0.008-inch (0.20 mm) wide, plus or minus 0.002 inch (0.05 mm).

Laminations. If the markings on the lower suface of the protractor are printed, they shall be protected by a transparent plastic cover sheet of the same material as the protractor. The cover sheet shall be permanently affixed by a laminating process and shall not impair the transparency of the protractor or cover sheets, nor distort the marking or graduations. There shall be no evidence of the cover sheet separating from the protractor.

Edges. All working edges shall be straight.

Regulatory requirements: The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

AMSC N/A FSC 6675

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

Packaging and marking: Military packaging shall be specified when shipments are to overseas Department of Defense (DoD) consignees. Commercial packaging may be specified for shipment to DoD consignees within the Continental United States and to non-DoD consignees worldwide. When a supplier's normal packaging will satisfy the requirements for military packaging, it may be used.

Military packaging: Each protractor shall be preserved and packed to protect against physical damage and deterioration in a logistic environment characterized by the following:

1. Multiple handling during transportaion and in-transit storage.
2. Shock, vibration, and static loading forces during worldwide shipment by all transport modes.
3. Uncontrolled warehouse storage for extended periods.
4. Weather exposure during shipment and in-transit transfers.
5. Stacking loads during shipment and storage.

Quantities of protractors destined to a single addressee may be unitized into one or more unit loads.

Commericial: Unless otherwise specified in the contract or order each protractor shall be packaged in accordance with the supplier's normal method for retail distribution. Individually packaged protractors shipped to a single destination may be unitized to permit handling as a single unit. Shipping containers shall comply with Uniform Freight Classification or National Motor Freight Classification rules.

Marking: Unit, intermediate (when provided), and exterior packs shall be marked with the item nomenclature, stock or part number, quantity per pack, and contract number as a minimum; additional marking shall be as specified in the contract or order. Exterior packs shall have in addition the complete consignee's address. Markings shall be applied in a legible manner, in a contrasting color, of an appropriate size, and of waterproof materials.

Quality assurance. The protractors shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

1. Dimensions not as specified.
2. Graduations, numerals, and markings not as specified.
3. Materials not as specified.
4. Edges not as specified.
5. Laminations (if applicable) not as specified.
6. Packaging and marking not as specified.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial market-place for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

Small business. A small business that cannot meet the certification-of-commercial-item requirement of this document, may make an offer under this solicitation; and, if such small business is the apparent successful offeror, the Government may require the small business to submit a sample protractor. Any such rectangular protractor may be evaluated for this solicitation if time to contract award permits. Such evaluation would be to determine conformance to all requirements of this commercial item description and to determine equivalency to protractors available in the commercial marketplace in the areas of accuracy, durability, human factors engineering, and safety. It should be noted that samples are not required unless specifically requested by the contracting officer. Note. The Government may elect not to evaluate a sample from an apparent low bidder for award for this solicitation if a determination of urgency is made by the contracting officer. The sample would then be evaluated prior to future solicitation for comparable items.

Notes:

1. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.
2. Figure. The figure shows dimensions and the style of markings for rectangular protractors which have been found acceptable; however, the figure is for illustration only and is not intended to preclude the furnishing of other designs which conform to the salient characteristics.

MILITARY INTERESTS:

Custodians

Army - ME
Navy - MC
Air Force - 99

Review activities

Air Force - 82
Navy - MC
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FCGC

PREPARING ACTIVITY:

Army - ME

Project 6675-0809

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

units to the broader's own drawings, specifications, and that the broader con

X-1176A




FIGURE 1. Rectangular protractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.