A-A-50211A
February 5, 1988
SUPERSEDING
A-A-50211
July 6, 1986

COMMERCIAL ITEM DESCRIPTION

ROD, STADIA (FOLDING)

The General Services Administration has authorized the use of this commercial item description in preference to Federal Specification GG-R-550.

This description covers two types of folding stadia rods: Type I - decimal - English graduations, and Type II metric graduations.

Salient characteristics:

Design: The stadia rod (English graduations) shall have an overall length of 12 to 14 feet. The rod shall be provided with self locking hinges for center folding and be rigid when fully extended. The rod shall be 2-7/8 inches to 3 inches wide, and shall have black graduations against a white background with red or orange numerals, graduated in feet, tenths and 1/2 tenths. The stadia rod (Metric graduations) shall have an overall length of 4 meters, shall be provided with a self locking hinge to fold at the 2 meter mark, and shall be rigid when fully extended. The rod shall be 2-7/8 inches to 3 inches wide, and shall have black graduations against a white background with red or orange numerals, graduated in meters, decimeters, and centimeters. When folded, the rods shall fold flat with the sections in alignment.

Tolerances: Tolerances for the graduations shall be plus or minus 0.01 inch on decimals, and plus or minus 1/64 inch on fractions.

Materials:

Hardwood. Hardwood shall be maple or basswood and shall be free of decay, splits, streaks, checks, shakes, wane, holes, warp, and bow.

Softwood. Softwood shall be Port Orford cedar, ponderosa pine, white pine, sugar pine, or spruce. Softwood shall be free of decay, splits,

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:40Z
Check the source to verify that this is the current version before use.

streaks, checks, shakes, wane, holes exceeding 1/16 inch in diameter, and knots exceeding 1/2 inch in average diameter. Holes shall be filled and knots shall be sound and tight. Knots in clusters will not be permitted. Slope of grain shall not exceed 1 inch in 10 inches in the wider dimension of the rod and shall not exceed 1 inch in 30 inches in the narrow dimension of the rod. The wood shall not be warped or bowed.

Part number. The part number for the rods, stadia shall be as follows:

AA50211 - X

X: Type I or II
AA50211: Document number

Regulatory requirements: The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Packaging and marking. Military packaging shall be specified when shipments are to overseas Department of Defense (DoD) consignees. Commercial packaging may be specified for shipments to DoD consignees within the continental United States and to non-DoD consignees worldwide. When a supplier's normal packaging will satisfy the requirements for military packaging, it may be used.

Military packaging. Each stadia rod shall be preserved and packed to protect against physical damage and deterioration in a logistic environment characterized by the following:

1. Multiple handling during transportation and in-transit storage.
2. Shock, vibration, and static loading forces during worldwide shipment by all transport modes.
3. Uncontrolled warehouse storage for extended periods.
4. Weather exposure during shipment and in-transit transfers.
5. Stacking loads during shipment and storage.

Quantities of stadia rods of like description destined to a single addressee may be unitized into one or more unit loads.

Commercial. Each stadia rod shall be packaged in accordance with the supplier's normal method for retail distribution. Individually packaged stadia rods of like description shipped to a single destination may be unitized to permit handling as a single unit. Shipping containers shall comply with Uniform Freight Classification or National Motor Freight Classification rules.

Marking. Unit, intermediate (when provided), and exterior packs shall be marked with the item nomenclature, stock or part number, quantity per pack, and contract number as a minimum; additional marking shall be as specified in the contract or order. Exterior packs shall have in addition the complete consignee's address. Markings shall be applied in a legible manner, in a contrasting color, of an appropriate size, and of waterproof materials.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:40Z
Check the source to verify that this is the current version before use.

Quality assurance. The stadia rods shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

1. Materials not as specified.
2. Dimensions not as specified.
3. Graduations not as specified.
4. Tolerances for graduations not as specified.
5. Packaging and marking not as specified.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Small business. A small business that cannot meet the certification-of-commercial-item requirement of this document, may make an offer under this solicitation; and, if such small business is the apparent successful offeror, the Government may require the small business to submit a sample folding stadia rod. Any such stadia rod may be evaluated for this solicitation if time to contract award permits. Such evaluation would be to determine conformance to all requirements of this commercial item description and to determine equivalency to folding stadia rods available in the commercial marketplace in the areas of accuracy, durability, human factors engineering, and safety. It should be noted that samples are not required unless specifically requested by the contracting officer. Note. The Government may elect not to evaluate a sample from an apparent low offerer for award for this solicitation if a determination of urgency is made by the contracting officer. The sample would then be evaluated prior to future solicitation for comparable items.

Notes:

1. Purchasers should specify type of folding stadia rods required.
2. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

MILITARY INTERESTS:

Custodians

Army - ME

Review Activity

DLA - GS

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FCGC
VA - OSS

PREPARING ACTIVITY:

Army - MF

Project 6675-0812

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.