
FED. SUP CLASS
6110



DASH NO.	TYPE	NO. OF RELAYS	RELAY TYPE
-1	I	24	DPST
-2	II	24	16 DPST 8 DPDT

MATERIAL: ENCLOSURE, MOUNTING PLATE, DOOR AND TRIM; SHEET STEEL, .120±.006 THICKNESS, CORROSION RESISTANT STEEL OR STEEL SUITABLY TREATED.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCE: DECIMALS ±.125 .

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

Review activities:
USAF - 11, 82, 85
Navy - AS

This military standard is approved by the Department of the Air Force and the Naval Air Systems Command and is mandatory for use by these activities. All other military activities are required to employ this standard where suitable.

APPROVED 9 AUG 67 REVISED

P.A. USAF - 11 Other Cust Navy - AS	TITLE PANEL RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING (TYPES I AND II)	MILITARY STANDARD MS21961(ASG)
PROCUREMENT SPECIFICATION MIL-R-8945	SUPERSEDES:	SHEET 1 OF 3


DD FORM 672-1 (Limited coordination)
ASG use only

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


DATE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:42Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6110



TYPE I WIRING DIAGRAM



TYPICAL

APPROVED 9 AUG 67 REVISED

This military standard is approved by the Department of the Air Force and the Naval Air Systems Command and is mandatory for use by these activities. All other military activities are required to employ this standard where suitable.


Review activities:
USAF - 11, 82, 85
NAVY - AS

P.A. USAF - 11 Other Cust NAVY - AS	TITLE PANEL, RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING (TYPES I AND II)	MILITARY STANDARD MS21961 (ASG)
PROCUREMENT SPECIFICATION MIL-P-8945	SUPERSEDES:	SHEET 2 OF

DD FORM 672-1 (Limited coordination)
ASO use only


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:42Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6110



A THRU R ARE DPST RELAYS AND ARE WIRED IDENTICALLY.
S THRU Z ARE DPDT RELAYS AND ARE WIRED IDENTICALLY.

TYPE II WIRING DIAGRAM



Review activities:
USAF - 11, 82, 85
Navy - AS

This military standard is approved by the Department of the Air Force and the Naval Air Systems Command and is mandatory for use by these activities. All other military activities are required to employ this standard where suitable.

APPROVED 9 AUG 67 REVISED

P.A. USAF - 11 Other Cust Navy - AS	TITLE PANEL RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING (TYPES I AND II)	MILITARY STANDARD MS21961 (ASG)
PROCUREMENT SPECIFICATION MIL -P-8945	SUPERSEDES:	SHEET 3 OF

DD FORM 672-1 (Limited coordination)
ASD use only

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:42Z
Check the source to verify that this is the current version before use.