INCH-POUND

MIL-B-5423C
AMENDMENT 1
17 May 1996

MILITARY SPECIFICATION

BOOTS, DUST AND WATER SEAL (FOR TOGGLE AND PUSH-BUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS), GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-B-5423C, dated 1 June 1982, and is approved for use by all Departments and Agencies of the Department of Defense

PAGE 1

Title, delete "BOOT, DUST AND WATER SEAL" and substitute "BOOT, DUST AND MOISTURE SEAL"

Beneficial comments box, bottom of page, preparing activity address, delete and substitute "Defense Electronics Supply Center, ATTN DESC-ELDM, Dayton, OH 45444-5765"

PAGE 2

2 1, SPECIFICATIONS, delete "QQ-P-416", "MIL-S-28786", and their associated titles

2 1, STANDARDS, MILITARY, delete "MIL-STD-105", "MIL-STD-45662", and their associated titles

2.2, delete and substitute the following

"2 2 Non-Government publications The following documents form a part of this document to the extent specified herein Unless otherwise specified, the issues of documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6 2)

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)
ANSI/NCSL Z540-1 - General Requirements for Calibration Laboratories and Measuring and Test Equipment

(Application for copies should be addressed to the American National Standards Institute (ANSI), 11 West 42nd Street, New York, NY 10036-8002, telephone 212-642-4900, fax 212-302-1286)

INTERNATIONAL ORGANIZATION FOR STANDARDS (ISO)
ISO 10012-1 - Quality Assurance Requirements for Measuring Equipment - Part 1, Meteorological Confirmation System for Measuring Equipment

(Application for copies should be addressed to the American National Standards Institute (ANSI), 11 West 42nd Street, New York, NY 10036-8002, telephone 212-642-4900, fax 212-302-1286)

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:39Z
Check the source to verify that this is the current version before use.

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents These documents also may be available in or through libraries or other informational services)

2 3 Order of precedence In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specifications sheets, or MS standards), the text of this document takes precedence Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained "

PAGE 3

3 3 2, delete and substitute

"3 3 2 Metals Metals shall be of corrosion resistant material, or shall be plated to resist corrosion Plating shall be in accordance with class 2 (0 0003 inch nickel) of QQ-N-290, or alternative protective finishes, as approved by the qualifying activity "

PAGE 4

4 1 1, line 6, delete "MIL-STD-45662" and substitute "ANSI/NCSL Z540-1, ISO-10012-1, or equivalent system as approved by the qualifying activity"

TABLE I, delete and substitute

" TABLE I Materials inspection

Material	Requirement paragraph	Applicable specification
Silicone rubber	3 3 1	ZZ-R-765
Metals/plating	3 3.2	QQ-N-290 1/

1/ Alternative protective finishes, as approved by the qualifying activity, may be utilized "

PAGE 6

4 5 4, lines 8 and 9 (two places), delete "24-month interval" and substitute "36-month interval"

PAGE 9

4 6 1 2, line 2, delete ", in the order shown"

4 6 1 2 1, delete and substitute

"4 6 1 2 1 Sampling plan Samples shall be randomly selected in accordance with table III-1, group A inspection sampling plan For acceptance of the lot there shall be zero occurrences of defects "

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:39Z
Check the source to verify that this is the current version before use.

4 6 1 2 2, delete and substitute the following

"4 6 1 2 2 Rejected lots If an inspection lot is rejected, the lot shall be 100 percent inspected for the defects noted The contractor may correct all of the defects or remove all of the defective units from the lot The lot shall then be sampled and inspected again in accordance with tables III and III-1 For acceptance, there shall be zero occurrences of defects Such lots shall be separate from new lots and shall be clearly identified as reinspected lots "

TABLE III, delete "Defect classification" column and delete "AQL (percent defective)" columns

After table III add

" TABLE III-1 Zero defect sampling plan

Lot size	Number of boots to be tested	
	Group A inspection	Group B inspection
1 - 8	5	2
9 - 15	5	2
16 - 25	5	3
26 - 50	5	5
51 - 90	7	5
91 - 150	11	6
151 - 280	13	7
281 - 500	16	9
501 - 1,200	19	11
1,201 - 3,200	23	13
3,201 - 10,000	29	15
10,001 - 35,000	35	15

"

PAGE 10

4 6 1 3 1, delete and substitute

"4 6 1 3 1 Sampling plan Samples shall be randomly selected in accordance with table III-1, group B inspection sampling plan The sample size shall be based on the inspection lot size from which the sample was selected for group A inspection For acceptance of the lot there shall be zero occurrences of defects "

4 6 1 3 2, delete and substitute

"4 6 1 3 2 Rejected lots If an inspection lot is rejected, the lot shall be 100 percent inspected for the defects noted The contractor may correct all of the defects or remove all of the defective units from the lot The lot shall then be sampled and inspected again in accordance with tables IV and III-1 For acceptance, there shall be zero occurrences of defects Such lots shall be separate from new lots and shall be clearly identified as reinspected lots "

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:39Z
Check the source to verify that this is the current version before use.

4 6 2 1 1, line 3, delete "24-month period" and substitute "36-month period"

PAGE 14

4 7 7, last sentence, delete "excessive corrosion" and substitute "any corrosion"

PAGE 17

5 1, delete and substitute the following

"5 1 Packaging For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6 2) When actual packaging of material is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Department or Defense Agency, or within the Military Department's System Command Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity "

6 2, add the following subparagraphs

"d Issue of the DoDISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced
e Packaging requirements "

6.3, last sentence, delete and substitute "The activity responsible for the qualified products list is Defense Electronics Supply Center, ATTN DESC-ELSP, 1507 Wilmington Pike, Dayton, OH 45444-5764 "

PAGE 19

DD Form 1426, appearing at the end of the document, preparing activity address, delete and substitute "Defense Electronics Supply Center, ATTN DESC-ELDM, Dayton, OH 45444-5765"

CONCLUDING MATERIAL

Custodians
Army - CR
Navy - AS
Air Force - 85

Review activities
Army - AR, AT, AV, MI
Navy - CG, MC, SH
Air Force - 99

Preparing activity
DLA - ES

(Project 5930-1566)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:39Z
Check the source to verify that this is the current version before use.