MILITARY SPECIFICATION

CHEST, COLLAPSIBLE

This specification has been approved by the Naval Air Systems Command, Department of the Navy

1. SCOPE

1.1 Scope - This specification covers the requirements for one type and size of a collapsible steel chest.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-636	Box, Fiberboard
PPP-B-640	Boxes, Fiberboard, Corrugated Triple-Wall
PPP-P-291	Paperboard, Wrapping and Cushioning

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	Marking for Shipment and Storage

DRAWINGS

Bureau of Naval Weapons

65A140	Chest, Collapsible, Assembly and Details (two sheets)

FSC 8460

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article - Unless otherwise specified, the collapsible chest furnished under this specification shall be a product which has been inspected and has passed the first article inspection specified in 4.3 through 4.3.2.

3.2 Materials and components - The materials and components shall conform to the applicable specifications, standards, and drawings as listed or required herein.

3.3 Design and construction - The design and construction of the collapsible chest shall conform to 65A140, sheets 1 and 2.

3.4 Workmanship - The collapsible chests shall not contain any spot, stain, foreign matter, or hole. The metal components shall not be misaligned or distorted nor contain any corrosion, scale, pit, dent, crack, nick, burr, sliver, sharp edge, scratch, gouge, or abrasion. The collapsible chests shall conform to the quality and grade of product established by this specification. The occurrence of defects shall not exceed the acceptance criteria established herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection - Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of inspection - The examination and testing of the collapsible chests shall be classified as follows:

(a) First article inspection - First article inspection consists of examinations and tests performed on samples which are representatives of the production item after award of a contract to determine that the production item conforms to the requirements of this specification (see 3.1 and 4.3 through 4.3.2).

(b) Quality conformance inspection - Quality conformance inspection consists of examinations and tests performed on individual products or lots to determine conformance of the products or lots with the requirements set forth in this specification (see 4.4 through 4.4.1.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

4.3 First article inspection - The first article inspection of the collapsible chests shall consist of examinations and tests for all of the requirements of this specification.

4.3.1 First article samples - Unless otherwise specified, as soon as practicable after the award of the contract or order, the manufacturer shall submit one collapsible chest. The samples shall be representative of the construction, workmanship, components, and materials to be used during production. When a contractor is in continuous production of these chests from contract to contract, submission of further first article inspection samples, on the new contract, may be waived at the discretion of the procuring activity (see 6.2(c)). Approval of the first article inspection samples or the waiving of the first article inspection does not preclude the requirements for performing the quality conformance inspection. The first article inspection samples shall be furnished to the Government as directed by the contracting officer (see 6.2(d)).

4.3.2 Upon completion of the first article inspection, all the applicable inspection reports and when applicable, recommendations and comments pertinent for use in monitoring production will be forwarded to the cognizant Government activity. The approved first article inspection sample chest will be returned to the manufacturer for use in monitoring production.

4.4 Quality conformance inspection - The sampling and inspection levels shall conform to MIL-STD-105. The quality conformance inspection shall consist of the following:

Visual examination of the chests
Dimensional check of the chests
Operation of the chests
Preparation for delivery

4.4.1 Sampling -

4.4.1.1 Inspection lot -

4.4.1.1.1 Chests - An inspection lot size shall be expressed in units of one chest made essentially under the same conditions and from the same materials and components. The sample unit shall be one chest.

4.4.1.1.2 Preparation for delivery - An inspection lot size shall be expressed in units of one fully prepared shipping container, containing chests, fully prepared for delivery from essentially the same materials and components. The sample unit shall be one shipping container, containing chests, fully prepared for delivery with the exception that it need not be sealed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

4.4.1.2 Sampling for the tests and examinations of the chests and preparation for delivery - The sample size, acceptance criteria, tests, and examinations required for the chests or the preparation for delivery, as applicable, shall be as specified in Table I.

TABLE I

SAMPLE SIZE, ACCEPTANCE CRITERIA, EXAMINATIONS, AND TESTS OF THE CHESTS AND PREPARATION FOR DELIVERY

INSPECTION	PARAGRAPH		SAMPLE SIZE	ACCEPTANCE CRITERIA
	REQUIREMENT	METHOD		
Visual examination	3.3, 3.4, and 65A140, as applicable	4.5.1.1 and Table II	Inspection Level II	An acceptable quality level of 2.5 defects per 100 units for major defects and 6.5 defects per 100 units for total (major plus minor) defects
Dimensional check	65A140	4.5.1.1 and Table III	Inspection Level S-1	An acceptable quality level of 6.5 defects per 100 units
Operation	65A140	4.5.2 and Table V	Inspection Level S-3	An acceptable quality level of 1.5 defects per 100 units
Preparation for delivery	Section 5	4.5.1.2 and Table IV	Inspection Level S-2	An acceptable quality level of 2.5 defects per 100 units

4.5 Inspection methods -

4.5.1 Visual examination -

4.5.1.1 Chests - Each of the chests, selected as a sample unit from the lot, shall be thoroughly checked dimensionally and examined visually to determine conformance to this specification. The classification and list of defects, Tables II and III, as applicable, shall be used to classify and enumerate the defects found.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

TABLE II
CLASSIFICATION OF DEFECTS FOR THE VISUAL EXAMINATION OF THE CHESTS

DEFECT	MAJOR	MINOR
FINISH		
a. Not completely or uniformly finished, contains any blister, or finish is wet, tacky, chipped, cracked, flaky, scaly, checky, or alligatoring	X	
b. Any run, streak, drop, drip, sag, or color is not as specified.	1/	
c. Prime coat or metal is visible through enamel finish		X
d. Any scratch, dig, gouge, or abrasion	1/	
e. Any spot, stain, or contains any embedded foreign matter		X
WELDS AND WELDING		
a. Weld missing at corner of cover		X
b. One spot weld missing		X
c. More than one spot weld missing	X	
d. Any weld that is porous, fractured, cracked, or any evidence of poor fusion or penetration	X	
e. Type of weld not as specified or metal is burnt or distorted	X	
COMPONENTS AND ASSEMBLY		
a. Any component not as specified or any defect of a component or defect of assembly, not herein classified	1/	
b. Any component, component part, or required operation omitted, or any operation improperly performed, not herein classified.	1/	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

TABLE II (Continued)

DEFECT	MAJOR	MINOR
c. Any surface rough, misaligned, distorted, or contains any corrosion, scale, pit, nick, sliver, burr, sharp edge, dent,or crack	X	
d. Any component loose, detached, or otherwise not securely retained.	1/	
e. Any malformed, fractured, broken, chipped, bent, or distorted.	X	
MARKINGS		
a. Missing, incorrect, illegible, incomplete, misspelled, or not in specified location.		X
b. Size not as specified		X

1/ The defect shall be classified major, when it seriously affects the serviceability or appearance, otherwise it is to be classified as a minor defect, when affecting appearance or serviceability, but not seriously

TABLE III

LIST OF DEFECTS FOR THE DIMENIONS OF THE ASSEMBLED CHESTS

ASSEMBLED MEASUREMENTS	DEFECTS
Chests	Any dimension deviating from the measurements specified in 65A140, Sheets 1 and 2, and applicable tolerance, shall be enumerated as a dimensional defect.

4.5.1.2 Preparation for delivery. Each of the fully prepared shipping containers, containing chests, selected as a sample unit from the lot, shall be visually examined to determine that the packaging, packing, and marking conform to this specification. The list of defects, Table IV, shall be used to enumerate the defects found.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

TABLE IV

LIST OF DEFECTS FOR PREPARATION FOR DELIVERY

ITEM	DEFECT
Exterior and Interior Markings	Missing, incorrect, misspelled, incomplete, illegible; or improper size, location sequence or method of application.
Materials	Any nonconforming component; any component or component part missing, damaged, or otherwise defective.
Workmanship	Inadequate application of the components such as incomplete closure of any container flap, loose strapping, or inadequate stapling; bulging or distortion of any container.
Exterior and Interior Weight or Content	Gross or net weight exceeds the requirement; number per container more or less than specified.

4.5.2 Operation - The operation, of each of the chests, selected as a sample unit from the lot, shall be thoroughly examined to determine the mating and fitting of the component parts by erecting and collapsing the chest. Each chest shall be collapsed and erected as specified in 65A140, Sheet 1. The list of defects, Table V, shall be used to enumerate the defects found.

TABLE V

LIST OF DEFECTS FOR OPERATION

a. Front, top, or sides do not rotate freely on its hinge pin.
b. The hook lock and eye lock do not mate.
c. Realignment of any part, undue force, use of mechanical means or tools is necessary to erect or collapse any chest.
d. Lid binds on opening or closing.
e. Any hinge pin that can be removed with the use of a steel rod and hand pressure.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging - Packaging shall be Level A or C, as specified (see 6.2).

5.1.1 Level A - Each chest shall be collapsed to its smallest dimension in accordance with 65A140, Sheet 1. The collapsed chest shall be cushioned between the sides and ends of the collapsed folds with sheets of paperboard conforming to PPP-P-291, Type III, Style 2. Each cushioned chest shall be packaged within a snug fitting, fiberboard container conforming to PPP-B-636, Type CF or SF, Domestic Class, Variety SW, Grade 275, Style OPF. Each container shall be constructed and closed in accordance with the appendix to PPP-B-636, Method II.

5.1.2 Level C - Each chest shall be collapsed to its smallest dimension in accordance with 65A140, Sheet 1. The collapsed chests shall be packaged to afford the minimum degree of protection necessary to prevent deterioration or damage during shipment under normal environmental conditions and commercial modes of transportation.

5.2 Packing - Packing shall be Level A, B, or C as specified (see 6.2).

5.2.1 Level A - Five chests, packaged as specified in 5.1.1, shall be packed as specified in 5.2.2, except that the fiberboard container shall be Class 2.

5.2.2 Level B - Five chests, packaged as specified in 5.1.1, shall be packed flat within a snug fitting fiberboard container conforming to PPP-B-640, Class 1, Style E. Each container shall be constructed and closed in accordance with the appendix to PPP-B-640. In addition, each container shall be reinforced with flat steel strapping or tape banding in accordance with the appendix to PPP-B-640.

5.2.3 Level C - The packaged chests that require packing for acceptance by the carrier, shall be packed within exterior type shipping containers in a manner that shall insure safe transportation at the lowest rate to the point of delivery. The shipment shall conform to the minimum requirements of the rules and regulations applicable to the mode of transportation selected.

5.3 Marking - In addition to any special marking required by the contract or order, the interior and exterior containers shall be marked in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use - The chests are intended for storing and carrying of clothing, when in transit and when not in use collapsed to its smallest size for stowage.

6.2 Ordering data - Procurement documents shall specify the following:

a. Title, number, and date of this specification

b. Quantity desired.

c. Whether first article inspection is waived (see 4.3.1).

d. Name and address of the first article inspection laboratory (see 4.3.1).

e. Selection of applicable levels of packaging and packing (see 5.1 through 5.1.2 and 5.2 through 5.2.3).

f. Whether any special markings are required (see 5.3).

6.3 Data - For the information of contactors and contracting offiders, any of the data, specified in the applicable documents, listed in Section 2 of this specification, or referenced lower-tier documents, need not be prepared for the Government and shall not be furnished to the Government, unless specified in the contract or order. The data to be furnished shall be listed on DD Form 1423 (Contractor Data Requirement List), which shall be attached to and made a part of the contract or order NavWepp Form 4200/25 (Drawings, Lists, and Specifications Required) shall be attached where applicable.

Preparing activity:
Navy - AS
(Project No. 8460-N042)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1971-433-694/3697

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

NAVAL AIR SYSTEMS COMMAND (AIR-52021)
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:12Z
Check the source to verify that this is the current version before use.