NOTICE OF
CHANGE

DOD-STD-35-6B(MI)
NOTICE 4
30 JUNE 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

SWITCHES, ROTARY

TO ALL HOLDERS OF DOD-STD-35-6B(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-6B(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
1	5 JANUARY 1979	(Reprinted without change)	
2	30 JUNE 1992	2	5 JANUARY 1979
3	30 JUNE 1992	3	5 JANUARY 1979
4	30 JUNE 1992	4	5 JANUARY 1979
9	5 JANUARY 1979	(Reprinted without change)	
10	30 JUNE 1992	10	5 JANUARY 1979
199	5 JANUARY 1979	(Reprinted without change)	
200	30 JUNE 1992	200	5 JANUARY 1979
201	30 JUNE 1992	201	5 JANUARY 1979
202	5 JANUARY 1979	(Reprinted without change)	

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-6B(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT, AV, CR, ER
ME, MR, SC

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A394)

AMSC N/A AREA EGDS
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Rotary Switches.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (MIL-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see Table I). Data bases have been established for the generation of MSE's for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 202610-23T20:53Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIGG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SWITCH, ROTARY	012141	MIL-S-3786	LOW CURRENT
		MIL-S-6807	POWER
		MS21994	AMMETER SELECTOR
		MS21995	AMMETER-VOLTMETER SELECTOR
		MS25002	28/115 VOLTS
		MS90547	28/125 VOLTS
		MIL-S-13623	28 VOLT DC
		MS75064	STOPLIGHT
		MIL-S-15291	SNAP ACTION
		MIL-S-15743	ENCLOSED
		MIL-S-21604	1 TO 10 AMP
		MIL-S-22710	THUMBWHEEL
		MIL-S-28714	SOLENOID OPERATED
		MIL-S-83504	DUAL IN-LINE PACKAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

MILITARY

MIL-S-901	Shock Tests (High Impact) Shipboard Machinery, Equipment and Systems, Requirements For
MIL-S-22710	Switches, Rotary (Printed Circuit), (Thumbwheel, Inline, and Pushbutton) General Specifications For

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-167-1	Mechanical Vibrations of Shipboard Equipment (Type I - Environmental and Type II Internally Excited)
MIL-STD-202	Test Methods for Electronic and Electrical Parts
MIL-STD-461	Electromagnetic Interference Characteristics, Requirements for Equipment
MIL-STD-462	Electromagnetic Interference Characteristics, Measurement Of
MIL-STD-810	Environmental Test Methods for Aerospace and Ground Equipment

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:53Z
Check the source to verify that this is the currentversion before use.

MIL-STD-1184	Electrical Components for Automotive Vehicles; Waterproofness Tests
MIL-STD-1285	Marking of Electrical and Electronic Parts

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASTM E 380	Metric Practice Guide
ASTM D 1868	Standard Method for Detection and Measurement of Corona Pulses in Evaluation of Insulation

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphis, Pa. 19103.)

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:53Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Deleted

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for column headings which may be used for rotary switch characteristics. When different units of measure within one system (U.S. or SI) are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
1439	THE LOCATION OF VIBRATION MONITORING POINTS SHALL BE ANY SUITABLE LOCATION.
1462	THE LOCATION OF VIBRATION MONITORING POINTS SHALL BE AS CLOSE AS PRACTICAL TO THE TEST SPECIMEN(S).
1402	MONITORING DURING THE TEST SHALL BE IN ACCORDANCE WITH METHOD 310 OF MIL-STD-202. TEST CIRCUIT LETTER 1402 SHALL APPLY.
1382	TEST CONDITION LETTER 1382 IN ACCORDANCE WITH METHOD 310 OF MIL-STD-202 SHALL APPLY.
4678	THE LOAD SHALL BE 4678 PERCENT OF THE RATED LOAD.
4977	MOUNTING SHALL BE BY ANY SUITABLE METHOD.
4976	MOUNTING SHALL BE BY THE NORMAL METHOD.
4975	MOUNTING SHALL BE IN ACCORDANCE WITH 4975.
2908	VIBRATION, RANDOM. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-STD-167-1.
2910	TESTING SHALL BE PERFORMED PER TYPE 2910 CLASSIFICATION.

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
WATERPROOFNESS	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2920
NO EVIDENCE OF WATER LEAKAGE.	2922
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2930
PER MIL-STD-1184.	2932
TYPE (SELECT ONE)	
I.	2934
II.	2936
CLASS (SELECT ONE)	
1.	2938
2.	2940
3.	2942
4.	2944

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2920	WATERPROOFNESS. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2920.
2922	WATERPROOFNESS. THERE SHALL BE NO EVIDENCE OF WATER LEAKAGE.
2930	WATERPROOFNESS. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2930.
2932	WATERPROOFNESS. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-STD-1184.
2934	THE SWITCH SHALL BE CLASSIFIED AS TYPE I.
2936	THE SWITCH SHALL BE CLASSIFIED AS TYPE II.
2938	THE SWITCH SHALL BE CLASSIFIED AS CLASS 1.
2940	THE SWITCH SHALL BE CLASSIFIED AS CLASS 2.
2942	THE SWITCH SHALL BE CLASSIFIED AS CLASS 3.
2944	THE SWITCH SHALL BE CLASSIFIED AS CLASS 4.

Supersedes page 201 of 5 JANUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
MOUNTING HARDWARE (SEE TABLE X, DOD-STD-35)	
NOTE : AUTOMATIC WHEN TABLE X IS USED.	
WORKMANSHIP	
(DOC DES)	6870
ADDITIONAL REQUIREMENTS	
A___	7001
B___	7002
C___	7003
D___	7004
E___	7005
PART MARKING (SELECT ONE)	
(DOC DES)	6372
MIL-STD-1285.	7630
MIL-STD-130.	7629

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.