NOTICE OF
CHANGE

MIL-STD-35-107A(MI)
NOTICE 2
18 SEPTEMBER 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

CONNECTORS-JACKS, PLUGS AND TEST POINTS

TO ALL HOLDERS OF MIL-STD-35-107A(MI):

1. THE FOLLOWING PAGES OF MIL-STD-35-107A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
v	18 SEPTEMBER 1992	v	12 SEPTEMBER 1983
1	12 SEPTEMBER 1983	(Reprinted without change)	
2	18 SEPTEMBER 1992	2	12 SEPTEMBER 1983
3	18 SEPTEMBER 1992	3	12 SEPTEMBER 1983
4	18 SEPTEMBER 1992	4	12 SEPTEMBER 1983
7	12 SEPTEMBER 1983	(Reprinted without change)	
8	18 SEPTEMBER 1992	8	12 SEPTEMBER 1983
9	18 SEPTEMBER 1992	9	12 SEPTEMBER 1983
10	12 SEPTEMBER 1983	(Reprinted without change)	

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of MIL-STD-35-107A(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT, AV, CR, ER
ME, MR, SC

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A448)

AMSC N/A

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	APPLICABLE DOCUMENTS	3
	2.1	Government documents	3
	2.2	Non-Government publications	4
	3.	DEFINITIONS	5
	4.	GENERAL REQUIREMENTS	7
	4.1	Introduction	7
	4.2	Specification Requirement Sheet (SRS)	7
	4.3	Configuration	7
	4.3.1	Dimensions	7
	4.3.2	Illustrations	7
	4.4	Units of measure	7
	5	DETAILED REQUIREMENTS	8
	5.1	Introduction	8
	5.2	MSE Formats	8
	5.3	Referenced documents	8
	5.4	Deleted	8
	5.5	Tabulation	9
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	11
	5.6.1	Interrelationship of Codes	11
	5.6.2	Automatic MSE Data	11
	5.6.3	DOD-STD-35 Tables	11

TABLES

Table	I.	Title Index	2
	II.	Deleted	9
	III.	Tabulation Candidates	10

APPENDICES

Appendix	A.	Illustrations	129
	B.	Characteristic Code Index	161
		Index	167

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Connectors, Jack, Plug and Test Point.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specifications (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for the assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index, entered on a SRS, will specify that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user~s reference; when more than one document is listed for a MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the currenversion before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTOR, TEST POINT, PANEL TYPE	079002	MIL-C-28901	PLUGS, TIP
JACK ASSEMBLY, PATCH PANEL	079004	MIL-C-39012	COAXIAL
JACK ASSEMBLY, TELEPHONE	079005	MIL-J-5251 MIL-C-9177 MIL-C-55074	SWITCH AUDIO 26 PAIR CABLE
JACK ASSEMBLY, TIP	079006	MIL-P-55149	BANANA JACKS
JACK, TELEPHONE	079007	MIL-J-641 MIL-C-9177	VARIOUS JACKS AUDIO
JACK, TIP	079008	MIL-P-55149 MS90298	BANANA JACKS GROUNDING JACK
PLUG ASSEMBLY, TIP	079009	MIL-P-642 MS3493	VARIOUS PLUGS GROUNDING PLUG
PLUG, PATCH	079010	MIL-C-28901 MIL-C-39012	PLUGS, BANANA COAXIAL
PLUG, TELEPHONE	079011	MIL-C-9177 MIL-C-55074	AUDIO 26 PAIR CABLE
PLUG, TIP	079012	MIL-C-28901 MS3493	PLUGS, BANANA GROUNDING
POST, BINDING	079013	MIL-P-55149	JACKS, BANANA

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the currentversion before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

MILITARY

MIL-P-642	Plugs, Telephone, and Accessory Screws, General Specification For
MIL-C-39024	Connectors, Electrical: Jacks, Tip (Test Point, Panel or Printed Wiring Type), General Specification For
MIL-P-55194	Posts, Binding, Electrical (Insulated and uninsulated), General Specification For

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts
MIL-STD-810	Environmental Test Methods
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1344	Test Methods for Electrical Connectors
MIL-STD-1523	Age Control of Age-Sensitive Elastomeric Materials

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

Source: https://assist.dla.mil -- Downloaded: 202640-23T21:02Z
Check the source to verify that this is the current version before use.

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASTM E 380 Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials,, 1916 Race St., Philadelphia, Pa. 19103.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:02Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 Introduction. In order to properly prepare a SRS for a Jack, Plug, or Test Point connector, it is necessary to use DOD-STD-35 in conjunction with this dash-numbered part. In the event the instructions or the writing methodology are not followed, an AEDPS edit routine will print error messages rather than the desired MSE document.

4.2 Specification Requirement Sheet (SRS). SRS requirements described in DOS-STD-35 are applicable to Connectors, Jack, Plug and Test Point.

4.3 Configuration.

4.3.1 Dimensions. SRS requirements for dimensions described in DOD-STD-35 are applicable to Connectors, Jack, Plug, and Test Point.

4.3.2 Illustrations. Illustrations applicable to Connectors, Jack, Plug, and Test Point are contained in Appendix A to this document.

4.4 Units of Measure. The International System of Units (SI) or inch-pound units (U.S.), may be used to specify characteristics (e.g. weight, dimensions). Refer to ASTME380 for guidance in using SI. However, when different units of measure are available for specifying a characteristic, only one may be used. Both units of measure cannot appear in the same MSE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:02Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD=35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Deleted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:02Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for column headings which may be used for dummy loads characteristics. When different units of measure within one system (U.S. or SI) are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:02Z
Check the source to verify that this is the current version before use.

TABLE III. TABULATION CANDIDATES.

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1562	MAX CONT. CURRENT AMPERES	1563	MAX INTER. CURRENT AMPERES	1564	MAX WKG. VOLTS DC
1564	MAX WKG VOLTS AC	1569	WKG VOLTS DC OR RMS	1576	SCEMATIC MIL-J-641
1577	SCEMATIC BASE DOC	1602	MTG THICK INCH	1603	MTG THICK MILLIMETERS
1620	INSULATION COLOR	1628	BODY COLOR	2300	MATING CONNECIOR
5060	MAX OPER ALT FEET	5061	MAX OPER ALT METERS	5069	MAX OPER TEMP RTG
7021	MASS GRAMS	7022	WEIGHT OUNCES	7023	WEIGHT POUNDS
7024	MASS KILOGRAMS				

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:02Z
Check the source to verify that this is the current version before use.