User Activities:
Review Activities:
DLA - ES
of the Air Force and shall be used by that activity equired to employ this standard where suitable other military activities are

FED SUP CLASS
5355




FIGURE 3




FIGURE 4


PA 11 Other Cust	TITLE KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED	MILITARY STANDARD MS21385(USAF)
PROCUREMENT SPECIFICATION MIL-K-25049	SUPERSEDES	SHEET 2 OF 7

APPROVED 11 MAY 1973 REVISED (E) F r ... es see sheet 1

DD FORM 1672-1 (Limited Coordination)

Source: https://assist.dla.mil -- Downloaded: 20260-23T14:38Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5355



FIGURE




FIGURE 2

(F) Entire standard revised

APPROVED 11 MAY 1973 . REVISED (F)

P A 11 Other Cust	TITLE KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED	MILITARY STANDARD MS21385(USAF) SHEET 1 OF 7
PROCUREMENT SPECIFICATION MIL-K-25049	SUPERSEDES	

DD FORM 672-1 (Limited Coordination)

5355 F043

This military standard is approved by the Aeronautical Systems Division, Department of the Air Force and shall be used by all that activity. All other military activities are required to employ this standard where suitable.

User Activities

Review Activities
DLA - IS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:38Z
Check the source to verify that this is the current version before use.

User Activities
DLA - ES
required to employ this standard where ... all other military activities are ...




FIGURE 7




FIGURE 8

APPROVED 11 MAY 1973 REVISED (E) For charges see sheet 1

P.A.T. 11 Other Cust	TITLE KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED	MILITARY STANDARD MS21385(USAF)
PROCUREMENT SPECIFICATION MIL-K-25049	SUPERSEDES	SHEET 4 OF 7

DD FORM MAR 72 672-1 (Limited Coordination)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:38Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5365




FIGURE 5




FIGURE 6

P A 11 Other Cust	KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED	MILITARY STANDARD MS21385(USAF)
PROCUREMENT SPECIFICATION MIL-K-25049	SUPERSEDES	SHEET 3 OF 7

DD FORM 672-1 (Limited Coordination

APPROVED 11 MAY 1973

This military standard is approved by the Aeronautical Systems Division Department of the Air Force and shall be used by that activity. All other military activities are required to employ this standard when suitable.

Review Activities
DLA - ES

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:38Z
Check the source to verify that this is the current version before use.




FIGURE 9




FIGURE 10

User Activities:

Review Activities
DLA - ES

This military standard is ...oved by the Aeronautical Systems Division, Department of the Air Force and shall ...s ...d by that activity. All other military activities are required to employ this st...ndard where suitable.

APPROVED 11 MAY 1973 REVISED (E) For changes see sheet 1

P A 11 Other Cust	TITLE KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED	MILITARY STANDARD MS21385(USAF)
PROCUREMENT SPECIFICATION MIL-K-25049	SUPERSEDES	SHEET 5 OF 7

Source: https://assist.dla.mil -- Downloaded: 202610-23T14:38Z
Check the source to verify that this is the current version before use.

This military standard is approved by the Aeronautical Systems Division, Department of the Air Force and shall be used by that activity. All other military activities are required to employ this standard where suitable.
Review Activities: DLA - IS
User Activities:




FIGURE 11. Dimensions of indicia.




FIGURE 12 Dimensions of indicia

TABLE I. Interchangeability.

MS21385 dash numbers	
Canceled 1/	Superseding
-01	-01ANN
-05	-01BNN
-08	-04BNN
-10	-02CNN
-12	-04CNN
-13	-01DNN
-16	-04DNN
-24	-04FNN
-26	-02GNN
-28	-04GNN
-33	-01JNN
-36	-04JNN
-44	-14MNN

1/ Knobs covered by cancelled dash numbers shall be used until existing stock is depleted. For new procurement specify superseding dash number as shown in table III.

TABLE II. Knob styles.

Illuminated			Non-illuminated	
Style	Figure Number	Illumination Ratio ±15%	Style	Figure Number
A	1	0.06	L	1
B	2	0.06	M	2
C	3	0.06	N	3
D	4	0.05	P	4
E	5	0.04	Q	5
F	6	0.04	R	6
G	7	0.06	S	7
H	8	0.07	T	8
J	9	0.06	U	9
K	10	0.06	V	10

TABLE III MS dash numbers.

MS21385 - 1 3 B B N

SERIES
0 - Plastic, illuminated
1 - Plastic, non-illuminated
2 - Aluminum

SHAFT DIA
1 - .125 Round
2 - .125 "D" Flat
3 - .250 Round
4 - .250 "D" Flat

STYLE
See table II

COLOR-KNOB
N - Gray with black indicia border
B - Black
G - Gray
M - Metal, natural

INDICIA
N - White Figure 11
B - Black Figure 11
W - White Figure 12

APPROVED 11 MAY 1973 REVISED (E) For changes see sheet 1

P.A. 11	TITLE	MILITARY STANDARD
Other Cust	KNOBS-TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED	MS21385(USAF)
PROCUREMENT SPECIFICATION MIL-K-25049	SUPERSEDES	SHEET 6 OF 7

DD FORM 1 MAR 72 672-1 (Limited Coordination)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:38Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5355

METRIC EQUIVALENTS

INCHES	MM	INCHES	MM	INCHES	MM
001	03	16	4 06	56	14 22
002	05	.19	4 83	62	15 75
005	127	223	5 66	67	17.02
045	1 14	23	5.84	75	19.05
09	2 29	25	6 35	77	19.56
108	2 74	253	6 43	88	22 35
12	3.05	28	7 11	1 00	25 40
125	3 18	31	7 87	1.12	28.45
127	3 23	38	9 65	1 50	38 10
15	3 81	44	11 18	2 00	50 80

NOTES

1 Dimensions In inches.

2 Tolerances Unless otherwise specified, tolerances are .010 (.25mm) for three place decimals, ± .02 (.51mm) for two place decimals and 0° 30' on angles

3 Construction Corners on all knobs shall have a .09 radius, fillets shall have a .12 radius and taper from bottom to top of knobs shall be 5°

4 Weight 33 ounces maximum

5 Material Insert Brass in accordance with QQ-B-626
Knob Thermoplastic or Aluminum alloy

6 Finish Insert Nickel plate in accordance with QQ-N-290 grade G class 2
Knob Bottom surface of illuminated knobs shall have no coating and shall be polished

7 Color Unless otherwise specified colors shall be in accordance with FED-STD-595

Knob	Gray lusterless color number 36231 Black lusterless, color number 37038 Metal, natural anodize in accordance with MIL-A-8625
Indicia	White lusterless color number 37875 Reflection may be reduced to 50% minimum Markings shall meet a daylight contrast of 9 minimum Black lusterless color number 37038 for anodized knobs
Indicia Border	Black lusterless color number 37038

8. For design feature purposes, this standard takes precedence over procurement documents referenced herein.

9 Referenced documents shall be of the issue in effect on date of invitations for bids, or request for proposal, except that referenced adopted industry documents shall give the date of the issue adopted.

10. Metric equivalents (to the nearest .01 mm) are given for information only and are based on 1 inch = 25.4mm

APPROVED 11 MAY 1973 REVISED (E) For changes see sheet 1

User Activities

Review Activities
DLA - IS

This military standard is approved by the Aeronautical Systems Division, Department of the Air Force and shall be used by that activity. All other military activities are required to employ this standard where suitable

P A 11 Other Cust	TITLE KNOBS-TACTILE SERIES ILLUMINATED AND NON-ILLUMINATED	MILITARY STANDARD MS21385(USAF)
PROCUREMENT SPECIFICATION MIL K-25049	SUPERSEDES	SHEET 7 OF 7

DD FORM 672-1 (Limited Coordination) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:38Z
Check the source to verify that this is the current version before use.