
Form approved
OMB No. 0704-0188



TRIPOD JACK

UNIPOD JACK

NOTES:

1. DIMENSIONS ARE IN INCHES.
2. THIS IS A DESIGN STANDARD AND CANNOT BE USED AS A PART NUMBER.
3. THIS STANDARD COMPLEMENTS AND IS A PART OF THE REQUIREMENT OF MIL-STD-809 AND MIL-J-26149.
4. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.
5. CERTAIN PROVISIONS OF THIS STANDARD ARE SUBJECT TO INTERNATIONAL STANDARDIZATION AGREEMENT ASCC, AIR-STD 25.7 AND NATO STANAG 3098. WHEN A REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL MODIFY THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES TO CHANGE THE AGREEMENT OR MAKE OTHER APPROPRIATE ACCOMODATIONS.
6. THE HEAD OF EACH JACK LISTED HEREIN SHALL INTERFACE WITH THE APPROPRIATE ADAPTER PER MS33569.
7. (F) ~~SEE APPLICATION TABLES FOR AIRCRAFT JACKS, NAVAIR 10-70-46 OR MIL-HDBK-300.~~
8. (F) ~~WHEN THE WEIGHT OF THE TRIPOD JACK ASSEMBLY EXCEEDS 120 LBS (3,048 KG) THE ASSEMBLY SHALL BE EQUIPPED WITH ATTACHMENT FITTINGS SUITABLE FOR TOWING OR A TOW BAR.~~
9. ALL FUTURE MODEL DESIGNATIONS OF JACKS SHALL BE IN ACCORDANCE WITH MIL-STD-875.

(F) REVISED

PREPARING ACTIVITY: NAVY - AS CUSTODIANS: ARMY AV NAVY - AIR FORCE 11 DLA - REVIEW: AIR FORCE - 99 USER: NAVY - MC PROJECT NUMBER 1730-0309	MILITARY SPECIFICATION SHEET TITLE: JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD)	SPECIFICATION SHEET NUMBER MS33589F 24 MAR 1989 SUPERSEDING MS33589E AMSC - N/A FSC: 1730

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

DD FORM 672 MAY 1988

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF T ECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THA E OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-J-26149

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

Source: https://assist.dla.mil -- Downloaded: 20240-23117.052
Check the source to verify that this is the current version before use.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-J-26149

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

Form approved
OMB No. 0704-0188

FIXED HEIGHT TRIPOD JACK

	NAVAL MODEL DESIGNATION	TYPE DESIGNATION (COMPANY MODEL NUMBER)	CAP TONS (KG)	A MIN COL HEIGHT IN(M)	B HYD RISE IN(M)	C SCREW EXT IN(M)	D MAX BASIC HEIGHT IN(M)	K LEGS MAX WIDTH IN(M)	L LEGS MIN WIDTH IN(M)	M DIA OF FOOT IN(M)	WT COMP LBS (KG)	(CAGE) PART NO.	NSN 1730 -
(F)	T3-1FH		3 (2,722)	16 (0.41)	23 (0.58)	---	39 (0.99)				110 (49.9)	(02708) 988-010 (94861) 935AS100-1	00-242-6786 00-391-7932
		BSN	5 (4,535)	24 (0.61)	36 (0.93)	17	112 (2.84)				115 (52.2)	(12459) 0526-10	00-510-7853
(F)	T10-2FH	(1,024)	10 (9,070)	24 (0.61)	36 (0.91)	4 (0.10)	64 (1.63)				275 (125.0)	(02708) 996-010	00-391-7935
			10 (9,070)	36 (0.91)	44 (1.12)		80 (2.03)					(12459) 1036-150	01-112-3987
(F)		(1,228)	12 (10,886)	28 (0.71)	45 (1.14)	3 (0.08)	76 (1.93)			8 (0.20)		(22598 1228-31	00-955-9582
(F)	T12-1FH	(TYPE 128)	12 (10,886)	14 (0.36)	23 (.584)	6 (.152)	43 (1.09)	27 (0.68)	23 1/2 (0.59)	4 (0.10)	243 (110.0)	(00994) CJ69J1270	00-201-4849
			12 (10,886)									(48576) 939002FKP	01-009-5867
		MMU-138/E	15 (13,606)	148 (3.76)	77 (1.96)	24 (0.61)	249 (6.32)					(02708) 8685-010	01-043-0858
			17 (15,422)	24 (0.61)	34 (0.86)	4 (0.10)	62 (1.57)					(94861) 605	00-391-7908
	T17-1FH		17 (15,422)	24 (0.61)	34 (0.84)	4 (0.10)	62 (1.58)	31.2 (0.79)	27 (0.68)	8 (0.20)	390 (176.9)	(02708) 3961-010 (30003) 941AS100-1	00-781-9711
(F)		(20778)	20 (18,140)	34.5 (0.88)	54 (1.37)	12 (0.30)	100.5 (2.55)				550 (249.0)	(00994) CJ68J0500	00-760-6593
	T20-2FH		20 (18,144)	40 (1.02)	36 (0.91)	7 (0.18)	76 (1.93)	43.3 (1.09)	37 1/2 (0.95)	9 1/2 (0.24)	425 (192.8)	(23808) OR (30003) 270AS100-1	00-102-8441
	T20-3FH	MMU-107/E	20 (18,144)	82 (1.87)	52 (1.32)	18 (0.46)	132 (3.32)	48 (1.21)	41 1/2 (1.05)	9 1/2 (0.24)	900 (408.2)	(00994) 1473AS100-1	01-064-7889
			80 (18,144)	147 (3.73)	162 (4.11)	18 (0.46)	320 (8.13)				2000 (907.0)	4590006-101	
(F)	T25-1FH	(251430)	25 (22,680)	14 (0.36)	23.7 (0.60)	5 3/4 (0.16)	43.4 (1.10)	29 1/2 (0.75)	25 1/2 (0.64)	4 (0.10)	300 (136.1)	(00994) 2514-30	01-072-6738
(F)		(8519)	30 (36,288)	82 (2.08)	66 (1.68)	24 (0.61)	172 (4.37)					(02708) 8519-010	00-244-5084
		MMU-107/E	40 (36,288)	148 (3.76)	55 (1.40)	12 (0.30)	215 (5.46)			10 (0.25)	1600 (725.8)	(02708) 8811-010	00-832-4832
			50 (45,350)	60 (1.52)	44 (1.12)	24 (0.61)	128 (3.25)				1365 (619.0)	(02708) 8811-010	01-044-7961
		MMU-128/E	60 (54,432)	72 (1.83)	48 (1.22)	24 (0.61)	144 (3.66)					(94861) 76000	01-060-9575
(F)		(8518)	60 (54,432)	221 (5.61)	76 (1.93)	24 (0.61)	321 (8.15)					(02708) 8518-010	00-259-1787
(F)		(8517)	100 (90,700)	97 (2.46)	72 (1.83)	16 (0.41)	185 (4.70)					(02708) 8517-010	00-244-5080

PREPARING ACTIVITY: NAVY - AS
CUSTODIANS: ARMY-AV NAVY-
AIR FORCE-11 DLA-
REVIEW: AIR FORCE - 99
USER: NAVY - MC
PROJECT NUMBER 1730-0309

MILITARY SPECIFICATION SHEET

TITLE: JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD)

SPECIFICATION SHEET NUMBER
MS33589F 24 MAR 1989

SUPERSEDING
MS33589E

AMSC- N/A FSC 1730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

DD FORM 672 MAY 1988 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:05Z
Check the source to verify that this is the current version before use.

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT PART OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-J-26149

Form approved
OMB No. 0704-0188

VARIABLE HEIGHT TRIPOD JACK

NAVAL MODEL DESIGNATION	TYPE DESIGNATION	CAP TONS (KG)	NO LEGS EXTS	LEGS EXT LBS IN (M)	A MIN COL HEIGHT IN (M)	B HYD RISE IN (M)	C SCREW EXT IN (M)	D MAX BASIC HEIGHT IN (M)	E MAX HEIGHT 1 EXT	E MAX HEIGHT 2 EXT	E MAX HEIGHT 3 EXT	E MAX HEIGHT 4 EXT	F 1 EXT	F 2 EXT	G 1 EXT	G 2 EXT	G 3 EXT	G 4 EXT	H 1 EXT	H 2 EXT	H 3 EXT	H 4 EXT	J 1 EXT	J 2 EXT	J 3 EXT	J 4 EXT	B BASIC JACK	B 1 EXT	B 2 EXT	B 3 EXT	B 4 EXT	B DIA OF FOOT	WT COMP LBS (KG)	CAGE PART NO	NSN 1730-
		5 (4,536)	2	12 (0.31)	24 (0.61)	10 (0.25)	12 (0.31)	70 (1.93)	84 (1.82)	—	—	—	76 (1.93)	—	27.3 (0.69)	30.5 (1.03)	57 (1.45)	—	—	—	—	—	—	—	—	18.1 (0.41)	23.6 (0.59)	30.72 (0.78)	—	—	6 (0.18)	125 (56.7)	(96750) 5823177	69-516-2018
B-50		10 (9,072)	4	12 (0.46)	36 (0.91)	25 (0.65)	35 (0.46)	69 (2.03)	98 (2.49)	134 (3.40)	153 (3.86)	—	118 (2.99)	—	27.3 (0.69)	30.5 (1.03)	57 (1.45)	—	—	—	—	—	—	—	—	23.6 (0.59)	34.6 (0.88)	46.5 (1.18)	—	—	6 (0.18)	221 (100.3)	(96750) 5835178	69-516-2019
T38-1998	B-6	12 (10,886)	3	20 (0.51)	48 (1.22)	34 (0.86)	36 (0.41)	89 (2.58)	118 (0.46)	134 (3.40)	153 (3.86)	—	118 (0.46)	36 (0.91)	27.3 (0.69)	30.5 (1.03)	57 (1.45)	—	—	—	—	—	—	—	—	23.6 (0.59)	34.6 (0.88)	46.5 (1.18)	—	—	6 (0.18)	822 (226.8)	(300059) 11124A509-1	81-859-2867
T12-1982		12 (10,886)	3	20 (0.51)	48 (1.22)	34 (0.86)	36 (0.41)	89 (2.58)	118 (0.46)	134 (3.40)	153 (3.86)	—	118 (0.46)	36 (0.91)	27.3 (0.69)	30.5 (1.03)	57 (1.45)	—	—	—	—	—	—	—	—	23.6 (0.59)	34.6 (0.88)	46.5 (1.18)	—	—	6 (0.18)	827 (375.1)	(96750) 5836185	69-855-7838
T38-1998		20 (18,144)	6	15 (1.40)	52 (1.32)	40 (1.02)	35 (0.30)	107 (2.72)	125 (3.18)	143 (4.03)	161 (4.09)	179 (4.55)	197 (5.00)	—	27.3 (0.69)	30.5 (1.03)	57 (1.45)	—	—	—	—	—	—	—	—	23.6 (0.59)	34.6 (0.88)	46.5 (1.18)	57.3 (1.45)	67.4 (1.71)	—	837 (379.7)	(96750) 6435688	69-781-2478
PRM-99/E		20 (18,144)	4	10 (0.46)	36 (0.91)	25 (0.65)	30 (0.46)	69 (2.03)	98 (2.49)	118 (3.00)	138 (3.50)	158 (4.01)	178 (4.52)	—	27.3 (0.69)	30.5 (1.03)	57 (1.45)	—	—	—	—	—	—	—	—	23.6 (0.59)	34.6 (0.88)	46.5 (1.18)	57.3 (1.45)	67.4 (1.71)	8.5 (0.34)	1000 (453.6)	(97750) 5.56E+08	69-518-2017
T38-1998	B-66	30 (27,216)	6	15 (0.46)	56 (1.42)	40 (1.02)	35 (0.30)	107 (2.72)	125 (3.18)	143 (4.03)	161 (4.09)	179 (4.55)	197 (5.00)	288 (7.31)	41.6 (1.06)	54 (1.37)	66 (1.68)	78 (1.98)	90.2 (2.29)	102.4 (2.60)	114.6 (2.91)	126.8 (3.22)	139.0 (3.53)	151.2 (3.84)	163.4 (4.15)	175.6 (4.46)	35.0 (0.89)	47.0 (1.19)	57.2 (1.45)	67.4 (1.71)	79.4 (2.02)	89.3 (2.27)	8.5 (0.34)	1400 (635.0)	(02708) 2464-6	01-870-4348
		50 (45,360)	8		60 (1.52)																														

FIXED HEIGHT UNIPOD JACK

NAVAL MODEL DESIGNATION	TYPE DESIGNATION	CAP TONS (Kg)	A MIN COL HEIGHT IN (M)	B HYD RISE IN (M)	C SCREW EXT IN (M)	D MAX BASIC HEIGHT IN (M)	N DIA OF FOOT	WT COMP LBS (KG)	CAGE PART NO	NSN 1730-
		15 (13,605)	183 (4.65)	90 (2.29)	24 (0.60)	297 (7.54)			(02708) 8330-010	00-272-5616
		30 (27,216)	321 (8.15)	90 (2.29)	110 (2.79)	320 (8.13)			(98897)4590006-108 (02708) 8213-010	00-997-7126

PREPARING ACTIVITY: NAVY - AS
CUSTODIANS: ARMY-AV NAVY-
AIR FORCE-11 DLA-
REVIEW: AIR FORCE - 99
USER: NAVY - MC
PROJECT NUMBER: 1730-0309

MILITARY SPECIFICATION SHEET

TITLE : JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD)

SPECIFICATION SHEET NUMBER
MS33589F 24 MAR 1989

SUPERSEDING
MS33589E

AMSC- N/A FSC 1730

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.

DD FORM 672 MAY 1988 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-02-23T17:05Z
Check the source to verify that this is the current version before use.