MILITARY SPECIFICATION

SWITCHES, DUAL IN-LINE PACKAGE (DIP),
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-S-83504A,
dated

SPECIFICATION SHEETS

MIL-S-83504/1	-	Switches, Dual In-Line Package (DIP), Rocker Actuator, Standard Profile, Single Pole, Single Throw Stations, Sealed Base.
MIL-S-83504/2	-	Switches, Dual In-Line Package (DIP), Rocker Actuator, Low Profile, Single Pole, Single Throw Stations, Sealed Base.
MIL-S-83504/3	-	Switches, Dual In-Line Package (DIP), Slide Actuator, Single Pole, Single Throw Stations, Open Base.
MIL-S-83504/4	-	Switches, Dual In-Line Package (DIP), Slide Actuator, Single Pole, Single Throw Stations, Closed Base.
MIL-S-83504/5	-	Switches, Dual In-Line Package (DIP), Rocker Actuator, Standard Profile, Single Pole, Double Throw Stations, Sealed Base.
MIL-S-83504/6	-	Switches, Dual In-Line Package (DIP), Recessed Rocker Actuator, Standard Profile, Single Pole, Double Throw Stations, Sealed Base.
MIL-S-83504/7	-	Switches, Dual In-Line Package (DIP), Rocker Actuator, Standard Profile, Double Pole, Double Throw Stations, Sealed Base.
MIL-S-83504/8	-	Switches, Dual In-Line Package (DIP), Recessed Rocker Actuator, Standard Profile, Double Pole, Double Throw Stations, Sealed Base.
MIL-S-83504/9	-	Switches, Dual In-Line Package (DIP), Toggle Actuator, Standard Profile, Single Pole, Double Throw Stations, Sealed Base.
MIL-S-83504/10	-	Switches, Dual In-Line Package (DIP), Toggle Actuator, Standard Profile, Double Pole, Double Throw Stations, Sealed Base.
MIL-S-83504/11	-	Switches, Dual In-Line Package (DIP), Side Toggle Actuator, Low Profile, Single Pole, Single Throw Stations, Sealed Base.
MIL-S-83504/12	-	Switches, Dual In-Line Package (DIP), Recessed Slide Actuator, Single Pole, Single Throw Stations, Sealed Base, Machine Insertable.
MIL-S-83504/13	-	Switches, Dual In-Line Package (DIP), Rotary Actuated, Binary Coded, Sealed.

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:21Z
Check the source to verify that this is the current version before use.

TABLE I. Application information for active specification sheets.

MIL-S-83504/	Actuator	Stations	Enclosure design	Electrical rating at 24 V dc	Other special performance/ design requirements
1	Rocker SPST	1 to 12	Sealed base	25 mA	Standard profile
2	Rocker SPST	1 to 12	Sealed base	25 mA	Low profile
3	Slide SPST	1 to 12	Open base	25 mA	---
4	Slide SPST	1 to 12	Closed base	25 mA	---
5	Rocker SPDT	2 to 4	Sealed base	25 mA	Standard profile
6	Recessed Rocker SPDT	2 to 4	Sealed base	25 mA	Standard profile
7	Rocker DPDT	1 or 2	Sealed base	25 mA	Standard profile
8	Recessed Rocker DPDT	1 or 2	Sealed base	25 mA	Standard profile
9	Toggle SPDT	2 or 3	Sealed base	25 mA	Standard profile
10	Toggle DPDT	1 or 2	Sealed base	25 mA	Standard profile
11	Slide Toggle SPST	4 to 10	Sealed base	25 mA	Low profile
12	Recessed Slide SPST	2 to 12	Sealed base	25 mA	Machine insertable
13	Rotary	10 or 16 positions	Sealed base	15 mA	Binary coded

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:21Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Preparing activity:
Air Force - 85

(Project 5930-1412-02)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:21Z
Check the source to verify that this is the current version before use.