MILITARY SPECIFICATION

EPINEPHRINE INJECTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Epinephrine Injection, USP.

1.2 Classification. The injection covered by this specification shall be of the following sizes (see 6.2):

Size 1 - 1 ml, 10s (cartridge-needle unit)
Size 2 - 1 ml, 25s

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

MILITARY

MIL-S-36532 - Syringe, Cartridge, Thumb Rest Handle.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be Epinephrine Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 1.

S5.2.1 The following is added to this paragraph:

Shall be a 1:1000 solution of epinephrine within the applicable assay limits for the injection.

3.2 Ingredients.

3.2.1 Epinephrine. The epinephrine used in the manufacture of the injection shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.4 Expiration dating period. The expiration dating period shall be not less than 30 months for size 1 and not less than 24 months for size 2.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of the inspection requirements specified herein.

4.2 Sampling. Sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One box containing ten cartridge-needle units of size 1, or one box containing twenty-five ampuls of size 2, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. The immediate container for size 1 shall be a commercially available cartridge-needle unit (5/8 inch x 25 gage regular bevel point) considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The cartridge-needle unit shall be compatible for use with Syringe, Cartridge, as covered by MIL-S-36532 (see 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

5.2.2.1.2 Size 2. The immediate container for size 2 shall be a commercially available ampul considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container shall be altered in any way by each other.

5.2.2.2 Unit packaging.

5.2.2.2.1 Size 1. Five (5) cartridge-needle units shall be contained in a tray-type container which shall be wrapped and sealed in transparent plastic. Two such containers shall be packaged in a sheet of transparent plastic. Closure shall be adequate to prevent spilling of contents. As an alternate, the unit package may be molded of plastic. The unit shall be so designed that one cartridge-needle unit can be removed while the other four cartridge-needle units remain untouched.

5.2.2.2.2 Size 2. Each unit of size 2 shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate packaging.

5.2.2.3.1 Size 1. Ten (10) units of issue of size 1 shall be packaged in a folding paperboard box of appropriate size and design. Closure shall be adequate to prevent accidental opening. As an alternate, the contents may be shrink wrapped in plastic film and sealed.

5.2.2.3.2 Size 2. Twelve (12) units of issue of size 2 shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Sixty units of issue of size 1 or one hundred forty-four units of issue of size 2 shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B.

5.3.2.1 Size 1. Sixty (60) units of issue of size 1 shall be packed in a 175 lb test C flute corrugated box. Box shall include two 125 lb test top and bottom pads. Box shall be closed as specified in the appendix of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

5.3.2.2 Size 2. One hundred forty-four (144) units of issue of size 2 shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carrier to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug, and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legends:

"DO NOT PERMIT TO FREEZE"

and

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°)"

or similar storage statements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legends:

"DO NOT PERMIT TO FREEZE"

and

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)"

or similar storage statement.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-133-4449	EPINEPHRINE INJECTION, USP, 1:1000, Cartridge-Needle Unit, 1 ml, 10s	Size 1
6505-00-299-8760	EPINEPHRINE INJECTION, USP, 1:1000, 1 ml, 25s	Size 2

6.3 The cartridge-needle unit shall be compatible for use with 6515-00-926-9043, Syringe, Cartridge, Thumb Rest Handle.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-1854

Source: https://assist.dla.mil -- Downloaded: 202640-21T11:21Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-E-37715 - EPINEPHRINE INJECTION, USP

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

DEFENSE PERSONNEL SUPPORT CENTER
DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:21Z
Check the source to verify that this is the current version before use.