[METRIC]

A-A-2791A
May 11, 1994
SUPERSEDING
A-A-2791
April 1, 1992

COMMERCIAL ITEM DESCRIPTION

CLIP SYSTEM, PAPER

The General Services Administration has authorized the use of this Commercial Item Description.

1. SCOPE: This commercial item description covers the Clip System (Dispensers) for clipping paper, which includes the desk top and the hand held dispensers. The dispensers shall be of the following Types and Sizes, as specified.

Type I - Desk top, push down handle operated dispenser. (use size 2 clips)

Type II - Hand held, push and slide button operated dispenser.

Size 1 - Small; 20 sheet clipping capacity (use size 1 clips)
Size 2 - Medium; 40 sheet clipping capacity (use size 2 clips)
Size 3 - Large; 60 sheet clipping capacity (use size 3 clips)

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document, should be sent to: General Services Administration, Federal Supply Service, 26 Federal Plaza, New York N.Y. 10278 ATTN: Engineering Branch (2FYEE).

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

2. SALIENT CHARACTERISTICS:

A. Construction.

Type I. - Type I dispensers shall be as illustrated in Fig.1 on page 3. Dispensers shall be composed of the main body and the base with overall length of 17.8 ± 1.3 cm (7" ± 0.5"). The main body shall contain a receptacle slot for containing the clips; an operating push down handle pivoting on the metal rod; a clip pushing rod and the assembly of linkages to operate it; a return spring; a metal mechanism for spreading the clip before clipping pages of paper. The receptacle slot shall be inclined at the proper angle to allow clips to slide down easily. Dispenser's base shall be fitted with two non-skid rubber pads. Dispensers shall have a feed slot at the upper rear of the main body to allow for clips refill. Dispensers shall accommodate 10 Size 2 clips in accordance with CID A-A-2792A. Dispensers shall be marked with the name or trademark of the manufacturer.

Type II. - Type II dispensers shall be as illustrated in Fig. 2 on page 3. Size 1 dispensers shall have an overall length of 9.5 ± 1.3 cm (3.75" ± 0.5") and shall accommodate 8 Size 1 clips in accordance with CID A-A-2792A. Size 2 dispensers shall have an overall length of 11.4 ± 1.3 cm (4.5" ± 0.5") and shall accommodate 8 Size 2 clips in accordance with CID A-A-2792A. Size 3 dispensers shall have an overall length of 14.0 ± 1.3 cm (5.5" ± 0.5") and shall accommodate 8 Size 3 clips in accordance with CID A-A-2792A. Dispensers shall be composed of an upper and lower body, a metal retainer clamp, a clip pushing rod with a push and slide button attached, a return spring, and a metal mechanism for spreading the clip before clipping pages of paper. Dispensers shall have a feed slot at the rear of the body to allow for clips refill. Dispensers shall be marked with the name or trademark of the manufacturer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

Fig. 1
Type I clip dispenser, desk top model
Side View





Fig. 2
Type II clip dispenser, hand held model
Side View



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

B. Physical characteristics. Type I dispensers shall operate by a push down handle to propel the clip forward, and be able to clip up to 40 sheets of paper as specified in (3.C.1). Type II dispensers shall operate by a push and slide button to propel the clip forward, and be able to clip up to 20 sheets for Size 1, 40 sheets for Size 2, and 60 sheets for Size 3, of paper as specified in (3.C.2). Clips shall feed automatically into position in the dispensers as the preceding clip is used. Dispensers shall not experience any malfunction, jamming, or have clips falling out or failing to feed smoothly.

C. Workmanship. Dispensers shall be securely assembled so that parts do not become loose or displaced and shall be free from defects which may adversely affect appearance, serviceability or may constitute a hazard to the end user.

3. QUALITY ASSURANCE:

A. Responsibility for Inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

B. Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices.

C. Sampling. Samples shall be selected for inspection in accordance with MIL-STD-105, using the plans described in Table I. A lot shall consist of all items of the same type, as applicable, offered for delivery at one time. Random samples shall be drawn from each lot for the end item inspection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

TABLE I

Inspection Type	AQL (%) defective	Inspection Level	Sample Unit	Requirement Paragraph
Construction & Workmanship	4.0	S-2	one clip dispenser	2.A 2.C
Physical Characteristics	2.5	S-2	one clip dispenser	2.B

C. Performance Test:

(1). Type I. Place 40 sheets of 75 g/m^2 (20 lb$_m$, 17" x 22" - 500 sheets) paper into the mouth of the dispenser. Load 10 clips into dispenser and clamp the paper until the dispenser is empty. Reload the dispenser and repeat the procedure.

(2). Type II. Place 20 sheets for Size 1, 40 sheets for Size 2, and 60 sheets for Size 3, of 75 g/m^2 (20 lb$_m$, 17" x 22" - 500 sheets) paper into the mouth of the dispenser. Load 8 clips into dispenser and clamp the paper until the dispenser is empty. Reload the dispenser and repeat the procedure.

4. REGULATORY REQUIREMENTS: The offeror/contractor is encouraged to use recovered materials in accordance with Paragraph 23.403 of the Federal Acquisition Regulation.

5. PACKAGING, PACKING, AND MARKING: Shall be as specified in the contract or purchase order.

6. REFERENCED DOCUMENTS: The issue of the referenced documents in effect on the date of the solicitation for offers or request for proposals shall be used to determine conformance with the requirements of this Commercial Item Description.

A. Federal Regulations.

Federal Acquisition Regulation. Paragraph 23.403

Copies of the U.S. Code may be obtained through the Congressional Sales Office, U.S. Government Printing Office, Washington D.C. 20402.

B. Military Standard.

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

Available from: Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, or as directed by the contracting officer.

C. Commercial Item Description: A-A-2792A CLIP, PAPER

Available from: GSA Business Service Centers and GSA Specification Unit (3FBP-W), 7th and D Streets S.W., Washington, D.C. 20407.

Single copies of this document and other Federal Specifications, Federal Standards or Commercial Item Descriptions required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, MO., Fort Worth, Denver, San Francisco, Los Angeles, and Auburn, Washington.

7. NOTES: Purchasers shall specify the following in the contract or purchase order.

a). Title, number, and date of this commercial item description.
b). Type, Size and quantity required.
c). Packaging, packing, and marking required.
d). Item Identifiers/Reference Part Number System (for cataloging use only)

AA2791 - 1

This example describes a desk top, push down handle operated dispenser.

A-Size 1 - Small; 20 sheet clipping capacity
B-Size 2 - Medium; 40 sheet clipping capacity
C-Size 3 - Large; 60 sheet clipping capacity

1-Type I - Desk top, push down handle operated dispenser.
2-Type II - Hand held, push and slide button operated dispenser.

MILITARY INTERESTS:

DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.