A-A-50361
October 20, 1983

COMMERCIAL ITEM DESCRIPTION

SUIT, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL)

The Navy Clothing and Textile Research Facility has authorized the use of this commercial item description.

Salient Characteristics

The suit, radioactive contaminants protective shall be a two-piece design made of 8 gauge polyvinyl chloride film, yellow in color and free of pin holes. It shall consist of a pullover body style jumper and trousers. The jumper shall have elastic attached at the neck and wrist openings of the full length sleeves. The elastic shall be attached either with a 301, 304 or 401 stitch and a BSa-1 seam or it can be encased in heat sealed tunnels. The leg openings of the trousers may be finished with or without elastic. The joining seams shall be SSa-1 type, heat sealed (non-embossed) to finish on the inside of the garment. The bottom of the jumper and the waist of the trousers shall be finished as heat sealed tunnels with elastic encased. The suit shall be extra large size having the following dimensions when measured flat:

Jumper

Chest (across front at armpit)	- 35 inches
Raglan Sleeve	
Inseam	- 22 1/2 inches
Width (6 inches above elastic)	- 9 inches
Length (shoulder to bottom of jumper)	- 35 1/2 inches

Trousers

Waist (fully expanded across top)	- 24 inches
Seat (6 inches down from top)	- 25 1/2 inches
Length (from top of waist band to crotch joining seam)	- 17 inches
Leg -	
inseam	- 28 inches
width (6 inches up from bottom)	- 14 inches
width at crotch joining seam	- 16 inches

NOTE: A $\pm$ 1 inch tolerance is allowed for all measurements.

FSC 8415

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

Certification

The contractor shall certify that the product offered meets the salient characteristics of this description, and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Labeling

Each vinyl suit shall be labeled in a permanent and visible manner with the manufacturer's name and identifying number.

Packaging, Packing and Marking

The suit shall be packaged in accordance with normal commercial practice. Twenty-four (24) suits, shall be packed in a fiberboard shipping container conforming to type CF, class domestic, variety DW, grade 275, size 3A of MIL-B-17757. The liner shall be type CF, class domestic, in accordance with the requirements of MIL-B-17757. The box shall be closed in accordance with the box specification. The shipping containers shall be marked as specified by MIL-STD-129.

Certified Manufacturer

Manufacturers of vinyl, radioactive contaminant suits whose styles and fabrications have been found to meet the requirements of this description are listed below:

- Nuclear Power Outfitters
  Catalogue No. A122ETY

- Mohawk Industrial Supply
  Style No. 322

- Lancs Industries
  Style No. L1-2P-8Y

- Defense Apparel
  Stock No. ESA-5251

- FAB Ohio
  No. 28-8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

Special Requirement

Due to the critical nature of this item, only suppliers and style/stock/catalogue numbers listed herein are acceptable to support the Navy's requirements. Other sources desiring to competively participate on any advertised bid must have had, as a prerequisite, their product certified. Requests for certification should be submitted with a sample to the Officer in Charge, U.S. Navy Clothing and Textile Research Facility, 21 Strathmore Road, Natick, MA 01760, Attention: Code 50.

Custodian:
Navy - NU

Preparing Activity:
Navy - NU

Review Activities:
Navy - SH
DLA - CT

Project No. 8415-N349

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.