
FED. SUP CLASS
5935



TYPE "A"

BARREL SIZE	WIRE RANGE	A	B	C	D DIA	E DIA	F DIA	G DIA	J DIA MAX.	K
A20	20-22-24	.308 .304	.063 .057	.033 .029	.032 .028	.050 .048	.106 .098	.078 .076	.082	.298 .287

"TYPE "A" INACTIVE FOR NEW CONNECTOR DESIGN AFTER 18 OCT 1968. USE TYPE B OR C

NOTES:
1. MATERIAL, FINISH, AND MACHINED SURFACES SHALL BE AS SPECIFIED ON THE APPLICABLE PROCUREMENT SPECIFICATION OR DETAIL SPECIFICATION SHEET FOR THE CONTACT.
2. DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED
3. ALL DIMENSIONS SHOWN ARE FOR FINISHED PART AFTER PLATING
4. ALL DIAMETERS TO BE CONCENTRIC WITH EACH OTHER WITHIN .005 TOTAL INDICATOR READING (TIR).
5. SEE MIL-T 22520, MIL-C 22809 AND MIL-C 22216 FOR THE APPLICABLE CRIMPING TOOL AND THE PERFORMANCE REQUIREMENTS OF THE CRIMPED TERMINATION.
6. BREAK ALL SHARP EDGES AND REMOVE ALL BURRS.

THIS IS A DESIGN STANDARD AND SHALL NOT BE USED AS A PART NUMBER.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

(F) ENTIRE STANDARD REVISED AND REDRAWN.

APPROVED 1 JUNE 1960 REVISED (F) 2 April 1968

P.A. NAVY - AS Other Cust - ARMY - EL - AF-11	TITLE CONTACT WIRE BARREL, CRIMP TYPE	MILITARY STANDARD MS3190
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 1 OF 3

DD FORM 672-1 (Coordinated)


PLATE NO. 19320

Source: https://assist.dla.mil -- Downloaded: 20260-23T13:01Z
Check the source to verify that this is the current version before use.

REVIEWER SYMBOLS:
ARMY-MI, ME, MU, EL
NAVY-SH, AS
AF-11, 85, 17

USER SYMBOLS:
NAVY-MC
AF-19

FED. SUP CLASS
5935



TYPE "B"

BARREL SIZE	WIRE RANGE	A	B	C	D DIA	E DIA	F DIA	G DIA	J DIA MAX	K	L DIA
16	16-18-20	.345 .341	.079 .073	.048 .044	.042 .036	.068 .066	.148 .144	.105 .101	.123	.328 .297	.090 .080
12	12-14	.345 .341	.079 .073	.048 .044	.042 .036	.102 .098	.202 .198	.153 .147	.171	.328 .297	.125 .115
8	8	.520 .510	.094 .084	.048 .044	.066 .060	.184 .179	.313 .303	.269 .263	.257	.534 .480	.230 .220
4	4	.520 .510	.094 .084	.048 .044	.066 .060	.288 .279	.419 .415	.380 .370	.376	.534 .480	.364 .354
0	0	.675 .665	.094 .084	.048 .044	.066 .060	.438 .431	.611 .607	.568 .538	.548	.690 .636	.542 .532

APPROVED 1 JUNE 1960 REVISED (F) FOR CHANGES SEE SHEET 1

"Queries/user information is current as of the date of this document. For future coordination of changes to this document, draft amendments should be based on the information in the current DODISS."

This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Attention for all new engineering and design applications, and for repetitive use shall be made from this document.


P.A. NAVY - AS Other Cust ARMY - EL AF-11	TITLE CONTACT WIRE BARREL, CRIMP TYPE	MILITARY STANDARD MS3190
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 3

DD FORM 672-1 (Coordinated)

PLATE NO. 13230

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:01Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5935



TYPE "C"

BARREL SIZE	WIRE RANGE	A	B	C	D DIA	E DIA	F DIA	G DIA	J DIA MAX	K	L DIA
20	20-22-24	.298 .294	.063 .057	.033 .029	.032 .028	.050 .048	.106 .086	.078 .076	.082	.270 .250	.064 .060
16	16-18-20	.298 .294	.079 .073	.048 .044	.042 .038	.068 .066	.148 .133	.105 .101	.123	.281 .250	.080 .080
12	12-14	.298 .294	.079 .073	.048 .044	.042 .038	.102 .098	.202 .189	.153 .147	.171	.281 .250	.125 .115
8	8	.520 .510	.094 .084	.048 .044	.066 .060	.184 .179	.313 .309	.269 .263	.251	.534 .480	.230 .220
4	4	.520 .510	.094 .084	.048 .044	.066 .060	.286 .279	.419 .409	.380 .370	.376	.534 .480	.364 .354
0	0	.675 .665	.094 .084	.048 .044	.066 .060	.458 .451	.611 .601	.568 .558	.548	.690 .636	.542 .532

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft changes should be based on the information in the current DODISS."

REVIEWER SYMBOLS: ARMY-MI, ME, MU, EL NAVY-SH, AS AF-11, 85, 17

USER SYMBOLS: NAVY-MC AF-19

This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for requisitions are shall be made from this document.

APPROVED 1 JUNE 1960 REVISED (P) FOR CHANGES SEE SHEET 1

P.A. NAVY - AS Other Cust ARMY - EL AF-11	TITLE CONTACT WIRE BARREL, CRIMP TYPE	MILITARY STANDARD MS3190
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 3

DD FORM 672-1 (Coordinated)

PLATE NO. 15229

☆U.S. GOVERNMENT PRINTING OFFICE: 1981 — 703-023/6758

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:01Z
Check the source to verify that this is the current version before use.