MIL-STD-110A
8 DECEMBER 1955
SUPERSEDING
MIL-STD-110
25 JANUARY 1951

MILITARY STANDARD

GAGES, PLUG, PLAIN CYLINDRICAL, GO

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
WASHINGTON 25, D. C.

Supply and Logistics

8 December 1955

Gages, Plug, Plain Cylindrical, Go
MIL-STD-110A

1. This standard has been approved by the Department of Defense for use by the Departments of the Army, the Navy, and the Air Force.

2. In accordance with established procedure, the Standardization Division has designated the Ordnance Corps, the Bureau of Ordnance, and the Air Force, respectively, as Army-Navy-Air Force custodians of this standard.

3. This standard is mandatory for use effective 8 March 1956 by the Departments of the Army, the Navy, and the Air Force.

4. Recommended corrections, additions, or deletions should be addressed to the Standardization Division, Office of the Assistant Secretary of Defense (Supply and Logistics), Washington 25, D. C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

CONTENTS

1. Scope
2. Referenced Documents
3. Definitions
4. General Requirements
4.1.1 Table I - Tabulation of Design and Identification Data
4.1.2 Table II - Listing of Gage Stock Numbers in Numerical Sequence
5. Detail Requirements
5.1 Manufacture and Inspection
5.1.1 Gaging Members
5.1.2 Gage Handles
5.2 Procurement

FIGURES

Figure
1 Air Groove
2 Go Plain Plug Gage (Wire Type)
3 Go Plain Plug Gage (Taper Lock Type)
4 Go Plain Plug Gage (Tri-Lock Type)

TABLES

Table I - Tabulation of Design and Identification Data
Table II - Listing of Gage Stock Numbers in Numerical Sequence

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 This standard covers the pertinent design data and stock numbers for American Gage Design Standard, single end, go plain cylindrical plug gages for the inspection of the minimum limits of internal diameters that range in size from 0.031 to 2.510 inches inclusive in increments of 0.001 and 0.03125 inches. The class of gage required is listed in accordance with the total component tolerance.

1.2 The stock numbers listed in this standard have been approved by the Cataloging Division, Office of the Assistant Secretary of Defense as Federal Item Identification Numbers (FIIN).

2. REFERENCED DOCUMENTS

2.1 The following standards, specifications, and publications of latest issue form a part of this standard:

STANDARDS

MIL-STD-10, Surface Roughness, Waviness, and Lay

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.)

SPECIFICATIONS

MIL-G-10944, Gages, Dimensional Control

(Copies of specifications should be obtained from the procuring activity or as directed by the contracting officer.)

OTHER PUBLICATIONS

U.S. Department of Commerce, Commercial Standard CS8, Gage Blanks

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.)

3. DEFINITIONS

Not applicable.

4. GENERAL REQUIREMENTS

4.1 This standard contains table I and table II. Table I provides the tabulated design data required for manufacture and inspection and is arranged in ascending size sequence (see paragraph 1.1 above). Table I is also arranged in ascending numerical sequence according to stock numbers (7420000 to 7457568 inclusive), except for three hundred three stock numbers. Table II is a listing of the three hundred three stock numbers in ascending numerical sequence and is provided as a finding aid for locating the required design data contained in table I for these stock numbers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

4.1.1 Table I - Tabulation of Design and Identification Data

4.1.1.1 Stock numbers for gages without air groove or flat are listed in column B. Stock numbers for gages with air groove or flat are listed in column C.

4.1.1.2 Column A lists the proper reference to the applicable figure for each stock number.

4.1.1.3 Column D lists the minimum component dimension and when applied to the total component tolerance in column E provides the data required for selecting the applicable stock number in column B or C. (NOTE: The stock number listed in column C for any given minimum component dimension is applicable for "blind" hole requirements regardless of component tolerance.)

4.1.1.3.1 When the total component tolerance is not listed, the stock number applicable to the next smaller listed total component tolerance for the minimum component dimension shall be used.

4.1.1.4 Columns F to P inclusive list the design data for each stock number and, when applied to the figure referenced in column A, provide the data required for manufacture and inspection.

4.1.1.5 Columns R to D inclusive list the identification data for each stock number and, when applied to the figure referenced in column A, provide the information for proper marking of the gages.

4.1.1.6 All stock numbers listed in column C shall have an air groove or flat as indicated in figure 1.



PLUG GAGE DIAMETER		X	W
ABOVE	TO & INCL		
0.030	0.059	0.0010 ± .0005	
0.059	0.099	0.0020 ± .0010	
0.099	0.149	0.0030 ± .0015	
0.149	0.249	0.0060 ± .0020	
0.249	0.624		0.02 ± 0.01
0.624	0.999		0.04 ± 0.01
0.999	2.510		0.06 ± 0.02

Figure 1. Air Groove

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

4.1.1.7 Design data, etc. not specifically covered in this standard shall conform to the latest issue of the documents referenced in paragraph 2 above.

4.1.2 Table II - Listing of Gage Stock Numbers in Numerical Sequence

4.1.2.1 Stock numbers not listed in ascending numerical sequence in table I are listed in column A.

4.1.2.2 Column B lists the applicable minimum component dimension for each stock number.

4.1.2.3 Column C references the page number in table I where the design and identification data for the applicable stock number may be found.

5. DETAIL REQUIREMENTS

5.1 Manufacture and Inspection

5.1.1 Gaging Members

5.1.1.1 American Gage Design Standard (AGD) gaging members shall be of hardened tool steel or other wear resistant material suitable for the intended purpose, as defined in specification MIL-G-10944, and shall be identified with the manufacturer's name or trade-mark. (See figures 2 to 4 inclusive for hardness requirements.)

5.1.1.2 Go plain cylindrical plug gages up to and including .510 inch in diameter shall be finished from AGD plain plug gage blanks of the wire type design. Gages above .510 inch up to and including 1.510 inches in diameter shall be finished from AGD go plain plug gage blanks of the taper-lock design with precision centers.

5.1.1.3 Go plain cylindrical plug gages above 1.510 inches in diameter shall be finished from AGD not go plain plug gage blanks of the tri-lock design.

5.1.1.4 The surface roughness value denoted on the gaging surface of figures 2 to 4 inclusive, and listed in column H of table I is the maximum acceptable roughness of these surfaces. These values correspond to the meter indications of surface roughness measuring instruments, which from their method of operation show readings in accordance with the standard values prescribed in Standard Mil-Std-10.

5.1.1.5 Sharp edges shall not be permitted.

5.1.1.6 Gaging surfaces shall be lapped free of amorphous metal.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

5.1.2 Gage Handles

5.1.2.1 Gage handles shall be as designated in Commercial Standard CS8. Handle sizes up to and including No. 5 shall be of steel or aluminum alloy. Handle sizes No. 5½ and 6 shall be of aluminum alloy. Tri-lock handles shall be provided with steel screws.

5.1.2.2 All gage handles shall be clearly and permanently marked with the proper marking as listed in columns B or C and D of table I and as illustrated in figures 2 to 4 inclusive.

5.2 Procurement

5.2.1 The tabulated design data, manufacturing, and inspection specifications in this standard are applicable for procurement purposes.

5.2.1.1 Procurement documents shall specify the following:

a. Title, number, and date of this standard.
b. Gages required (quantity and stock number).
c. Place of delivery for acceptance inspection or place of delivery if acceptance inspection is to be at contractor's plant.

5.2.1.2 When specified, go plain plug gages may be procured without handles. Taper lock and tri-lock type gaging members shall be marked with the stock number, the manufacturer's name or trade-mark, and any other pertinent identification data as specified. The wire type gaging member shall be identified with a tag or label marked with the stock number and any other pertinent identification data as specified. The tag or label shall be such that it can be removed without damage to the member.

5.2.1.3 CAUTION - Although all items listed in this standard are included in the Federal Catalog system as items of supply, it is not intended that all items be procured and stocked. Procurement and supply shall be confined to those items for which actual requirements exist.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.



ENLARGED VIEW
CHAMFER OR RADIUS ON
BOTH ENDS OF WIRE

*HARDEN: ROCKWELL OR EQUIVALENT
C55 TO C60 FOR DIA UP TO AND INCL .10
C60 TO C63 FOR DIA ABOVE 10 TO AND INCL .20
C63 TO C66 FOR DIA ABOVE 20

Figure 2. Go Plain Plug Gage (Wire Type)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.





ENLARGED VIEW
CHAMFER OR RADIUS

* HARDEN: ROCKWELL OR EQUIVALENT
C 63 TO C 66

Figure 3. Go Plain Plug Gage (Taper Lock Type)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.





ENLARGED VIEW
CHAMFER OR RADIUS
ON BOTH ENDS

*HARDEN: ROCKWELL OR EQUIVALENT
C 63 TO C 66

Figure 4. Go Plain Plug Gage (Tri-Lock Type)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
2	7420000		.031	MASTER	.03100 + .00002	.008	2
2	7420002	7420003	.031	.0005	.03100 + .00004	.008	4
2	7420006		.031	.002	.03110 + .00007	.008	4
2	7420008		.031	.004 AND UP	.03120 + .00010	.008	8
2	7420010		.03125	MASTER	.03125 + .00002	.008	2
2	7497198	7497199	.03125	.0005	.03125 + .00004	.008	4
2	7497202		.03125	.002	.03135 + .00007	.008	4
2	7497204		.03125	.004 AND UP	.03145 + .00010	.008	8
2	7420012		.032	MASTER	.03200 + .00002	.008	2
2	7420014	7420015	.032	.0005	.03200 + .00004	.008	4
2	7420018		.032	.002	.03210 + .00007	.008	4
2	7420020		.032	.004 AND UP	.03220 + .00010	.008	8
2	7420022		.033	MASTER	.03300 + .00002	.008	2
2	7420024	7420025	.033	.0005	.03300 + .00004	.008	4
2	7420028		.033	.002	.03310 + .00007	.008	4
2	7420030		.033	.004 AND UP	.03320 + .00010	.008	8
2	7420032		.034	MASTER	.03400 + .00002	.008	2
2	7420034	7420035	.034	.0005	.03400 + .00004	.008	4
2	7420038		.034	.002	.03410 + .00007	.008	4
2	7420040		.034	.004 AND UP	.03420 + .00010	.008	8
2	7420042		.035	MASTER	.03500 + .00002	.008	2
2	7420044	7420045	.035	.0005	.03500 + .00004	.008	4
2	7420048		.035	.002	.03510 + .00007	.008	4
2	7420050		.035	.004 AND UP	.03520 + .00010	.008	8
2	7420052		.036	MASTER	.03600 + .00002	.008	2
2	7420054	7420055	.036	.0005	.03600 + .00004	.008	4
2	7420058		.036	.002	.03610 + .00007	.008	4
2	7420060		.036	.004 AND UP	.03620 + .00010	.008	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7420062	7420065	.037	MASTER	.03700 + .00002	.008	2
2	7420064		.037	.0005	.03700 + .00004	.008	4
2	7420068		.037	.002	.03710 + .00007	.008	4
2	7420070		.037	.004 AND UP	.03720 + .00010	.008	8
2	7420072	7420075	.038	MASTER	.03800 + .00002	.008	2
2	7420074		.038	.0005	.03800 + .00004	.008	4
2	7420078		.038	.002	.03810 + .00007	.008	4
2	7420080		.038	.004 AND UP	.03820 + .00010	.008	8
2	7420082	7420085	.039	MASTER	.03900 + .00002	.008	2
2	7420084		.039	.0005	.03900 + .00004	.008	4
2	7420088		.039	.002	.03910 + .00007	.008	4
2	7420090		.039	.004 AND UP	.03920 + .00010	.008	8
2	7420092	7420095	.040	MASTER	.04000 + .00002	.008	2
2	7420094		.040	.0005	.04000 + .00004	.008	4
2	7420098		.040	.002	.04010 + .00007	.008	4
2	7420100		.040	.004 AND UP	.04020 + .00010	.008	8
2	7420104	7420107	.041	MASTER	.04100 + .00002	.008	2
2	7420106		.041	.0005	.04100 + .00004	.008	4
2	7420110		.041	.002	.04110 + .00007	.008	4
2	7420112		.041	.004 AND UP	.04120 + .00010	.008	8
2	7420116	7420119	.042	MASTER	.04200 + .00002	.008	2
2	7420118		.042	.0005	.04200 + .00004	.008	4
2	7420122		.042	.002	.04210 + .00007	.008	4
2	7420124		.042	.004 AND UP	.04220 + .00010	.008	8
2	7420128	7420131	.043	MASTER	.04300 + .00002	.008	2
2	7420130		.043	.0005	.04300 + .00004	.008	4
2	7420134		.043	.002	.04310 + .00007	.008	4
2	7420136		.043	.004 AND UP	.04320 + .00010	.008	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420140		.044	MASTER	.04400 + .00002	.008	2
2	7420142	7420143	.044	.0005	.04400 + .00004	.008	4
2	7420146		.044	.002	.04410 + .00007	.008	4
2	7420148		.044	.004 AND UP	.04420 + .00010	.008	8
2	7420152		.045	MASTER	.04500 + .00002	.008	2
2	7420154	7420155	.045	.0005	.04500 + .00004	.008	4
2	7420158		.045	.002	.04510 + .00007	.008	4
2	7420160		.045	.004 AND UP	.04520 + .00010	.008	8
2	7420164		.046	MASTER	.04600 + .00002	.008	2
2	7420166	7420167	.046	.0005	.04600 + .00004	.008	4
2	7420170		.046	.002	.04610 + .00007	.008	4
2	7420172		.046	.004 AND UP	.04620 + .00010	.008	8
2	7420176		.047	MASTER	.04700 + .00002	.008	2
2	7420178	7420179	.047	.0005	.04700 + .00004	.008	4
2	7420182		.047	.002	.04710 + .00007	.008	4
2	7420184		.047	.004 AND UP	.04720 + .00010	.008	8
2	7420188		.048	MASTER	.04800 + .00002	.008	2
2	7420190	7420191	.048	.0005	.04800 + .00004	.008	4
2	7420194		.048	.002	.04810 + .00007	.008	4
2	7420196		.048	.004 AND UP	.04820 + .00010	.008	8
2	7420200		.049	MASTER	.04900 + .00002	.008	2
2	7420202	7420203	.049	.0005	.04900 + .00004	.008	4
2	7420206		.049	.002	.04910 + .00007	.008	4
2	7420208		.049	.004 AND UP	.04920 + .00010	.008	8
2	7420212		.050	MASTER	.05000 + .00002	.008	2
2	7420214	7420215	.050	.0005	.05000 + .00004	.008	4
2	7420218		.050	.002	.05010 + .00007	.008	4
2	7420220		.050	.004 AND UP	.05020 + .00010	.008	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420224		.051	MASTER	.05100 + .00002	.008	2
2	7420226	7420227	.051	.0005	.05100 + .00004	.008	4
2	7420230		.051	.002	.05110 + .00007	.008	4
2	7420232		.051	.004 AND UP	.05120 + .00010	.008	8
2	7420236		.052	MASTER	.05200 + .00002	.008	2
2	7420238	7420239	.052	.0005	.05200 + .00004	.008	4
2	7420242		.052	.002	.05210 + .00007	.008	4
2	7420244		.052	.004 AND UP	.05220 + .00010	.008	8
2	7420248		.053	MASTER	.05300 + .00002	.008	2
2	7420250	7420251	.053	.0005	.05300 + .00004	.008	4
2	7420254		.053	.002	.05310 + .00007	.008	4
2	7420256		.053	.004 AND UP	.05320 + .00010	.008	8
2	7420260		.054	MASTER	.05400 + .00002	.008	2
2	7420262	7420263	.054	.0005	.05400 + .00004	.008	4
2	7420266		.054	.002	.05410 + .00007	.008	4
2	7420268		.054	.004 AND UP	.05420 + .00010	.008	8
2	7420272		.055	MASTER	.05500 + .00002	.008	2
2	7420274	7420275	.055	.0005	.05500 + .00004	.008	4
2	7420278		.055	.002	.05510 + .00007	.008	4
2	7420280		.055	.004 AND UP	.05520 + .00010	.008	8
2	7420284		.056	MASTER	.05600 + .00002	.008	2
2	7420286	7420287	.056	.0005	.05600 + .00004	.008	4
2	7420290		.056	.002	.05610 + .00007	.008	4
2	7420292		.056	.004 AND UP	.05620 + .00010	.008	8
2	7420296		.057	MASTER	.05700 + .00002	.008	2
2	7420298	7420299	.057	.0005	.05700 + .00004	.008	4
2	7420302		.057	.002	.05710 + .00007	.008	4
2	7420304		.057	.004 AND UP	.05720 + .00010	.008	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7420308	7420311	.058	MASTER	.05800 + .00002	.008	2
2	7420310		.058	.0005	.05800 + .00004	.008	4
2	7420314		.058	.002	.05810 + .00007	.008	4
2	7420316		.058	.004 AND UP	.05820 + .00010	.008	8
2	7420320	7420323	.059	MASTER	.05900 + .00002	.008	2
2	7420322		.059	.0005	.05900 + .00004	.008	4
2	7420326		.059	.002	.05910 + .00007	.008	4
2	7420328		.059	.004 AND UP	.05920 + .00010	.008	8
2	7420332	7420335	.060	MASTER	.06000 + .00002	.008	2
2	7420334		.060	.0005	.06000 + .00004	.008	4
2	7420338		.060	.002	.06010 + .00007	.008	4
2	7420340		.060	.004 AND UP	.06020 + .00010	.008	8
2	7420346	7420349	.061	MASTER	.06100 + .00002	.008	2
2	7420348		.061	.0005	.06100 + .00004	.008	4
2	7420352		.061	.002	.06110 + .00007	.008	4
2	7420354		.061	.004 AND UP	.06120 + .00010	.008	8
2	7420360	7420363	.062	MASTER	.06200 + .00002	.008	2
2	7420362		.062	.0005	.06200 + .00004	.008	4
2	7420366		.062	.002	.06210 + .00007	.008	4
2	7420368		.062	.004 AND UP	.06220 + .00010	.008	8
2	7420374	7497207	.0625	MASTER	.06250 + .00002	.008	2
2	7497206		.0625	.0005	.06250 + .00004	.008	4
2	7497210		.0625	.002	.06260 + .00007	.008	4
2	7497212		.0625	.004 AND UP	.06270 + .00010	.008	8
2	7420376	7420379	.063	MASTER	.06300 + .00002	.008	2
2	7420378		.063	.0005	.06300 + .00004	.008	4
2	7420382		.063	.002	.06310 + .00007	.008	4
2	7420384		.063	.004 AND UP	.06320 + .00010	.008	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7420390		.064	MASTER	.06400 + .00002	.008	2
2	7420392	7420393	.064	.0005	.06400 + .00004	.008	4
2	7420396		.064	.002	.06410 + .00007	.008	4
2	7420398		.064	.004 AND UP	.06420 + .00010	.008	8
2	7420404		.065	MASTER	.06500 + .00002	.008	2
2	7420406	7420407	.065	.0005	.06500 + .00004	.008	4
2	7420410		.065	.002	.06510 + .00007	.008	4
2	7420412		.065	.004 AND UP	.06520 + .00010	.008	8
2	7420418		.066	MASTER	.06600 + .00002	.008	2
2	7420420	7420421	.066	.0005	.06600 + .00004	.008	4
2	7420424		.066	.002	.06610 + .00007	.008	4
2	7420426		.066	.004 AND UP	.06620 + .00010	.008	8
2	7420432		.067	MASTER	.06700 + .00002	.008	2
2	7420434	7420435	.067	.0005	.06700 + .00004	.008	4
2	7420438		.067	.002	.06710 + .00007	.008	4
2	7420440		.067	.004 AND UP	.06720 + .00010	.008	8
2	7420446		.068	MASTER	.06800 + .00002	.008	2
2	7420448	7420449	.068	.0005	.06800 + .00004	.008	4
2	7420452		.068	.002	.06810 + .00007	.008	4
2	7420454		.068	.004 AND UP	.06820 + .00010	.008	8
2	7420460		.069	MASTER	.06900 + .00002	.008	2
2	7420462	7420463	.069	.0005	.06900 + .00004	.008	4
2	7420466		.069	.002	.06910 + .00007	.008	4
2	7420468		.069	.004 AND UP	.06920 + .00010	.008	8
2	7420474		.070	MASTER	.07000 + .00002	.008	2
2	7420476	7420477	.070	.0005	.07000 + .00004	.008	4
2	7420480		.070	.002	.07010 + .00007	.008	4
2	7420482		.070	.004 AND UP	.07020 + .00010	.008	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420488	7420491	.071	MASTER	.07100 + .00002	.008	2
2	7420490		.071	.0005	.07100 + .00004	.008	4
2	7420494		.071	.002	.07110 + .00007	.008	4
2	7420496		.071	.004 AND UP	.07120 + .00010	.008	8
2	7420502	7420505	.072	MASTER	.07200 + .00002	.008	2
2	7420504		.072	.0005	.07200 + .00004	.008	4
2	7420508		.072	.002	.07210 + .00007	.008	4
2	7420510		.072	.004 AND UP	.07220 + .00010	.008	8
2	7420516	7420519	.073	MASTER	.07300 + .00002	.008	2
2	7420518		.073	.0005	.07300 + .00004	.008	4
2	7420522		.073	.002	.07310 + .00007	.008	4
2	7420524		.073	.004 AND UP	.07320 + .00010	.008	8
2	7420530	7420533	.074	MASTER	.07400 + .00002	.008	2
2	7420532		.074	.0005	.07400 + .00004	.008	4
2	7420536		.074	.002	.07410 + .00007	.008	4
2	7420538		.074	.004 AND UP	.07420 + .00010	.008	8
2	7420544	7420547	.075	MASTER	.07500 + .00002	.008	2
2	7420546		.075	.0005	.07500 + .00004	.008	4
2	7420550		.075	.002	.07510 + .00007	.008	4
2	7420552		.075	.004 AND UP	.07520 + .00010	.008	8
2	7420558	7420561	.076	MASTER	.07600 + .00002	.015	2
2	7420560		.076	.0005	.07600 + .00004	.015	4
2	7420564		.076	.002	.07610 + .00007	.015	4
2	7420566		.076	.004 AND UP	.07620 + .00010	.015	8
2	7420572	7420575	.077	MASTER	.07700 + .00002	.015	2
2	7420574		.077	.0005	.07700 + .00004	.015	4
2	7420578		.077	.002	.07710 + .00007	.015	4
2	7420580		.077	.004 AND UP	.07720 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7420586		.078	MASTER	.07800 + .00002	.015	2
2	7420588	7420589	.078	.0005	.07800 + .00004	.015	4
2	7420592		.078	.002	.07810 + .00007	.015	4
2	7420594		.078	.004 AND UP	.07820 + .00010	.015	8
2	7420600		.079	MASTER	.07900 + .00002	.015	2
2	7420602	7420603	.079	.0005	.07900 + .00004	.015	4
2	7420606		.079	.002	.07910 + .00007	.015	4
2	7420608		.079	.004 AND UP	.07920 + .00010	.015	8
2	7420614		.080	MASTER	.08000 + .00002	.015	2
2	7420616	7420617	.080	.0005	.08000 + .00004	.015	4
2	7420620		.080	.002	.08010 + .00007	.015	4
2	7420622		.080	.004 AND UP	.08020 + .00010	.015	8
2	7420628		.081	MASTER	.08100 + .00002	.015	2
2	7420630	7420631	.081	.0005	.08100 + .00004	.015	4
2	7420634		.081	.002	.08110 + .00007	.015	4
2	7420636		.081	.004 AND UP	.08120 + .00010	.015	8
2	7420642		.082	MASTER	.08200 + .00002	.015	2
2	7420644	7420645	.082	.0005	.08200 + .00004	.015	4
2	7420648		.082	.002	.08210 + .00007	.015	4
2	7420650		.082	.004 AND UP	.08220 + .00010	.015	8
2	7420656		.083	MASTER	.08300 + .00002	.015	2
2	7420658	7420659	.083	.0005	.08300 + .00004	.015	4
2	7420662		.083	.002	.08310 + .00007	.015	4
2	7420664		.083	.004 AND UP	.08320 + .00010	.015	8
2	7420670		.084	MASTER	.08400 + .00002	.015	2
2	7420672	7420673	.084	.0005	.08400 + .00004	.015	4
2	7420676		.084	.002	.08410 + .00007	.015	4
2	7420678		.084	.004 AND UP	.08420 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7420684	7420687	.085	MASTER	.08500 + .00002	.015	2
2	7420686		.085	.0005	.08500 + .00004	.015	4
2	7420690		.085	.002	.08510 + .00007	.015	4
2	7420692		.085	.004 AND UP	.08520 + .00010	.015	8
2	7420698	7420701	.086	MASTER	.08600 + .00002	.015	2
2	7420700		.086	.0005	.08600 + .00004	.015	4
2	7420704		.086	.002	.08610 + .00007	.015	4
2	7420706		.086	.004 AND UP	.08620 + .00010	.015	8
2	7420712	7420715	.087	MASTER	.08700 + .00002	.015	2
2	7420714		.087	.0005	.08700 + .00004	.015	4
2	7420718		.087	.002	.08710 + .00007	.015	4
2	7420720		.087	.004 AND UP	.08720 + .00010	.015	8
2	7420726	7420729	.088	MASTER	.08800 + .00002	.015	2
2	7420728		.088	.0005	.08800 + .00004	.015	4
2	7420732		.088	.002	.08810 + .00007	.015	4
2	7420734		.088	.004 AND UP	.08820 + .00010	.015	8
2	7420740	7420743	.089	MASTER	.08900 + .00002	.015	2
2	7420742		.089	.0005	.08900 + .00004	.015	4
2	7420746		.089	.002	.08910 + .00007	.015	4
2	7420748		.089	.004 AND UP	.08920 + .00010	.015	8
2	7420754	7420757	.090	MASTER	.09000 + .00002	.015	2
2	7420756		.090	.0005	.09000 + .00004	.015	4
2	7420760		.090	.002	.09010 + .00007	.015	4
2	7420762		.090	.004 AND UP	.09020 + .00010	.015	8
2	7420768	7420771	.091	MASTER	.09100 + .00002	.015	2
2	7420770		.091	.0005	.09100 + .00004	.015	4
2	7420774		.091	.002	.09110 + .00007	.015	4
2	7420776		.091	.004 AND UP	.09120 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420782	7420785	.092	MASTER	.09200 + .00002	.015	2
2	7420784		.092	.0005	.09200 + .00004	.015	4
2	7420788		.092	.002	.09210 + .00007	.015	4
2	7420790		.092	.004 AND UP	.09220 + .00010	.015	8
2	7420796	7420799	.093	MASTER	.09300 + .00002	.015	2
2	7420798		.093	.0005	.09300 + .00004	.015	4
2	7420802		.093	.002	.09310 + .00007	.015	4
2	7420804		.093	.004 AND UP	.09320 + .00010	.015	8
2	7420810	7497219	.09375	MASTER	.09375 + .00002	.015	2
2	7497218		.09375	.0005	.09375 + .00004	.015	4
2	7497222		.09375	.002	.09385 + .00007	.015	4
2	7497224		.09375	.004 AND UP	.09395 + .00010	.015	8
2	7420812	7420815	.094	MASTER	.09400 + .00002	.015	2
2	7420814		.094	.0005	.09400 + .00004	.015	4
2	7420818		.094	.002	.09410 + .00007	.015	4
2	7420820		.094	.004 AND UP	.09420 + .00010	.015	8
2	7420826	7420829	.095	MASTER	.09500 + .00002	.015	2
2	7420828		.095	.0005	.09500 + .00004	.015	4
2	7420832		.095	.002	.09510 + .00007	.015	4
2	7420834		.095	.004 AND UP	.09520 + .00010	.015	8
2	7420840	7420843	.096	MASTER	.09600 + .00002	.015	2
2	7420842		.096	.0005	.09600 + .00004	.015	4
2	7420846		.096	.002	.09610 + .00007	.015	4
2	7420848		.096	.004 AND UP	.09620 + .00010	.015	8
2	7420854	7420857	.097	MASTER	.09700 + .00002	.015	2
2	7420856		.097	.0005	.09700 + .00004	.015	4
2	7420860		.097	.002	.09710 + .00007	.015	4
2	7420862		.097	.004 AND UP	.09720 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420868	7420871	.098	MASTER	.09800 + .00002	.015	2
2	7420870		.098	.0005	.09800 + .00004	.015	
2	7420874		.098	.002	.09810 + .00007	.015	4
2	7420876		.098	.004 AND UP	.09820 + .00010	.015	8
2	7420882	7420885	.099	MASTER	.09900 + .00002	.015	2
2	7420884		.099	.0005	.09900 + .00004	.015	
2	7420888		.099	.002	.09910 + .00007	.015	4
2	7420890		.099	.004 AND UP	.09920 + .00010	.015	8
2	7420896	7420899	.100	MASTER	.10000 + .00002	.015	2
2	7420898		.100	.0005	.10000 + .00004	.015	
2	7420902		.100	.002	.10010 + .00007	.015	4
2	7420904		.100	.004 AND UP	.10020 + .00010	.015	8
2	7420912	7420915	.101	MASTER	.10100 + .00002	.015	2
2	7420914		.101	.0005	.10100 + .00004	.015	
2	7420918		.101	.002	.10110 + .00007	.015	4
2	7420920		.101	.004 AND UP	.10120 + .00010	.015	8
2	7420928	7420931	.102	MASTER	.10200 + .00002	.015	2
2	7420930		.102	.0005	.10200 + .00004	.015	
2	7420934		.102	.002	.10210 + .00007	.015	4
2	7420936		.102	.004 AND UP	.10220 + .00010	.015	8
2	7420944	7420947	.103	MASTER	.10300 + .00002	.015	2
2	7420946		.103	.0005	.10300 + .00004	.015	
2	7420950		.103	.002	.10310 + .00007	.015	4
2	7420952		.103	.004 AND UP	.10320 + .00010	.015	8
2	7420960	7420963	.104	MASTER	.10400 + .00002	.015	2
2	7420962		.104	.0005	.10400 + .00004	.015	
2	7420966		.104	.002	.10410 + .00007	.015	4
2	7420968		.104	.004 AND UP	.10420 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7420976		.105	MASTER	.10500 + .00002	.015	2
2	7420978	7420979	.105	.0005	.10500 + .00004	.015	4
2	7420982		.105	.002	.10510 + .00007	.015	4
2	7420984		.105	.004 AND UP	.10520 + .00010	.015	8
2	7420992		.106	MASTER	.10600 + .00002	.015	2
2	7420994	7420995	.106	.0005	.10600 + .00004	.015	4
2	7420998		.106	.002	.10610 + .00007	.015	4
2	7421000		.106	.004 AND UP	.10620 + .00010	.015	8
2	7421008		.107	MASTER	.10700 + .00002	.015	2
2	7421010	7421011	.107	.0005	.10700 + .00004	.015	4
2	7421014		.107	.002	.10710 + .00007	.015	4
2	7421016		.107	.004 AND UP	.10720 + .00010	.015	8
2	7421024		.108	MASTER	.10800 + .00002	.015	2
2	7421026	7421027	.108	.0005	.10800 + .00004	.015	4
2	7421030		.108	.002	.10810 + .00007	.015	4
2	7421032		.108	.004 AND UP	.10820 + .00010	.015	8
2	7421040		.109	MASTER	.10900 + .00002	.015	2
2	7421042	7421043	.109	.0005	.10900 + .00004	.015	4
2	7421046		.109	.002	.10910 + .00007	.015	4
2	7421048		.109	.004 AND UP	.10920 + .00010	.015	8
2	7421056		.110	MASTER	.11000 + .00002	.015	2
2	7421058	7421059	.110	.0005	.11000 + .00004	.015	4
2	7421062		.110	.002	.11010 + .00007	.015	4
2	7421064		.110	.004 AND UP	.11020 + .00010	.015	8
2	7421072		.111	MASTER	.11100 + .00002	.015	2
2	7421074	7421075	.111	.0005	.11100 + .00004	.015	4
2	7421078		.111	.002	.11110 + .00007	.015	4
2	7421080		.111	.004 AND UP	.11120 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
2	7421088	7421091	.112	MASTER	.11200 + .00002	.015	2
2	7421090		.112	.0005	.11200 + .00004	.015	4
2	7421094		.112	.002	.11210 + .00007	.015	4
2	7421096		.112	.004 AND UP	.11220 + .00010	.015	8
2	7421104	7421107	.113	MASTER	.11300 + .00002	.015	2
2	7421106		.113	.0005	.11300 + .00004	.015	4
2	7421110		.113	.002	.11310 + .00007	.015	4
2	7421112		.113	.004 AND UP	.11320 + .00010	.015	8
2	7421120	7421123	.114	MASTER	.11400 + .00002	.015	2
2	7421122		.114	.0005	.11400 + .00004	.015	4
2	7421126		.114	.002	.11410 + .00007	.015	4
2	7421128		.114	.004 AND UP	.11420 + .00010	.015	8
2	7421136	7421139	.115	MASTER	.11500 + .00002	.015	2
2	7421138		.115	.0005	.11500 + .00004	.015	4
2	7421142		.115	.002	.11510 + .00007	.015	4
2	7421144		.115	.004 AND UP	.11520 + .00010	.015	8
2	7421152	7421155	.116	MASTER	.11600 + .00002	.015	2
2	7421154		.116	.0005	.11600 + .00004	.015	4
2	7421158		.116	.002	.11610 + .00007	.015	4
2	7421160		.116	.004 AND UP	.11620 + .00010	.015	8
2	7421168	7421171	.117	MASTER	.11700 + .00002	.015	2
2	7421170		.117	.0005	.11700 + .00004	.015	4
2	7421174		.117	.002	.11710 + .00007	.015	4
2	7421176		.117	.004 AND UP	.11720 + .00010	.015	8
2	7421184	7421187	.118	MASTER	.11800 + .00002	.015	2
2	7421186		.118	.0005	.11800 + .00004	.015	4
2	7421190		.118	.002	.11810 + .00007	.015	4
2	7421192		.118	.004 AND UP	.11820 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421200		.119	MASTER	.11900 + .00002	.015	2
2	7421202	7421203	.119	.0005	.11900 + .00004	.015	4
2	7421206		.119	.002	.11910 + .00007	.015	4
2	7421208		.119	.004 AND UP	.11920 + .00010	.015	8
2	7421216		.120	MASTER	.12000 + .00002	.015	2
2	7421218	7421219	.120	.0005	.12000 + .00004	.015	4
2	7421222		.120	.002	.12010 + .00007	.015	4
2	7421224		.120	.004 AND UP	.12020 + .00010	.015	8
2	7421232		.121	MASTER	.12100 + .00002	.015	2
2	7421234	7421235	.121	.0005	.12100 + .00004	.015	4
2	7421238		.121	.002	.12110 + .00007	.015	4
2	7421240		.121	.004 AND UP	.12120 + .00010	.015	8
2	7421248		.122	MASTER	.12200 + .00002	.015	2
2	7421250	7421251	.122	.0005	.12200 + .00004	.015	4
2	7421254		.122	.002	.12210 + .00007	.015	4
2	7421256		.122	.004 AND UP	.12220 + .00010	.015	8
2	7421264		.123	MASTER	.12300 + .00002	.015	2
2	7421266	7421267	.123	.0005	.12300 + .00004	.015	4
2	7421270		.123	.002	.12310 + .00007	.015	4
2	7421272		.123	.004 AND UP	.12320 + .00010	.015	8
2	7421280		.124	MASTER	.12400 + .00002	.015	2
2	7421282	7421283	.124	.0005	.12400 + .00004	.015	4
2	7421286		.124	.002	.12410 + .00007	.015	4
2	7421288		.124	.004 AND UP	.12420 + .00010	.015	8
2	7421296		.125	MASTER	.12500 + .00002	.015	2
2	7421298	7421299	.125	.0005	.12500 + .00004	.015	4
2	7421302		.125	.002	.12510 + .00007	.015	4
2	7421304		.125	.004 AND UP	.12520 + .00010	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421312	7421315	.126	MASTER	.12600 + .00002	.015	2
2	7421314		.126	.0005	.12600 + .00004	.015	4
2	7421318		.126	.002	.12610 + .00007	.015	4
2	7421320		.126	.004	.12620 + .00010	.015	8
2	7421324		.126	.008 AND UP	.12640 + .00030	.015	8
2	7421328	7421331	.127	MASTER	.12700 + .00002	.015	2
2	7421330		.127	.0005	.12700 + .00004	.015	4
2	7421334		.127	.002	.12710 + .00007	.015	4
2	7421336		.127	.004	.12720 + .00010	.015	8
2	7421340		.127	.008 AND UP	.12740 + .00030	.015	8
2	7421344	7421347	.128	MASTER	.12800 + .00002	.015	2
2	7421346		.128	.0005	.12800 + .00004	.015	4
2	7421350		.128	.002	.12810 + .00007	.015	4
2	7421352		.128	.004	.12820 + .00010	.015	8
2	7421356		.128	.008 AND UP	.12840 + .00030	.015	8
2	7421360	7421363	.129	MASTER	.12900 + .00002	.015	2
2	7421362		.129	.0005	.12900 + .00004	.015	4
2	7421366		.129	.002	.12910 + .00007	.015	4
2	7421368		.129	.004	.12920 + .00010	.015	8
2	7421372		.129	.008 AND UP	.12940 + .00030	.015	8
2	7421376	7421379	.130	MASTER	.13000 + .00002	.015	2
2	7421378		.130	.0005	.13000 + .00004	.015	4
2	7421382		.130	.002	.13010 + .00007	.015	4
2	7421384		.130	.004	.13020 + .00010	.015	8
2	7421388		.130	.008 AND UP	.13040 + .00030	.015	8
2	7421392	7421395	.131	MASTER	.13100 + .00002	.015	2
2	7421394		.131	.0005	.13100 + .00004	.015	4
2	7421398		.131	.002	.13110 + .00007	.015	4
2	7421400		.131	.004	.13120 + .00010	.015	8
2	7421404		.131	.008 AND UP	.13140 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421408		.132	MASTER	.13200 + .00002	.015	2
2	7421410	7421411	.132	.0005	.13200 + .00004	.015	4
2	7421414		.132	.002	.13210 + .00007	.015	4
2	7421416		.132	.004	.13220 + .00010	.015	8
2	7421420		.132	.008 AND UP	.13240 + .00030	.015	8
2	7421424		.133	MASTER	.13300 + .00002	.015	2
2	7421426	7421427	.133	.0005	.13300 + .00004	.015	4
2	7421430		.133	.002	.13310 + .00007	.015	4
2	7421432		.133	.004	.13320 + .00010	.015	8
2	7421436		.133	.008 AND UP	.13340 + .00030	.015	8
2	7421440		.134	MASTER	.13400 + .00002	.015	2
2	7421442	7421443	.134	.0005	.13400 + .00004	.015	4
2	7421446		.134	.002	.13410 + .00007	.015	4
2	7421448		.134	.004	.13420 + .00010	.015	8
2	7421452		.134	.008 AND UP	.13440 + .00030	.015	8
2	7421456		.135	MASTER	.13500 + .00002	.015	2
2	7421458	7421459	.135	.0005	.13500 + .00004	.015	4
2	7421462		.135	.002	.13510 + .00007	.015	4
2	7421464		.135	.004	.13520 + .00010	.015	8
2	7421468		.135	.008 AND UP	.13540 + .00030	.015	8
2	7421472		.136	MASTER	.13600 + .00002	.015	2
2	7421474	7421475	.136	.0005	.13600 + .00004	.015	4
2	7421478		.136	.002	.13610 + .00007	.015	4
2	7421480		.136	.004	.13620 + .00010	.015	8
2	7421484		.136	.008 AND UP	.13640 + .00030	.015	8
2	7421488		.137	MASTER	.13700 + .00002	.015	2
2	7421490	7421491	.137	.0005	.13700 + .00004	.015	4
2	7421494		.137	.002	.13710 + .00007	.015	4
2	7421496		.137	.004	.13720 + .00010	.015	8
2	7421500		.137	.008 AND UP	.13740 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421504	7421507	.138	MASTER	.13800 + .00002	.015	2
2	7421506		.138	.0005	.13800 + .00004	.015	4
2	7421510		.138	.002	.13810 + .00007	.015	8
2	7421512		.138	.004	.13820 + .00010	.015	8
2	7421516		.138	.008 AND UP	.13840 + .00030	.015	
2	7421520	7421523	.139	MASTER	.13900 + .00002	.015	2
2	7421522		.139	.0005	.13900 + .00004	.015	4
2	7421526		.139	.002	.13910 + .00007	.015	8
2	7421528		.139	.004	.13920 + .00010	.015	8
2	7421532		.139	.008 AND UP	.13940 + .00030	.015	
2	7421536	7421539	.140	MASTER	.14000 + .00002	.015	2
2	7421538		.140	.0005	.14000 + .00004	.015	4
2	7421542		.140	.002	.14010 + .00007	.015	8
2	7421544		.140	.004	.14020 + .00010	.015	8
2	7421548		.140	.008 AND UP	.14040 + .00030	.015	
2	7421552	7421555	.141	MASTER	.14100 + .00002	.015	2
2	7421554		.141	.0005	.14100 + .00004	.015	4
2	7421558		.141	.002	.14110 + .00007	.015	8
2	7421560		.141	.004	.14120 + .00010	.015	8
2	7421564		.141	.008 AND UP	.14140 + .00030	.015	
2	7421568	7421571	.142	MASTER	.14200 + .00002	.015	2
2	7421570		.142	.0005	.14200 + .00004	.015	4
2	7421574		.142	.002	.14210 + .00007	.015	8
2	7421576		.142	.004	.14220 + .00010	.015	8
2	7421580		.142	.008 AND UP	.14240 + .00030	.015	
2	7421584	7421587	.143	MASTER	.14300 + .00002	.015	2
2	7421586		.143	.0005	.14300 + .00004	.015	4
2	7421590		.143	.002	.14310 + .00007	.015	8
2	7421592		.143	.004	.14320 + .00010	.015	8
2	7421596		.143	.008 AND UP	.14340 + .00030	.015	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421600		.144	MASTER	.14400 + .00002	.015	2
2	7421602	7421603	.144	.0005	.14400 + .00004	.015	4
2	7421606		.144	.002	.14410 + .00007	.015	4
2	7421608		.144	.004	.14420 + .00010	.015	8
2	7421612		.144	.008 AND UP	.14440 + .00030	.015	8
2	7421616		.145	MASTER	.14500 + .00002	.015	2
2	7421618	7421619	.145	.0005	.14500 + .00004	.015	4
2	7421622		.145	.002	.14510 + .00007	.015	4
2	7421624		.145	.004	.14520 + .00010	.015	8
2	7421628		.145	.008 AND UP	.14540 + .00030	.015	8
2	7421632		.146	MASTER	.14600 + .00002	.015	2
2	7421634	7421635	.146	.0005	.14600 + .00004	.015	4
2	7421638		.146	.002	.14610 + .00007	.015	4
2	7421640		.146	.004	.14620 + .00010	.015	8
2	7421644		.146	.008 AND UP	.14640 + .00030	.015	8
2	7421648		.147	MASTER	.14700 + .00002	.015	2
2	7421650	7421651	.147	.0005	.14700 + .00004	.015	4
2	7421654		.147	.002	.14710 + .00007	.015	4
2	7421656		.147	.004	.14720 + .00010	.015	8
2	7421660		.147	.008 AND UP	.14740 + .00030	.015	8
2	7421664		.148	MASTER	.14800 + .00002	.015	2
2	7421666	7421667	.148	.0005	.14800 + .00004	.015	4
2	7421670		.148	.002	.14810 + .00007	.015	4
2	7421672		.148	.004	.14820 + .00010	.015	8
2	7421676		.148	.008 AND UP	.14840 + .00030	.015	8
2	7421680		.149	MASTER	.14900 + .00002	.015	2
2	7421682	7421683	.149	.0005	.14900 + .00004	.015	4
2	7421686		.149	.002	.14910 + .00007	.015	4
2	7421688		.149	.004	.14920 + .00010	.015	8
2	7421692		.149	.008 AND UP	.14940 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7421696		.150	MASTER	.15000 + .00002	.015	2
2	7421698	7421699	.150	.0005	.15000 + .00004	.015	4
2	7421702		.150	.002	.15010 + .00007	.015	4
2	7421704		.150	.004	.15020 + .00010	.015	8
2	7421708		.150	.008 AND UP	.15040 + .00030	.015	8
2	7421712		.151	MASTER	.15100 + .00002	.015	2
2	7421714	7421715	.151	.0005	.15100 + .00004	.015	4
2	7421718		.151	.002	.15110 + .00007	.015	4
2	7421720		.151	.004	.15120 + .00010	.015	8
2	7421724		.151	.008 AND UP	.15140 + .00030	.015	8
2	7421728		.152	MASTER	.15200 + .00002	.015	2
2	7421730	7421731	.152	.0005	.15200 + .00004	.015	4
2	7421734		.152	.002	.15210 + .00007	.015	4
2	7421736		.152	.004	.15220 + .00010	.015	8
2	7421740		.152	.008 AND UP	.15240 + .00030	.015	8
2	7421744		.153	MASTER	.15300 + .00002	.015	2
2	7421746	7421747	.153	.0005	.15300 + .00004	.015	4
2	7421750		.153	.002	.15310 + .00007	.015	4
2	7421752		.153	.004	.15320 + .00010	.015	8
2	7421756		.153	.008 AND UP	.15340 + .00030	.015	8
2	7421760		.154	MASTER	.15400 + .00002	.015	2
2	7421762	7421763	.154	.0005	.15400 + .00004	.015	4
2	7421766		.154	.002	.15410 + .00007	.015	4
2	7421768		.154	.004	.15420 + .00010	.015	8
2	7421772		.154	.008 AND UP	.15440 + .00030	.015	8
2	7421776		.155	MASTER	.15500 + .00002	.015	2
2	7421778	7421779	.155	.0005	.15500 + .00004	.015	4
2	7421782		.155	.002	.15510 + .00007	.015	4
2	7421784		.155	.004	.15520 + .00010	.015	8
2	7421788		.155	.008 AND UP	.15540 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7421792		.156	MASTER	.15600 + .00002	.015	2
2	7421794	7421795	.156	.0005	.15600 + .00004	.015	4
2	7421798		.156	.002	.15610 + .00007	.015	4
2	7421800		.156	.004	.15620 + .00010	.015	8
2	7421804		.156	.008 AND UP	.15640 + .00030	.015	8
2	7421808		.15625	MASTER	.15625 + .00002	.015	2
2	7497230	7497231	.15625	.0005	.15625 + .00004	.015	4
2	7497234		.15625	.002	.15635 + .00007	.015	4
2	7497236		.15625	.004	.15645 + .00010	.015	8
2	7497240		.15625	.008 AND UP	.15665 + .00030	.015	8
2	7421810		.157	MASTER	.15700 + .00002	.015	2
2	7421812	7421813	.157	.0005	.15700 + .00004	.015	4
2	7421816		.157	.002	.15710 + .00007	.015	4
2	7421818		.157	.004	.15720 + .00010	.015	8
2	7421822		.157	.008 AND UP	.15740 + .00030	.015	8
2	7421826		.158	MASTER	.15800 + .00002	.015	2
2	7421828	7421829	.158	.0005	.15800 + .00004	.015	4
2	7421832		.158	.002	.15810 + .00007	.015	4
2	7421834		.158	.004	.15820 + .00010	.015	8
2	7421838		.158	.008 AND UP	.15840 + .00030	.015	8
2	7421842		.159	MASTER	.15900 + .00002	.015	2
2	7421844	7421845	.159	.0005	.15900 + .00004	.015	4
2	7421848		.159	.002	.15910 + .00007	.015	4
2	7421850		.159	.004	.15920 + .00010	.015	8
2	7421854		.159	.008 AND UP	.15940 + .00030	.015	8
2	7421858		.160	MASTER	.16000 + .00002	.015	2
2	7421860	7421861	.160	.0005	.16000 + .00004	.015	4
2	7421864		.160	.002	.16010 + .00007	.015	4
2	7421866		.160	.004	.16020 + .00010	.015	8
2	7421870		.160	.008 AND UP	.16040 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7421874		.161	MASTER	.16100 + .00002	.015	2
2	7421876	7421877	.161	.0005	.16100 + .00004	.015	4
2	7421880		.161	.002	.16110 + .00007	.015	4
2	7421882		.161	.004	.16120 + .00010	.015	8
2	7421886		.161	.008 AND UP	.16140 + .00030	.015	8
2	7421890		.162	MASTER	.16200 + .00002	.015	2
2	7421892	7421893	.162	.0005	.16200 + .00004	.015	4
2	7421896		.162	.002	.16210 + .00007	.015	4
2	7421898		.162	.004	.16220 + .00010	.015	8
2	7421902		.162	.008 AND UP	.16240 + .00030	.015	8
2	7421906		.163	MASTER	.16300 + .00002	.015	2
2	7421908	7421909	.163	.0005	.16300 + .00004	.015	4
2	7421912		.163	.002	.16310 + .00007	.015	4
2	7421914		.163	.004	.16320 + .00010	.015	8
2	7421918		.163	.008 AND UP	.16340 + .00030	.015	8
2	7421922		.164	MASTER	.16400 + .00002	.015	2
2	7421924	7421925	.164	.0005	.16400 + .00004	.015	4
2	7421928		.164	.002	.16410 + .00007	.015	4
2	7421930		.164	.004	.16420 + .00010	.015	8
2	7421934		.164	.008 AND UP	.16440 + .00030	.015	8
2	7421938		.165	MASTER	.16500 + .00002	.015	2
2	7421940	7421941	.165	.0005	.16500 + .00004	.015	4
2	7421944		.165	.002	.16510 + .00007	.015	4
2	7421946		.165	.004	.16520 + .00010	.015	8
2	7421950		.165	.008 AND UP	.16540 + .00030	.015	8
2	7421954		.166	MASTER	.16600 + .00002	.015	2
2	7421956	7421957	.166	.0005	.16600 + .00004	.015	4
2	7421960		.166	.002	.16610 + .00007	.015	4
2	7421962		.166	.004	.16620 + .00010	.015	8
2	7421966		.166	.008 AND UP	.16640 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421970		.167	MASTER	.16700 + .00002	.015	2
2	7421972	7421973	.167	.0005	.16700 + .00004	.015	4
2	7421976		.167	.002	.16710 + .00007	.015	4
2	7421978		.167	.004	.16720 + .00010	.015	8
2	7421982		.167	.008 AND UP	.16740 + .00030	.015	8
2	7421986		.168	MASTER	.16800 + .00002	.015	2
2	7421988	7421989	.168	.0005	.16800 + .00004	.015	4
2	7421992		.168	.002	.16810 + .00007	.015	4
2	7421994		.168	.004	.16820 + .00010	.015	8
2	7421998		.168	.008 AND UP	.16840 + .00030	.015	8
2	7422002		.169	MASTER	.16900 + .00002	.015	2
2	7422004	7422005	.169	.0005	.16900 + .00004	.015	4
2	7422008		.169	.002	.16910 + .00007	.015	4
2	7422010		.169	.004	.16920 + .00010	.015	8
2	7422014		.169	.008 AND UP	.16940 + .00030	.015	8
2	7422018		.170	MASTER	.17000 + .00002	.015	2
2	7422020	7422021	.170	.0005	.17000 + .00004	.015	4
2	7422024		.170	.002	.17010 + .00007	.015	4
2	7422026		.170	.004	.17020 + .00010	.015	8
2	7422030		.170	.008 AND UP	.17040 + .00030	.015	8
2	7422034		.171	MASTER	.17100 + .00002	.015	2
2	7422036	7422037	.171	.0005	.17100 + .00004	.015	4
2	7422040		.171	.002	.17110 + .00007	.015	4
2	7422042		.171	.004	.17120 + .00010	.015	8
2	7422046		.171	.008 AND UP	.17140 + .00030	.015	8
2	7422050		.172	MASTER	.17200 + .00002	.015	2
2	7422052	7422053	.172	.0005	.17200 + .00004	.015	4
2	7422056		.172	.002	.17210 + .00007	.015	4
2	7422058		.172	.004	.17220 + .00010	.015	8
2	7422062		.172	.008 AND UP	.17240 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422066	7422069	.173	MASTER	.17300 + .00002	.015	2
2	7422068		.173	.0005	.17300 + .00004	.015	4
2	7422072		.173	.002	.17310 + .00007	.015	4
2	7422074		.173	.004	.17320 + .00010	.015	8
2	7422078		.173	.008 AND UP	.17340 + .00030	.015	8
2	7422082	7422085	.174	MASTER	.17400 + .00002	.015	2
2	7422084		.174	.0005	.17400 + .00004	.015	4
2	7422088		.174	.002	.17410 + .00007	.015	4
2	7422090		.174	.004	.17420 + .00010	.015	8
2	7422094		.174	.008 AND UP	.17440 + .00030	.015	8
2	7422098	7422101	.175	MASTER	.17500 + .00002	.015	2
2	7422100		.175	.0005	.17500 + .00004	.015	4
2	7422104		.175	.002	.17510 + .00007	.015	4
2	7422106		.175	.004	.17520 + .00010	.015	8
2	7422110		.175	.008 AND UP	.17540 + .00030	.015	8
2	7422114	7422117	.176	MASTER	.17600 + .00002	.015	2
2	7422116		.176	.0005	.17600 + .00004	.015	4
2	7422120		.176	.002	.17610 + .00007	.015	4
2	7422122		.176	.004	.17620 + .00010	.015	8
2	7422126		.176	.008 AND UP	.17640 + .00030	.015	8
2	7422130	7422133	.177	MASTER	.17700 + .00002	.015	2
2	7422132		.177	.0005	.17700 + .00004	.015	4
2	7422136		.177	.002	.17710 + .00007	.015	4
2	7422138		.177	.004	.17720 + .00010	.015	8
2	7422142		.177	.008 AND UP	.17740 + .00030	.015	8
2	7422146	7422149	.178	MASTER	.17600 + .00002	.015	2
2	7422148		.178	.0005	.17800 + .00004	.015	4
2	7422152		.178	.002	.17810 + .00007	.015	4
2	7422154		.178	.004	.17820 + .00010	.015	8
2	7422158		.178	.008 AND UP	.17840 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422162		.179	MASTER	.17900 + .00002	.015	2
2	7422164	7422165	.179	.0005	.17900 + .00004	.015	4
2	7422168		.179	.002	.17910 + .00007	.015	4
2	7422170		.179	.004	.17920 + .00010	.015	8
2	7422174		.179	.008 AND UP	.17940 + .00030	.015	8
2	7422178		.180	MASTER	.18000 + .00002	.015	2
2	7422180	7422181	.180	.0005	.18000 + .00004	.015	4
2	7422184		.180	.002	.18010 + .00007	.015	4
2	7422186		.180	.004	.18020 + .00010	.015	8
2	7422190		.180	.008 AND UP	.18040 + .00030	.015	8
2	7422194		.181	MASTER	.18100 + .00002	.015	2
2	7422196	7422197	.181	.0005	.18100 + .00004	.015	4
2	7422200		.181	.002	.18110 + .00007	.015	4
2	7422202		.181	.004	.18120 + .00010	.015	8
2	7422206		.181	.008 AND UP	.18140 + .00030	.015	8
2	7422210		.182	MASTER	.18200 + .00002	.015	2
2	7422212	7422213	.182	.0005	.18200 + .00004	.015	4
2	7422216		.182	.002	.18210 + .00007	.015	4
2	7422218		.182	.004	.18220 + .00010	.015	8
2	7422222		.182	.008 AND UP	.18240 + .00030	.015	8
2	7422226		.183	MASTER	.18300 + .00002	.015	2
2	7422228	7422229	.183	.0005	.18300 + .00004	.015	4
2	7422232		.183	.002	.18310 + .00007	.015	4
2	7422234		.183	.004	.18320 + .00010	.015	8
2	7422238		.183	.008 AND UP	.18340 + .00030	.015	8
2	7422242		.184	MASTER	.18400 + .00002	.015	2
2	7422244	7422245	.184	.0005	.18400 + .00004	.015	4
2	7422248		.184	.002	.18410 + .00007	.015	4
2	7422250		.184	.004	.18420 + .00010	.015	8
2	7422254		.184	.008 AND UP	.18440 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7422258	7422261	.185	MASTER	.18500 + .00002	.015	2
2	7422260		.185	.0005	.18500 + .00004	.015	4
2	7422264		.185	.002	.18510 + .00007	.015	4
2	7422266		.185	.004	.18520 + .00010	.015	8
2	7422270		.185	.008 AND UP	.18540 + .00030	.015	8
2	7422274	7422277	.186	MASTER	.18600 + .00002	.015	2
2	7422276		.186	.0005	.18600 + .00004	.015	4
2	7422280		.186	.002	.18610 + .00007	.015	4
2	7422282		.186	.004	.18620 + .00010	.015	8
2	7422286		.186	.008 AND UP	.18640 + .00030	.015	8
2	7422290	7422293	.187	MASTER	.18700 + .00002	.015	2
2	7422292		.187	.0005	.18700 + .00004	.015	4
2	7422296		.187	.002	.18710 + .00007	.015	4
2	7422298		.187	.004	.18720 + .00010	.015	8
2	7422302		.187	.008 AND UP	.18740 + .00030	.015	8
2	7422306	7497245	.1875	MASTER	.18750 + .00002	.015	2
2	7497244		.1875	.0005	.18750 + .00004	.015	4
2	7497248		.1875	.002	.18760 + .00007	.015	4
2	7497250		.1875	.004	.18770 + .00010	.015	8
2	7497254		.1875	.008 AND UP	.18790 + .00030	.015	8
2	7422308	7422311	.188	MASTER	.18800 + .00002	.015	2
2	7422310		.188	.0005	.18800 + .00004	.015	4
2	7422314		.188	.002	.18810 + .00007	.015	4
2	7422316		.188	.004	.18820 + .00010	.015	8
2	7422320		.188	.008 AND UP	.18840 + .00030	.015	8
2	7422324	7422327	.189	MASTER	.18900 + .00002	.015	2
2	7422326		.189	.0005	.18900 + .00004	.015	4
2	7422330		.189	.002	.18910 + .00007	.015	4
2	7422332		.189	.004	.18920 + .00010	.015	8
2	7422336		.189	.008 AND UP	.18940 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422340		.190	MASTER	.19000 + .00002	.015	2
2	7422342	7422343	.190	.0005	.19000 + .00004	.015	4
2	7422346		.190	.002	.19010 + .00007	.015	4
2	7422348		.190	.004	.19020 + .00010	.015	8
2	7422352		.190	.008 AND UP	.19040 + .00030	.015	8
2	7422356		.191	MASTER	.19100 + .00002	.015	2
2	7422358	7422359	.191	.0005	.19100 + .00004	.015	4
2	7422362		.191	.002	.19110 + .00007	.015	4
2	7422364		.191	.004	.19120 + .00010	.015	8
2	7422368		.191	.008 AND UP	.19140 + .00030	.015	8
2	7422372		.192	MASTER	.19200 + .00002	.015	2
2	7422374	7422375	.192	.0005	.19200 + .00004	.015	4
2	7422378		.192	.002	.19210 + .00007	.015	4
2	7422380		.192	.004	.19220 + .00010	.015	8
2	7422384		.192	.008 AND UP	.19240 + .00030	.015	8
2	7422388		.193	MASTER	.19300 + .00002	.015	2
2	7422390	7422391	.193	.0005	.19300 + .00004	.015	4
2	7422394		.193	.002	.19310 + .00007	.015	4
2	7422396		.193	.004	.19320 + .00010	.015	8
2	7422400		.193	.008 AND UP	.19340 + .00030	.015	8
2	7422404		.194	MASTER	.19400 + .00002	.015	2
2	7422406	7422407	.194	.0005	.19400 + .00004	.015	4
2	7422410		.194	.002	.19410 + .00007	.015	4
2	7422412		.194	.004	.19420 + .00010	.015	8
2	7422416		.194	.008 AND UP	.19440 + .00030	.015	8
2	7422420		.195	MASTER	.19500 + .00002	.015	2
2	7422422	7422423	.195	.0005	.19500 + .00004	.015	4
2	7422426		.195	.002	.19510 + .00007	.015	4
2	7422428		.195	.004	.19520 + .00010	.015	8
2	7422432		.195	.008 AND UP	.19540 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7422436		.196	MASTER	.19600 + .00002	.015	2
2	7422438	7422439	.196	.0005	.19600 + .00004	.015	4
2	7422442		.196	.002	.19610 + .00007	.015	4
2	7422444		.196	.004	.19620 + .00010	.015	8
2	7422448		.196	.008 AND UP	.19640 + .00030	.015	8
2	7422452		.197	MASTER	.19700 + .00002	.015	2
2	7422454	7422455	.197	.0005	.19700 + .00004	.015	4
2	7422458		.197	.002	.19710 + .00007	.015	4
2	7422460		.197	.004	.19720 + .00010	.015	8
2	7422464		.197	.008 AND UP	.19740 + .00030	.015	8
2	7422468		.198	MASTER	.19800 + .00002	.015	2
2	7422470	7422471	.198	.0005	.19800 + .00004	.015	4
2	7422474		.198	.002	.19810 + .00007	.015	4
2	7422476		.198	.004	.19820 + .00010	.015	8
2	7422480		.198	.008 AND UP	.19840 + .00030	.015	8
2	7422484		.199	MASTER	.19900 + .00002	.015	2
2	7422486	7422487	.199	.0005	.19900 + .00004	.015	4
2	7422490		.199	.002	.19910 + .00007	.015	4
2	7422492		.199	.004	.19920 + .00010	.015	8
2	7422496		.199	.008 AND UP	.19940 + .00030	.015	8
2	7422500		.200	MASTER	.20000 + .00002	.015	2
2	7422502	7422503	.200	.0005	.20000 + .00004	.015	4
2	7422506		.200	.002	.20010 + .00007	.015	4
2	7422508		.200	.004	.20020 + .00010	.015	8
2	7422512		.200	.008 AND UP	.20040 + .00030	.015	8
2	7422516		.201	MASTER	.20100 + .00002	.015	2
2	7422518	7422519	.201	.0005	.20100 + .00004	.015	4
2	7422522		.201	.002	.20110 + .00007	.015	4
2	7422524		.201	.004	.20120 + .00010	.015	8
2	7422528		.201	.008 AND UP	.20140 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422532		.202	MASTER	.20200 + .00002	.015	2
2	7422534	7422535	.202	.0005	.20200 + .00004	.015	4
2	7422538		.202	.002	.20210 + .00007	.015	4
2	7422540		.202	.004	.20220 + .00010	.015	8
2	7422544		.202	.008 AND UP	.20240 + .00030	.015	8
2	7422548		.203	MASTER	.20300 + .00002	.015	2
2	7422550	7422551	.203	.0005	.20300 + .00004	.015	4
2	7422554		.203	.002	.20310 + .00007	.015	4
2	7422556		.203	.004	.20320 + .00010	.015	8
2	7422560		.203	.008 AND UP	.20340 + .00030	.015	8
2	7422564		.204	MASTER	.20400 + .00002	.015	2
2	7422566	7422567	.204	.0005	.20400 + .00004	.015	4
2	7422570		.204	.002	.20410 + .00007	.015	4
2	7422572		.204	.004	.20420 + .00010	.015	8
2	7422576		.204	.008 AND UP	.20440 + .00030	.015	8
2	7422580		.205	MASTER	.20500 + .00002	.015	2
2	7422582	7422583	.205	.0005	.20500 + .00004	.015	4
2	7422586		.205	.002	.20510 + .00007	.015	4
2	7422588		.205	.004	.20520 + .00010	.015	8
2	7422592		.205	.008 AND UP	.20540 + .00030	.015	8
2	7422596		.206	MASTER	.20600 + .00002	.015	2
2	7422598	7422599	.206	.0005	.20600 + .00004	.015	4
2	7422602		.206	.002	.20610 + .00007	.015	4
2	7422604		.206	.004	.20620 + .00010	.015	8
2	7422608		.206	.008 AND UP	.20640 + .00030	.015	8
2	7422612		.207	MASTER	.20700 + .00002	.015	2
2	7422614	7422615	.207	.0005	.20700 + .00004	.015	4
2	7422618		.207	.002	.20710 + .00007	.015	4
2	7422620		.207	.004	.20720 + .00010	.015	8
2	7422624		.207	.008 AND UP	.20740 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422628		.208	MASTER	.20800 + .00002	.015	2
2	7422630	7422631	.208	.0005	.20800 + .00004	.015	4
2	7422634		.208	.002	.20810 + .00007	.015	4
2	7422636		.208	.004	.20820 + .00010	.015	8
2	7422640		.208	.008 AND UP	.20840 + .00030	.015	8
2	7422644		.209	MASTER	.20900 + .00002	.015	2
2	7422646	7422647	.209	.0005	.20900 + .00004	.015	4
2	7422650		.209	.002	.20910 + .00007	.015	4
2	7422652		.209	.004	.20920 + .00010	.015	8
2	7422656		.209	.008 AND UP	.20940 + .00030	.015	8
2	7422660		.210	MASTER	.21000 + .00002	.015	2
2	7422662	7422663	.210	.0005	.21000 + .00004	.015	4
2	7422666		.210	.002	.21010 + .00007	.015	4
2	7422668		.210	.004	.21020 + .00010	.015	8
2	7422672		.210	.008 AND UP	.21040 + .00030	.015	8
2	7422676		.211	MASTER	.21100 + .00002	.015	2
2	7422678	7422679	.211	.0005	.21100 + .00004	.015	4
2	7422682		.211	.002	.21110 + .00007	.015	4
2	7422684		.211	.004	.21120 + .00010	.015	8
2	7422688		.211	.008 AND UP	.21140 + .00030	.015	8
2	7422692		.212	MASTER	.21200 + .00002	.015	2
2	7422694	7422695	.212	.0005	.21200 + .00004	.015	4
2	7422698		.212	.002	.21210 + .00007	.015	4
2	7422700		.212	.004	.21220 + .00010	.015	8
2	7422704		.212	.008 AND UP	.21240 + .00030	.015	8
2	7422708		.213	MASTER	.21300 + .00002	.015	2
2	7422710	7422711	.213	.0005	.21300 + .00004	.015	4
2	7422714		.213	.002	.21310 + .00007	.015	4
2	7422716		.213	.004	.21320 + .00010	.015	8
2	7422720		.213	.008 AND UP	.21340 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422724	7422727	.214	MASTER	.21400 + .00002	.015	2
2	7422726		.214	.0005	.21400 + .00004	.015	4
2	7422730		.214	.002	.21410 + .00007	.015	4
2	7422732		.214	.004	.21420 + .00010	.015	8
2	7422736		.214	.008 AND UP	.21440 + .00030	.015	8
2	7422740	7422743	.215	MASTER	.21500 + .00002	.015	2
2	7422742		.215	.0005	.21500 + .00004	.015	4
2	7422746		.215	.002	.21510 + .00007	.015	4
2	7422748		.215	.004	.21520 + .00010	.015	8
2	7422752		.215	.008 AND UP	.21540 + .00030	.015	8
2	7422756	7422759	.216	MASTER	.21600 + .00002	.015	2
2	7422758		.216	.0005	.21600 + .00004	.015	4
2	7422762		.216	.002	.21610 + .00007	.015	4
2	7422764		.216	.004	.21620 + .00010	.015	8
2	7422768		.216	.008 AND UP	.21640 + .00030	.015	8
2	7422772	7422775	.217	MASTER	.21700 + .00002	.015	2
2	7422774		.217	.0005	.21700 + .00004	.015	4
2	7422778		.217	.002	.21710 + .00007	.015	4
2	7422780		.217	.004	.21720 + .00010	.015	8
2	7422784		.217	.008 AND UP	.21740 + .00030	.015	8
2	7422788	7422791	.218	MASTER	.21800 + .00002	.015	2
2	7422790		.218	.0005	.21800 + .00004	.015	4
2	7422794		.218	.002	.21810 + .00007	.015	4
2	7422796		.218	.004	.21820 + .00010	.015	8
2	7422800		.218	.008 AND UP	.21840 + .00030	.015	8
2	7422804	7497259	.21875	MASTER	.21875 + .00002	.015	2
2	7497258		.21875	.0005	.21875 + .00004	.015	4
2	7497262		.21875	.002	.21885 + .00007	.015	4
2	7497264		.21875	.004	.21895 + .00010	.015	8
2	7497268		.21875	.008 AND UP	.21915 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422806		.219	MASTER	.21900 + .00002	.015	2
2	7422808	7422809	.219	.0005	.21900 + .00004	.015	4
2	7422812		.219	.002	.21910 + .00007	.015	4
2	7422814		.219	.004	.21920 + .00010	.015	8
2	7422818		.219	.008 AND UP	.21940 + .00030	.015	8
2	7422822		.220	MASTER	.22000 + .00002	.015	2
2	7422824	7422825	.220	.0005	.22000 + .00004	.015	4
2	7422828		.220	.002	.22010 + .00007	.015	4
2	7422830		.220	.004	.22020 + .00010	.015	8
2	7422834		.220	.008 AND UP	.22040 + .00030	.015	8
2	7422838		.221	MASTER	.22100 + .00002	.015	2
2	7422840	7422841	.221	.0005	.22100 + .00004	.015	4
2	7422844		.221	.002	.22110 + .00007	.015	4
2	7422846		.221	.004	.22120 + .00010	.015	8
2	7422850		.221	.008 AND UP	.22140 + .00030	.015	8
2	7422854		.222	MASTER	.22200 + .00002	.015	2
2	7422856	7422857	.222	.0005	.22200 + .00004	.015	4
2	7422860		.222	.002	.22210 + .00007	.015	4
2	7422862		.222	.004	.22220 + .00010	.015	8
2	7422866		.222	.008 AND UP	.22240 + .00030	.015	8
2	7422870		.223	MASTER	.22300 + .00002	.015	2
2	7422872	7422873	.223	.0005	.22300 + .00004	.015	4
2	7422876		.223	.002	.22310 + .00007	.015	4
2	7422878		.223	.004	.22320 + .00010	.015	8
2	7422882		.223	.008 AND UP	.22340 + .00030	.015	8
2	7422886		.224	MASTER	.22400 + .00002	.015	2
2	7422888	7422889	.224	.0005	.22400 + .00004	.015	4
2	7422892		.224	.002	.22410 + .00007	.015	4
2	7422894		.224	.004	.22420 + .00010	.015	8
2	7422898		.224	.008 AND UP	.22440 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422902		.225	MASTER	.22500 + .00002	.015	2
2	7422904	7422905	.225	.0005	.22500 + .00004	.015	4
2	7422908		.225	.002	.22510 + .00007	.015	4
2	7422910		.225	.004	.22520 + .00010	.015	8
2	7422914		.225	.008 AND UP	.22540 + .00030	.015	8
2	7422918		.226	MASTER	.22600 + .00002	.015	2
2	7422920	7422921	.226	.0005	.22600 + .00004	.015	4
2	7422924		.226	.002	.22610 + .00007	.015	4
2	7422926		.226	.004	.22620 + .00010	.015	8
2	7422930		.226	.008 AND UP	.22640 + .00030	.015	8
2	7422934		.227	MASTER	.22700 + .00002	.015	2
2	7422936	7422937	.227	.0005	.22700 + .00004	.015	4
2	7422940		.227	.002	.22710 + .00007	.015	4
2	7422942		.227	.004	.22720 + .00010	.015	8
2	7422946		.227	.008 AND UP	.22740 + .00030	.015	8
2	7422950		.228	MASTER	.22800 + .00002	.015	2
2	7422952	7422953	.228	.0005	.22800 + .00004	.015	4
2	7422956		.228	.002	.22810 + .00007	.015	4
2	7422958		.228	.004	.22820 + .00010	.015	8
2	7422962		.228	.008 AND UP	.22840 + .00030	.015	8
2	7422966		.229	MASTER	.22900 + .00002	.015	2
2	7422968	7422969	.229	.0005	.22900 + .00004	.015	4
2	7422972		.229	.002	.22910 + .00007	.015	4
2	7422974		.229	.004	.22920 + .00010	.015	8
2	7422978		.229	.008 AND UP	.22940 + .00030	.015	8
2	7422982		.230	MASTER	.23000 + .00002	.015	2
2	7422984	7422985	.230	.0005	.23000 + .00004	.015	4
2	7422988		.230	.002	.23010 + .00007	.015	4
2	7422990		.230	.004	.23020 + .00010	.015	8
2	7422994		.230	.008 AND UP	.23040 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422998		.231	MASTER	.23100 + .00002	.015	2
2	7423000	7423001	.231	.0005	.23100 + .00004	.015	4
2	7423004		.231	.002	.23110 + .00007	.015	4
2	7423006		.231	.004	.23120 + .00010	.015	8
2	7423010		.231	.008 AND UP	.23140 + .00030	.015	8
2	7423014		.232	MASTER	.23200 + .00002	.015	2
2	7423016	7423017	.232	.0005	.23200 + .00004	.015	4
2	7423020		.232	.002	.23210 + .00007	.015	4
2	7423022		.232	.004	.23220 + .00010	.015	8
2	7423026		.232	.008 AND UP	.23240 + .00030	.015	8
2	7423030		.233	MASTER	.23300 + .00002	.015	2
2	7423032	7423033	.233	.0005	.23300 + .00004	.015	4
2	7423036		.233	.002	.23310 + .00007	.015	4
2	7423038		.233	.004	.23320 + .00010	.015	8
2	7423042		.233	.008 AND UP	.23340 + .00030	.015	8
2	7423046		.234	MASTER	.23400 + .00002	.015	2
2	7423048	7423049	.234	.0005	.23400 + .00004	.015	4
2	7423052		.234	.002	.23410 + .00007	.015	4
2	7423054		.234	.004	.23420 + .00010	.015	8
2	7423058		.234	.008 AND UP	.23440 + .00030	.015	8
2	7423062		.235	MASTER	.23500 + .00002	.015	2
2	7423064	7423065	.235	.0005	.23500 + .00004	.015	4
2	7423068		.235	.002	.23510 + .00007	.015	4
2	7423070		.235	.004	.23520 + .00010	.015	8
2	7423074		.235	.008 AND UP	.23540 + .00030	.015	8
2	7423078		.236	MASTER	.23600 + .00002	.015	2
2	7423080	7423081	.236	.0005	.23600 + .00004	.015	4
2	7423084		.236	.002	.23610 + .00007	.015	4
2	7423086		.236	.004	.23620 + .00010	.015	8
2	7423090		.236	.008 AND UP	.23640 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7423094		.237	MASTER	.23700 + .00002	.015	2
2	7423096	7423097	.237	.0005	.23700 + .00004	.015	4
2	7423100		.237	.002	.23710 + .00007	.015	4
2	7423102		.237	.004	.23720 + .00010	.015	8
2	7423106		.237	.008 AND UP	.23740 + .00030	.015	8
2	7423110		.238	MASTER	.23800 + .00002	.015	2
2	7423112	7423113	.238	.0005	.23800 + .00004	.015	4
2	7423116		.238	.002	.23810 + .00007	.015	4
2	7423118		.238	.004	.23820 + .00010	.015	8
2	7423122		.238	.008 AND UP	.23840 + .00030	.015	8
2	7423126		.239	MASTER	.23900 + .00002	.015	2
2	7423128	7423129	.239	.0005	.23900 + .00004	.015	4
2	7423132		.239	.002	.23910 + .00007	.015	4
2	7423134		.239	.004	.23920 + .00010	.015	8
2	7423138		.239	.008 AND UP	.23940 + .00030	.015	8
2	7423142		.240	MASTER	.24000 + .00002	.015	2
2	7423144	7423145	.240	.0005	.24000 + .00004	.015	4
2	7423148		.240	.002	.24010 + .00007	.015	4
2	7423150		.240	.004	.24020 + .00010	.015	8
2	7423154		.240	.008 AND UP	.24040 + .00030	.015	8
2	7423158		.241	MASTER	.24100 + .00002	.015	2
2	7423160	7423161	.241	.0005	.24100 + .00004	.015	4
2	7423164		.241	.002	.24110 + .00007	.015	4
2	7423166		.241	.004	.24120 + .00010	.015	8
2	7423170		.241	.008 AND UP	.24140 + .00030	.015	8
2	7423174		.242	MASTER	.24200 + .00002	.015	2
2	7423176	7423177	.242	.0005	.24200 + .00004	.015	4
2	7423180		.242	.002	.24210 + .00007	.015	4
2	7423182		.242	.004	.24220 + .00010	.015	8
2	7423186		.242	.008 AND UP	.24240 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423190	7423193	.243	MASTER	.24300 + .00002	.015	2
2	7423192		.243	.0005	.24300 + .00004	.015	4
2	7423196		.243	.002	.24310 + .00007	.015	4
2	7423198		.243	.004	.24320 + .00010	.015	8
2	7423202		.243	.008 AND UP	.24340 + .00030	.015	8
2	7423206	7423209	.244	MASTER	.24400 + .00002	.015	2
2	7423208		.244	.0005	.24400 + .00004	.015	4
2	7423212		.244	.002	.24410 + .00007	.015	4
2	7423214		.244	.004	.24420 + .00010	.015	8
2	7423218		.244	.008 AND UP	.24440 + .00030	.015	8
2	7423222	7423225	.245	MASTER	.24500 + .00002	.015	2
2	7423224		.245	.0005	.24500 + .00004	.015	4
2	7423228		.245	.002	.24510 + .00007	.015	4
2	7423230		.245	.004	.24520 + .00010	.015	8
2	7423234		.245	.008 AND UP	.24540 + .00030	.015	8
2	7423238	7423241	.246	MASTER	.24600 + .00002	.015	2
2	7423240		.246	.0005	.24600 + .00004	.015	4
2	7423244		.246	.002	.24610 + .00007	.015	4
2	7423246		.246	.004	.24620 + .00010	.015	8
2	7423250		.246	.008 AND UP	.24640 + .00030	.015	8
2	7423254	7423257	.247	MASTER	.24700 + .00002	.015	2
2	7423256		.247	.0005	.24700 + .00004	.015	4
2	7423260		.247	.002	.24710 + .00007	.015	4
2	7423262		.247	.004	.24720 + .00010	.015	8
2	7423266		.247	.008 AND UP	.24740 + .00030	.015	8
2	7423270	7423273	.248	MASTER	.24800 + .00002	.015	2
2	7423272		.248	.0005	.24800 + .00004	.015	4
2	7423276		.248	.002	.24810 + .00007	.015	4
2	7423278		.248	.004	.24820 + .00010	.015	8
2	7423282		.248	.008 AND UP	.24840 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423286		.249	MASTER	.24900 + .00002	.015	2
2	7423288	7423289	.249	.0005	.24900 + .00004	.015	4
2	7423292		.249	.002	.24910 + .00007	.015	4
2	7423294		.249	.004	.24920 + .00010	.015	8
2	7423298		.249	.008 AND UP	.24940 + .00030	.015	8
2	7423302		.250	MASTER	.25000 + .00002	.015	2
2	7423304	7423305	.250	.0005	.25000 + .00004	.015	4
2	7423308		.250	.002	.25010 + .00007	.015	4
2	7423310		.250	.004	.25020 + .00010	.015	8
2	7423314		.250	.008 AND UP	.25040 + .00030	.015	8
2	7423318		.251	MASTER	.25100 + .00002	.015	2
2	7423320	7423321	.251	.0005	.25100 + .00004	.015	4
2	7423324		.251	.002	.25110 + .00007	.015	4
2	7423326		.251	.004	.25120 + .00010	.015	8
2	7423330		.251	.008 AND UP	.25140 + .00030	.015	8
2	7423334		.252	MASTER	.25200 + .00002	.015	2
2	7423336	7423337	.252	.0005	.25200 + .00004	.015	4
2	7423340		.252	.002	.25210 + .00007	.015	4
2	7423342		.252	.004	.25220 + .00010	.015	8
2	7423346		.252	.008 AND UP	.25240 + .00030	.015	8
2	7423350		.253	MASTER	.25300 + .00002	.015	2
2	7423352	7423353	.253	.0005	.25300 + .00004	.015	4
2	7423356		.253	.002	.25310 + .00007	.015	4
2	7423358		.253	.004	.25320 + .00010	.015	8
2	7423362		.253	.008 AND UP	.25340 + .00030	.015	8
2	7423366		.254	MASTER	.25400 + .00002	.015	2
2	7423368	7423369	.254	.0005	.25400 + .00004	.015	4
2	7423372		.254	.002	.25410 + .00007	.015	4
2	7423374		.254	.004	.25420 + .00010	.015	8
2	7423378		.254	.008 AND UP	.25440 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423382	7423385	.255	MASTER	.25500 + .00002	.015	2
2	7423384		.255	.0005	.25500 + .00004	.015	4
2	7423388		.255	.002	.25510 + .00007	.015	4
2	7423390		.255	.004	.25520 + .00010	.015	8
2	7423394		.255	.008 AND UP	.25540 + .00030	.015	8
2	7423398	7423401	.256	MASTER	.25600 + .00002	.015	2
2	7423400		.256	.0005	.25600 + .00004	.015	4
2	7423404		.256	.002	.25610 + .00007	.015	4
2	7423406		.256	.004	.25620 + .00010	.015	8
2	7423410		.256	.008 AND UP	.25640 + .00030	.015	8
2	7423414	7423417	.257	MASTER	.25700 + .00002	.015	2
2	7423416		.257	.0005	.25700 + .00004	.015	4
2	7423420		.257	.002	.25710 + .00007	.015	4
2	7423422		.257	.004	.25720 + .00010	.015	8
2	7423426		.257	.008 AND UP	.25740 + .00030	.015	8
2	7423430	7423433	.258	MASTER	.25800 + .00002	.015	2
2	7423432		.258	.0005	.25800 + .00004	.015	4
2	7423436		.258	.002	.25810 + .00007	.015	4
2	7423438		.258	.004	.25820 + .00010	.015	8
2	7423442		.258	.008 AND UP	.25840 + .00030	.015	8
2	7423446	7423449	.259	MASTER	.25900 + .00002	.015	2
2	7423448		.259	.0005	.25900 + .00004	.015	4
2	7423452		.259	.002	.25910 + .00007	.015	4
2	7423454		.259	.004	.25920 + .00010	.015	8
2	7423458		.259	.008 AND UP	.25940 + .00030	.015	8
2	7423462	7423465	.260	MASTER	.26000 + .00002	.015	2
2	7423464		.260	.0005	.26000 + .00004	.015	4
2	7423468		.260	.002	.26010 + .00007	.015	4
2	7423470		.260	.004	.26020 + .00010	.015	8
2	7423474		.260	.008 AND UP	.26040 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423478		.261	MASTER	.26100 + .00002	.015	2
2	7423480	7423481	.261	.0005	.26100 + .00004	.015	4
2	7423484		.261	.002	.26110 + .00007	.015	4
2	7423486		.261	.004	.26120 + .00010	.015	8
2	7423490		.261	.008 AND UP	.26140 + .00030	.015	8
2	7423494		.262	MASTER	.26200 + .00002	.015	2
2	7423496	7423497	.262	.0005	.26200 + .00004	.015	4
2	7423500		.262	.002	.26210 + .00007	.015	4
2	7423502		.262	.004	.26220 + .00010	.015	8
2	7423506		.262	.008 AND UP	.26240 + .00030	.015	8
2	7423510		.263	MASTER	.26300 + .00002	.015	2
2	7423512	7423513	.263	.0005	.26300 + .00004	.015	4
2	7423516		.263	.002	.26310 + .00007	.015	4
2	7423518		.263	.004	.26320 + .00010	.015	8
2	7423522		.263	.008 AND UP	.26340 + .00030	.015	8
2	7423526		.264	MASTER	.26400 + .00002	.015	2
2	7423528	7423529	.264	.0005	.26400 + .00004	.015	4
2	7423532		.264	.002	.26410 + .00007	.015	4
2	7423534		.264	.004	.26420 + .00010	.015	8
2	7423538		.264	.008 AND UP	.26440 + .00030	.015	8
2	7423542		.265	MASTER	.26500 + .00002	.015	2
2	7423544	7423545	.265	.0005	.26500 + .00004	.015	4
2	7423548		.265	.002	.26510 + .00007	.015	4
2	7423550		.265	.004	.26520 + .00010	.015	8
2	7423554		.265	.008 AND UP	.26540 + .00030	.015	8
2	7423558		.266	MASTER	.26600 + .00002	.015	2
2	7423560	7423561	.266	.0005	.26600 + .00004	.015	4
2	7423564		.266	.002	.26610 + .00007	.015	4
2	7423566		.266	.004	.26620 + .00010	.015	8
2	7423570		.266	.008 AND UP	.26640 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423574	7423577	.267	MASTER	.26700 + .00002	.015	2
2	7423576		.267	.0005	.26700 + .00004	.015	4
2	7423580		.267	.002	.26710 + .00007	.015	4
2	7423582		.267	.004	.26720 + .00010	.015	8
2	7423586		.267	.008 AND UP	.26740 + .00030	.015	8
2	7423590	7423593	.268	MASTER	.26800 + .00002	.015	2
2	7423592		.268	.0005	.26800 + .00004	.015	4
2	7423596		.268	.002	.26810 + .00007	.015	4
2	7423598		.268	.004	.26820 + .00010	.015	8
2	7423602		.268	.008 AND UP	.26840 + .00030	.015	8
2	7423606	7423609	.269	MASTER	.26900 + .00002	.015	2
2	7423608		.269	.0005	.26900 + .00004	.015	4
2	7423612		.269	.002	.26910 + .00007	.015	4
2	7423614		.269	.004	.26920 + .00010	.015	8
2	7423618		.269	.008 AND UP	.26940 + .00030	.015	8
2	7423622	7423625	.270	MASTER	.27000 + .00002	.015	2
2	7423624		.270	.0005	.27000 + .00004	.015	4
2	7423628		.270	.002	.27010 + .00007	.015	4
2	7423630		.270	.004	.27020 + .00010	.015	8
2	7423634		.270	.008 AND UP	.27040 + .00030	.015	8
2	7423638	7423641	.271	MASTER	.27100 + .00002	.015	2
2	7423640		.271	.0005	.27100 + .00004	.015	4
2	7423644		.271	.002	.27110 + .00007	.015	4
2	7423646		.271	.004	.27120 + .00010	.015	8
2	7423650		.271	.008 AND UP	.27140 + .00030	.015	8
2	7423654	7423657	.272	MASTER	.27200 + .00002	.015	2
2	7423656		.272	.0005	.27200 + .00004	.015	4
2	7423660		.272	.002	.27210 + .00007	.015	4
2	7423662		.272	.004	.27220 + .00010	.015	8
2	7423666		.272	.008 AND UP	.27240 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423670		.273	MASTER	.27300 + .00002	.015	2
2	7423672	7423673	.273	.0005	.27300 + .00004	.015	4
2	7423676		.273	.002	.27310 + .00007	.015	4
2	7423678		.273	.004	.27320 + .00010	.015	8
2	7423682		.273	.008 AND UP	.27340 + .00030	.015	8
2	7423686		.274	MASTER	.27400 + .00002	.015	2
2	7423688	7423689	.274	.0005	.27400 + .00004	.015	4
2	7423692		.274	.002	.27410 + .00007	.015	4
2	7423694		.274	.004	.27420 + .00010	.015	8
2	7423698		.274	.008 AND UP	.27440 + .00030	.015	8
2	7423702		.275	MASTER	.27500 + .00002	.015	2
2	7423704	7423705	.275	.0005	.27500 + .00004	.015	4
2	7423708		.275	.002	.27510 + .00007	.015	4
2	7423710		.275	.004	.27520 + .00010	.015	8
2	7423714		.275	.008 AND UP	.27540 + .00030	.015	8
2	7423718		.276	MASTER	.27600 + .00002	.015	2
2	7423720	7423721	.276	.0005	.27600 + .00004	.015	4
2	7423724		.276	.002	.27610 + .00007	.015	4
2	7423726		.276	.004	.27620 + .00010	.015	8
2	7423730		.276	.008 AND UP	.27640 + .00030	.015	8
2	7423734		.277	MASTER	.27700 + .00002	.015	2
2	7423736	7423737	.277	.0005	.27700 + .00004	.015	4
2	7423740		.277	.002	.27710 + .00007	.015	4
2	7423742		.277	.004	.27720 + .00010	.015	8
2	7423746		.277	.008 AND UP	.27740 + .00030	.015	8
2	7423750		.278	MASTER	.27800 + .00002	.015	2
2	7423752	7423753	.278	.0005	.27800 + .00004	.015	4
2	7423756		.278	.002	.27810 + .00007	.015	4
2	7423758		.278	.004	.27820 + .00010	.015	8
2	7423762		.278	.008 AND UP	.27840 + .00030	.015	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423766		.279	MASTER	.27900 + .00002	.015	2
2	7423768	7423769	.279	.0005	.27900 + .00004	.015	4
2	7423772		.279	.002	.27910 + .00007	.015	4
2	7423774		.279	.004	.27920 + .00010	.015	8
2	7423778		.279	.008 AND UP	.27940 + .00030	.015	8
2	7423782		.280	MASTER	.28000 + .00002	.015	2
2	7423784	7423785	.280	.0005	.28000 + .00004	.015	4
2	7423788		.280	.002	.28010 + .00007	.015	4
2	7423790		.280	.004	.28020 + .00010	.015	8
2	7423794		.280	.008 AND UP	.28040 + .00030	.015	8
2	7423798		.281	MASTER	.28100 + .00002	.015	2
2	7423800	7423801	.281	.0005	.28100 + .00004	.015	4
2	7423804		.281	.002	.28110 + .00007	.015	4
2	7423806		.281	.004	.28120 + .00010	.015	8
2	7423810		.281	.008 AND UP	.28140 + .00030	.015	8
2	7423814		.28125	MASTER	.28125 + .00002	.015	2
2	7497272	7497273	.28125	.0005	.28125 + .00004	.015	4
2	7497276		.28125	.002	.28135 + .00007	.015	4
2	7497278		.28125	.004	.28145 + .00010	.015	8
2	7497282		.28125	.008 AND UP	.28165 + .00030	.015	8
2	7423816		.282	MASTER	.28200 + .00002	.030	2
2	7423818	7423819	.282	.0005	.28200 + .00004	.030	4
2	7423822		.282	.002	.28210 + .00007	.030	4
2	7423824		.282	.004	.28220 + .00010	.030	8
2	7423828		.282	.008 AND UP	.28240 + .00030	.030	8
2	7423832		.283	MASTER	.28300 + .00002	.030	2
2	7423834	7423835	.283	.0005	.28300 + .00004	.030	4
2	7423838		.283	.002	.28310 + .00007	.030	4
2	7423840		.283	.004	.28320 + .00010	.030	8
2	7423844		.283	.008 AND UP	.28340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423848	7423851	.284	MASTER	.28400 + .00002	.030	2
2	7423850		.284	.0005	.28400 + .00004	.030	4
2	7423854		.284	.002	.28410 + .00007	.030	4
2	7423856		.284	.004	.28420 + .00010	.030	8
2	7423860		.284	.008 AND UP	.28440 + .00030	.030	8
2	7423864	7423867	.285	MASTER	.28500 + .00002	.030	2
2	7423866		.285	.0005	.28500 + .00004	.030	4
2	7423870		.285	.002	.28510 + .00007	.030	4
2	7423872		.285	.004	.28520 + .00010	.030	8
2	7423876		.285	.008 AND UP	.28540 + .00030	.030	8
2	7423880	7423883	.286	MASTER	.28600 + .00002	.030	2
2	7423882		.286	.0005	.28600 + .00004	.030	4
2	7423886		.286	.002	.28610 + .00007	.030	4
2	7423888		.286	.004	.28620 + .00010	.030	8
2	7423892		.286	.008 AND UP	.28640 + .00030	.030	8
2	7423896	7423899	.287	MASTER	.28700 + .00002	.030	2
2	7423898		.287	.0005	.28700 + .00004	.030	4
2	7423902		.287	.002	.28710 + .00007	.030	4
2	7423904		.287	.004	.28720 + .00010	.030	8
2	7423908		.287	.008 AND UP	.28740 + .00030	.030	8
2	7423912	7423915	.288	MASTER	.28800 + .00002	.030	2
2	7423914		.288	.0005	.28800 + .00004	.030	4
2	7423918		.288	.002	.28810 + .00007	.030	4
2	7423920		.288	.004	.28820 + .00010	.030	8
2	7423924		.288	.008 AND UP	.28840 + .00030	.030	8
2	7423928	7423931	.289	MASTER	.28900 + .00002	.030	2
2	7423930		.289	.0005	.28900 + .00004	.030	4
2	7423934		.289	.002	.28910 + .00007	.030	4
2	7423936		.289	.004	.28920 + .00010	.030	8
2	7423940		.289	.008 AND UP	.28940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7423944		.290	MASTER	.29000 + .00002	.030	2
2	7423946	7423947	.290	.0005	.29000 + .00004	.030	4
2	7423950		.290	.002	.29010 + .00007	.030	4
2	7423952		.290	.004	.29020 + .00010	.030	8
2	7423956		.290	.008 AND UP	.29040 + .00030	.030	8
2	7423960		.291	MASTER	.29100 + .00002	.030	2
2	7423962	7423963	.291	.0005	.29100 + .00004	.030	4
2	7423966		.291	.002	.29110 + .00007	.030	4
2	7423968		.291	.004	.29120 + .00010	.030	8
2	7423972		.291	.008 AND UP	.29140 + .00030	.030	8
2	7423976		.292	MASTER	.29200 + .00002	.030	2
2	7423978	7423979	.292	.0005	.29200 + .00004	.030	4
2	7423982		.292	.002	.29210 + .00007	.030	4
2	7423984		.292	.004	.29220 + .00010	.030	8
2	7423988		.292	.008 AND UP	.29240 + .00030	.030	8
2	7423992		.293	MASTER	.29300 + .00002	.030	2
2	7423994	7423995	.293	.0005	.29300 + .00004	.030	4
2	7423998		.293	.002	.29310 + .00007	.030	4
2	7424000		.293	.004	.29320 + .00010	.030	8
2	7424004		.293	.008 AND UP	.29340 + .00030	.030	8
2	7424008		.294	MASTER	.29400 + .00002	.030	2
2	7424010	7424011	.294	.0005	.29400 + .00004	.030	4
2	7424014		.294	.002	.29410 + .00007	.030	4
2	7424016		.294	.004	.29420 + .00010	.030	8
2	7424020		.294	.008 AND UP	.29440 + .00030	.030	8
2	7424024		.295	MASTER	.29500 + .00002	.030	2
2	7424026	7424027	.295	.0005	.29500 + .00004	.030	4
2	7424030		.295	.002	.29510 + .00007	.030	4
2	7424032		.295	.004	.29520 + .00010	.030	8
2	7424036		.295	.008 AND UP	.29540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7424040		.296	MASTER	.29600 + .00002	.030	2
2	7424042	7424043	.296	.0005	.29600 + .00004	.030	4
2	7424046		.296	.002	.29610 + .00007	.030	4
2	7424048		.296	.004	.29620 + .00010	.030	8
2	7424052		.296	.008 AND UP	.29640 + .00030	.030	8
2	7424056		.297	MASTER	.29700 + .00002	.030	2
2	7424058	7424059	.297	.0005	.29700 + .00004	.030	4
2	7424062		.297	.002	.29710 + .00007	.030	4
2	7424064		.297	.004	.29720 + .00010	.030	8
2	7424068		.297	.008 AND UP	.29740 + .00030	.030	8
2	7424072		.298	MASTER	.29800 + .00002	.030	2
2	7424074	7424075	.298	.0005	.29800 + .00004	.030	4
2	7424078		.298	.002	.29810 + .00007	.030	4
2	7424080		.298	.004	.29820 + .00010	.030	8
2	7424084		.298	.008 AND UP	.29840 + .00030	.030	8
2	7424088		.299	MASTER	.29900 + .00002	.030	2
2	7424090	7424091	.299	.0005	.29900 + .00004	.030	4
2	7424094		.299	.002	.29910 + .00007	.030	4
2	7424096		.299	.004	.29920 + .00010	.030	8
2	7424100		.299	.008 AND UP	.29940 + .00030	.030	8
2	7424104		.300	MASTER	.30000 + .00002	.030	2
2	7424106	7424107	.300	.0005	.30000 + .00004	.030	4
2	7424110		.300	.002	.30010 + .00007	.030	4
2	7424112		.300	.004	.30020 + .00010	.030	8
2	7424116		.300	.008 AND UP	.30040 + .00030	.030	8
2	7424120		.301	MASTER	.30100 + .00002	.030	2
2	7424122	7424123	.301	.0005	.30100 + .00004	.030	4
2	7424126		.301	.002	.30110 + .00007	.030	4
2	7424128		.301	.004	.30120 + .00010	.030	8
2	7424132		.301	.008 AND UP	.30140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7424136	7424139	.302	MASTER	.30200 + .00002	.030	2
2	7424138		.302	.0005	.30200 + .00004	.030	4
2	7424142		.302	.002	.30210 + .00007	.030	8
2	7424144		.302	.004	.30220 + .00010	.030	8
2	7424148		.302	.008 AND UP	.30240 + .00030	.030	
2	7424152	7424155	.303	MASTER	.30300 + .00002	.030	2
2	7424154		.303	.0005	.30300 + .00004	.030	4
2	7424158		.303	.002	.30310 + .00007	.030	8
2	7424160		.303	.004	.30320 + .00010	.030	8
2	7424164		.303	.008 AND UP	.30340 + .00030	.030	
2	7424168	7424171	.304	MASTER	.30400 + .00002	.030	2
2	7424170		.304	.0005	.30400 + .00004	.030	4
2	7424174		.304	.002	.30410 + .00007	.030	8
2	7424176		.304	.004	.30420 + .00010	.030	8
2	7424180		.304	.008 AND UP	.30440 + .00030	.030	
2	7424184	7424187	.305	MASTER	.30500 + .00002	.030	2
2	7424186		.305	.0005	.30500 + .00004	.030	4
2	7424190		.305	.002	.30510 + .00007	.030	8
2	7424192		.305	.004	.30520 + .00010	.030	8
2	7424196		.305	.008 AND UP	.30540 + .00030	.030	
2	7424200	7424203	.306	MASTER	.30600 + .00002	.030	2
2	7424202		.306	.0005	.30600 + .00004	.030	4
2	7424206		.306	.002	.30610 + .00007	.030	8
2	7424208		.306	.004	.30620 + .00010	.030	8
2	7424212		.306	.008 AND UP	.30640 + .00030	.030	
2	7424216	7424219	.307	MASTER	.30700 + .00002	.030	2
2	7424218		.307	.0005	.30700 + .00004	.030	4
2	7424222		.307	.002	.30710 + .00007	.030	8
2	7424224		.307	.004	.30720 + .00010	.030	8
2	7424228		.307	.008 AND UP	.30740 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424232		.308	MASTER	.30800 + .00002	.030	2
2	7424234	7424235	.308	.0005	.30800 + .00004	.030	4
2	7424238		.308	.002	.30810 + .00007	.030	4
2	7424240		.308	.004	.30820 + .00010	.030	8
2	7424244		.308	.008 AND UP	.30840 + .00030	.030	8
2	7424248		.309	MASTER	.30900 + .00002	.030	2
2	7424250	7424251	.309	.0005	.30900 + .00004	.030	4
2	7424254		.309	.002	.30910 + .00007	.030	4
2	7424256		.309	.004	.30920 + .00010	.030	8
2	7424260		.309	.008 AND UP	.30940 + .00030	.030	8
2	7424264		.310	MASTER	.31000 + .00002	.030	2
2	7424266	7424267	.310	.0005	.31000 + .00004	.030	4
2	7424270		.310	.002	.31010 + .00007	.030	4
2	7424272		.310	.004	.31020 + .00010	.030	8
2	7424276		.310	.008 AND UP	.31040 + .00030	.030	8
2	7424280		.311	MASTER	.31100 + .00002	.030	2
2	7424282	7424283	.311	.0005	.31100 + .00004	.030	4
2	7424286		.311	.002	.31110 + .00007	.030	4
2	7424288		.311	.004	.31120 + .00010	.030	8
2	7424292		.311	.008 AND UP	.31140 + .00030	.030	8
2	7424296		.312	MASTER	.31200 + .00002	.030	2
2	7424298	7424299	.312	.0005	.31200 + .00004	.030	4
2	7424302		.312	.002	.31210 + .00007	.030	4
2	7424304		.312	.004	.31220 + .00010	.030	8
2	7424308		.312	.008 AND UP	.31240 + .00030	.030	8
2	7424312		.3125	MASTER	.31250 + .00002	.030	2
2	7497286	7497287	.3125	.0005	.31250 + .00004	.030	4
2	7497290		.3125	.002	.31260 + .00007	.030	4
2	7497292		.3125	.004	.31270 + .00010	.030	8
2	7497296		.3125	.008 AND UP	.31290 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424314		.313	MASTER	.31300 + .00002	.030	2
2	7424316	7424317	.313	.0005	.31300 + .00004	.030	4
2	7424320		.313	.002	.31310 + .00007	.030	4
2	7424322		.313	.004	.31320 + .00010	.030	8
2	7424326		.313	.008 AND UP	.31340 + .00030	.030	8
2	7424330		.314	MASTER	.31400 + .00002	.030	2
2	7424332	7424333	.314	.0005	.31400 + .00004	.030	4
2	7424336		.314	.002	.31410 + .00007	.030	4
2	7424338		.314	.004	.31420 + .00010	.030	8
2	7424342		.314	.008 AND UP	.31440 + .00030	.030	8
2	7424346		.315	MASTER	.31500 + .00002	.030	2
2	7424348	7424349	.315	.0005	.31500 + .00004	.030	4
2	7424352		.315	.002	.31510 + .00007	.030	4
2	7424354		.315	.004	.31520 + .00010	.030	8
2	7424358		.315	.008 AND UP	.31540 + .00030	.030	8
2	7424362		.316	MASTER	.31600 + .00002	.030	2
2	7424364	7424365	.316	.0005	.31600 + .00004	.030	4
2	7424368		.316	.002	.31610 + .00007	.030	4
2	7424370		.316	.004	.31620 + .00010	.030	8
2	7424374		.316	.008 AND UP	.31640 + .00030	.030	8
2	7424378		.317	MASTER	.31700 + .00002	.030	2
2	7424380	7424381	.317	.0005	.31700 + .00004	.030	4
2	7424384		.317	.002	.31710 + .00007	.030	4
2	7424386		.317	.004	.31720 + .00010	.030	8
2	7424390		.317	.008 AND UP	.31740 + .00030	.030	8
2	7424394		.318	MASTER	.31800 + .00002	.030	2
2	7424396	7424397	.318	.0005	.31800 + .00004	.030	4
2	7424400		.318	.002	.31810 + .00007	.030	4
2	7424402		.318	.004	.31820 + .00010	.030	8
2	7424406		.318	.008 AND UP	.31840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7424410		.319	MASTER	.31900 + .00002	.030	2
2	7424412	7424413	.319	.0005	.31900 + .00004	.030	4
2	7424416		.319	.002	.31910 + .00007	.030	4
2	7424418		.319	.004	.31920 + .00010	.030	8
2	7424422		.319	.008 AND UP	.31940 + .00030	.030	8
2	7424426		.320	MASTER	.32000 + .00002	.030	2
2	7424428	7424429	.320	.0005	.32000 + .00004	.030	4
2	7424432		.320	.002	.32010 + .00007	.030	4
2	7424434		.320	.004	.32020 + .00010	.030	8
2	7424438		.320	.008 AND UP	.32040 + .00030	.030	8
2	7424442		.321	MASTER	.32100 + .00002	.030	2
2	7424444	7424445	.321	.0005	.32100 + .00004	.030	4
2	7424448		.321	.002	.32110 + .00007	.030	4
2	7424450		.321	.004	.32120 + .00010	.030	8
2	7424454		.321	.008 AND UP	.32140 + .00030	.030	8
2	7424458		.322	MASTER	.32200 + .00002	.030	2
2	7424460	7424461	.322	.0005	.32200 + .00004	.030	4
2	7424464		.322	.002	.32210 + .00007	.030	4
2	7424466		.322	.004	.32220 + .00010	.030	8
2	7424470		.322	.008 AND UP	.32240 + .00030	.030	8
2	7424474		.323	MASTER	.32300 + .00002	.030	2
2	7424476	7424477	.323	.0005	.32300 + .00004	.030	4
2	7424480		.323	.002	.32310 + .00007	.030	4
2	7424482		.323	.004	.32320 + .00010	.030	8
2	7424486		.323	.008 AND UP	.32340 + .00030	.030	8
2	7424490		.324	MASTER	.32400 + .00002	.030	2
2	7424492	7424493	.324	.0005	.32400 + .00004	.030	4
2	7424496		.324	.002	.32410 + .00007	.030	4
2	7424498		.324	.004	.32420 + .00010	.030	8
2	7424502		.324	.008 AND UP	.32440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424506	7424509	.325	MASTER	.32500 + .00002	.030	2
2	7424508		.325	.0005	.32500 + .00004	.030	4
2	7424512		.325	.002	.32510 + .00007	.030	4
2	7424514		.325	.004	.32520 + .00010	.030	8
2	7424518		.325	.008 AND UP	.32540 + .00030	.030	8
2	7424522	7424525	.326	MASTER	.32600 + .00002	.030	2
2	7424524		.326	.0005	.32600 + .00004	.030	4
2	7424528		.326	.002	.32610 + .00007	.030	4
2	7424530		.326	.004	.32620 + .00010	.030	8
2	7424534		.326	.008 AND UP	.32640 + .00030	.030	8
2	7424538	7424541	.327	MASTER	.32700 + .00002	.030	2
2	7424540		.327	.0005	.32700 + .00004	.030	4
2	7424544		.327	.002	.32710 + .00007	.030	4
2	7424546		.327	.004	.32720 + .00010	.030	8
2	7424550		.327	.008 AND UP	.32740 + .00030	.030	8
2	7424554	7424557	.328	MASTER	.32800 + .00002	.030	2
2	7424556		.328	.0005	.32800 + .00004	.030	4
2	7424560		.328	.002	.32810 + .00007	.030	4
2	7424562		.328	.004	.32820 + .00010	.030	8
2	7424566		.328	.008 AND UP	.32840 + .00030	.030	8
2	7424570	7424573	.329	MASTER	.32900 + .00002	.030	2
2	7424572		.329	.0005	.32900 + .00004	.030	4
2	7424576		.329	.002	.32910 + .00007	.030	4
2	7424578		.329	.004	.32920 + .00010	.030	8
2	7424582		.329	.008 AND UP	.32940 + .00030	.030	8
2	7424586	7424589	.330	MASTER	.33000 + .00002	.030	2
2	7424588		.330	.0005	.33000 + .00004	.030	4
2	7424592		.330	.002	.33010 + .00007	.030	4
2	7424594		.330	.004	.33020 + .00010	.030	8
2	7424598		.330	.008 AND UP	.33040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424602		.331	MASTER	.33100 + .00002	.030	2
2	7424604	7424605	.331	.0005	.33100 + .00004	.030	4
2	7424608		.331	.002	.33110 + .00007	.030	4
2	7424610		.331	.004	.33120 + .00010	.030	8
2	7424614		.331	.008 AND UP	.33140 + .00030	.030	8
2	7424618		.332	MASTER	.33200 + .00002	.030	2
2	7424620	7424621	.332	.0005	.33200 + .00004	.030	4
2	7424624		.332	.002	.33210 + .00007	.030	4
2	7424626		.332	.004	.33220 + .00010	.030	8
2	7424630		.332	.008 AND UP	.33240 + .00030	.030	8
2	7424634		.333	MASTER	.33300 + .00002	.030	2
2	7424636	7424637	.333	.0005	.33300 + .00004	.030	4
2	7424640		.333	.002	.33310 + .00007	.030	4
2	7424642		.333	.004	.33320 + .00010	.030	8
2	7424646		.333	.008 AND UP	.33340 + .00030	.030	8
2	7424650		.334	MASTER	.33400 + .00002	.030	2
2	7424652	7424653	.334	.0005	.33400 + .00004	.030	4
2	7424656		.334	.002	.33410 + .00007	.030	4
2	7424658		.334	.004	.33420 + .00010	.030	8
2	7424662		.334	.008 AND UP	.33440 + .00030	.030	8
2	7424666		.335	MASTER	.33500 + .00002	.030	2
2	7424668	7424669	.335	.0005	.33500 + .00004	.030	4
2	7424672		.335	.002	.33510 + .00007	.030	4
2	7424674		.335	.004	.33520 + .00010	.030	8
2	7424678		.335	.008 AND UP	.33540 + .00030	.030	8
2	7424682		.336	MASTER	.33600 + .00002	.030	2
2	7424684	7424685	.336	.0005	.33600 + .00004	.030	4
2	7424688		.336	.002	.33610 + .00007	.030	4
2	7424690		.336	.004	.33620 + .00010	.030	8
2	7424694		.336	.008 AND UP	.33640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424698	7424701	.337	MASTER	.33700 + .00002	.030	2
2	7424700		.337	.0005	.33700 + .00004	.030	4
2	7424704		.337	.002	.33710 + .00007	.030	4
2	7424706		.337	.004	.33720 + .00010	.030	8
2	7424710		.337	.008 AND UP	.33740 + .00030	.030	8
2	7424714	7424717	.338	MASTER	.33800 + .00002	.030	2
2	7424716		.338	.0005	.33800 + .00004	.030	4
2	7424720		.338	.002	.33810 + .00007	.030	4
2	7424722		.338	.004	.33820 + .00010	.030	8
2	7424726		.338	.008 AND UP	.33840 + .00030	.030	8
2	7424730	7424733	.339	MASTER	.33900 + .00002	.030	2
2	7424732		.339	.0005	.33900 + .00004	.030	4
2	7424736		.339	.002	.33910 + .00007	.030	4
2	7424738		.339	.004	.33920 + .00010	.030	8
2	7424742		.339	.008 AND UP	.33940 + .00030	.030	8
2	7424746	7424749	.340	MASTER	.34000 + .00002	.030	2
2	7424748		.340	.0005	.34000 + .00004	.030	4
2	7424752		.340	.002	.34010 + .00007	.030	4
2	7424754		.340	.004	.34020 + .00010	.030	8
2	7424758		.340	.008 AND UP	.34040 + .00030	.030	8
2	7424762	7424765	.341	MASTER	.34100 + .00002	.030	2
2	7424764		.341	.0005	.34100 + .00004	.030	4
2	7424768		.341	.002	.34110 + .00007	.030	4
2	7424770		.341	.004	.34120 + .00010	.030	8
2	7424774		.341	.008 AND UP	.34140 + .00030	.030	8
2	7424778	7424781	.342	MASTER	.34200 + .00002	.030	2
2	7424780		.342	.0005	.34200 + .00004	.030	4
2	7424784		.342	.002	.34210 + .00007	.030	4
2	7424786		.342	.004	.34220 + .00010	.030	8
2	7424790		.342	.008 AND UP	.34240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424794		.343	MASTER	.34300 + .00002	.030	2
2	7424796	7424797	.343	.0005	.34300 + .00004	.030	4
2	7424800		.343	.002	.34310 + .00007	.030	4
2	7424802		.343	.004	.34320 + .00010	.030	8
2	7424806		.343	.008 AND UP	.34340 + .00030	.030	8
2	7424810		.34375	MASTER	.34375 + .00002	.030	2
2	7497300	7497301	.34375	.0005	.34375 + .00004	.030	4
2	7497304		.34375	.002	.34385 + .00007	.030	4
2	7497306		.34375	.004	.34395 + .00010	.030	8
2	7497310		.34375	.008 AND UP	.34415 + .00030	.030	8
2	7424812		.344	MASTER	.34400 + .00002	.030	2
2	7424814	7424815	.344	.0005	.34400 + .00004	.030	4
2	7424818		.344	.002	.34410 + .00007	.030	4
2	7424820		.344	.004	.34420 + .00010	.030	8
2	7424824		.344	.008 AND UP	.34440 + .00030	.030	8
2	7424828		.345	MASTER	.34500 + .00002	.030	2
2	7424830	7424831	.345	.0005	.34500 + .00004	.030	4
2	7424834		.345	.002	.34510 + .00007	.030	4
2	7424836		.345	.004	.34520 + .00010	.030	8
2	7424840		.345	.008 AND UP	.34540 + .00030	.030	8
2	7424844		.346	MASTER	.34600 + .00002	.030	2
2	7424846	7424847	.346	.0005	.34600 + .00004	.030	4
2	7424850		.346	.002	.34610 + .00007	.030	4
2	7424852		.346	.004	.34620 + .00010	.030	8
2	7424856		.346	.008 AND UP	.34640 + .00030	.030	8
2	7424860		.347	MASTER	.34700 + .00002	.030	2
2	7424862	7424863	.347	.0005	.34700 + .00004	.030	4
2	7424866		.347	.002	.34710 + .00007	.030	4
2	7424868		.347	.004	.34720 + .00010	.030	8
2	7424872		.347	.008 AND UP	.34740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424876	7424879	.348	MASTER	.34800 + .00002	.030	2
2	7424878		.348	.0005	.34800 + .00004	.030	4
2	7424882		.348	.002	.34810 + .00007	.030	4
2	7424884		.348	.004	.34820 + .00010	.030	8
2	7424888		.348	.008 AND UP	.34840 + .00030	.030	8
2	7424892	7424895	.349	MASTER	.34900 + .00002	.030	2
2	7424894		.349	.0005	.34900 + .00004	.030	4
2	7424898		.349	.002	.34910 + .00007	.030	4
2	7424900		.349	.004	.34920 + .00010	.030	8
2	7424904		.349	.008 AND UP	.34940 + .00030	.030	8
2	7424908	7424911	.350	MASTER	.35000 + .00002	.030	2
2	7424910		.350	.0005	.35000 + .00004	.030	4
2	7424914		.350	.002	.35010 + .00007	.030	4
2	7424916		.350	.004	.35020 + .00010	.030	8
2	7424920		.350	.008 AND UP	.35040 + .00030	.030	8
2	7424924	7424927	.351	MASTER	.35100 + .00002	.030	2
2	7424926		.351	.0005	.35100 + .00004	.030	4
2	7424930		.351	.002	.35110 + .00007	.030	4
2	7424932		.351	.004	.35120 + .00010	.030	8
2	7424936		.351	.008 AND UP	.35140 + .00030	.030	8
2	7424940	7424943	.352	MASTER	.35200 + .00002	.030	2
2	7424942		.352	.0005	.35200 + .00004	.030	4
2	7424946		.352	.002	.35210 + .00007	.030	4
2	7424948		.352	.004	.35220 + .00010	.030	8
2	7424952		.352	.008 AND UP	.35240 + .00030	.030	8
2	7424956	7424959	.353	MASTER	.35300 + .00002	.030	2
2	7424958		.353	.0005	.35300 + .00004	.030	4
2	7424962		.353	.002	.35310 + .00007	.030	4
2	7424964		.353	.004	.35320 + .00010	.030	8
2	7424968		.353	.008 AND UP	.35340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7424972		.354	MASTER	.35400 + .00002	.030	2
2	7424974	7424975	.354	.0005	.35400 + .00004	.030	4
2	7424978		.354	.002	.35410 + .00007	.030	4
2	7424980		.354	.004	.35420 + .00010	.030	8
2	7424984		.354	.008 AND UP	.35440 + .00030	.030	8
2	7424988		.355	MASTER	.35500 + .00002	.030	2
2	7424990	7424991	.355	.0005	.35500 + .00004	.030	4
2	7424994		.355	.002	.35510 + .00007	.030	4
2	7424996		.355	.004	.35520 + .00010	.030	8
2	7425000		.355	.008 AND UP	.35540 + .00030	.030	8
2	7425004		.356	MASTER	.35600 + .00002	.030	2
2	7425006	7425007	.356	.0005	.35600 + .00004	.030	4
2	7425010		.356	.002	.35610 + .00007	.030	4
2	7425012		.356	.004	.35620 + .00010	.030	8
2	7425016		.356	.008 AND UP	.35640 + .00030	.030	8
2	7425020		.357	MASTER	.35700 + .00002	.030	2
2	7425022	7425023	.357	.0005	.35700 + .00004	.030	4
2	7425026		.357	.002	.35710 + .00007	.030	4
2	7425028		.357	.004	.35720 + .00010	.030	8
2	7425032		.357	.008 AND UP	.35740 + .00030	.030	8
2	7425036		.358	MASTER	.35800 + .00002	.030	2
2	7425038	7425039	.358	.0005	.35800 + .00004	.030	4
2	7425042		.358	.002	.35810 + .00007	.030	4
2	7425044		.358	.004	.35820 + .00010	.030	8
2	7425048		.358	.008 AND UP	.35840 + .00030	.030	8
2	7425052		.359	MASTER	.35900 + .00002	.030	2
2	7425054	7425055	.359	.0005	.35900 + .00004	.030	4
2	7425058		.359	.002	.35910 + .00007	.030	4
2	7425060		.359	.004	.35920 + .00010	.030	8
2	7425064		.359	.008 AND UP	.35940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425068	7425071	.360	MASTER	.36000 + .00002	.030	2
2	7425070		.360	.0005	.36000 + .00004	.030	4
2	7425074		.360	.002	.36010 + .00007	.030	4
2	7425076		.360	.004	.36020 + .00010	.030	8
2	7425080		.360	.008 AND UP	.36040 + .00030	.030	8
2	7425084	7425087	.361	MASTER	.36100 + .00002	.030	2
2	7425086		.361	.0005	.36100 + .00004	.030	4
2	7425090		.361	.002	.36110 + .00007	.030	4
2	7425092		.361	.004	.36120 + .00010	.030	8
2	7425096		.361	.008 AND UP	.36140 + .00030	.030	8
2	7425100	7425103	.362	MASTER	.36200 + .00002	.030	2
2	7425102		.362	.0005	.36200 + .00004	.030	4
2	7425106		.362	.002	.36210 + .00007	.030	4
2	7425108		.362	.004	.36220 + .00010	.030	8
2	7425112		.362	.008 AND UP	.36240 + .00030	.030	8
2	7425116	7425119	.363	MASTER	.36300 + .00002	.030	2
2	7425118		.363	.0005	.36300 + .00004	.030	4
2	7425122		.363	.002	.36310 + .00007	.030	4
2	7425124		.363	.004	.36320 + .00010	.030	8
2	7425128		.363	.008 AND UP	.36340 + .00030	.030	8
2	7425132	7425135	.364	MASTER	.36400 + .00002	.030	2
2	7425134		.364	.0005	.36400 + .00004	.030	4
2	7425138		.364	.002	.36410 + .00007	.030	4
2	7425140		.364	.004	.36420 + .00010	.030	8
2	7425144		.364	.008 AND UP	.36440 + .00030	.030	8
2	7425148	7425151	.365	MASTER	.36500 + .00002	.030	2
2	7425150		.365	.0005	.36500 + .00004	.030	4
2	7425154		.365	.002	.36510 + .00007	.030	4
2	7425156		.365	.004	.36520 + .00010	.030	8
2	7425160		.365	.008 AND UP	.36540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425164	7425167	.366	MASTER	.36600 + .00002	.030	2
2	7425166		.366	.0005	.36600 + .00004	.030	4
2	7425170		.366	.002	.36610 + .00007	.030	4
2	7425172		.366	.004	.36620 + .00010	.030	8
2	7425176		.366	.008 AND UP	.36640 + .00030	.030	8
2	7425180	7425183	.367	MASTER	.36700 + .00002	.030	2
2	7425182		.367	.0005	.36700 + .00004	.030	4
2	7425186		.367	.002	.36710 + .00007	.030	4
2	7425188		.367	.004	.36720 + .00010	.030	8
2	7425192		.367	.008 AND UP	.36740 + .00030	.030	8
2	7425196	7425199	.368	MASTER	.36800 + .00002	.030	2
2	7425198		.368	.0005	.36800 + .00004	.030	4
2	7425202		.368	.002	.36810 + .00007	.030	4
2	7425204		.368	.004	.36820 + .00010	.030	8
2	7425208		.368	.008 AND UP	.36840 + .00030	.030	8
2	7425212	7425215	.369	MASTER	.36900 + .00002	.030	2
2	7425214		.369	.0005	.36900 + .00004	.030	4
2	7425218		.369	.002	.36910 + .00007	.030	4
2	7425220		.369	.004	.36920 + .00010	.030	8
2	7425224		.369	.008 AND UP	.36940 + .00030	.030	8
2	7425228	7425231	.370	MASTER	.37000 + .00002	.030	2
2	7425230		.370	.0005	.37000 + .00004	.030	4
2	7425234		.370	.002	.37010 + .00007	.030	4
2	7425236		.370	.004	.37020 + .00010	.030	8
2	7425240		.370	.008 AND UP	.37040 + .00030	.030	8
2	7425244	7425247	.371	MASTER	.37100 + .00002	.030	2
2	7425246		.371	.0005	.37100 + .00004	.030	4
2	7425250		.371	.002	.37110 + .00007	.030	4
2	7425252		.371	.004	.37120 + .00010	.030	8
2	7425256		.371	.008 AND UP	.37140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7425260	7425263	.372	MASTER	.37200 + .00002	.030	2
2	7425262		.372	.0005	.37200 + .00004	.030	4
2	7425266		.372	.002	.37210 + .00007	.030	4
2	7425268		.372	.004	.37220 + .00010	.030	8
2	7425272		.372	.008 AND UP	.37240 + .00030	.030	8
2	7425276	7425279	.373	MASTER	.37300 + .00002	.030	2
2	7425278		.373	.0005	.37300 + .00004	.030	4
2	7425282		.373	.002	.37310 + .00007	.030	4
2	7425284		.373	.004	.37320 + .00010	.030	8
2	7425288		.373	.008 AND UP	.37340 + .00030	.030	8
2	7425292	7425295	.374	MASTER	.37400 + .00002	.030	2
2	7425294		.374	.0005	.37400 + .00004	.030	4
2	7425298		.374	.002	.37410 + .00007	.030	4
2	7425300		.374	.004	.37420 + .00010	.030	8
2	7425304		.374	.008 AND UP	.37440 + .00030	.030	8
2	7425308	7425311	.375	MASTER	.37500 + .00002	.030	2
2	7425310		.375	.0005	.37500 + .00004	.030	4
2	7425314		.375	.002	.37510 + .00007	.030	4
2	7425316		.375	.004	.37520 + .00010	.030	8
2	7425320		.375	.008 AND UP	.37540 + .00030	.030	8
2	7425324	7425327	.376	MASTER	.37600 + .00002	.030	2
2	7425326		.376	.0005	.37600 + .00004	.030	4
2	7425330		.376	.002	.37610 + .00007	.030	4
2	7425332		.376	.004	.37620 + .00010	.030	8
2	7425336		.376	.008 AND UP	.37640 + .00030	.030	8
2	7425340	7425343	.377	MASTER	.37700 + .00002	.030	2
2	7425342		.377	.0005	.37700 + .00004	.030	4
2	7425346		.377	.002	.37710 + .00007	.030	4
2	7425348		.377	.004	.37720 + .00010	.030	8
2	7425352		.377	.008 AND UP	.37740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7425356	7425359	.378	MASTER	.37800 + .00002	.030	2
2	7425358		.378	.0005	.37800 + .00004	.030	4
2	7425362		.378	.002	.37810 + .00007	.030	4
2	7425364		.378	.004	.37820 + .00010	.030	8
2	7425368		.378	.008 AND UP	.37840 + .00030	.030	8
2	7425372	7425375	.379	MASTER	.37900 + .00002	.030	2
2	7425374		.379	.0005	.37900 + .00004	.030	4
2	7425378		.379	.002	.37910 + .00007	.030	4
2	7425380		.379	.004	.37920 + .00010	.030	8
2	7425384		.379	.008 AND UP	.37940 + .00030	.030	8
2	7425388	7425391	.380	MASTER	.38000 + .00002	.030	2
2	7425390		.380	.0005	.38000 + .00004	.030	4
2	7425394		.380	.002	.38010 + .00007	.030	4
2	7425396		.380	.004	.38020 + .00010	.030	8
2	7425400		.380	.008 AND UP	.38040 + .00030	.030	8
2	7425404	7425407	.381	MASTER	.38100 + .00002	.030	2
2	7425406		.381	.0005	.38100 + .00004	.030	4
2	7425410		.381	.002	.38110 + .00007	.030	4
2	7425412		.381	.004	.38120 + .00010	.030	8
2	7425416		.381	.008 AND UP	.38140 + .00030	.030	8
2	7425420	7425423	.382	MASTER	.38200 + .00002	.030	2
2	7425422		.382	.0005	.38200 + .00004	.030	4
2	7425426		.382	.002	.38210 + .00007	.030	4
2	7425428		.382	.004	.38220 + .00010	.030	8
2	7425432		.382	.008 AND UP	.38240 + .00030	.030	8
2	7425436	7425439	.383	MASTER	.38300 + .00002	.030	2
2	7425438		.383	.0005	.38300 + .00004	.030	4
2	7425442		.383	.002	.38310 + .00007	.030	4
2	7425444		.383	.004	.38320 + .00010	.030	8
2	7425448		.383	.008 AND UP	.38340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425452	7425455	.384	MASTER	.38400 + .00002	.030	2
2	7425454		.384	.0005	.38400 + .00004	.030	4
2	7425458		.384	.002	.38410 + .00007	.030	4
2	7425460		.384	.004	.38420 + .00010	.030	8
2	7425464		.384	.008 AND UP	.38440 + .00030	.030	8
2	7425468	7425471	.385	MASTER	.38500 + .00002	.030	2
2	7425470		.385	.0005	.38500 + .00004	.030	4
2	7425474		.385	.002	.38510 + .00007	.030	4
2	7425476		.385	.004	.38520 + .00010	.030	8
2	7425480		.385	.008 AND UP	.38540 + .00030	.030	8
2	7425484	7425487	.386	MASTER	.38600 + .00002	.030	2
2	7425486		.386	.0005	.38600 + .00004	.030	4
2	7425490		.386	.002	.38610 + .00007	.030	4
2	7425492		.386	.004	.38620 + .00010	.030	8
2	7425496		.386	.008 AND UP	.38640 + .00030	.030	8
2	7425500	7425503	.387	MASTER	.38700 + .00002	.030	2
2	7425502		.387	.0005	.38700 + .00004	.030	4
2	7425506		.387	.002	.38710 + .00007	.030	4
2	7425508		.387	.004	.38720 + .00010	.030	8
2	7425512		.387	.008 AND UP	.38740 + .00030	.030	8
2	7425516	7425519	.388	MASTER	.38800 + .00002	.030	2
2	7425518		.388	.0005	.38800 + .00004	.030	4
2	7425522		.388	.002	.38810 + .00007	.030	4
2	7425524		.388	.004	.38820 + .00010	.030	8
2	7425528		.388	.008 AND UP	.38840 + .00030	.030	8
2	7425532	7425535	.389	MASTER	.38900 + .00002	.030	2
2	7425534		.389	.0005	.38900 + .00004	.030	4
2	7425538		.389	.002	.38910 + .00007	.030	4
2	7425540		.389	.004	.38920 + .00010	.030	8
2	7425544		.389	.008 AND UP	.38940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I.; Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425548		.390	MASTER	.39000 + .00002	.030	2
2	7425550	7425551	.390	.0005	.39000 + .00004	.030	4
2	7425554		.390	.002	.39010 + .00007	.030	4
2	7425556		.390	.004	.39020 + .00010	.030	8
2	7425560		.390	.008 AND UP	.39040 + .00030	.030	8
2	7425564		.391	MASTER	.39100 + .00002	.030	2
2	7425566	7425567	.391	.0005	.39100 + .00004	.030	4
2	7425570		.391	.002	.39110 + .00007	.030	4
2	7425572		.391	.004	.39120 + .00010	.030	8
2	7425576		.391	.008 AND UP	.39140 + .00030	.030	8
2	7425580		.392	MASTER	.39200 + .00002	.030	2
2	7425582	7425583	.392	.0005	.39200 + .00004	.030	4
2	7425586		.392	.002	.39210 + .00007	.030	4
2	7425588		.392	.004	.39220 + .00010	.030	8
2	7425592		.392	.008 AND UP	.39240 + .00030	.030	8
2	7425596		.393	MASTER	.39300 + .00002	.030	2
2	7425598	7425599	.393	.0005	.39300 + .00004	.030	4
2	7425602		.393	.002	.39310 + .00007	.030	4
2	7425604		.393	.004	.39320 + .00010	.030	8
2	7425608		.393	.008 AND UP	.39340 + .00030	.030	8
2	7425612		.394	MASTER	.39400 + .00002	.030	2
2	7425614	7425615	.394	.0005	.39400 + .00004	.030	4
2	7425618		.394	.002	.39410 + .00007	.030	4
2	7425620		.394	.004	.39420 + .00010	.030	8
2	7425624		.394	.008 AND UP	.39440 + .00030	.030	8
2	7425628		.395	MASTER	.39500 + .00002	.030	2
2	7425630	7425631	.395	.0005	.39500 + .00004	.030	4
2	7425634		.395	.002	.39510 + .00007	.030	4
2	7425636		.395	.004	.39520 + .00010	.030	8
2	7425640		.395	.008 AND UP	.39540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425644		.396	MASTER	.39600 + .00002	.030	2
2	7425646	7425647	.396	.0005	.39600 + .00004	.030	4
2	7425650		.396	.002	.39610 + .00007	.030	4
2	7425652		.396	.004	.39620 + .00010	.030	8
2	7425656		.396	.008 AND UP	.39640 + .00030	.030	8
2	7425660		.397	MASTER	.39700 + .00002	.030	2
2	7425662	7425663	.397	.0005	.39700 + .00004	.030	4
2	7425666		.397	.002	.39710 + .00007	.030	4
2	7425668		.397	.004	.39720 + .00010	.030	8
2	7425672		.397	.008 AND UP	.39740 + .00030	.030	8
2	7425676		.398	MASTER	.39800 + .00002	.030	2
2	7425678	7425679	.398	.0005	.39800 + .00004	.030	4
2	7425682		.398	.002	.39810 + .00007	.030	4
2	7425684		.398	.004	.39820 + .00010	.030	8
2	7425688		.398	.008 AND UP	.39840 + .00030	.030	8
2	7425692		.399	MASTER	.39900 + .00002	.030	2
2	7425694	7425695	.399	.0005	.39900 + .00004	.030	4
2	7425698		.399	.002	.39910 + .00007	.030	4
2	7425700		.399	.004	.39920 + .00010	.030	8
2	7425704		.399	.008 AND UP	.39940 + .00030	.030	8
2	7425708		.400	MASTER	.40000 + .00002	.030	2
2	7425710	7425711	.400	.0005	.40000 + .00004	.030	4
2	7425714		.400	.002	.40010 + .00007	.030	4
2	7425716		.400	.004	.40020 + .00010	.030	8
2	7425720		.400	.008 AND UP	.40040 + .00030	.030	8
2	7425724		.401	MASTER	.40100 + .00002	.030	2
2	7425726	7425727	.401	.0005	.40100 + .00004	.030	4
2	7425730		.401	.002	.40110 + .00007	.030	4
2	7425732		.401	.004	.40120 + .00010	.030	8
2	7425736		.401	.008 AND UP	.40140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7425740		.402	MASTER	.40200 + .00002	.030	2
2	7425742	7425743	.402	.0005	.40200 + .00004	.030	4
2	7425746		.402	.002	.40210 + .00007	.030	4
2	7425748		.402	.004	.40220 + .00010	.030	8
2	7425752		.402	.008 AND UP	.40240 + .00030	.030	8
2	7425756		.403	MASTER	.40300 + .00002	.030	2
2	7425758	7425759	.403	.0005	.40300 + .00004	.030	4
2	7425762		.403	.002	.40310 + .00007	.030	4
2	7425764		.403	.004	.40320 + .00010	.030	8
2	7425768		.403	.008 AND UP	.40340 + .00030	.030	8
2	7425772		.404	MASTER	.40400 + .00002	.030	2
2	7425774	7425775	.404	.0005	.40400 + .00004	.030	4
2	7425778		.404	.002	.40410 + .00007	.030	4
2	7425780		.404	.004	.40420 + .00010	.030	8
2	7425784		.404	.008 AND UP	.40440 + .00030	.030	8
2	7425788		.405	MASTER	.40500 + .00002	.030	2
2	7425790	7425791	.405	.0005	.40500 + .00004	.030	4
2	7425794		.405	.002	.40510 + .00007	.030	4
2	7425796		.405	.004	.40520 + .00010	.030	8
2	7425800		.405	.008 AND UP	.40540 + .00030	.030	8
2	7425804		.406	MASTER	.40600 + .00002	.030	2
2	7425806	7425807	.406	.0005	.40600 + .00004	.030	4
2	7425810		.406	.002	.40610 + .00007	.030	4
2	7425812		.406	.004	.40620 + .00010	.030	8
2	7425816		.406	.008 AND UP	.40640 + .00030	.030	8
2	7425820		.40625	MASTER	.40625 + .00002	.030	2
2	7497314	7497315	.40625	.0005	.40625 + .00004	.030	4
2	7497318		.40625	.002	.40635 + .00007	.030	4
2	7497320		.40625	.004	.40645 + .00010	.030	8
2	7497324		.40625	.008 AND UP	.40665 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425822	7425825	.407	MASTER	.40700 + .00002	.030	2
2	7425824		.407	.0005	.40700 + .00004	.030	4
2	7425828		.407	.002	.40710 + .00007	.030	4
2	7425830		.407	.004	.40720 + .00010	.030	8
2	7425834		.407	.008 AND UP	.40740 + .00030	.030	8
2	7425838	7425841	.408	MASTER	.40800 + .00002	.030	2
2	7425840		.408	.0005	.40800 + .00004	.030	4
2	7425844		.408	.002	.40810 + .00007	.030	4
2	7425846		.408	.004	.40820 + .00010	.030	8
2	7425850		.408	.008 AND UP	.40840 + .00030	.030	8
2	7425854	7425857	.409	MASTER	.40900 + .00002	.030	2
2	7425856		.409	.0005	.40900 + .00004	.030	4
2	7425860		.409	.002	.40910 + .00007	.030	4
2	7425862		.409	.004	.40920 + .00010	.030	8
2	7425866		.409	.008 AND UP	.40940 + .00030	.030	8
2	7425870	7425873	.410	MASTER	.41000 + .00002	.030	2
2	7425872		.410	.0005	.41000 + .00004	.030	4
2	7425876		.410	.002	.41010 + .00007	.030	4
2	7425878		.410	.004	.41020 + .00010	.030	8
2	7425882		.410	.008 AND UP	.41040 + .00030	.030	8
2	7425886	7425889	.411	MASTER	.41100 + .00002	.030	2
2	7425888		.411	.0005	.41100 + .00004	.030	4
2	7425892		.411	.002	.41110 + .00007	.030	4
2	7425894		.411	.004	.41120 + .00010	.030	8
2	7425898		.411	.008 AND UP	.41140 + .00030	.030	8
2	7425902	7425905	.412	MASTER	.41200 + .00002	.030	2
2	7425904		.412	.0005	.41200 + .00004	.030	4
2	7425908		.412	.002	.41210 + .00007	.030	4
2	7425910		.412	.004	.41220 + .00010	.030	8
2	7425914		.412	.008 AND UP	.41240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425918		.413	MASTER	.41300 + .00002	.030	2
2	7425920	7425921	.413	.0005	.41300 + .00004	.030	4
2	7425924		.413	.002	.41310 + .00007	.030	4
2	7425926		.413	.004	.41320 + .00010	.030	8
2	7425930		.413	.008 AND UP	.41340 + .00030	.030	8
2	7425934		.414	MASTER	.41400 + .00002	.030	2
2	7425936	7425937	.414	.0005	.41400 + .00004	.030	4
2	7425940		.414	.002	.41410 + .00007	.030	4
2	7425942		.414	.004	.41420 + .00010	.030	8
2	7425946		.414	.008 AND UP	.41440 + .00030	.030	8
2	7425950		.415	MASTER	.41500 + .00002	.030	2
2	7425952	7425953	.415	.0005	.41500 + .00004	.030	4
2	7425956		.415	.002	.41510 + .00007	.030	4
2	7425958		.415	.004	.41520 + .00010	.030	8
2	7425962		.415	.008 AND UP	.41540 + .00030	.030	8
2	7425966		.416	MASTER	.41600 + .00002	.030	2
2	7425968	7425969	.416	.0005	.41600 + .00004	.030	4
2	7425972		.416	.002	.41610 + .00007	.030	4
2	7425974		.416	.004	.41620 + .00010	.030	8
2	7425978		.416	.008 AND UP	.41640 + .00030	.030	8
2	7425982		.417	MASTER	.41700 + .00002	.030	2
2	7425984	7425985	.417	.0005	.41700 + .00004	.030	4
2	7425988		.417	.002	.41710 + .00007	.030	4
2	7425990		.417	.004	.41720 + .00010	.030	8
2	7425994		.417	.008 AND UP	.41740 + .00030	.030	8
2	7425998		.418	MASTER	.41800 + .00002	.030	2
2	7426000	7426001	.418	.0005	.41800 + .00004	.030	4
2	7426004		.418	.002	.41810 + .00007	.030	4
2	7426006		.418	.004	.41820 + .00010	.030	8
2	7426010		.418	.008 AND UP	.41840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426014	7426017	.419	MASTER	.41900 + .00002	.030	2
2	7426016		.419	.0005	.41900 + .00004	.030	4
2	7426020		.419	.002	.41910 + .00007	.030	4
2	7426022		.419	.004	.41920 + .00010	.030	8
2	7426026		.419	.008 AND UP	.41940 + .00030	.030	8
2	7426030	7426033	.420	MASTER	.42000 + .00002	.030	2
2	7426032		.420	.0005	.42000 + .00004	.030	4
2	7426036		.420	.002	.42010 + .00007	.030	4
2	7426038		.420	.004	.42020 + .00010	.030	8
2	7426042		.420	.008 AND UP	.42040 + .00030	.030	8
2	7426046	7426049	.421	MASTER	.42100 + .00002	.030	2
2	7426048		.421	.0005	.42100 + .00004	.030	4
2	7426052		.421	.002	.42110 + .00007	.030	4
2	7426054		.421	.004	.42120 + .00010	.030	8
2	7426058		.421	.008 AND UP	.42140 + .00030	.030	8
2	7426062	7426065	.422	MASTER	.42200 + .00002	.030	2
2	7426064		.422	.0005	.42200 + .00004	.030	4
2	7426068		.422	.002	.42210 + .00007	.030	4
2	7426070		.422	.004	.42220 + .00010	.030	8
2	7426074		.422	.008 AND UP	.42240 + .00030	.030	8
2	7426078	7426081	.423	MASTER	.42300 + .00002	.030	2
2	7426080		.423	.0005	.42300 + .00004	.030	4
2	7426084		.423	.002	.42310 + .00007	.030	4
2	7426086		.423	.004	.42320 + .00010	.030	8
2	7426090		.423	.008 AND UP	.42340 + .00030	.030	8
2	7426094	7426097	.424	MASTER	.42400 + .00002	.030	2
2	7426096		.424	.0005	.42400 + .00004	.030	4
2	7426100		.424	.002	.42410 + .00007	.030	4
2	7426102		.424	.004	.42420 + .00010	.030	8
2	7426106		.424	.008 AND UP	.42440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426110		.425	MASTER	.42500 + .00002	.030	2
2	7426112	7426113	.425	.0005	.42500 + .00004	.030	4
2	7426116		.425	.002	.42510 + .00007	.030	4
2	7426118		.425	.004	.42520 + .00010	.030	8
2	7426122		.425	.008 AND UP	.42540 + .00030	.030	8
2	7426126		.426	MASTER	.42600 + .00002	.030	2
2	7426128	7426129	.426	.0005	.42600 + .00004	.030	4
2	7426132		.426	.002	.42610 + .00007	.030	4
2	7426134		.426	.004	.42620 + .00010	.030	8
2	7426138		.426	.008 AND UP	.42640 + .00030	.030	8
2	7426142		.427	MASTER	.42700 + .00002	.030	2
2	7426144	7426145	.427	.0005	.42700 + .00004	.030	4
2	7426148		.427	.002	.42710 + .00007	.030	4
2	7426150		.427	.004	.42720 + .00010	.030	8
2	7426154		.427	.008 AND UP	.42740 + .00030	.030	8
2	7426158		.428	MASTER	.42800 + .00002	.030	2
2	7426160	7426161	.428	.0005	.42800 + .00004	.030	4
2	7426164		.428	.002	.42810 + .00007	.030	4
2	7426166		.428	.004	.42820 + .00010	.030	8
2	7426170		.428	.008 AND UP	.42840 + .00030	.030	8
2	7426174		.429	MASTER	.42900 + .00002	.030	2
2	7426176	7426177	.429	.0005	.42900 + .00004	.030	4
2	7426180		.429	.002	.42910 + .00007	.030	4
2	7426182		.429	.004	.42920 + .00010	.030	8
2	7426186		.429	.008 AND UP	.42940 + .00030	.030	8
2	7426190		.430	MASTER	.43000 + .00002	.030	2
2	7426192	7426193	.430	.0005	.43000 + .00004	.030	4
2	7426196		.430	.002	.43010 + .00007	.030	4
2	7426198		.430	.004	.43020 + .00010	.030	8
2	7426202		.430	.008 AND UP	.43040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7426206	7426209	.431	MASTER	.43100 + .00002	.030	2
2	7426208		.431	.0005	.43100 + .00004	.030	4
2	7426212		.431	.002	.43110 + .00007	.030	4
2	7426214		.431	.004	.43120 + .00010	.030	8
2	7426218		.431	.008 AND UP	.43140 + .00030	.030	8
2	7426222	7426225	.432	MASTER	.43200 + .00002	.030	2
2	7426224		.432	.0005	.43200 + .00004	.030	4
2	7426228		.432	.002	.43210 + .00007	.030	4
2	7426230		.432	.004	.43220 + .00010	.030	8
2	7426234		.432	.008 AND UP	.43240 + .00030	.030	8
2	7426238	7426241	.433	MASTER	.43300 + .00002	.030	2
2	7426240		.433	.0005	.43300 + .00004	.030	4
2	7426244		.433	.002	.43310 + .00007	.030	4
2	7426246		.433	.004	.43320 + .00010	.030	8
2	7426250		.433	.008 AND UP	.43340 + .00030	.030	8
2	7426254	7426257	.434	MASTER	.43400 + .00002	.030	2
2	7426256		.434	.0005	.43400 + .00004	.030	4
2	7426260		.434	.002	.43410 + .00007	.030	4
2	7426262		.434	.004	.43420 + .00010	.030	8
2	7426266		.434	.008 AND UP	.43440 + .00030	.030	8
2	7426270	7426273	.435	MASTER	.43500 + .00002	.030	2
2	7426272		.435	.0005	.43500 + .00004	.030	4
2	7426276		.435	.002	.43510 + .00007	.030	4
2	7426278		.435	.004	.43520 + .00010	.030	8
2	7426282		.435	.008 AND UP	.43540 + .00030	.030	8
2	7426286	7426289	.436	MASTER	.43600 + .00002	.030	2
2	7426288		.436	.0005	.43600 + .00004	.030	4
2	7426292		.436	.002	.43610 + .00007	.030	4
2	7426294		.436	.004	.43620 + .00010	.030	8
2	7426298		.436	.008 AND UP	.43640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426302		.437	MASTER	.43700 + .00002	.030	2
2	7426304	7426305	.437	.0005	.43700 + .00004	.030	4
2	7426308		.437	.002	.43710 + .00007	.030	4
2	7426310		.437	.004	.43720 + .00010	.030	8
2	7426314		.437	.008 AND UP	.43740 + .00030	.030	8
2	7426318		.4375	MASTER	.43750 + .00002	.030	2
2	7497328	7497329	.4375	.0005	.43750 + .00004	.030	4
2	7497332		.4375	.002	.43760 + .00007	.030	4
2	7497334		.4375	.004	.43770 + .00010	.030	8
2	7497338		.4375	.008 AND UP	.43790 + .00030	.030	8
2	7426320		.438	MASTER	.43800 + .00002	.030	2
2	7426322	7426323	.438	.0005	.43800 + .00004	.030	4
2	7426326		.438	.002	.43810 + .00007	.030	4
2	7426328		.438	.004	.43820 + .00010	.030	8
2	7426332		.438	.008 AND UP	.43840 + .00030	.030	8
2	7426336		.439	MASTER	.43900 + .00002	.030	2
2	7426338	7426339	.439	.0005	.43900 + .00004	.030	4
2	7426342		.439	.002	.43910 + .00007	.030	4
2	7426344		.439	.004	.43920 + .00010	.030	8
2	7426348		.439	.008 AND UP	.43940 + .00030	.030	8
2	7426352		.440	MASTER	.44000 + .00002	.030	2
2	7426354	7426355	.440	.0005	.44000 + .00004	.030	4
2	7426358		.440	.002	.44010 + .00007	.030	4
2	7426360		.440	.004	.44020 + .00010	.030	8
2	7426364		.440	.008 AND UP	.44040 + .00030	.030	8
2	7426368		.441	MASTER	.44100 + .00002	.030	2
2	7426370	7426371	.441	.0005	.44100 + .00004	.030	4
2	7426374		.441	.002	.44110 + .00007	.030	4
2	7426376		.441	.004	.44120 + .00010	.030	8
2	7426380		.441	.008 AND UP	.44140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426384	7426387	.442	MASTER	.44200 + .00002	.030	2
2	7426386		.442	.0005	.44200 + .00004	.030	4
2	7426390		.442	.002	.44210 + .00007	.030	4
2	7426392		.442	.004	.44220 + .00010	.030	8
2	7426396		.442	.008 AND UP	.44240 + .00030	.030	8
2	7426400	7426403	.443	MASTER	.44300 + .00002	.030	2
2	7426402		.443	.0005	.44300 + .00004	.030	4
2	7426406		.443	.002	.44310 + .00007	.030	4
2	7426408		.443	.004	.44320 + .00010	.030	8
2	7426412		.443	.008 AND UP	.44340 + .00030	.030	8
2	7426416	7426419	.444	MASTER	.44400 + .00002	.030	2
2	7426418		.444	.0005	.44400 + .00004	.030	4
2	7426422		.444	.002	.44410 + .00007	.030	4
2	7426424		.444	.004	.44420 + .00010	.030	8
2	7426428		.444	.008 AND UP	.44440 + .00030	.030	8
2	7426432	7426435	.445	MASTER	.44500 + .00002	.030	2
2	7426434		.445	.0005	.44500 + .00004	.030	4
2	7426438		.445	.002	.44510 + .00007	.030	4
2	7426440		.445	.004	.44520 + .00010	.030	8
2	7426444		.445	.008 AND UP	.44540 + .00030	.030	8
2	7426448	7426451	.446	MASTER	.44600 + .00002	.030	2
2	7426450		.446	.0005	.44600 + .00004	.030	4
2	7426454		.446	.002	.44610 + .00007	.030	4
2	7426456		.446	.004	.44620 + .00010	.030	8
2	7426460		.446	.008 AND UP	.44640 + .00030	.030	8
2	7426464	7426467	.447	MASTER	.44700 + .00002	.030	2
2	7426466		.447	.0005	.44700 + .00004	.030	4
2	7426470		.447	.002	.44710 + .00007	.030	4
2	7426472		.447	.004	.44720 + .00010	.030	8
2	7426476		.447	.008 AND UP	.44740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
2	7426480		.448	MASTER	.44800 + .00002	.030	2
2	7426482	7426483	.448	.0005	.44800 + .00004	.030	4
2	7426486		.448	.002	.44810 + .00007	.030	4
2	7426488		.448	.004	.44820 + .00010	.030	8
2	7426492		.448	.008 AND UP	.44840 + .00030	.030	8
2	7426496		.449	MASTER	.44900 + .00002	.030	2
2	7426498	7426499	.449	.0005	.44900 + .00004	.030	4
2	7426502		.449	.002	.44910 + .00007	.030	4
2	7426504		.449	.004	.44920 + .00010	.030	8
2	7426508		.449	.008 AND UP	.44940 + .00030	.030	8
2	7426512		.450	MASTER	.45000 + .00002	.030	2
2	7426514	7426515	.450	.0005	.45000 + .00004	.030	4
2	7426518		.450	.002	.45010 + .00007	.030	4
2	7426520		.450	.004	.45020 + .00010	.030	8
2	7426524		.450	.008 AND UP	.45040 + .00030	.030	8
2	7426528		.451	MASTER	.45100 + .00002	.030	2
2	7426530	7426531	.451	.0005	.45100 + .00004	.030	4
2	7426534		.451	.002	.45110 + .00007	.030	4
2	7426536		.451	.004	.45120 + .00010	.030	8
2	7426540		.451	.008 AND UP	.45140 + .00030	.030	8
2	7426544		.452	MASTER	.45200 + .00002	.030	2
2	7426546	7426547	.452	.0005	.45200 + .00004	.030	4
2	7426550		.452	.002	.45210 + .00007	.030	4
2	7426552		.452	.004	.45220 + .00010	.030	8
2	7426556		.452	.008 AND UP	.45240 + .00030	.030	8
2	7426560		.453	MASTER	.45300 + .00002	.030	2
2	7426562	7426563	.453	.0005	.45300 + .00004	.030	4
2	7426566		.453	.002	.45310 + .00007	.030	4
2	7426568		.453	.004	.45320 + .00010	.030	8
2	7426572		.453	.008 AND UP	.45340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426576	7426579	.454	MASTER	.45400 + .00002	.030	2
2	7426578		.454	.0005	.45400 + .00004	.030	4
2	7426582		.454	.002	.45410 + .00007	.030	4
2	7426584		.454	.004	.45420 + .00010	.030	8
2	7426588		.454	.008 AND UP	.45440 + .00030	.030	8
2	7426592	7426595	.455	MASTER	.45500 + .00002	.030	2
2	7426594		.455	.0005	.45500 + .00004	.030	4
2	7426598		.455	.002	.45510 + .00007	.030	4
2	7426600		.455	.004	.45520 + .00010	.030	8
2	7426604		.455	.008 AND UP	.45540 + .00030	.030	8
2	7426608	7426611	.456	MASTER	.45600 + .00002	.030	2
2	7426610		.456	.0005	.45600 + .00004	.030	4
2	7426614		.456	.002	.45610 + .00007	.030	4
2	7426616		.456	.004	.45620 + .00010	.030	8
2	7426620		.456	.008 AND UP	.45640 + .00030	.030	8
2	7426624	7426627	.457	MASTER	.45700 + .00002	.030	2
2	7426626		.457	.0005	.45700 + .00004	.030	4
2	7426630		.457	.002	.45710 + .00007	.030	4
2	7426632		.457	.004	.45720 + .00010	.030	8
2	7426636		.457	.008 AND UP	.45740 + .00030	.030	8
2	7426640	7426643	.458	MASTER	.45800 + .00002	.030	2
2	7426642		.458	.0005	.45800 + .00004	.030	4
2	7426646		.458	.002	.45810 + .00007	.030	4
2	7426648		.458	.004	.45820 + .00010	.030	8
2	7426652		.458	.008 AND UP	.45840 + .00030	.030	8
2	7426656	7426659	.459	MASTER	.45900 + .00002	.030	2
2	7426658		.459	.0005	.45900 + .00004	.030	4
2	7426662		.459	.002	.45910 + .00007	.030	4
2	7426664		.459	.004	.45920 + .00010	.030	8
2	7426668		.459	.008 AND UP	.45940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426672		.460	MASTER	.46000 + .00002	.030	2
2	7426674	7426675	.460	.0005	.46000 + .00004	.030	4
2	7426678		.460	.002	.46010 + .00007	.030	4
2	7426680		.460	.004	.46020 + .00010	.030	8
2	7426684		.460	.008 AND UP	.46040 + .00030	.030	8
2	7426688		.461	MASTER	.46100 + .00002	.030	2
2	7426690	7426691	.461	.0005	.46100 + .00004	.030	4
2	7426694		.461	.002	.46110 + .00007	.030	4
2	7426696		.461	.004	.46120 + .00010	.030	8
2	7426700		.461	.008 AND UP	.46140 + .00030	.030	8
2	7426704		.462	MASTER	.46200 + .00002	.030	2
2	7426706	7426707	.462	.0005	.46200 + .00004	.030	4
2	7426710		.462	.002	.46210 + .00007	.030	4
2	7426712		.462	.004	.46220 + .00010	.030	8
2	7426716		.462	.008 AND UP	.46240 + .00030	.030	8
2	7426720		.463	MASTER	.46300 + .00002	.030	2
2	7426722	7426723	.463	.0005	.46300 + .00004	.030	4
2	7426726		.463	.002	.46310 + .00007	.030	4
2	7426728		.463	.004	.46320 + .00010	.030	8
2	7426732		.463	.008 AND UP	.46340 + .00030	.030	8
2	7426736		.464	MASTER	.46400 + .00002	.030	2
2	7426738	7426739	.464	.0005	.46400 + .00004	.030	4
2	7426742		.464	.002	.46410 + .00007	.030	4
2	7426744		.464	.004	.46420 + .00010	.030	8
2	7426748		.464	.008 AND UP	.46440 + .00030	.030	8
2	7426752		.465	MASTER	.46500 + .00002	.030	2
2	7426754	7426755	.465	.0005	.46500 + .00004	.030	4
2	7426758		.465	.002	.46510 + .00007	.030	4
2	7426760		.465	.004	.46520 + .00010	.030	8
2	7426764		.465	.008 AND UP	.46540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426768		.466	MASTER	.46600 + .00002	.030	2
2	7426770	7426771	.466	.0005	.46600 + .00004	.030	4
2	7426774		.466	.002	.46610 + .00007	.030	4
2	7426776		.466	.004	.46620 + .00010	.030	8
2	7426780		.466	.008 AND UP	.46640 + .00030	.030	8
2	7426784		.467	MASTER	.46700 + .00002	.030	2
2	7426786	7426787	.467	.0005	.46700 + .00004	.030	4
2	7426790		.467	.002	.46710 + .00007	.030	4
2	7426792		.467	.004	.46720 + .00010	.030	8
2	7426796		.467	.008 AND UP	.46740 + .00030	.030	8
2	7426800		.468	MASTER	.46800 + .00002	.030	2
2	7426802	7426803	.468	.0005	.46800 + .00004	.030	4
2	7426806		.468	.002	.46810 + .00007	.030	4
2	7426808		.468	.004	.46820 + .00010	.030	8
2	7426812		.468	.008 AND UP	.46840 + .00030	.030	8
2	7426816		.46875	MASTER	.46875 + .00002	.030	2
2	7497342	7497343	.46875	.0005	.46875 + .00004	.030	4
2	7497346		.46875	.002	.46885 + .00007	.030	4
2	7497348		.46875	.004	.46895 + .00010	.030	8
2	7497352		.46875	.008 AND UP	.46915 + .00030	.030	8
2	7426818		.469	MASTER	.46900 + .00002	.030	2
2	7426820	7426821	.469	.0005	.46900 + .00004	.030	4
2	7426824		.469	.002	.46910 + .00007	.030	4
2	7426826		.469	.004	.46920 + .00010	.030	8
2	7426830		.469	.008 AND UP	.46940 + .00030	.030	8
2	7426834		.470	MASTER	.47000 + .00002	.030	2
2	7426836	7426837	.470	.0005	.47000 + .00004	.030	4
2	7426840		.470	.002	.47010 + .00007	.030	4
2	7426842		.470	.004	.47020 + .00010	.030	8
2	7426846		.470	.008 AND UP	.47040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7426850		.471	MASTER	.47100 + .00002	.030	2
2	7426852	7426853	.471	.0005	.47100 + .00004	.030	4
2	7426856		.471	.002	.47110 + .00007	.030	4
2	7426858		.471	.004	.47120 + .00010	.030	8
2	7426862		.471	.008 AND UP	.47140 + .00030	.030	8
2	7426866		.472	MASTER	.47200 + .00002	.030	2
2	7426868	7426869	.472	.0005	.47200 + .00004	.030	4
2	7426872		.472	.002	.47210 + .00007	.030	4
2	7426874		.472	.004	.47220 + .00010	.030	8
2	7426878		.472	.008 AND UP	.47240 + .00030	.030	8
2	7426882		.473	MASTER	.47300 + .00002	.030	2
2	7426884	7426885	.473	.0005	.47300 + .00004	.030	4
2	7426888		.473	.002	.47310 + .00007	.030	4
2	7426890		.473	.004	.47320 + .00010	.030	8
2	7426894		.473	.008 AND UP	.47340 + .00030	.030	8
2	7426898		.474	MASTER	.47400 + .00002	.030	2
2	7426900	7426901	.474	.0005	.47400 + .00004	.030	4
2	7426904		.474	.002	.47410 + .00007	.030	4
2	7426906		.474	.004	.47420 + .00010	.030	8
2	7426910		.474	.008 AND UP	.47440 + .00030	.030	8
2	7426914		.475	MASTER	.47500 + .00002	.030	2
2	7426916	7426917	.475	.0005	.47500 + .00004	.030	4
2	7426920		.475	.002	.47510 + .00007	.030	4
2	7426922		.475	.004	.47520 + .00010	.030	8
2	7426926		.475	.008 AND UP	.47540 + .00030	.030	8
2	7426930		.476	MASTER	.47600 + .00002	.030	2
2	7426932	7426933	.476	.0005	.47600 + .00004	.030	4
2	7426936		.476	.002	.47610 + .00007	.030	4
2	7426938		.476	.004	.47620 + .00010	.030	8
2	7426942		.476	.008 AND UP	.47640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7426946	7426949	.477	MASTER	.47700 + .00002	.030	2
2	7426948		.477	.0005	.47700 + .00004	.030	4
2	7426952		.477	.002	.47710 + .00007	.030	4
2	7426954		.477	.004	.47720 + .00010	.030	8
2	7426958		.477	.008 AND UP	.47740 + .00030	.030	8
2	7426962	7426965	.478	MASTER	.47800 + .00002	.030	2
2	7426964		.478	.0005	.47800 + .00004	.030	4
2	7426968		.478	.002	.47810 + .00007	.030	4
2	7426970		.478	.004	.47820 + .00010	.030	8
2	7426974		.478	.008 AND UP	.47840 + .00030	.030	8
2	7426978	7426981	.479	MASTER	.47900 + .00002	.030	2
2	7426980		.479	.0005	.47900 + .00004	.030	4
2	7426984		.479	.002	.47910 + .00007	.030	4
2	7426986		.479	.004	.47920 + .00010	.030	8
2	7426990		.479	.008 AND UP	.47940 + .00030	.030	8
2	7426994	7426997	.480	MASTER	.48000 + .00002	.030	2
2	7426996		.480	.0005	.48000 + .00004	.030	4
2	7427000		.480	.002	.48010 + .00007	.030	4
2	7427002		.480	.004	.48020 + .00010	.030	8
2	7427006		.480	.008 AND UP	.48040 + .00030	.030	8
2	7427010	7427013	.481	MASTER	.48100 + .00002	.030	2
2	7427012		.481	.0005	.48100 + .00004	.030	4
2	7427016		.481	.002	.48110 + .00007	.030	4
2	7427018		.481	.004	.48120 + .00010	.030	8
2	7427022		.481	.008 AND UP	.48140 + .00030	.030	8
2	7427026	7427029	.482	MASTER	.48200 + .00002	.030	2
2	7427028		.482	.0005	.48200 + .00004	.030	4
2	7427032		.482	.002	.48210 + .00007	.030	4
2	7427034		.482	.004	.48220 + .00010	.030	8
2	7427038		.482	.008 AND UP	.48240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7427042	7427045	.483	MASTER	.48300 + .00002	.030	2
2	7427044		.483	.0005	.48300 + .00004	.030	4
2	7427048		.483	.002	.48310 + .00007	.030	4
2	7427050		.483	.004	.48320 + .00010	.030	8
2	7427054		.483	.008 AND UP	.48340 + .00030	.030	8
2	7427058	7427061	.484	MASTER	.48400 + .00002	.030	2
2	7427060		.484	.0005	.48400 + .00004	.030	4
2	7427064		.484	.002	.48410 + .00007	.030	4
2	7427066		.484	.004	.48420 + .00010	.030	8
2	7427070		.484	.008 AND UP	.48440 + .00030	.030	8
2	7427074	7427077	.485	MASTER	.48500 + .00002	.030	2
2	7427076		.485	.0005	.48500 + .00004	.030	4
2	7427080		.485	.002	.48510 + .00007	.030	4
2	7427082		.485	.004	.48520 + .00010	.030	8
2	7427086		.485	.008 AND UP	.48540 + .00030	.030	8
2	7427090	7427093	.486	MASTER	.48600 + .00002	.030	2
2	7427092		.486	.0005	.48600 + .00004	.030	4
2	7427096		.486	.002	.48610 + .00007	.030	4
2	7427098		.486	.004	.48620 + .00010	.030	8
2	7427102		.486	.008 AND UP	.48640 + .00030	.030	8
2	7427106	7427109	.487	MASTER	.48700 + .00002	.030	2
2	7427108		.487	.0005	.48700 + .00004	.030	4
2	7427112		.487	.002	.48710 + .00007	.030	4
2	7427114		.487	.004	.48720 + .00010	.030	8
2	7427118		.487	.008 AND UP	.48740 + .00030	.030	8
2	7427122	7427125	.488	MASTER	.48800 + .00002	.030	2
2	7427124		.488	.0005	.48800 + .00004	.030	4
2	7427128		.488	.002	.48810 + .00007	.030	4
2	7427130		.488	.004	.48820 + .00010	.030	8
2	7427134		.488	.008 AND UP	.48840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427138		.489	MASTER	.48900 + .00002	.030	2
2	7427140	7427141	.489	.0005	.48900 + .00004	.030	4
2	7427144		.489	.002	.48910 + .00007	.030	4
2	7427146		.489	.004	.48920 + .00010	.030	8
2	7427150		.489	.008 AND UP	.48940 + .00030	.030	8
2	7427154		.490	MASTER	.49000 + .00002	.030	2
2	7427156	7427157	.490	.0005	.49000 + .00004	.030	4
2	7427160		.490	.002	.49010 + .00007	.030	4
2	7427162		.490	.004	.49020 + .00010	.030	8
2	7427166		.490	.008 AND UP	.49040 + .00030	.030	8
2	7427170		.491	MASTER	.49100 + .00002	.030	2
2	7427172	7427173	.491	.0005	.49100 + .00004	.030	4
2	7427176		.491	.002	.49110 + .00007	.030	4
2	7427178		.491	.004	.49120 + .00010	.030	8
2	7427182		.491	.008 AND UP	.49140 + .00030	.030	8
2	7427186		.492	MASTER	.49200 + .00002	.030	2
2	7427188	7427189	.492	.0005	.49200 + .00004	.030	4
2	7427192		.492	.002	.49210 + .00007	.030	4
2	7427194		.492	.004	.49220 + .00010	.030	8
2	7427198		.492	.008 AND UP	.49240 + .00030	.030	8
2	7427202		.493	MASTER	.49300 + .00002	.030	2
2	7427204	7427205	.493	.0005	.49300 + .00004	.030	4
2	7427208		.493	.002	.49310 + .00007	.030	4
2	7427210		.493	.004	.49320 + .00010	.030	8
2	7427214		.493	.008 AND UP	.49340 + .00030	.030	8
2	7427218		.494	MASTER	.49400 + .00002	.030	2
2	7427220	7427221	.494	.0005	.49400 + .00004	.030	4
2	7427224		.494	.002	.49410 + .00007	.030	4
2	7427226		.494	.004	.49420 + .00010	.030	8
2	7427230		.494	.008 AND UP	.49440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427234		.495	MASTER	.49500 + .00002	.030	2
2	7427236	7427237	.495	.0005	.49500 + .00004	.030	4
2	7427240		.495	.002	.49510 + .00007	.030	4
2	7427242		.495	.004	.49520 + .00010	.030	8
2	7427246		.495	.008 AND UP	.49540 + .00030	.030	8
2	7427250		.496	MASTER	.49600 + .00002	.030	2
2	7427252	7427253	.496	.0005	.49600 + .00004	.030	4
2	7427256		.496	.002	.49610 + .00007	.030	4
2	7427258		.496	.004	.49620 + .00010	.030	8
2	7427262		.496	.008 AND UP	.49640 + .00030	.030	8
2	7427266		.497	MASTER	.49700 + .00002	.030	2
2	7427268	7427269	.497	.0005	.49700 + .00004	.030	4
2	7427272		.497	.002	.49710 + .00007	.030	4
2	7427274		.497	.004	.49720 + .00010	.030	8
2	7427278		.497	.008 AND UP	.49740 + .00030	.030	8
2	7427282		.498	MASTER	.49800 + .00002	.030	2
2	7427284	7427285	.498	.0005	.49800 + .00004	.030	4
2	7427288		.498	.002	.49810 + .00007	.030	4
2	7427290		.498	.004	.49820 + .00010	.030	8
2	7427294		.498	.008 AND UP	.49840 + .00030	.030	8
2	7427298		.499	MASTER	.49900 + .00002	.030	2
2	7427300	7427301	.499	.0005	.49900 + .00004	.030	4
2	7427304		.499	.002	.49910 + .00007	.030	4
2	7427306		.499	.004	.49920 + .00010	.030	8
2	7427310		.499	.008 AND UP	.49940 + .00030	.030	8
2	7427314		.500	MASTER	.50000 + .00002	.030	2
2	7427316	7427317	.500	.0005	.50000 + .00004	.030	4
2	7427320		.500	.002	.50010 + .00007	.030	4
2	7427322		.500	.004	.50020 + .00010	.030	8
2	7427326		.500	.008 AND UP	.50040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427330	7427333	.501	MASTER	.50100 + .00002	.030	2
2	7427332		.501	.0005	.50100 + .00004	.030	4
2	7427336		.501	.002	.50110 + .00007	.030	4
2	7427338		.501	.004	.50120 + .00010	.030	8
2	7427342		.501	.008 AND UP	.50140 + .00030	.030	8
2	7427346	7427349	.502	MASTER	.50200 + .00002	.030	2
2	7427348		.502	.0005	.50200 + .00004	.030	4
2	7427352		.502	.002	.50210 + .00007	.030	4
2	7427354		.502	.004	.50220 + .00010	.030	8
2	7427358		.502	.008 AND UP	.50240 + .00030	.030	8
2	7427362	7427365	.503	MASTER	.50300 + .00002	.030	2
2	7427364		.503	.0005	.50300 + .00004	.030	4
2	7427368		.503	.002	.50310 + .00007	.030	4
2	7427370		.503	.004	.50320 + .00010	.030	8
2	7427374		.503	.008 AND UP	.50340 + .00030	.030	8
2	7427378	7427381	.504	MASTER	.50400 + .00002	.030	2
2	7427380		.504	.0005	.50400 + .00004	.030	4
2	7427384		.504	.002	.50410 + .00007	.030	4
2	7427386		.504	.004	.50420 + .00010	.030	8
2	7427390		.504	.008 AND UP	.50440 + .00030	.030	8
2	7427394	7427397	.505	MASTER	.50500 + .00002	.030	2
2	7427396		.505	.0005	.50500 + .00004	.030	4
2	7427400		.505	.002	.50510 + .00007	.030	4
2	7427402		.505	.004	.50520 + .00010	.030	8
2	7427406		.505	.008 AND UP	.50540 + .00030	.030	8
2	7427410	7427413	.506	MASTER	.50600 + .00002	.030	2
2	7427412		.506	.0005	.50600 + .00004	.030	4
2	7427416		.506	.002	.50610 + .00007	.030	4
2	7427418		.506	.004	.50620 + .00010	.030	8
2	7427422		.506	.008 AND UP	.50640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
2	7427426		.507	MASTER	.50700 + .00002	.030	2
2	7427428	7427429	.507	.0005	.50700 + .00004	.030	4
2	7427432		.507	.002	.50710 + .00007	.030	4
2	7427434		.507	.004	.50720 + .00010	.030	8
2	7427438		.507	.008 AND UP	.50740 + .00030	.030	8
2	7427442		.508	MASTER	.50800 + .00002	.030	2
2	7427444	7427445	.508	.0005	.50800 + .00004	.030	4
2	7427448		.508	.002	.50810 + .00007	.030	4
2	7427450		.508	.004	.50820 + .00010	.030	8
2	7427454		.508	.008 AND UP	.50840 + .00030	.030	8
2	7427458		.509	MASTER	.50900 + .00002	.030	2
2	7427460	7427461	.509	.0005	.50900 + .00004	.030	4
2	7427464		.509	.002	.50910 + .00007	.030	4
2	7427466		.509	.004	.50920 + .00010	.030	8
2	7427470		.509	.008 AND UP	.50940 + .00030	.030	8
2	7427474		.510	MASTER	.51000 + .00002	.030	2
2	7427476	7427477	.510	.0005	.51000 + .00004	.030	4
2	7427480		.510	.002	.51010 + .00007	.030	4
2	7427482		.510	.004	.51020 + .00010	.030	8
2	7427486		.510	.008 AND UP	.51040 + .00030	.030	8
3	7427490		.511	MASTER	.51100 + .00002	.030	2
3	7427492	7427493	.511	.0005	.51100 + .00004	.030	4
3	7427496		.511	.002	.51110 + .00007	.030	4
3	7427498		.511	.004	.51120 + .00010	.030	8
3	7427502		.511	.008 AND UP	.51140 + .00030	.030	8
3	7427506		.512	MASTER	.51200 + .00002	.030	2
3	7427508	7427509	.512	.0005	.51200 + .00004	.030	4
3	7427512		.512	.002	.51210 + .00007	.030	4
3	7427514		.512	.004	.51220 + .00010	.030	8
3	7427518		.512	.008 AND UP	.51240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7427522	7427525	.513	MASTER	.51300 + .00002	.030	2
3	7427524		.513	.0005	.51300 + .00004	.030	4
3	7427528		.513	.002	.51310 + .00007	.030	4
3	7427530		.513	.004	.51320 + .00010	.030	8
3	7427534		.513	.008 AND UP	.51340 + .00030	.030	8
3	7427538	7427541	.514	MASTER	.51400 + .00002	.030	2
3	7427540		.514	.0005	.51400 + .00004	.030	4
3	7427544		.514	.002	.51410 + .00007	.030	4
3	7427546		.514	.004	.51420 + .00010	.030	8
3	7427550		.514	.008 AND UP	.51440 + .00030	.030	8
3	7427554	7427557	.515	MASTER	.51500 + .00002	.030	2
3	7427556		.515	.0005	.51500 + .00004	.030	4
3	7427560		.515	.002	.51510 + .00007	.030	4
3	7427562		.515	.004	.51520 + .00010	.030	8
3	7427566		.515	.008 AND UP	.51540 + .00030	.030	8
3	7427570	7427573	.516	MASTER	.51600 + .00002	.030	2
3	7427572		.516	.0005	.51600 + .00004	.030	4
3	7427576		.516	.002	.51610 + .00007	.030	4
3	7427578		.516	.004	.51620 + .00010	.030	8
3	7427582		.516	.008 AND UP	.51640 + .00030	.030	8
3	7427586	7427589	.517	MASTER	.51700 + .00002	.030	2
3	7427588		.517	.0005	.51700 + .00004	.030	4
3	7427592		.517	.002	.51710 + .00007	.030	4
3	7427594		.517	.004	.51720 + .00010	.030	8
3	7427598		.517	.008 AND UP	.51740 + .00030	.030	8
3	7427602	7427605	.518	MASTER	.51800 + .00002	.030	2
3	7427604		.518	.0005	.51800 + .00004	.030	4
3	7427608		.518	.002	.51810 + .00007	.030	4
3	7427610		.518	.004	.51820 + .00010	.030	8
3	7427614		.518	.008 AND UP	.51840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MARKING ON GAGE HANDLE: MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7427618		.519	MASTER	.51900 + .00002	.030	2
3	7427620	7427621	.519	.0005	.51900 + .00004	.030	4
3	7427624		.519	.002	.51910 + .00007	.030	4
3	7427626		.519	.004	.51920 + .00010	.030	8
3	7427630		.519	.008 AND UP	.51940 + .00030	.030	8
3	7427634		.520	MASTER	.52000 + .00002	.030	2
3	7427636	7427637	.520	.0005	.52000 + .00004	.030	4
3	7427640		.520	.002	.52010 + .00007	.030	4
3	7427642		.520	.004	.52020 + .00010	.030	8
3	7427646		.520	.008 AND UP	.52040 + .00030	.030	8
3	7427650		.521	MASTER	.52100 + .00002	.030	2
3	7427652	7427653	.521	.0005	.52100 + .00004	.030	4
3	7427656		.521	.002	.52110 + .00007	.030	4
3	7427658		.521	.004	.52120 + .00010	.030	8
3	7427662		.521	.008 AND UP	.52140 + .00030	.030	8
3	7427666		.522	MASTER	.52200 + .00002	.030	2
3	7427668	7427669	.522	.0005	.52200 + .00004	.030	4
3	7427672		.522	.002	.52210 + .00007	.030	4
3	7427674		.522	.004	.52220 + .00010	.030	8
3	7427678		.522	.008 AND UP	.52240 + .00030	.030	8
3	7427682		.523	MASTER	.52300 + .00002	.030	2
3	7427684	7427685	.523	.0005	.52300 + .00004	.030	4
3	7427688		.523	.002	.52310 + .00007	.030	4
3	7427690		.523	.004	.52320 + .00010	.030	8
3	7427694		.523	.008 AND UP	.52340 + .00030	.030	8
3	7427698		.524	MASTER	.52400 + .00002	.030	2
3	7427700	7427701	.524	.0005	.52400 + .00004	.030	4
3	7427704		.524	.002	.52410 + .00007	.030	4
3	7427706		.524	.004	.52420 + .00010	.030	8
3	7427710		.524	.008 AND UP	.52440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7427714	7427717	.525	MASTER	.52500 + .00002	.030	2
3	7427716		.525	.0005	.52500 + .00004	.030	4
3	7427720		.525	.002	.52510 + .00007	.030	4
3	7427722		.525	.004	.52520 + .00010	.030	8
3	7427726		.525	.008 AND UP	.52540 + .00030	.030	8
3	7427730	7427733	.526	MASTER	.52600 + .00002	.030	2
3	7427732		.526	.0005	.52600 + .00004	.030	4
3	7427736		.526	.002	.52610 + .00007	.030	4
3	7427738		.526	.004	.52620 + .00010	.030	8
3	7427742		.526	.008 AND UP	.52640 + .00030	.030	8
3	7427746	7427749	.527	MASTER	.52700 + .00002	.030	2
3	7427748		.527	.0005	.52700 + .00004	.030	4
3	7427752		.527	.002	.52710 + .00007	.030	4
3	7427754		.527	.004	.52720 + .00010	.030	8
3	7427758		.527	.008 AND UP	.52740 + .00030	.030	8
3	7427762	7427765	.528	MASTER	.52800 + .00002	.030	2
3	7427764		.528	.0005	.52800 + .00004	.030	4
3	7427768		.528	.002	.52810 + .00007	.030	4
3	7427770		.528	.004	.52820 + .00010	.030	8
3	7427774		.528	.008 AND UP	.52840 + .00030	.030	8
3	7427778	7427781	.529	MASTER	.52900 + .00002	.030	2
3	7427780		.529	.0005	.52900 + .00004	.030	4
3	7427784		.529	.002	.52910 + .00007	.030	4
3	7427786		.529	.004	.52920 + .00010	.030	8
3	7427790		.529	.008 AND UP	.52940 + .00030	.030	8
3	7427794	7427797	.530	MASTER	.53000 + .00002	.030	2
3	7427796		.530	.0005	.53000 + .00004	.030	4
3	7427800		.530	.002	.53010 + .00007	.030	4
3	7427802		.530	.004	.53020 + .00010	.030	8
3	7427806		.530	.008 AND UP	.53040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7427810		.531	MASTER	.53100 + .00002	.030	2
3	7427812	7427813	.531	.0005	.53100 + .00004	.030	4
3	7427816		.531	.002	.53110 + .00007	.030	4
3	7427818		.531	.004	.53120 + .00010	.030	8
3	7427822		.531	.008 AND UP	.53140 + .00030	.030	8
3	7427826		.53125	MASTER	.53125 + .00002	.030	2
3	7497356	7497357	.53125	.0005	.53125 + .00004	.030	4
3	7497360		.53125	.002	.53135 + .00007	.030	4
3	7497362		.53125	.004	.53145 + .00010	.030	8
3	7497366		.53125	.008 AND UP	.53165 + .00030	.030	8
3	7427828		.532	MASTER	.53200 + .00002	.030	2
3	7427830	7427831	.532	.0005	.53200 + .00004	.030	4
3	7427834		.532	.002	.53210 + .00007	.030	4
3	7427836		.532	.004	.53220 + .00010	.030	8
3	7427840		.532	.008 AND UP	.53240 + .00030	.030	8
3	7427844		.533	MASTER	.53300 + .00002	.030	2
3	7427846	7427847	.533	.0005	.53300 + .00004	.030	4
3	7427850		.533	.002	.53310 + .00007	.030	4
3	7427852		.533	.004	.53320 + .00010	.030	8
3	7427856		.533	.008 AND UP	.53340 + .00030	.030	8
3	7427860		.534	MASTER	.53400 + .00002	.030	2
3	7427862	7427863	.534	.0005	.53400 + .00004	.030	4
3	7427866		.534	.002	.53410 + .00007	.030	4
3	7427868		.534	.004	.53420 + .00010	.030	8
3	7427872		.534	.008 AND UP	.53440 + .00030	.030	8
3	7427876		.535	MASTER	.53500 + .00002	.030	2
3	7427878	7427879	.535	.0005	.53500 + .00004	.030	4
3	7427882		.535	.002	.53510 + .00007	.030	4
3	7427884		.535	.004	.53520 + .00010	.030	8
3	7427888		.535	.008 AND UP	.53540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7427892		.536	MASTER	.53600 + .00002	.030	2
3	7427894	7427895	.536	.0005	.53600 + .00004	.030	4
3	7427898		.536	.002	.53610 + .00007	.030	4
3	7427900		.536	.004	.53620 + .00010	.030	8
3	7427904		.536	.008 AND UP	.53640 + .00030	.030	8
3	7427908		.537	MASTER	.53700 + .00002	.030	2
3	7427910	7427911	.537	.0005	.53700 + .00004	.030	4
3	7427914		.537	.002	.53710 + .00007	.030	4
3	7427916		.537	.004	.53720 + .00010	.030	8
3	7427920		.537	.008 AND UP	.53740 + .00030	.030	8
3	7427924		.538	MASTER	.53800 + .00002	.030	2
3	7427926	7427927	.538	.0005	.53800 + .00004	.030	4
3	7427930		.538	.002	.53810 + .00007	.030	4
3	7427932		.538	.004	.53820 + .00010	.030	8
3	7427936		.538	.008 AND UP	.53840 + .00030	.030	8
3	7427940		.539	MASTER	.53900 + .00002	.030	2
3	7427942	7427943	.539	.0005	.53900 + .00004	.030	4
3	7427946		.539	.002	.53910 + .00007	.030	4
3	7427948		.539	.004	.53920 + .00010	.030	8
3	7427952		.539	.008 AND UP	.53940 + .00030	.030	8
3	7427956		.540	MASTER	.54000 + .00002	.030	2
3	7427958	7427959	.540	.0005	.54000 + .00004	.030	4
3	7427962		.540	.002	.54010 + .00007	.030	4
3	7427964		.540	.004	.54020 + .00010	.030	8
3	7427968		.540	.008 AND UP	.54040 + .00030	.030	8
3	7427972		.541	MASTER	.54100 + .00002	.030	2
3	7427974	7427975	.541	.0005	.54100 + .00004	.030	4
3	7427978		.541	.002	.54110 + .00007	.030	4
3	7427980		.541	.004	.54120 + .00010	.030	8
3	7427984		.541	.008 AND UP	.54140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7427988		.542	MASTER	.54200 + .00002	.030	2
3	7427990	7427991	.542	.0005	.54200 + .00004	.030	4
3	7427994		.542	.002	.54210 + .00007	.030	4
3	7427996		.542	.004	.54220 + .00010	.030	8
3	7428000		.542	.008 AND UP	.54240 + .00030	.030	8
3	7428004		.543	MASTER	.54300 + .00002	.030	2
3	7428006	7428007	.543	.0005	.54300 + .00004	.030	4
3	7428010		.543	.002	.54310 + .00007	.030	4
3	7428012		.543	.004	.54320 + .00010	.030	8
3	7428016		.543	.008 AND UP	.54340 + .00030	.030	8
3	7428020		.544	MASTER	.54400 + .00002	.030	2
3	7428022	7428023	.544	.0005	.54400 + .00004	.030	4
3	7428026		.544	.002	.54410 + .00007	.030	4
3	7428028		.544	.004	.54420 + .00010	.030	8
3	7428032		.544	.008 AND UP	.54440 + .00030	.030	8
3	7428036		.545	MASTER	.54500 + .00002	.030	2
3	7428038	7428039	.545	.0005	.54500 + .00004	.030	4
3	7428042		.545	.002	.54510 + .00007	.030	4
3	7428044		.545	.004	.54520 + .00010	.030	8
3	7428048		.545	.008 AND UP	.54540 + .00030	.030	8
3	7428052		.546	MASTER	.54600 + .00002	.030	2
3	7428054	7428055	.546	.0005	.54600 + .00004	.030	4
3	7428058		.546	.002	.54610 + .00007	.030	4
3	7428060		.546	.004	.54620 + .00010	.030	8
3	7428064		.546	.008 AND UP	.54640 + .00030	.030	8
3	7428068		.547	MASTER	.54700 + .00002	.030	2
3	7428070	7428071	.547	.0005	.54700 + .00004	.030	4
3	7428074		.547	.002	.54710 + .00007	.030	4
3	7428076		.547	.004	.54720 + .00010	.030	8
3	7428080		.547	.008 AND UP	.54740 + .00030	.030	8

MIL-STD-1916
8 December 1995

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428084		.548	MASTER	.54800 + .00002	.030	2
3	7428086	7428087	.548	.0005	.54800 + .00004	.030	4
3	7428090		.548	.002	.54810 + .00007	.030	4
3	7428092		.548	.004	.54820 + .00010	.030	8
3	7428096		.548	.008 AND UP	.54840 + .00030	.030	8
3	7428100		.549	MASTER	.54900 + .00002	.030	2
3	7428102	7428103	.549	.0005	.54900 + .00004	.030	4
3	7428106		.549	.002	.54910 + .00007	.030	4
3	7428108		.549	.004	.54920 + .00010	.030	8
3	7428112		.549	.008 AND UP	.54940 + .00030	.030	8
3	7428116		.550	MASTER	.55000 + .00002	.030	2
3	7428118	7428119	.550	.0005	.55000 + .00004	.030	4
3	7428122		.550	.002	.55010 + .00007	.030	4
3	7428124		.550	.004	.55020 + .00010	.030	8
3	7428128		.550	.008 AND UP	.55040 + .00030	.030	8
3	7428132		.551	MASTER	.55100 + .00002	.030	2
3	7428134	7428135	.551	.0005	.55100 + .00004	.030	4
3	7428138		.551	.002	.55110 + .00007	.030	4
3	7428140		.551	.004	.55120 + .00010	.030	8
3	7428144		.551	.008 AND UP	.55140 + .00030	.030	8
3	7428148		.552	MASTER	.55200 + .00002	.030	2
3	7428150	7428151	.552	.0005	.55200 + .00004	.030	4
3	7428154		.552	.002	.55210 + .00007	.030	4
3	7428156		.552	.004	.55220 + .00010	.030	8
3	7428160		.552	.008 AND UP	.55240 + .00030	.030	8
3	7428164		.553	MASTER	.55300 + .00002	.030	2
3	7428166	7428167	.553	.0005	.55300 + .00004	.030	4
3	7428170		.553	.002	.55310 + .00007	.030	4
3	7428172		.553	.004	.55320 + .00010	.030	8
3	7428176		.553	.008 AND UP	.55340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7428180		.554	MASTER	.55400 + .00002	.030	2
3	7428182	7428183	.554	.0005	.55400 + .00004	.030	4
3	7428186		.554	.002	.55410 + .00007	.030	4
3	7428188		.554	.004	.55420 + .00010	.030	8
3	7428192		.554	.008 AND UP	.55440 + .00030	.030	8
3	7428196		.555	MASTER	.55500 + .00002	.030	2
3	7428198	7428199	.555	.0005	.55500 + .00004	.030	4
3	7428202		.555	.002	.55510 + .00007	.030	4
3	7428204		.555	.004	.55520 + .00010	.030	8
3	7428208		.555	.008 AND UP	.55540 + .00030	.030	8
3	7428212		.556	MASTER	.55600 + .00002	.030	2
3	7428214	7428215	.556	.0005	.55600 + .00004	.030	4
3	7428218		.556	.002	.55610 + .00007	.030	4
3	7428220		.556	.004	.55620 + .00010	.030	8
3	7428224		.556	.008 AND UP	.55640 + .00030	.030	8
3	7428228		.557	MASTER	.55700 + .00002	.030	2
3	7428230	7428231	.557	.0005	.55700 + .00004	.030	4
3	7428234		.557	.002	.55710 + .00007	.030	4
3	7428236		.557	.004	.55720 + .00010	.030	8
3	7428240		.557	.008 AND UP	.55740 + .00030	.030	8
3	7428244		.558	MASTER	.55800 + .00002	.030	2
3	7428246	7428247	.558	.0005	.55800 + .00004	.030	4
3	7428250		.558	.002	.55810 + .00007	.030	4
3	7428252		.558	.004	.55820 + .00010	.030	8
3	7428256		.558	.008 AND UP	.55840 + .00030	.030	8
3	7428260		.559	MASTER	.55900 + .00002	.030	2
3	7428262	7428263	.559	.0005	.55900 + .00004	.030	4
3	7428266		.559	.002	.55910 + .00007	.030	4
3	7428268		.559	.004	.55920 + .00010	.030	8
3	7428272		.559	.008 AND UP	.55940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7428276		.560	MASTER	.56000 + .00002	.030	2
3	7428278	7428279	.560	.0005	.56000 + .00004	.030	4
3	7428282		.560	.002	.56010 + .00007	.030	4
3	7428284		.560	.004	.56020 + .00010	.030	8
3	7428288		.560	.008 AND UP	.56040 + .00030	.030	8
3	7428292		.561	MASTER	.56100 + .00002	.030	2
3	7428294	7428295	.561	.0005	.56100 + .00004	.030	4
3	7428298		.561	.002	.56110 + .00007	.030	4
3	7428300		.561	.004	.56120 + .00010	.030	8
3	7428304		.561	.008 AND UP	.56140 + .00030	.030	8
3	7428308		.562	MASTER	.56200 + .00002	.030	2
3	7428310	7428311	.562	.0005	.56200 + .00004	.030	4
3	7428314		.562	.002	.56210 + .00007	.030	4
3	7428316		.562	.004	.56220 + .00010	.030	8
3	7428320		.562	.008 AND UP	.56240 + .00030	.030	8
3	7428324		.5625	MASTER	.56250 + .00002	.030	2
3	7497370	7497371	.5625	.0005	.56250 + .00004	.030	4
3	7497374		.5625	.002	.56260 + .00007	.030	4
3	7497376		.5625	.004	.56270 + .00010	.030	8
3	7497380		.5625	.008 AND UP	.56290 + .00030	.030	8
3	7428326		.563	MASTER	.56300 + .00002	.030	2
3	7428328	7428329	.563	.0005	.56300 + .00004	.030	4
3	7428332		.563	.002	.56310 + .00007	.030	4
3	7428334		.563	.004	.56320 + .00010	.030	8
3	7428338		.563	.008 AND UP	.56340 + .00030	.030	8
3	7428342		.564	MASTER	.56400 + .00002	.030	2
3	7428344	7428345	.564	.0005	.56400 + .00004	.030	4
3	7428348		.564	.002	.56410 + .00007	.030	4
3	7428350		.564	.004	.56420 + .00010	.030	8
3	7428354		.564	.008 AND UP	.56440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7428358		.565	MASTER	.56500 + .00002	.030	2
3	7428360	7428361	.565	.0005	.56500 + .00004	.030	4
3	7428364		.565	.002	.56510 + .00007	.030	4
3	7428366		.565	.004	.56520 + .00010	.030	8
3	7428370		.565	.008 AND UP	.56540 + .00030	.030	8
3	7428374		.566	MASTER	.56600 + .00002	.030	2
3	7428376	7428377	.566	.0005	.56600 + .00004	.030	4
3	7428380		.566	.002	.56610 + .00007	.030	4
3	7428382		.566	.004	.56620 + .00010	.030	8
3	7428386		.566	.008 AND UP	.56640 + .00030	.030	8
3	7428390		.567	MASTER	.56700 + .00002	.030	2
3	7428392	7428393	.567	.0005	.56700 + .00004	.030	4
3	7428396		.567	.002	.56710 + .00007	.030	4
3	7428398		.567	.004	.56720 + .00010	.030	8
3	7428402		.567	.008 AND UP	.56740 + .00030	.030	8
3	7428406		.568	MASTER	.56800 + .00002	.030	2
3	7428408	7428409	.568	.0005	.56800 + .00004	.030	4
3	7428412		.568	.002	.56810 + .00007	.030	4
3	7428414		.568	.004	.56820 + .00010	.030	8
3	7428418		.568	.008 AND UP	.56840 + .00030	.030	8
3	7428422		.569	MASTER	.56900 + .00002	.030	2
3	7428424	7428425	.569	.0005	.56900 + .00004	.030	4
3	7428428		.569	.002	.56910 + .00007	.030	4
3	7428430		.569	.004	.56920 + .00010	.030	8
3	7428434		.569	.008 AND UP	.56940 + .00030	.030	8
3	7428438		.570	MASTER	.57000 + .00002	.030	2
3	7428440	7428441	.570	.0005	.57000 + .00004	.030	4
3	7428444		.570	.002	.57010 + .00007	.030	4
3	7428446		.570	.004	.57020 + .00010	.030	8
3	7428450		.570	.008 AND UP	.57040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428454		.571	MASTER	.57100 + .00002	.030	2
3	7428456	7428457	.571	.0005	.57100 + .00004	.030	4
3	7428460		.571	.002	.57110 + .00007	.030	4
3	7428462		.571	.004	.57120 + .00010	.030	8
3	7428466		.571	.008 AND UP	.57140 + .00030	.030	8
3	7428470		.572	MASTER	.57200 + .00002	.030	2
3	7428472	7428473	.572	.0005	.57200 + .00004	.030	4
3	7428476		.572	.002	.57210 + .00007	.030	4
3	7428478		.572	.004	.57220 + .00010	.030	8
3	7428482		.572	.008 AND UP	.57240 + .00030	.030	8
3	7428486		.573	MASTER	.57300 + .00002	.030	2
3	7428488	7428489	.573	.0005	.57300 + .00004	.030	4
3	7428492		.573	.002	.57310 + .00007	.030	4
3	7428494		.573	.004	.57320 + .00010	.030	8
3	7428498		.573	.008 AND UP	.57340 + .00030	.030	8
3	7428502		.574	MASTER	.57400 + .00002	.030	2
3	7428504	7428505	.574	.0005	.57400 + .00004	.030	4
3	7428508		.574	.002	.57410 + .00007	.030	4
3	7428510		.574	.004	.57420 + .00010	.030	8
3	7428514		.574	.008 AND UP	.57440 + .00030	.030	8
3	7428518		.575	MASTER	.57500 + .00002	.030	2
3	7428520	7428521	.575	.0005	.57500 + .00004	.030	4
3	7428524		.575	.002	.57510 + .00007	.030	4
3	7428526		.575	.004	.57520 + .00010	.030	8
3	7428530		.575	.008 AND UP	.57540 + .00030	.030	8
3	7428534		.576	MASTER	.57600 + .00002	.030	2
3	7428536	7428537	.576	.0005	.57600 + .00004	.030	4
3	7428540		.576	.002	.57610 + .00007	.030	4
3	7428542		.576	.004	.57620 + .00010	.030	8
3	7428546		.576	.008 AND UP	.57640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7428550	7428553	.577	MASTER	.57700 + .00002	.030	2
3	7428552		.577	.0005	.57700 + .00004	.030	4
3	7428556		.577	.002	.57710 + .00007	.030	4
3	7428558		.577	.004	.57720 + .00010	.030	8
3	7428562		.577	.008 AND UP	.57740 + .00030	.030	8
3	7423566	7428569	.578	MASTER	.57800 + .00002	.030	2
3	7428568		.578	.0005	.57800 + .00004	.030	4
3	7428572		.578	.002	.57810 + .00007	.030	4
3	7428574		.578	.004	.57820 + .00010	.030	8
3	7428578		.578	.008 AND UP	.57840 + .00030	.030	8
3	7428582	7428585	.579	MASTER	.57900 + .00002	.030	2
3	7428584		.579	.0005	.57900 + .00004	.030	4
3	7428588		.579	.002	.57910 + .00007	.030	4
3	7428590		.579	.004	.57920 + .00010	.030	8
3	7428594		.579	.008 AND UP	.57940 + .00030	.030	8
3	7428598	7428601	.580	MASTER	.58000 + .00002	.030	2
3	7428600		.580	.0005	.58000 + .00004	.030	4
3	7428604		.580	.002	.58010 + .00007	.030	4
3	7428606		.580	.004	.58020 + .00010	.030	8
3	7428610		.580	.008 AND UP	.58040 + .00030	.030	8
3	7428614	7428617	.581	MASTER	.58100 + .00002	.030	2
3	7428616		.581	.0005	.58100 + .00004	.030	4
3	7428620		.581	.002	.58110 + .00007	.030	4
3	7428622		.581	.004	.58120 + .00010	.030	8
3	7428626		.581	.008 AND UP	.58140 + .00030	.030	8
3	7428630	7428633	.582	MASTER	.58200 + .00002	.030	2
3	7428632		.582	.0005	.58200 + .00004	.030	4
3	7428636		.582	.002	.58210 + .00007	.030	4
3	7428638		.582	.004	.58220 + .00010	.030	8
3	7428642		.582	.008 AND UP	.58240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN — GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428646		.583	MASTER	.58300 + .00002	.030	2
3	7428648	7428649	.583	.0005	.58300 + .00004	.030	4
3	7428652		.583	.002	.58310 + .00007	.030	4
3	7428654		.583	.004	.58320 + .00010	.030	8
3	7428658		.583	.008 AND UP	.58340 + .00030	.030	8
3	7428662		.584	MASTER	.58400 + .00002	.030	2
3	7428664	7428665	.584	.0005	.58400 + .00004	.030	4
3	7428668		.584	.002	.58410 + .00007	.030	4
3	7428670		.584	.004	.58420 + .00010	.030	8
3	7428674		.584	.008 AND UP	.58440 + .00030	.030	8
3	7428678		.585	MASTER	.58500 + .00002	.030	2
3	7428680	7428681	.585	.0005	.58500 + .00004	.030	4
3	7428684		.585	.002	.58510 + .00007	.030	4
3	7428686		.585	.004	.58520 + .00010	.030	8
3	7428690		.585	.008 AND UP	.58540 + .00030	.030	8
3	7428694		.586	MASTER	.58600 + .00002	.030	2
3	7428696	7428697	.586	.0005	.58600 + .00004	.030	4
3	7428700		.586	.002	.58610 + .00007	.030	4
3	7428702		.586	.004	.58620 + .00010	.030	8
3	7428706		.586	.008 AND UP	.58640 + .00030	.030	8
3	7428710		.587	MASTER	.58700 + .00002	.030	2
3	7428712	7428713	.587	.0005	.58700 + .00004	.030	4
3	7428716		.587	.002	.58710 + .00007	.030	4
3	7428718		.587	.004	.58720 + .00010	.030	8
3	7428722		.587	.008 AND UP	.58740 + .00030	.030	8
3	7428726		.588	MASTER	.58800 + .00002	.030	2
3	7428728	7428729	.588	.0005	.58800 + .00004	.030	4
3	7428732		.588	.002	.58810 + .00007	.030	4
3	7428734		.588	.004	.58820 + .00010	.030	8
3	7428738		.588	.008 AND UP	.58840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7428742	7428745	.589	MASTER	.58900 + .00002	.030	2
3	7428744		.589	.0005	.58900 + .00004	.030	4
3	7428748		.589	.002	.58910 + .00007	.030	4
3	7428750		.589	.004	.58920 + .00010	.030	8
3	7428754		.589	.008 AND UP	.58940 + .00030	.030	8
3	7428758	7428761	.590	MASTER	.59000 + .00002	.030	2
3	7428760		.590	.0005	.59000 + .00004	.030	4
3	7428764		.590	.002	.59010 + .00007	.030	4
3	7428766		.590	.004	.59020 + .00010	.030	8
3	7428770		.590	.008 AND UP	.59040 + .00030	.030	8
3	7428774	7428777	.591	MASTER	.59100 + .00002	.030	2
3	7428776		.591	.0005	.59100 + .00004	.030	4
3	7428780		.591	.002	.59110 + .00007	.030	4
3	7428782		.591	.004	.59120 + .00010	.030	8
3	7428786		.591	.008 AND UP	.59140 + .00030	.030	8
3	7428790	7428793	.592	MASTER	.59200 + .00002	.030	2
3	7428792		.592	.0005	.59200 + .00004	.030	4
3	7428796		.592	.002	.59210 + .00007	.030	4
3	7428798		.592	.004	.59220 + .00010	.030	8
3	7428802		.592	.008 AND UP	.59240 + .00030	.030	8
3	7428806	7428809	.593	MASTER	.59300 + .00002	.030	2
3	7428808		.593	.0005	.59300 + .00004	.030	4
3	7428812		.593	.002	.59310 + .00007	.030	4
3	7428814		.593	.004	.59320 + .00010	.030	8
3	7428818		.593	.008 AND UP	.59340 + .00030	.030	8
3	7428822	7497385	.59375	MASTER	.59375 + .00002	.030	2
3	7497384		.59375	.0005	.59375 + .00004	.030	4
3	7497388		.59375	.002	.59385 + .00007	.030	4
3	7497390		.59375	.004	.59395 + .00010	.030	8
3	7497394		.59375	.008 AND UP	.59415 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428824		.594	MASTER	.59400 + .00002	.030	2
3	7428826	7428827	.594	.0005	.59400 + .00004	.030	4
3	7428830		.594	.002	.59410 + .00007	.030	4
3	7428832		.594	.004	.59420 + .00010	.030	8
3	7428836		.594	.008 AND UP	.59440 + .00030	.030	8
3	7428840		.595	MASTER	.59500 + .00002	.030	2
3	7428842	7428843	.595	.0005	.59500 + .00004	.030	4
3	7428846		.595	.002	.59510 + .00007	.030	4
3	7428848		.595	.004	.59520 + .00010	.030	8
3	7428852		.595	.008 AND UP	.59540 + .00030	.030	8
3	7428856		.596	MASTER	.59600 + .00002	.030	2
3	7428858	7428859	.596	.0005	.59600 + .00004	.030	4
3	7428862		.596	.002	.59610 + .00007	.030	4
3	7428864		.596	.004	.59620 + .00010	.030	8
3	7428868		.596	.008 AND UP	.59640 + .00030	.030	8
3	7428872		.597	MASTER	.59700 + .00002	.030	2
3	7428874	7428875	.597	.0005	.59700 + .00004	.030	4
3	7428878		.597	.002	.59710 + .00007	.030	4
3	7428880		.597	.004	.59720 + .00010	.030	8
3	7428884		.597	.008 AND UP	.59740 + .00030	.030	8
3	7428888		.598	MASTER	.59800 + .00002	.030	2
3	7428890	7428891	.598	.0005	.59800 + .00004	.030	4
3	7428894		.598	.002	.59810 + .00007	.030	4
3	7428896		.598	.004	.59820 + .00010	.030	8
3	7428900		.598	.008 AND UP	.59840 + .00030	.030	8
3	7428904		.599	MASTER	.59900 + .00002	.030	2
3	7428906	7428907	.599	.0005	.59900 + .00004	.030	4
3	7428910		.599	.002	.59910 + .00007	.030	4
3	7428912		.599	.004	.59920 + .00010	.030	8
3	7428916		.599	.008 AND UP	.59940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7428920		.600	MASTER	.60000 + .00002	.030	2
3	7428922	7428923	.600	.0005	.60000 + .00004	.030	4
3	7428926		.600	.002	.60010 + .00007	.030	4
3	7428928		.600	.004	.60020 + .00010	.030	8
3	7428932		.600	.008 AND UP	.60040 + .00030	.030	8
3	7428936		.601	MASTER	.60100 + .00002	.030	2
3	7428938	7428939	.601	.0005	.60100 + .00004	.030	4
3	7428942		.601	.002	.60110 + .00007	.030	4
3	7428944		.601	.004	.60120 + .00010	.030	8
3	7428948		.601	.008 AND UP	.60140 + .00030	.030	8
3	7428952		.602	MASTER	.60200 + .00002	.030	2
3	7428954	7428955	.602	.0005	.60200 + .00004	.030	4
3	7428958		.602	.002	.60210 + .00007	.030	4
3	7428960		.602	.004	.60220 + .00010	.030	8
3	7428964		.602	.008 AND UP	.60240 + .00030	.030	8
3	7428968		.603	MASTER	.60300 + .00002	.030	2
3	7428970	7428971	.603	.0005	.60300 + .00004	.030	4
3	7428974		.603	.002	.60310 + .00007	.030	4
3	7428976		.603	.004	.60320 + .00010	.030	8
3	7428980		.603	.008 AND UP	.60340 + .00030	.030	8
3	7428984		.604	MASTER	.60400 + .00002	.030	2
3	7428986	7428987	.604	.0005	.60400 + .00004	.030	4
3	7428990		.604	.002	.60410 + .00007	.030	4
3	7428992		.604	.004	.60420 + .00010	.030	8
3	7428996		.604	.008 AND UP	.60440 + .00030	.030	8
3	7429000		.605	MASTER	.60500 + .00002	.030	2
3	7429002	7429003	.605	.0005	.60500 + .00004	.030	4
3	7429006		.605	.002	.60510 + .00007	.030	4
3	7429008		.605	.004	.60520 + .00010	.030	8
3	7429012		.605	.008 AND UP	.60540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429016	7429019	.606	MASTER	.60600 + .00002	.030	2
3	7429018		.606	.0005	.60600 + .00004	.030	4
3	7429022		.606	.002	.60610 + .00007	.030	4
3	7429024		.606	.004	.60620 + .00010	.030	8
3	7429028		.606	.008 AND UP	.60640 + .00030	.030	8
3	7429032	7429035	.607	MASTER	.60700 + .00002	.030	2
3	7429034		.607	.0005	.60700 + .00004	.030	4
3	7429038		.607	.002	.60710 + .00007	.030	4
3	7429040		.607	.004	.60720 + .00010	.030	8
3	7429044		.607	.008 AND UP	.60740 + .00030	.030	8
3	7429048	7429051	.608	MASTER	.60800 + .00002	.030	2
3	7429050		.608	.0005	.60800 + .00004	.030	4
3	7429054		.608	.002	.60810 + .00007	.030	4
3	7429056		.608	.004	.60820 + .00010	.030	8
3	7429060		.608	.008 AND UP	.60840 + .00030	.030	8
3	7429064	7429067	.609	MASTER	.60900 + .00002	.030	2
3	7429066		.609	.0005	.60900 + .00004	.030	4
3	7429070		.609	.002	.60910 + .00007	.030	4
3	7429072		.609	.004	.60920 + .00010	.030	8
3	7429076		.609	.008 AND UP	.60940 + .00030	.030	8
3	7429080	7429083	.610	MASTER	.61000 + .00002	.030	2
3	7429082		.610	.0005	.61000 + .00004	.030	4
3	7429086		.610	.002	.61010 + .00007	.030	4
3	7429088		.610	.004	.61020 + .00010	.030	8
3	7429092		.610	.008	.61040 + .00030	.030	8
3	7429096	7429099	.611	MASTER	.61100 + .00002	.030	2
3	7429098		.611	.0005	.61100 + .00004	.030	4
3	7429102		.611	.002	.61110 + .00007	.030	4
3	7429104		.611	.004	.61120 + .00010	.030	8
3	7429108		.611	.008 AND UP	.61140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429112		.612	MASTER	.61200 + .00002	.030	2
3	7429114	7429115	.612	.0005	.61200 + .00004	.030	4
3	7429118		.612	.002	.61210 + .00007	.030	4
3	7429120		.612	.004	.61220 + .00010	.030	8
3	7429124		.612	.008 AND UP	.61240 + .00030	.030	8
3	7429128		.613	MASTER	.61300 + .00002	.030	2
3	7429130	7429131	.613	.0005	.61300 + .00004	.030	4
3	7429134		.613	.002	.61310 + .00007	.030	4
3	7429136		.613	.004	.61320 + .00010	.030	8
3	7429140		.613	.008 AND UP	.61340 + .00030	.030	8
3	7429144		.614	MASTER	.61400 + .00002	.030	2
3	7429146	7429147	.614	.0005	.61400 + .00004	.030	4
3	7429150		.614	.002	.61410 + .00007	.030	4
3	7429152		.614	.004	.61420 + .00010	.030	8
3	7429156		.614	.008 AND UP	.61440 + .00030	.030	8
3	7429160		.615	MASTER	.61500 + .00002	.030	2
3	7429162	7429163	.615	.0005	.61500 + .00004	.030	4
3	7429166		.615	.002	.61510 + .00007	.030	4
3	7429168		.615	.004	.61520 + .00010	.030	8
3	7429172		.615	.008 AND UP	.61540 + .00030	.030	8
3	7429176		.616	MASTER	.61600 + .00002	.030	2
3	7429178	7429179	.616	.0005	.61600 + .00004	.030	4
3	7429182		.616	.002	.61610 + .00007	.030	4
3	7429184		.616	.004	.61620 + .00010	.030	8
3	7429188		.616	.008 AND UP	.61640 + .00030	.030	8
3	7429192		.617	MASTER	.61700 + .00002	.030	2
3	7429194	7429195	.617	.0005	.61700 + .00004	.030	4
3	7429198		.617	.002	.61710 + .00007	.030	4
3	7429200		.617	.004	.61720 + .00010	.030	8
3	7429204		.617	.008 AND UP	.61740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7429208		.618	MASTER	.61800 + .00002	.030	2
3	7429210	7429211	.618	.0005	.61800 + .00004	.030	4
3	7429214		.618	.002	.61810 + .00007	.030	4
3	7429216		.618	.004	.61820 + .00010	.030	8
3	7429220		.618	.008 AND UP	.61840 + .00030	.030	8
3	7429224		.619	MASTER	.61900 + .00002	.030	2
3	7429226	7429227	.619	.0005	.61900 + .00004	.030	4
3	7429230		.619	.002	.61910 + .00007	.030	4
3	7429232		.619	.004	.61920 + .00010	.030	8
3	7429236		.619	.008 AND UP	.61940 + .00030	.030	8
3	7429240		.620	MASTER	.62000 + .00002	.030	2
3	7429242	7429243	.620	.0005	.62000 + .00004	.030	4
3	7429246		.620	.002	.62010 + .00007	.030	4
3	7429248		.620	.004	.62020 + .00010	.030	8
3	7429252		.620	.008 AND UP	.62040 + .00030	.030	8
3	7429256		.621	MASTER	.62100 + .00002	.030	2
3	7429258	7429259	.621	.0005	.62100 + .00004	.030	4
3	7429262		.621	.002	.62110 + .00007	.030	4
3	7429264		.621	.004	.62120 + .00010	.030	8
3	7429268		.621	.008 AND UP	.62140 + .00030	.030	8
3	7429272		.622	MASTER	.62200 + .00002	.030	2
3	7429274	7429275	.622	.0005	.62200 + .00004	.030	4
3	7429278		.622	.002	.62210 + .00007	.030	4
3	7429280		.622	.004	.62220 + .00010	.030	8
3	7429284		.622	.008 AND UP	.62240 + .00030	.030	8
3	7429288		.623	MASTER	.62300 + .00002	.030	2
3	7429290	7429291	.623	.0005	.62300 + .00004	.030	4
3	7429294		.623	.002	.62310 + .00007	.030	4
3	7429296		.623	.004	.62320 + .00010	.030	8
3	7429300		.623	.008 AND UP	.62340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7429304		.624	MASTER	.62400 + .00002	.030	2
3	7429306	7429307	.624	.0005	.62400 + .00004	.030	4
3	7429310		.624	.002	.62410 + .00007	.030	4
3	7429312		.624	.004	.62420 + .00010	.030	8
3	7429316		.624	.008 AND UP	.62440 + .00030	.030	8
3	7429320		.625	MASTER	.62500 + .00002	.030	2
3	7429322	7429323	.625	.0005	.62500 + .00004	.030	4
3	7429326		.625	.002	.62510 + .00007	.030	4
3	7429328		.625	.004	.62520 + .00010	.030	8
3	7429332		.625	.008 AND UP	.62540 + .00030	.030	8
3	7429336		.626	MASTER	.62600 + .00002	.030	2
3	7429338	7429339	.626	.0005	.62600 + .00004	.030	4
3	7429342		.626	.002	.62610 + .00007	.030	4
3	7429344		.626	.004	.62620 + .00010	.030	8
3	7429348		.626	.008 AND UP	.62640 + .00030	.030	8
3	7429352		.627	MASTER	.62700 + .00002	.030	2
3	7429354	7429355	.627	.0005	.62700 + .00004	.030	4
3	7429358		.627	.002	.62710 + .00007	.030	4
3	7429360		.627	.004	.62720 + .00010	.030	8
3	7429364		.627	.008 AND UP	.62740 + .00030	.030	8
3	7429368		.628	MASTER	.62800 + .00002	.030	2
3	7429370	7429371	.628	.0005	.62800 + .00004	.030	4
3	7429374		.628	.002	.62810 + .00007	.030	4
3	7429376		.628	.004	.62820 + .00010	.030	8
3	7429380		.628	.008 AND UP	.62840 + .00030	.030	8
3	7429384		.629	MASTER	.62900 + .00002	.030	2
3	7429386	7429387	.629	.0005	.62900 + .00004	.030	4
3	7429390		.629	.002	.62910 + .00007	.030	4
3	7429392		.629	.004	.62920 + .00010	.030	8
3	7429396		.629	.008 AND UP	.62940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429400	7429403	.630	MASTER	.63000 + .00002	.030	2
3	7429402		.630	.0005	.63000 + .00004	.030	4
3	7429406		.630	.002	.63010 + .00007	.030	4
3	7429408		.630	.004	.63020 + .00010	.030	8
3	7429412		.630	.008 AND UP	.63040 + .00030	.030	8
3	7429416	7429419	.631	MASTER	.63100 + .00002	.030	2
3	7429418		.631	.0005	.63100 + .00004	.030	4
3	7429422		.631	.002	.63110 + .00007	.030	4
3	7429424		.631	.004	.63120 + .00010	.030	8
3	7429428		.631	.008 AND UP	.63140 + .00030	.030	8
3	7429432	7429435	.632	MASTER	.63200 + .00002	.030	2
3	7429434		.632	.0005	.63200 + .00004	.030	4
3	7429438		.632	.002	.63210 + .00007	.030	4
3	7429440		.632	.004	.63220 + .00010	.030	8
3	7429444		.632	.008 AND UP	.63240 + .00030	.030	8
3	7429448	7429451	.633	MASTER	.63300 + .00002	.030	2
3	7429450		.633	.0005	.63300 + .00004	.030	4
3	7429454		.633	.002	.63310 + .00007	.030	4
3	7429456		.633	.004	.63320 + .00010	.030	8
3	7429460		.633	.008 AND UP	.63340 + .00030	.030	8
3	7429464	7429467	.634	MASTER	.63400 + .00002	.030	2
3	7429466		.634	.0005	.63400 + .00004	.030	4
3	7429470		.634	.002	.63410 + .00007	.030	4
3	7429472		.634	.004	.63420 + .00010	.030	8
3	7429476		.634	.008 AND UP	.63440 + .00030	.030	8
3	7429480	7429483	.635	MASTER	.63500 + .00002	.030	2
3	7429482		.635	.0005	.63500 + .00004	.030	4
3	7429486		.635	.002	.63510 + .00007	.030	4
3	7429488		.635	.004	.63520 + .00010	.030	8
3	7429492		.635	.008 AND UP	.63540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429496		.636	MASTER	.63600 + .00002	.030	2
3	7429498	7429499	.636	.0005	.63600 + .00004	.030	4
3	7429502		.636	.002	.63610 + .00007	.030	4
3	7429504		.636	.004	.63620 + .00010	.030	8
3	7429508		.636	.008 AND UP	.63640 + .00030	.030	8
3	7429512		.637	MASTER	.63700 + .00002	.030	2
3	7429514	7429515	.637	.0005	.63700 + .00004	.030	4
3	7429518		.637	.002	.63710 + .00007	.030	4
3	7429520		.637	.004	.63720 + .00010	.030	8
3	7429524		.637	.008 AND UP	.63740 + .00030	.030	8
3	7429528		.638	MASTER	.63800 + .00002	.030	2
3	7429530	7429531	.638	.0005	.63800 + .00004	.030	4
3	7429534		.638	.002	.63810 + .00007	.030	4
3	7429536		.638	.004	.63820 + .00010	.030	8
3	7429540		.638	.008 AND UP	.63840 + .00030	.030	8
3	7429544		.639	MASTER	.63900 + .00002	.030	2
3	7429546	7429547	.639	.0005	.63900 + .00004	.030	4
3	7429550		.639	.002	.63910 + .00007	.030	4
3	7429552		.639	.004	.63920 + .00010	.030	8
3	7429556		.639	.008 AND UP	.63940 + .00030	.030	8
3	7429560		.640	MASTER	.64000 + .00002	.030	2
3	7429562	7429563	.640	.0005	.64000 + .00004	.030	4
3	7429566		.640	.002	.64010 + .00007	.030	4
3	7429568		.640	.004	.64020 + .00010	.030	8
3	7429572		.640	.008 AND UP	.64040 + .00030	.030	8
3	7429576		.641	MASTER	.64100 + .00002	.030	2
3	7429578	7429579	.641	.0005	.64100 + .00004	.030	4
3	7429582		.641	.002	.64110 + .00007	.030	4
3	7429584		.641	.004	.64120 + .00010	.030	8
3	7429588		.641	.008 AND UP	.64140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429592		.642	MASTER	.64200 + .00002	.030	2
3	7429594	7429595	.642	.0005	.64200 + .00004	.030	4
3	7429598		.642	.002	.64210 + .00007	.030	4
3	7429600		.642	.004	.64220 + .00010	.030	8
3	7429604		.642	.008 AND UP	.64240 + .00030	.030	8
3	7429608		.643	MASTER	.64300 + .00002	.030	2
3	7429610	7429611	.643	.0005	.64300 + .00004	.030	4
3	7429614		.643	.002	.64310 + .00007	.030	4
3	7429616		.643	.004	.64320 + .00010	.030	8
3	7429620		.643	.008 AND UP	.64340 + .00030	.030	8
3	7429624		.644	MASTER	.64400 + .00002	.030	2
3	7429626	7429627	.644	.0005	.64400 + .00004	.030	4
3	7429630		.644	.002	.64410 + .00007	.030	4
3	7429632		.644	.004	.64420 + .00010	.030	8
3	7429636		.644	.008 AND UP	.64440 + .00030	.030	8
3	7429640		.645	MASTER	.64500 + .00002	.030	2
3	7429642	7429643	.645	.0005	.64500 + .00004	.030	4
3	7429646		.645	.002	.64510 + .00007	.030	4
3	7429648		.645	.004	.64520 + .00010	.030	8
3	7429652		.645	.008 AND UP	.64540 + .00030	.030	8
3	7429656		.646	MASTER	.64600 + .00002	.030	2
3	7429658	7429659	.646	.0005	.64600 + .00004	.030	4
3	7429662		.646	.002	.64610 + .00007	.030	4
3	7429664		.646	.004	.64620 + .00010	.030	8
3	7429668		.646	.008 AND UP	.64640 + .00030	.030	8
3	7429672		.647	MASTER	.64700 + .00002	.030	2
3	7429674	7429675	.647	.0005	.64700 + .00004	.030	4
3	7429678		.647	.002	.64710 + .00007	.030	4
3	7429680		.647	.004	.64720 + .00010	.030	8
3	7429684		.647	.008 AND UP	.64740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7429688		.648	MASTER	.64800 + .00002	.030	2
3	7429690	7429691	.648	.0005	.64800 + .00004	.030	4
3	7429694		.648	.002	.64810 + .00007	.030	4
3	7429696		.648	.004	.64820 + .00010	.030	8
3	7429700		.648	.008 AND UP	.64840 + .00030	.030	8
3	7429704		.649	MASTER	.64900 + .00002	.030	2
3	7429706	7429707	.649	.0005	.64900 + .00004	.030	4
3	7429710		.649	.002	.64910 + .00007	.030	4
3	7429712		.649	.004	.64920 + .00010	.030	8
3	7429716		.649	.008 AND UP	.64940 + .00030	.030	8
3	7429720		.650	MASTER	.65000 + .00002	.030	2
3	7429722	7429723	.650	.0005	.65000 + .00004	.030	4
3	7429726		.650	.002	.65010 + .00007	.030	4
3	7429728		.650	.004	.65020 + .00010	.030	8
3	7429732		.650	.008 AND UP	.64040 + .00030	.030	8
3	7429736		.651	MASTER	.65100 + .00002	.030	2
3	7429738	7429739	.651	.0005	.65100 + .00004	.030	4
3	7429742		.651	.002	.65110 + .00007	.030	4
3	7429744		.651	.004	.65120 + .00010	.030	8
3	7429748		.651	.008 AND UP	.65140 + .00030	.030	8
3	7429752		.652	MASTER	.65200 + .00002	.030	2
3	7429754	7429755	.652	.0005	.65200 + .00004	.030	4
3	7429758		.652	.002	.65210 + .00007	.030	4
3	7429760		.652	.004	.65220 + .00010	.030	8
3	7429764		.652	.008 AND UP	.65240 + .00030	.030	8
3	7429768		.653	MASTER	.65300 + .00002	.030	2
3	7429770	7429771	.653	.0005	.65300 + .00004	.030	4
3	7429774		.653	.002	.65310 + .00007	.030	4
3	7429776		.653	.004	.65320 + .00010	.030	8
3	7429780		.653	.008 AND UP	.65340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429784	7429787	.654	MASTER	.65400 + .00002	.030	2
3	7429786		.654	.0005	.65400 + .00004	.030	4
3	7429790		.654	.002	.65410 + .00007	.030	4
3	7429792		.654	.004	.65420 + .00010	.030	8
3	7429796		.654	.008 AND UP	.65440 + .00030	.030	8
3	7429800	7429803	.655	MASTER	.65500 + .00002	.030	2
3	7429802		.655	.0005	.65500 + .00004	.030	4
3	7429806		.655	.002	.65510 + .00007	.030	4
3	7429808		.655	.004	.65520 + .00010	.030	8
3	7429812		.655	.008 AND UP	.65540 + .00030	.030	8
3	7429816	7429819	.656	MASTER	.65600 + .00002	.030	2
3	7429818		.656	.0005	.65600 + .00004	.030	4
3	7429822		.656	.002	.65610 + .00007	.030	4
3	7429824		.656	.004	.65620 + .00010	.030	8
3	7429828		.656	.008 AND UP	.65640 + .00030	.030	8
3	7429832	7497399	.65625	MASTER	.65625 + .00002	.030	2
3	7497398		.65625	.0005	.65625 + .00004	.030	4
3	7497402		.65625	.002	.65635 + .00007	.030	4
3	7497404		.65625	.004	.65645 + .00010	.030	8
3	7497408		.65625	.008 AND UP	.65665 + .00030	.030	8
3	7429834	7429837	.657	MASTER	.65700 + .00002	.030	2
3	7429836		.657	.0005	.65700 + .00004	.030	4
3	7429840		.657	.002	.65710 + .00007	.030	4
3	7429842		.657	.004	.65720 + .00010	.030	8
3	7429846		.657	.008 AND UP	.65740 + .00030	.030	8
3	7429850	7429853	.658	MASTER	.65800 + .00002	.030	2
3	7429852		.658	.0005	.65800 + .00004	.030	4
3	7429856		.658	.002	.65810 + .00007	.030	4
3	7429858		.658	.004	.65820 + .00010	.030	8
3	7429862		.658	.008 AND UP	.65840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7429866		.659	MASTER	.65900 + .00002	.030	2
3	7429868	7429869	.659	.0005	.65900 + .00004	.030	4
3	7429872		.659	.002	.65910 + .00007	.030	4
3	7429874		.659	.004	.65920 + .00010	.030	8
3	7429878		.659	.008 AND UP	.65940 + .00030	.030	8
3	7429882		.660	MASTER	.66000 + .00002	.030	2
3	7429884	7429885	.660	.0005	.66000 + .00004	.030	4
3	7429888		.660	.002	.66010 + .00007	.030	4
3	7429890		.660	.004	.66020 + .00010	.030	8
3	7429894		.660	.008 AND UP	.66040 + .00030	.030	8
3	7429898		.661	MASTER	.66100 + .00002	.030	2
3	7429900	7429901	.661	.0005	.66100 + .00004	.030	4
3	7429904		.661	.002	.66110 + .00007	.030	4
3	7429906		.661	.004	.66120 + .00010	.030	8
3	7429910		.661	.008 AND UP	.66140 + .00030	.030	8
3	7429914		.662	MASTER	.66200 + .00002	.030	2
3	7429916	7429917	.662	.0005	.66200 + .00004	.030	4
3	7429920		.662	.002	.66210 + .00007	.030	4
3	7429922		.662	.004	.66220 + .00010	.030	8
3	7429926		.662	.008 AND UP	.66240 + .00030	.030	8
3	7429930		.663	MASTER	.66300 + .00002	.030	2
3	7429932	7429933	.663	.0005	.66300 + .00004	.030	4
3	7429936		.663	.002	.66310 + .00007	.030	4
3	7429938		.663	.004	.66320 + .00010	.030	8
3	7429942		.663	.008 AND UP	.66340 + .00030	.030	8
3	7429946		.664	MASTER	.66400 + .00002	.030	2
3	7429948	7429949	.664	.0005	.66400 + .00004	.030	4
3	7429952		.664	.002	.66410 + .00007	.030	4
3	7429954		.664	.004	.66420 + .00010	.030	8
3	7429958		.664	.008 AND UP	.66440 + .00030	.030	8

Source: https://assist.dla.mil---Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429962	7429965	.665	MASTER	.66500 + .00002	.030	2
3	7429964		.665	.0005	.66500 + .00004	.030	4
3	7429968		.665	.002	.66510 + .00007	.030	4
3	7429970		.665	.004	.66520 + .00010	.030	8
3	7429974		.665	.008 AND UP	.66540 + .00030	.030	8
3	7429978	7429981	.666	MASTER	.66600 + .00002	.030	2
3	7429980		.666	.0005	.66600 + .00004	.030	4
3	7429984		.666	.002	.66610 + .00007	.030	4
3	7429986		.666	.004	.66620 + .00010	.030	8
3	7429990		.666	.008 AND UP	.66640 + .00030	.030	8
3	7429994	7429997	.667	MASTER	.66700 + .00002	.030	2
3	7429996		.667	.0005	.66700 + .00004	.030	4
3	7430000		.667	.002	.66710 + .00007	.030	4
3	7430002		.667	.004	.66720 + .00010	.030	8
3	7430006		.667	.008 AND UP	.66740 + .00030	.030	8
3	7430010	7430013	.668	MASTER	.66800 + .00002	.030	2
3	7430012		.668	.0005	.66800 + .00004	.030	4
3	7430016		.668	.002	.66810 + .00007	.030	4
3	7430018		.668	.004	.66820 + .00010	.030	8
3	7430022		.668	.008 AND UP	.66840 + .00030	.030	8
3	7430026	7430029	.669	MASTER	.66900 + .00002	.030	2
3	7430028		.669	.0005	.66900 + .00004	.030	4
3	7430032		.669	.002	.66910 + .00007	.030	4
3	7430034		.669	.004	.66920 + .00010	.030	8
3	7430038		.669	.008 AND UP	.66940 + .00030	.030	8
3	7430042	7430045	.670	MASTER	.67000 + .00002	.030	2
3	7430044		.670	.0005	.67000 + .00004	.030	4
3	7430048		.670	.002	.67010 + .00007	.030	4
3	7430050		.670	.004	.67020 + .00010	.030	8
3	7430054		.670	.008 AND UP	.67040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7430058		.671	MASTER	.67100 + .00002	.030	2
3	7430060	7430061	.671	.0005	.67100 + .00004	.030	4
3	7430064		.671	.002	.67110 + .00007	.030	4
3	7430066		.671	.004	.67120 + .00010	.030	8
3	7430070		.671	.008 AND UP	.67140 + .00030	.030	8
3	7430074		.672	MASTER	.67200 + .00002	.030	2
3	7430076	7430077	.672	.0005	.67200 + .00004	.030	4
3	7430080		.672	.002	.67210 + .00007	.030	4
3	7430082		.672	.004	.67220 + .00010	.030	8
3	7430086		.672	.008 AND UP	.67240 + .00030	.030	8
3	7430090		.673	MASTER	.67300 + .00002	.030	2
3	7430092	7430093	.673	.0005	.67300 + .00004	.030	4
3	7430096		.673	.002	.67310 + .00007	.030	4
3	7430098		.673	.004	.67320 + .00010	.030	8
3	7430102		.673	.008 AND UP	.67340 + .00030	.030	8
3	7430106		.674	MASTER	.67400 + .00002	.030	2
3	7430108	7430109	.674	.0005	.67400 + .00004	.030	4
3	7430112		.674	.002	.67410 + .00007	.030	4
3	7430114		.674	.004	.67420 + .00010	.030	8
3	7430118		.674	.008 AND UP	.67440 + .00030	.030	8
3	7430122		.675	MASTER	.67500 + .00002	.030	2
3	7430124	7430125	.675	.0005	.67500 + .00004	.030	4
3	7430128		.675	.002	.67510 + .00007	.030	4
3	7430130		.675	.004	.67520 + .00010	.030	8
3	7430134		.675	.008 AND UP	.67540 + .00030	.030	8
3	7430138		.676	MASTER	.67600 + .00002	.030	2
3	7430140	7430141	.676	.0005	.67600 + .00004	.030	4
3	7430144		.676	.002	.67610 + .00007	.030	4
3	7430146		.676	.004	.67620 + .00010	.030	8
3	7430150		.676	.008 AND UP	.67640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430154	7430157	.677	MASTER	.67700 + .00002	.030	2
3	7430156		.677	.0005	.67700 + .00004	.030	4
3	7430160		.677	.002	.67710 + .00007	.030	4
3	7430162		.677	.004	.67720 + .00010	.030	8
3	7430166		.677	.008 AND UP	.67740 + .00030	.030	8
3	7430170	7430173	.678	MASTER	.67800 + .00002	.030	2
3	7430172		.678	.0005	.67800 + .00004	.030	4
3	7430176		.678	.002	.67810 + .00007	.030	4
3	7430178		.678	.004	.67820 + .00010	.030	8
3	7430182		.678	.008 AND UP	.67840 + .00030	.030	8
3	7430186	7430189	.679	MASTER	.67900 + .00002	.030	2
3	7430188		.679	.0005	.67900 + .00004	.030	4
3	7430192		.679	.002	.67910 + .00007	.030	4
3	7430194		.679	.004	.67920 + .00010	.030	8
3	7430198		.679	.008 AND UP	.67940 + .00030	.030	8
3	7430202	7430205	.680	MASTER	.68000 + .00002	.030	2
3	7430204		.680	.0005	.68000 + .00004	.030	4
3	7430208		.680	.002	.68010 + .00007	.030	4
3	7430210		.680	.004	.68020 + .00010	.030	8
3	7430214		.680	.008 AND UP	.68040 + .00030	.030	8
3	7430218	7430221	.681	MASTER	.68100 + .00002	.030	2
3	7430220		.681	.0005	.68100 + .00004	.030	4
3	7430224		.681	.002	.68110 + .00007	.030	4
3	7430226		.681	.004	.68120 + .00010	.030	8
3	7430230		.681	.008 AND UP	.68140 + .00030	.030	8
3	7430234	7430237	.682	MASTER	.68200 + .00002	.030	2
3	7430236		.682	.0005	.68200 + .00004	.030	4
3	7430240		.682	.002	.68210 + .00007	.030	4
3	7430242		.682	.004	.68220 + .00010	.030	8
3	7430246		.682	.008 AND UP	.68240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430250		.683	MASTER	.68300 + .00002	.030	2
3	7430252	7430253	.683	.0005	.68300 + .00004	.030	4
3	7430256		.683	.002	.68310 + .00007	.030	4
3	7430258		.683	.004	.68320 + .00010	.030	8
3	7430262		.683	.008 AND UP	.68340 + .00030	.030	8
3	7430266		.684	MASTER	.68400 + .00002	.030	2
3	7430268	7430269	.684	.0005	.68400 + .00004	.030	4
3	7430272		.684	.002	.68410 + .00007	.030	4
3	7430274		.684	.004	.68420 + .00010	.030	8
3	7430278		.684	.008 AND UP	.68440 + .00030	.030	8
3	7430282		.685	MASTER	.68500 + .00002	.030	2
3	7430284	7430285	.685	.0005	.68500 + .00004	.030	4
3	7430288		.685	.002	.68510 + .00007	.030	4
3	7430290		.685	.004	.68520 + .00010	.030	8
3	7430294		.685	.008 AND UP	.68540 + .00030	.030	8
3	7430298		.686	MASTER	.68600 + .00002	.030	2
3	7430300	7430301	.686	.0005	.68600 + .00004	.030	4
3	7430304		.686	.002	.68610 + .00007	.030	4
3	7430306		.686	.004	.68620 + .00010	.030	8
3	7430310		.686	.008 AND UP	.68640 + .00030	.030	8
3	7430314		.687	MASTER	.68700 + .00002	.030	2
3	7430316	7430317	.687	.0005	.68700 + .00004	.030	4
3	7430320		.687	.002	.68710 + .00007	.030	4
3	7430322		.687	.004	.68720 + .00010	.030	8
3	7430326		.687	.008 AND UP	.68740 + .00030	.030	8
3	7430330		.6875	MASTER	.68750 + .00002	.030	2
3	7497412	7497413	.6875	.0005	.68750 + .00004	.030	4
3	7497416		.6875	.002	.68760 + .00007	.030	4
3	7497418		.6875	.004	.68770 + .00010	.030	8
3	7497422		.6875	.008 AND UP	.68790 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7430332	7430335	.688	MASTER	.68800 + .00002	.030	2
3	7430334		.688	.0005	.68800 + .00004	.030	4
3	7430338		.688	.002	.68810 + .00007	.030	4
3	7430340		.688	.004	.68820 + .00010	.030	8
3	7430344		.688	.008 AND UP	.68840 + .00030	.030	8
3	7430348	7430351	.689	MASTER	.68900 + .00002	.030	2
3	7430350		.689	.0005	.68900 + .00004	.030	4
3	7430354		.689	.002	.68910 + .00007	.030	4
3	7430356		.689	.004	.68920 + .00010	.030	8
3	7430360		.689	.008 AND UP	.68940 + .00030	.030	8
3	7430364	7430367	.690	MASTER	.69000 + .00002	.030	2
3	7430366		.690	.0005	.69000 + .00004	.030	4
3	7430370		.690	.002	.69010 + .00007	.030	4
3	7430372		.690	.004	.69020 + .00010	.030	8
3	7430376		.690	.008 AND UP	.69040 + .00030	.030	8
3	7430380	7430383	.691	MASTER	.69100 + .00002	.030	2
3	7430382		.691	.0005	.69100 + .00004	.030	4
3	7430386		.691	.002	.69110 + .00007	.030	4
3	7430388		.691	.004	.69120 + .00010	.030	8
3	7430392		.691	.008 AND UP	.69140 + .00030	.030	8
3	7430396	7430399	.692	MASTER	.69200 + .00002	.030	2
3	7430398		.692	.0005	.69200 + .00004	.030	4
3	7430402		.692	.002	.69210 + .00007	.030	4
3	7430404		.692	.004	.69220 + .00010	.030	8
3	7430408		.692	.008 AND UP	.69240 + .00030	.030	8
3	7430412	7430415	.693	MASTER	.69300 + .00002	.030	2
3	7430414		.693	.0005	.69300 + .00004	.030	4
3	7430418		.693	.002	.69310 + .00007	.030	4
3	7430420		.693	.004	.69320 + .00010	.030	8
3	7430424		.693	.008 AND UP	.69340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7430428	7430431	.694	MASTER	.69400 + .00002	.030	2
3	7430430		.694	.0005	.69400 + .00004	.030	4
3	7430434		.694	.002	.69410 + .00007	.030	4
3	7430436		.694	.004	.69420 + .00010	.030	8
3	7430440		.694	.008 AND UP	.69440 + .00030	.030	8
3	7430444	7430447	.695	MASTER	.69500 + .00002	.030	2
3	7430446		.695	.0005	.69500 + .00004	.030	4
3	7430450		.695	.002	.69510 + .00007	.030	4
3	7430452		.695	.004	.69520 + .00010	.030	8
3	7430456		.695	.008 AND UP	.69540 + .00030	.030	8
3	7430460	7430463	.696	MASTER	.69600 + .00002	.030	2
3	7430462		.696	.0005	.69600 + .00004	.030	4
3	7430466		.696	.002	.69610 + .00007	.030	4
3	7430468		.696	.004	.69620 + .00010	.030	8
3	7430472		.696	.008 AND UP	.69640 + .00030	.030	8
3	7430476	7430479	.697	MASTER	.69700 + .00002	.030	2
3	7430478		.697	.0005	.69700 + .00004	.030	4
3	7430482		.697	.002	.69710 + .00007	.030	4
3	7430484		.697	.004	.69720 + .00010	.030	8
3	7430488		.697	.008 AND UP	.69740 + .00030	.030	8
3	7430492	7430495	.698	MASTER	.69800 + .00002	.030	2
3	7430494		.698	.0005	.69800 + .00004	.030	4
3	7430498		.698	.002	.69810 + .00007	.030	4
3	7430500		.698	.004	.69820 + .00010	.030	8
3	7430504		.698	.008 AND UP	.69840 + .00030	.030	8
3	7430508	7430511	.699	MASTER	.69900 + .00002	.030	2
3	7430510		.699	.0005	.69900 + .00004	.030	4
3	7430514		.699	.002	.69910 + .00007	.030	4
3	7430516		.699	.004	.69920 + .00010	.030	8
3	7430520		.699	.008 AND UP	.69940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430524		.700	MASTER	.70000 + .00002	.030	2
3	7430526	7430527	.700	.0005	.70000 + .00004	.030	4
3	7430530		.700	.002	.70010 + .00007	.030	4
3	7430532		.700	.004	.70020 + .00010	.030	8
3	7430536		.700	.008 AND UP	.70040 + .00030	.030	8
3	7430540		.701	MASTER	.70100 + .00002	.030	2
3	7430542	7430543	.701	.0005	.70100 + .00004	.030	4
3	7430546		.701	.002	.70110 + .00007	.030	4
3	7430548		.701	.004	.70120 + .00010	.030	8
3	7430552		.701	.008 AND UP	.70140 + .00030	.030	8
3	7430556		.702	MASTER	.70200 + .00002	.030	2
3	7430558	7430559	.702	.0005	.70200 + .00004	.030	4
3	7430562		.702	.002	.70210 + .00007	.030	4
3	7430564		.702	.004	.70220 + .00010	.030	8
3	7430568		.702	.008 AND UP	.70240 + .00030	.030	8
3	7430572		.703	MASTER	.70300 + .00002	.030	2
3	7430574	7430575	.703	.0005	.70300 + .00004	.030	4
3	7430578		.703	.002	.70310 + .00007	.030	4
3	7430580		.703	.004	.70320 + .00010	.030	8
3	7430584		.703	.008 AND UP	.70340 + .00030	.030	8
3	7430588		.704	MASTER	.70400 + .00002	.030	2
3	7430590	7430591	.704	.0005	.70400 + .00004	.030	4
3	7430594		.704	.002	.70410 + .00007	.030	4
3	7430596		.704	.004	.70420 + .00010	.030	8
3	7430600		.704	.008 AND UP	.70440 + .00030	.030	8
3	7430604		.705	MASTER	.70500 + .00002	.030	2
3	7430606	7430607	.705	.0005	.70500 + .00004	.030	4
3	7430610		.705	.002	.70510 + .00007	.030	4
3	7430612		.705	.004	.70520 + .00010	.030	8
3	7430616		.705	.008 AND UP	.70540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7430620		.706	MASTER	.70600 + .00002	.030	2
3	7430622	7430623	.706	.0005	.70600 + .00004	.030	4
3	7430626		.706	.002	.70610 + .00007	.030	4
3	7430628		.706	.004	.70620 + .00010	.030	8
3	7430632		.706	.008 AND UP	.70640 + .00030	.030	8
3	7430636		.707	MASTER	.70700 + .00002	.030	2
3	7430638	7430639	.707	.0005	.70700 + .00004	.030	4
3	7430642		.707	.002	.70710 + .00007	.030	4
3	7430644		.707	.004	.70720 + .00010	.030	8
3	7430648		.707	.008 AND UP	.70740 + .00030	.030	8
3	7430652		.708	MASTER	.70800 + .00002	.030	2
3	7430654	7430655	.708	.0005	.70800 + .00004	.030	4
3	7430658		.708	.002	.70810 + .00007	.030	4
3	7430660		.708	.004	.70820 + .00010	.030	8
3	7430664		.708	.008 AND UP	.70840 + .00030	.030	8
3	7430668		.709	MASTER	.70900 + .00002	.030	2
3	7430670	7430671	.709	.0005	.70900 + .00004	.030	4
3	7430674		.709	.002	.70910 + .00007	.030	4
3	7430676		.709	.004	.70920 + .00010	.030	8
3	7430680		.709	.008 AND UP	.70940 + .00030	.030	8
3	7430684		.710	MASTER	.71000 + .00002	.030	2
3	7430686	7430687	.710	.0005	.71000 + .00004	.030	4
3	7430690		.710	.002	.71010 + .00007	.030	4
3	7430692		.710	.004	.71020 + .00010	.030	8
3	7430696		.710	.008 AND UP	.71040 + .00030	.030	8
3	7430700		.711	MASTER	.71100 + .00002	.030	2
3	7430702	7430703	.711	.0005	.71100 + .00004	.030	4
3	7430706		.711	.002	.71110 + .00007	.030	4
3	7430708		.711	.004	.71120 + .00010	.030	8
3	7430712		.711	.008 AND UP	.71140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430716		.712	MASTER	.71200 + .00002	.030	2
3	7430718	7430719	.712	.0005	.71200 + .00004	.030	4
3	7430722		.712	.002	.71210 + .00007	.030	4
3	7430724		.712	.004	.71220 + .00010	.030	8
3	7430728		.712	.008 AND UP	.71240 + .00030	.030	8
3	7430732		.713	MASTER	.71300 + .00002	.030	2
3	7430734	7430735	.713	.0005	.71300 + .00004	.030	4
3	7430738		.713	.002	.71310 + .00007	.030	4
3	7430740		.713	.004	.71320 + .00010	.030	8
3	7430744		.713	.008 AND UP	.71340 + .00030	.030	8
3	7430748		.714	MASTER	.71400 + .00002	.030	2
3	7430750	7430751	.714	.0005	.71400 + .00004	.030	4
3	7430754		.714	.002	.71410 + .00007	.030	4
3	7430756		.714	.004	.71420 + .00010	.030	8
3	7430760		.714	.008 AND UP	.71440 + .00030	.030	8
3	7430764		.715	MASTER	.71500 + .00002	.030	2
3	7430766	7430767	.715	.0005	.71500 + .00004	.030	4
3	7430770		.715	.002	.71510 + .00007	.030	4
3	7430772		.715	.004	.71520 + .00010	.030	8
3	7430776		.715	.008 AND UP	.71540 + .00030	.030	8
3	7430780		.716	MASTER	.71600 + .00002	.030	2
3	7430782	7430783	.716	.0005	.71600 + .00004	.030	4
3	7430786		.716	.002	.71610 + .00007	.030	4
3	7430788		.716	.004	.71620 + .00010	.030	8
3	7430792		.716	.008 AND UP	.71640 + .00030	.030	8
3	7430796		.717	MASTER	.71700 + .00002	.030	2
3	7430798	7430799	.717	.0005	.71700 + .00004	.030	4
3	7430802		.717	.002	.71710 + .00007	.030	4
3	7430804		.717	.004	.71720 + .00010	.030	8
3	7430808		.717	.008 AND UP	.71740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430812		.718	MASTER	.71800 + .00002	.030	2
3	7430814	7430815	.718	.0005	.71800 + .00004	.030	4
3	7430818		.718	.002	.71810 + .00007	.030	4
3	7430820		.718	.004	.71820 + .00010	.030	8
3	7430824		.718	.008 AND UP	.71840 + .00030	.030	8
3	7430828		.71875	MASTER	.71875 + .00002	.030	2
3	7497426	7497427	.71875	.0005	.71875 + .00004	.030	4
3	7497430		.71875	.002	.71885 + .00007	.030	4
3	7497432		.71875	.004	.71895 + .00010	.030	8
3	7497436		.71875	.008 AND UP	.71915 + .00030	.030	8
3	7430830		.719	MASTER	.71900 + .00002	.030	2
3	7430832	7430833	.719	.0005	.71900 + .00004	.030	4
3	7430836		.719	.002	.71910 + .00007	.030	4
3	7430838		.719	.004	.71920 + .00010	.030	8
3	7430842		.719	.008 AND UP	.71940 + .00030	.030	8
3	7430846		.720	MASTER	.72000 + .00002	.030	2
3	7430848	7430849	.720	.0005	.72000 + .00004	.030	4
3	7430852		.720	.002	.72010 + .00007	.030	4
3	7430854		.720	.004	.72020 + .00010	.030	8
3	7430858		.720	.008 AND UP	.72040 + .00030	.030	8
3	7430862		.721	MASTER	.72100 + .00002	.030	2
3	7430864	7430865	.721	.0005	.72100 + .00004	.030	4
3	7430868		.721	.002	.72110 + .00007	.030	4
3	7430870		.721	.004	.72120 + .00010	.030	8
3	7430874		.721	.008 AND UP	.72140 + .00030	.030	8
3	7430878		.722	MASTER	.72200 + .00002	.030	2
3	7430880	7430881	.722	.0005	.72200 + .00004	.030	4
3	7430884		.722	.002	.72210 + .00007	.030	4
3	7430886		.722	.004	.72220 + .00010	.030	8
3	7430890		.722	.008 AND UP	.72240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430894		.723	MASTER	.72300 + .00002	.030	2
3	7430896	7430897	.723	.0005	.72300 + .00004	.030	4
3	7430900		.723	.002	.72310 + .00007	.030	4
3	7430902		.723	.004	.72320 + .00010	.030	8
3	7430906		.723	.008 AND UP	.72340 + .00030	.030	8
3	7430910		.724	MASTER	.72400 + .00002	.030	2
3	7430912	7430913	.724	.0005	.72400 + .00004	.030	4
3	7430916		.724	.002	.72410 + .00007	.030	4
3	7430918		.724	.004	.72420 + .00010	.030	8
3	7430922		.724	.008 AND UP	.72440 + .00030	.030	8
3	7430926		.725	MASTER	.72500 + .00002	.030	2
3	7430928	7430929	.725	.0005	.72500 + .00004	.030	4
3	7430932		.725	.002	.72510 + .00007	.030	4
3	7430934		.725	.004	.72520 + .00010	.030	8
3	7430938		.725	.008 AND UP	.72540 + .00030	.030	8
3	7430942		.726	MASTER	.72600 + .00002	.030	2
3	7430944	7430945	.726	.0005	.72600 + .00004	.030	4
3	7430948		.726	.002	.72610 + .00007	.030	4
3	7430950		.726	.004	.72620 + .00010	.030	8
3	7430954		.726	.008 AND UP	.72640 + .00030	.030	8
3	7430958		.727	MASTER	.72700 + .00002	.030	2
3	7430960	7430961	.727	.0005	.72700 + .00004	.030	4
3	7430964		.727	.002	.72710 + .00007	.030	4
3	7430966		.727	.004	.72720 + .00010	.030	8
3	7430970		.727	.008 AND UP	.72740 + .00030	.030	8
3	7430974		.728	MASTER	.72800 + .00002	.030	2
3	7430976	7430977	.728	.0005	.72800 + .00004	.030	4
3	7430980		.728	.002	.72810 + .00007	.030	4
3	7430982		.728	.004	.72820 + .00010	.030	8
3	7430986		.728	.008 AND UP	.72840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430990		.729	MASTER	.72900 + .00002	.030	2
3	7430992	7430993	.729	.0005	.72900 + .00004	.030	4
3	7430996		.729	.002	.72910 + .00007	.030	4
3	7430998		.729	.004	.72920 + .00010	.030	8
3	7431002		.729	.008 AND UP	.72940 + .00030	.030	8
3	7431006		.730	MASTER	.73000 + .00002	.030	2
3	7431008	7431009	.730	.0005	.73000 + .00004	.030	4
3	7431012		.730	.002	.73010 + .00007	.030	4
3	7431014		.730	.004	.73020 + .00010	.030	8
3	7431018		.730	.008 AND UP	.73040 + .00030	.030	8
3	7431022		.731	MASTER	.73100 + .00002	.030	2
3	7431024	7431025	.731	.0005	.73100 + .00004	.030	4
3	7431028		.731	.002	.73110 + .00007	.030	4
3	7431030		.731	.004	.73120 + .00010	.030	8
3	7431034		.731	.008 AND UP	.73140 + .00030	.030	8
3	7431038		.732	MASTER	.73200 + .00002	.030	2
3	7431040	7431041	.732	.0005	.73200 + .00004	.030	4
3	7431044		.732	.002	.73210 + .00007	.030	4
3	7431046		.732	.004	.73220 + .00010	.030	8
3	7431050		.732	.008 AND UP	.73240 + .00030	.030	8
3	7431054		.733	MASTER	.73300 + .00002	.030	2
3	7431056	7431057	.733	.0005	.73300 + .00004	.030	4
3	7431060		.733	.002	.73310 + .00007	.030	4
3	7431062		.733	.004	.73320 + .00010	.030	8
3	7431066		.733	.008 AND UP	.73340 + .00030	.030	8
3	7431070		.734	MASTER	.73400 + .00002	.030	2
3	7431072	7431073	.734	.0005	.73400 + .00004	.030	4
3	7431076		.734	.002	.73410 + .00007	.030	4
3	7431078		.734	.004	.73420 + .00010	.030	8
3	7431082		.734	.008 AND UP	.73440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431086	7431089	.735	MASTER	.73500 + .00002	.030	2
3	7431088		.735	.0005	.73500 + .00004	.030	4
3	7431092		.735	.002	.73510 + .00007	.030	4
3	7431094		.735	.004	.73520 + .00010	.030	8
3	7431098		.735	.008 AND UP	.73540 + .00030	.030	8
3	7431102	7431105	.736	MASTER	.73600 + .00002	.030	2
3	7431104		.736	.0005	.73600 + .00004	.030	4
3	7431108		.736	.002	.73610 + .00007	.030	4
3	7431110		.736	.004	.73620 + .00010	.030	8
3	7431114		.736	.008 AND UP	.73640 + .00030	.030	8
3	7431118	7431121	.737	MASTER	.73700 + .00002	.030	2
3	7431120		.737	.0005	.73700 + .00004	.030	4
3	7431124		.737	.002	.73710 + .00007	.030	4
3	7431126		.737	.004	.73720 + .00010	.030	8
3	7431130		.737	.008 AND UP	.73740 + .00030	.030	8
3	7431134	7431137	.738	MASTER	.73800 + .00002	.030	2
3	7431136		.738	.0005	.73800 + .00004	.030	4
3	7431140		.738	.002	.73810 + .00007	.030	4
3	7431142		.738	.004	.73820 + .00010	.030	8
3	7431146		.738	.008 AND UP	.73840 + .00030	.030	8
3	7431150	7431153	.739	MASTER	.73900 + .00002	.030	2
3	7431152		.739	.0005	.73900 + .00004	.030	4
3	7431156		.739	.002	.73910 + .00007	.030	4
3	7431158		.739	.004	.73920 + .00010	.030	8
3	7431162		.739	.008 AND UP	.73940 + .00030	.030	8
3	7431166	7431169	.740	MASTER	.74000 + .00002	.030	2
3	7431168		.740	.0005	.74000 + .00004	.030	4
3	7431172		.740	.002	.74010 + .00007	.030	4
3	7431174		.740	.004	.74020 + .00010	.030	8
3	7431178		.740	.008 AND UP	.74040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431182		.741	MASTER	.74100 + .00002	.030	2
3	7431184	7431185	.741	.0005	.74100 + .00004	.030	4
3	7431188		.741	.002	.74110 + .00007	.030	4
3	7431190		.741	.004	.74120 + .00010	.030	8
3	7431194		.741	.008 AND UP	.74140 + .00030	.030	8
3	7431198		.742	MASTER	.74200 + .00002	.030	2
3	7431200	7431201	.742	.0005	.74200 + .00004	.030	4
3	7431204		.742	.002	.74210 + .00007	.030	4
3	7431206		.742	.004	.74220 + .00010	.030	8
3	7431210		.742	.008 AND UP	.74240 + .00030	.030	8
3	7431214		.743	MASTER	.74300 + .00002	.030	2
3	7431216	7431217	.743	.0005	.74300 + .00004	.030	4
3	7431220		.743	.002	.74310 + .00007	.030	4
3	7431222		.743	.004	.74320 + .00010	.030	8
3	7431226		.743	.008 AND UP	.74340 + .00030	.030	8
3	7431230		.744	MASTER	.74400 + .00002	.030	2
3	7431232	7431233	.744	.0005	.74400 + .00004	.030	4
3	7431236		.744	.002	.74410 + .00007	.030	4
3	7431238		.744	.004	.74420 + .00010	.030	8
3	7431242		.744	.008 AND UP	.74440 + .00030	.030	8
3	7431246		.745	MASTER	.74500 + .00002	.030	2
3	7431248	7431249	.745	.0005	.74500 + .00004	.030	4
3	7431252		.745	.002	.74510 + .00007	.030	4
3	7431254		.745	.004	.74520 + .00010	.030	8
3	7431258		.745	.008 AND UP	.74540 + .00030	.030	8
3	7431262		.746	MASTER	.74600 + .00002	.030	2
3	7431264	7431265	.746	.0005	.74600 + .00004	.030	4
3	7431268		.746	.002	.74610 + .00007	.030	4
3	7431270		.746	.004	.74620 + .00010	.030	8
3	7431274		.746	.008 AND UP	.74640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431278	7431281	.747	MASTER	.74700 + .00002	.030	2
3	7431280		.747	.0005	.74700 + .00004	.030	4
3	7431284		.747	.002	.74710 + .00007	.030	4
3	7431286		.747	.004	.74720 + .00010	.030	8
3	7431290		.747	.008 AND UP	.74740 + .00030	.030	8
3	7431294	7431297	.748	MASTER	.74800 + .00002	.030	2
3	7431296		.748	.0005	.74800 + .00004	.030	4
3	7431300		.748	.002	.74810 + .00007	.030	4
3	7431302		.748	.004	.74820 + .00010	.030	8
3	7431306		.748	.008 AND UP	.74840 + .00030	.030	8
3	7431310	7431313	.749	MASTER	.74900 + .00002	.030	2
3	7431312		.749	.0005	.74900 + .00004	.030	4
3	7431316		.749	.002	.74910 + .00007	.030	4
3	7431318		.749	.004	.74920 + .00010	.030	8
3	7431322		.749	.008 AND UP	.74940 + .00030	.030	8
3	7431326	7431329	.750	MASTER	.75000 + .00002	.030	2
3	7431328		.750	.0005	.75000 + .00004	.030	4
3	7431332		.750	.002	.75010 + .00007	.030	4
3	7431334		.750	.004	.75020 + .00010	.030	8
3	7431338		.750	.008 AND UP	.75040 + .00030	.030	8
3	7431342	7431345	.751	MASTER	.75100 + .00002	.030	2
3	7431344		.751	.0005	.75100 + .00004	.030	4
3	7431348		.751	.002	.75110 + .00007	.030	4
3	7431350		.751	.004	.75120 + .00010	.030	8
3	7431354		.751	.008 AND UP	.75140 + .00030	.030	8
3	7431358	7431361	.752	MASTER	.75200 + .00002	.030	2
3	7431360		.752	.0005	.75200 + .00004	.030	4
3	7431364		.752	.002	.75210 + .00007	.030	4
3	7431366		.752	.004	.75220 + .00010	.030	8
3	7431370		.752	.008 AND UP	.75240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431374		.753	MASTER	.75300 + .00002	.030	2
3	7431376	7431377	.753	.0005	.75300 + .00004	.030	4
3	7431380		.753	.002	.75310 + .00007	.030	4
3	7431382		.753	.004	.75320 + .00010	.030	8
3	7431386		.753	.008 AND UP	.75340 + .00030	.030	8
3	7431390		.754	MASTER	.75400 + .00002	.030	2
3	7431392	7431393	.754	.0005	.75400 + .00004	.030	4
3	7431396		.754	.002	.75410 + .00007	.030	4
3	7431398		.754	.004	.75420 + .00010	.030	8
3	7431402		.754	.008 AND UP	.75440 + .00030	.030	8
3	7431406		.755	MASTER	.75500 + .00002	.030	2
3	7431408	7431409	.755	.0005	.75500 + .00004	.030	4
3	7431412		.755	.002	.75510 + .00007	.030	4
3	7431414		.755	.004	.75520 + .00010	.030	8
3	7431418		.755	.008 AND UP	.75540 + .00030	.030	8
3	7431422		.756	MASTER	.75600 + .00002	.030	2
3	7431424	7431425	.756	.0005	.75600 + .00004	.030	4
3	7431428		.756	.002	.75610 + .00007	.030	4
3	7431430		.756	.004	.75620 + .00010	.030	8
3	7431434		.756	.008 AND UP	.75640 + .00030	.030	8
3	7431438		.757	MASTER	.75700 + .00002	.030	2
3	7431440	7431441	.757	.0005	.75700 + .00004	.030	4
3	7431444		.757	.002	.75710 + .00007	.030	4
3	7431446		.757	.004	.75720 + .00010	.030	8
3	7431450		.757	.008 AND UP	.75740 + .00030	.030	8
3	7431454		.758	MASTER	.75800 + .00002	.030	2
3	7431456	7431457	.758	.0005	.75800 + .00004	.030	4
3	7431460		.758	.002	.75810 + .00007	.030	4
3	7431462		.758	.004	.75820 + .00010	.030	8
3	7431466		.758	.008 AND UP	.75840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431470	7431473	.759	MASTER	.75900 + .00002	.030	2
3	7431472		.759	.0005	.75900 + .00004	.030	4
3	7431476		.759	.002	.75910 + .00007	.030	4
3	7431478		.759	.004	.75920 + .00010	.030	8
3	7431482		.759	.008 AND UP	.75940 + .00030	.030	8
3	7431486	7431489	.760	MASTER	.76000 + .00002	.030	2
3	7431488		.760	.0005	.76000 + .00004	.030	4
3	7431492		.760	.002	.76010 + .00007	.030	4
3	7431494		.760	.004	.76020 + .00010	.030	8
3	7431498		.760	.008 AND UP	.76040 + .00030	.030	8
3	7431502	7431505	.761	MASTER	.76100 + .00002	.030	2
3	7431504		.761	.0005	.76100 + .00004	.030	4
3	7431508		.761	.002	.76110 + .00007	.030	4
3	7431510		.761	.004	.76120 + .00010	.030	8
3	7431514		.761	.008 AND UP	.76140 + .00030	.030	8
3	7431518	7431521	.762	MASTER	.76200 + .00002	.030	2
3	7431520		.762	.0005	.76200 + .00004	.030	4
3	7431524		.762	.002	.76210 + .00007	.030	4
3	7431526		.762	.004	.76220 + .00010	.030	8
3	7431530		:762	.008 AND UP	.76240 + .00030	.030	8
3	7431534	7431537	.763	MASTER	.76300 + .00002	.030	2
3	7431536		.763	.0005	.76300 + .00004	.030	4
3	7431540		.763	.002	.76310 + .00007	.030	4
3	7431542		.763	.004	.76320 + .00010	.030	8
3	7431546		.763	.008 AND UP	.76340 + .00030	.030	8
3	7431550	7431553	.764	MASTER	.76400 + .00002	.030	2
3	7431552		.764	.0005	.76400 + .00004	.030	4
3	7431556		.764	.002	.76410 + .00007	.030	4
3	7431558		.764	.004	.76420 + .00010	.030	8
3	7431562		.764	.008 AND UP	.76440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7431566	7431569	.765	MASTER	.76500 + .00002	.030	2
3	7431568		.765	.0005	.76500 + .00004	.030	4
3	7431572		.765	.002	.76510 + .00007	.030	4
3	7431574		.765	.004	.76520 + .00010	.030	8
3	7431578		.765	.008 AND UP	.76540 + .00030	.030	8
3	7431582	7431585	.766	MASTER	.76600 + .00002	.030	2
3	7431584		.766	.0005	.76600 + .00004	.030	4
3	7431588		.766	.002	.76610 + .00007	.030	4
3	7431590		.766	.004	.76620 + .00010	.030	8
3	7431594		.766	.008 AND UP	.76640 + .00030	.030	8
3	7431598	7431601	.767	MASTER	.76700 + .00002	.030	2
3	7431600		.767	.0005	.76700 + .00004	.030	4
3	7431604		.767	.002	.76710 + .00007	.030	4
3	7431606		.767	.004	.76720 + .00010	.030	8
3	7431610		.767	.008 AND UP	.76740 + .00030	.030	8
3	7431614	7431617	.768	MASTER	.76800 + .00002	.030	2
3	7431616		.768	.0005	.76800 + .00004	.030	4
3	7431620		.768	.002	.76810 + .00007	.030	4
3	7431622		.768	.004	.76820 + .00010	.030	8
3	7431626		.768	.008 AND UP	.76840 + .00030	.030	8
3	7431630	7431633	.769	MASTER	.76900 + .00002	.030	2
3	7431632		.769	.0005	.76900 + .00004	.030	4
3	7431636		.769	.002	.76910 + .00007	.030	4
3	7431638		.769	.004	.76920 + .00010	.030	8
3	7431642		.769	.008 AND UP	.76940 + .00030	.030	8
3	7431646	7431649	.770	MASTER	.77000 + .00002	.030	2
3	7431648		.770	.0005	.77000 + .00004	.030	4
3	7431652		.770	.002	.77010 + .00007	.030	4
3	7431654		.770	.004	.77020 + .00010	.030	8
3	7431658		.770	.008 AND UP	.77040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431662		.771	MASTER	.77100 + .00002	.030	2
3	7431664	7431665	.771	.0005	.77100 + .00004	.030	4
3	7431668		.771	.002	.77110 + .00007	.030	4
3	7431670		.771	.004	.77120 + .00010	.030	8
3	7431674		.771	.008 AND UP	.77140 + .00030	.030	8
3	7431678		.772	MASTER	.77200 + .00002	.030	2
3	7431680	7431681	.772	.0005	.77200 + .00004	.030	4
3	7431684		.772	.002	.77210 + .00007	.030	4
3	7431686		.772	.004	.77220 + .00010	.030	8
3	7431690		.772	.008 AND UP	.77240 + .00030	.030	8
3	7431694		.773	MASTER	.77300 + .00002	.030	2
3	7431696	7431697	.773	.0005	.77300 + .00004	.030	4
3	7431700		.773	.002	.77310 + .00007	.030	4
3	7431702		.773	.004	.77320 + .00010	.030	8
3	7431706		.773	.008 AND UP	.77340 + .00030	.030	8
3	7431710		.774	MASTER	.77400 + .00002	.030	2
3	7431712	7431713	.774	.0005	.77400 + .00004	.030	4
3	7431716		.774	.002	.77410 + .00007	.030	4
3	7431718		.774	.004	.77420 + .00010	.030	8
3	7431722		.774	.008 AND UP	.77440 + .00030	.030	8
3	7431726		.775	MASTER	.77500 + .00002	.030	2
3	7431728	7431729	.775	.0005	.77500 + .00004	.030	4
3	7431732		.775	.002	.77510 + .00007	.030	4
3	7431734		.775	.004	.77520 + .00010	.030	8
3	7431738		.775	.008 AND UP	.77540 + .00030	.030	8
3	7431742		.776	MASTER	.77600 + .00002	.030	2
3	7431744	7431745	.776	.0005	.77600 + .00004	.030	4
3	7431748		.776	.002	.77610 + .00007	.030	4
3	7431750		.776	.004	.77620 + .00010	.030	8
3	7431754		.776	.008 AND UP	.77640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7431758	7431761	.777	MASTER	.77700 + .00002	.030	2
3	7431760		.777	.0005	.77700 + .00004	.030	4
3	7431764		.777	.002	.77710 + .00007	.030	4
3	7431766		.777	.004	.77720 + .00010	.030	8
3	7431770		.777	.008 AND UP	.77740 + .00030	.030	8
3	7431774	7431777	.778	MASTER	.77800 + .00002	.030	2
3	7431776		.778	.0005	.77800 + .00004	.030	4
3	7431780		.778	.002	.77810 + .00007	.030	4
3	7431782		.778	.004	.77820 + .00010	.030	8
3	7431786		.778	.008 AND UP	.77840 + .00030	.030	8
3	7431790	7431793	.779	MASTER	.77900 + .00002	.030	2
3	7431792		.779	.0005	.77900 + .00004	.030	4
3	7431796		.779	.002	.77910 + .00007	.030	4
3	7431798		.779	.004	.77920 + .00010	.030	8
3	7431802		.779	.008 AND UP	.77940 + .00030	.030	8
3	7431806	7431809	.780	MASTER	.78000 + .00002	.030	2
3	7431808		.780	.0005	.78000 + .00004	.030	4
3	7431812		.780	.002	.78010 + .00007	.030	4
3	7431814		.780	.004	.78020 + .00010	.030	8
3	7431818		.780	.008 AND UP	.78040 + .00030	.030	8
3	7431822	7431825	.781	MASTER	.78100 + .00002	.030	2
3	7431824		.781	.0005	.78100 + .00004	.030	4
3	7431828		.781	.002	.78110 + .00007	.030	4
3	7431830		.781	.004	.78120 + .00010	.030	8
3	7431834		.781	.008 AND UP	.78140 + .00030	.030	8
3	7431838	7497441	.78125	MASTER	.78125 + .00002	.030	2
3	7497440		.78125	.0005	.78125 + .00004	.030	4
3	7497444		.78125	.002	.78135 + .00007	.030	4
3	7497446		.78125	.004	.78145 + .00010	.030	8
3	7497450		.78125	.008 AND UP	.78165 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7431840	7431843	.782	MASTER	.78200 + .00002	.030	2
3	7431842		.782	.0005	.78200 + .00004	.030	4
3	7431846		.782	.002	.78210 + .00007	.030	4
3	7431848		.782	.004	.78220 + .00010	.030	8
3	7431852		.782	.008 AND UP	.78240 + .00030	.030	8
3	7431856	7431859	.783	MASTER	.78300 + .00002	.030	2
3	7431858		.783	.0005	.78300 + .00004	.030	4
3	7431862		.783	.002	.78310 + .00007	.030	4
3	7431864		.783	.004	.78320 + .00010	.030	8
3	7431868		.783	.008 AND UP	.78340 + .00030	.030	8
3	7431872	7431875	.784	MASTER	.78400 + .00002	.030	2
3	7431874		.784	.0005	.78400 + .00004	.030	4
3	7431878		.784	.002	.78410 + .00007	.030	4
3	7431880		.784	.004	.78420 + .00010	.030	8
3	7431884		.784	.008 AND UP	.78440 + .00030	.030	8
3	7431888	7431891	.785	MASTER	.78500 + .00002	.030	2
3	7431890		.785	.0005	.78500 + .00004	.030	4
3	7431894		.785	.002	.78510 + .00007	.030	4
3	7431896		.785	.004	.78520 + .00010	.030	8
3	7431900		.785	.008 AND UP	.78540 + .00030	.030	8
3	7431904	7431907	.786	MASTER	.78600 + .00002	.030	2
3	7431906		.786	.0005	.78600 + .00004	.030	4
3	7431910		.786	.002	.78610 + .00007	.030	4
3	7431912		.786	.004	.78620 + .00010	.030	8
3	7431916		.786	.008 AND UP	.78640 + .00030	.030	8
3	7431920	7431923	.787	MASTER	.78700 + .00002	.030	2
3	7431922		.787	.0005	.78700 + .00004	.030	4
3	7431926		.787	.002	.78710 + .00007	.030	4
3	7431928		.787	.004	.78720 + .00010	.030	8
3	7431932		.787	.008 AND UP	.78740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431935	7431939	.788	MASTER	.78800 + .00002	.030	2
3	7431938		.788	.0005	.78800 + .00004	.030	4
3	7431942		.788	.002	.78810 + .00007	.030	4
3	7431944		.788	.004	.78820 + .00010	.030	8
3	7431948		.788	.008 AND UP	.78840 + .00030	.030	8
3	7431952	7431955	.789	MASTER	.78900 + .00002	.030	2
3	7431954		.789	.0005	.78900 + .00004	.030	4
3	7431958		.789	.002	.78910 + .00007	.030	4
3	7431960		.789	.004	.78920 + .00010	.030	8
3	7431964		.789	.008 AND UP	.78940 + .00030	.030	8
3	7431968	7431971	.790	MASTER	.79000 + .00002	.030	2
3	7431970		.790	.0005	.79000 + .00004	.030	4
3	7431974		.790	.002	.79010 + .00007	.030	4
3	7431976		.790	.004	.79020 + .00010	.030	8
3	7431980		.790	.008 AND UP	.79040 + .00030	.030	8
3	7431984	7431987	.791	MASTER	.79100 + .00002	.030	2
3	7431986		.791	.0005	.79100 + .00004	.030	4
3	7431990		.791	.002	.79110 + .00007	.030	4
3	7431992		.791	.004	.79120 + .00010	.030	8
3	7431996		.791	.008 AND UP	.79140 + .00030	.030	8
3	7432000	7432003	.792	MASTER	.79200 + .00002	.030	2
3	7432002		.792	.0005	.79200 + .00004	.030	4
3	7432006		.792	.002	.79210 + .00007	.030	4
3	7432008		.792	.004	.79220 + .00010	.030	8
3	7432012		.792	.008 AND UP	.79240 + .00030	.030	8
3	7432016	7432019	.793	MASTER	.79300 + .00002	.030	2
3	7432018		.793	.0005	.79300 + .00004	.030	4
3	7432022		.793	.002	.79310 + .00007	.030	4
3	7432024		.793	.004	.79320 + .00010	.030	8
3	7432028		.793	.008 AND UP	.79340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432032		.794	MASTER	.79400 + .00002	.030	2
3	7432034	7432035	.794	.0005	.79400 + .00004	.030	4
3	7432038		.794	.002	.79410 + .00007	.030	4
3	7432040		.794	.004	.79420 + .00010	.030	8
3	7432044		.794	.008 AND UP	.79440 + .00030	.030	8
3	7432048		.795	MASTER	.79500 + .00002	.030	2
3	7432050	7432051	.795	.0005	.79500 + .00004	.030	4
3	7432054		.795	.002	.79510 + .00007	.030	4
3	7432056		.795	.004	.79520 + .00010	.030	8
3	7432060		.795	.008 AND UP	.79540 + .00030	.030	8
3	7432064		.796	MASTER	.79600 + .00002	.030	2
3	7432066	7432067	.796	.0005	.79600 + .00004	.030	4
3	7432070		.796	.002	.79610 + .00007	.030	4
3	7432072		.796	.004	.79620 + .00010	.030	8
3	7432076		.796	.008 AND UP	.79640 + .00030	.030	8
3	7432080		.797	MASTER	.79700 + .00002	.030	2
3	7432082	7432083	.797	.0005	.79700 + .00004	.030	4
3	7432086		.797	.002	.79710 + .00007	.030	4
3	7432088		.797	.004	.79720 + .00010	.030	8
3	7432092		.797	.008 AND UP	.79740 + .00030	.030	8
3	7432096		.798	MASTER	.79800 + .00002	.030	2
3	7432098	7432099	.798	.0005	.79800 + .00004	.030	4
3	7432102		.798	.002	.79810 + .00007	.030	4
3	7432104		.798	.004	.79820 + .00010	.030	8
3	7432108		.798	.008 AND UP	.79840 + .00030	.030	8
3	7432112		.799	MASTER	.79900 + .00002	.030	2
3	7432114	7432115	.799	.0005	.79900 + .00004	.030	4
3	7432118		.799	.002	.79910 + .00007	.030	4
3	7432120		.799	.004	.79920 + .00010	.030	8
3	7432124		.799	.008 AND UP	.79940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7432128		.800	MASTER	.80000 + .00002	.030	2
3	7432130	7432131	.800	.0005	.80000 + .00004	.030	4
3	7432134		.800	.002	.80010 + .00007	.030	4
3	7432136		.800	.004	.80020 + .00010	.030	8
3	7432140		.800	.008 AND UP	.80040 + .00030	.030	8
3	7432144		.801	MASTER	.80100 + .00002	.030	2
3	7432146	7432147	.801	.0005	.80100 + .00004	.030	4
3	7432150		.801	.002	.80110 + .00007	.030	4
3	7432152		.801	.004	.80120 + .00010	.030	8
3	7432156		.801	.008 AND UP	.80140 + .00030	.030	8
3	7432160		.802	MASTER	.80200 + .00002	.030	2
3	7432162	7432163	.802	.0005	.80200 + .00004	.030	4
3	7432166		.802	.002	.80210 + .00007	.030	4
3	7432168		.802	.004	.80220 + .00010	.030	8
3	7432172		.802	.008 AND UP	.80240 + .00030	.030	8
3	7432176		.803	MASTER	.80300 + .00002	.030	2
3	7432178	7432179	.803	.0005	.80300 + .00004	.030	4
3	7432182		.803	.002	.80310 + .00007	.030	4
3	7432184		.803	.004	.80320 + .00010	.030	8
3	7432188		.803	.008 AND UP	.80340 + .00030	.030	8
3	7432192		.804	MASTER	.80400 + .00002	.030	2
3	7432194	7432195	.804	.0005	.80400 + .00004	.030	4
3	7432198		.804	.002	.80410 + .00007	.030	4
3	7432200		.804	.004	.80420 + .00010	.030	8
3	7432204		.804	.008 AND UP	.80440 + .00030	.030	8
3	7432208		.805	MASTER	.80500 + .00002	.030	2
3	7432210	7432211	.805	.0005	.80500 + .00004	.030	4
3	7432214		.805	.002	.80510 + .00007	.030	4
3	7432216		.805	.004	.80520 + .00010	.030	8
3	7432220		.805	.008 AND UP	.80540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432224	7432227	.806	MASTER	.80600 + .00002	.030	2
3	7432226		.806	.0005	.80600 + .00004	.030	4
3	7432230		.806	.002	.80610 + .00007	.030	4
3	7432232		.806	.004	.80620 + .00010	.030	8
3	7432236		.806	.008 AND UP	.80640 + .00030	.030	8
3	7432240	7432243	.807	MASTER	.80700 + .00002	.030	2
3	7432242		.807	.0005	.80700 + .00004	.030	4
3	7432246		.807	.002	.80710 + .00007	.030	4
3	7432248		.807	.004	.80720 + .00010	.030	8
3	7432252		.807	.008 AND UP	.80740 + .00030	.030	8
3	7432256	7432259	.808	MASTER	.80800 + .00002	.030	2
3	7432258		.808	.0005	.80800 + .00004	.030	4
3	7432262		.808	.002	.80810 + .00007	.030	4
3	7432264		.808	.004	.80820 + .00010	.030	8
3	7432268		.808	.008 AND UP	.80840 + .00030	.030	8
3	7432272	7432275	.809	MASTER	.80900 + .00002	.030	2
3	7432274		.809	.0005	.80900 + .00004	.030	4
3	7432278		.809	.002	.80910 + .00007	.030	4
3	7432280		.809	.004	.80920 + .00010	.030	8
3	7432284		.809	.008 AND UP	.80940 + .00030	.030	8
3	7432288	7432291	.810	MASTER	.81000 + .00002	.030	2
3	7432290		.810	.0005	.81000 + .00004	.030	4
3	7432294		.810	.002	.81010 + .00007	.030	4
3	7432296		.810	.004	.81020 + .00010	.030	8
3	7432300		.810	.008 AND UP	.81040 + .00030	.030	8
3	7432304	7432307	.811	MASTER	.81100 + .00002	.030	2
3	7432306		.811	.0005	.81100 + .00004	.030	4
3	7432310		.811	.002	.81110 + .00007	.030	4
3	7432312		.811	.004	.81120 + .00010	.030	8
3	7432316		.811	.008 AND UP	.81140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7432320		.812	MASTER	.81200 + .00002	.030	2
3	7432322	7432323	.812	.0005	.81200 + .00004	.030	4
3	7432326		.812	.002	.81210 + .00007	.030	4
3	7432328		.812	.004	.81220 + .00010	.030	8
3	7432332		.812	.008 AND UP	.81240 + .00030	.030	8
3	7432336		.8125	MASTER	.81250 + .00002	.030	2
3	7497454	7497455	.8125	.0005	.81250 + .00004	.030	4
3	7497458		.8125	.002	.81260 + .00007	.030	4
3	7497460		.8125	.004	.81270 + .00010	.030	8
3	7497464		.8125	.008 AND UP	.81290 + .00030	.030	8
3	7432338		.813	MASTER	.81300 + .00002	.030	2
3	7432340	7432341	.813	.0005	.81300 + .00004	.030	4
3	7432344		.813	.002	.81310 + .00007	.030	4
3	7432346		.813	.004	.81320 + .00010	.030	8
3	7432350		.813	.008 AND UP	.81340 + .00030	.030	8
3	7432354		.814	MASTER	.81400 + .00002	.030	2
3	7432356	7432357	.814	.0005	.81400 + .00004	.030	4
3	7432360		.814	.002	.81410 + .00007	.030	4
3	7432362		.814	.004	.81420 + .00010	.030	8
3	7432366		.814	.008 AND UP	.81440 + .00030	.030	8
3	7432370		.815	MASTER	.81500 + .00002	.030	2
3	7432372	7432373	.815	.0005	.81500 + .00004	.030	4
3	7432376		.815	.002	.81510 + .00007	.030	4
3	7432378		.815	.004	.81520 + .00010	.030	8
3	7432382		.815	.008 AND UP	.81540 + .00030	.030	8
3	7432386		.816	MASTER	.81600 + .00002	.030	2
3	7432388	7432389	.816	.0005	.81600 + .00004	.030	4
3	7432392		.816	.002	.81610 + .00007	.030	4
3	7432394		.816	.004	.81620 + .00010	.030	8
3	7432398		.816	.008 AND UP	.81640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7432402	7432405	.817	MASTER	.81700 + .00002	.030	2
3	7432404		.817	.0005	.81700 + .00004	.030	4
3	7432408		.817	.002	.81710 + .00007	.030	4
3	7432410		.817	.004	.81720 + .00010	.030	8
3	7432414		.817	.008 AND UP	.81740 + .00030	.030	8
3	7432418	7432421	.818	MASTER	.81800 + .00002	.030	2
3	7432420		.818	.0005	.81800 + .00004	.030	4
3	7432424		.818	.002	.81810 + .00007	.030	4
3	7432426		.818	.004	.81820 + .00010	.030	8
3	7432430		.818	.008 AND UP	.81840 + .00030	.030	8
3	7432434	7432437	.819	MASTER	.81900 + .00002	.030	2
3	7432436		.819	.0005	.81900 + .00004	.030	4
3	7432440		.819	.002	.81910 + .00007	.030	4
3	7432442		.819	.004	.81920 + .00010	.030	8
3	7432446		.819	.008 AND UP	.81940 + .00030	.030	8
3	7432450	7432453	.820	MASTER	.82000 + .00002	.030	2
3	7432452		.820	.0005	.82000 + .00004	.030	4
3	7432456		.820	.002	.82010 + .00007	.030	4
3	7432458		.820	.004	.82020 + .00010	.030	8
3	7432462		.820	.008 AND UP	.82040 + .00030	.030	8
3	7432466	7432469	.821	MASTER	.82100 + .00002	.030	2
3	7432468		.821	.0005	.82100 + .00004	.030	4
3	7432472		.821	.002	.82110 + .00007	.030	4
3	7432474		.821	.004	.82120 + .00010	.030	8
3	7432478		.821	.008 AND UP	.82140 + .00030	.030	8
3	7432482	7432485	.822	MASTER	.82200 + .00002	.030	2
3	7432484		.822	.0005	.82200 + .00004	.030	4
3	7432488		.822	.002	.82210 + .00007	.030	4
3	7432490		.822	.004	.82220 + .00010	.030	8
3	7432494		.822	.008 AND UP	.82240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432498		.823	MASTER	.82300 + .00002	.030	2
3	7432500	7432501	.823	.0005	.82300 + .00004	.030	4
3	7432504		.823	.002	.82310 + .00007	.030	4
3	7432506		.823	.004	.82320 + .00010	.030	8
3	7432510		.823	.008 AND UP	.82340 + .00030	.030	8
3	7432514		.824	MASTER	.82400 + .00002	.030	2
3	7432516	7432517	.824	.0005	.82400 + .00004	.030	4
3	7432520		.824	.002	.82410 + .00007	.030	4
3	7432522		.824	.004	.82420 + .00010	.030	8
3	7432526		.824	.008 AND UP	.82440 + .00030	.030	8
3	7432530		.825	MASTER	.82500 + .00002	.030	2
3	7432532	7432533	.825	.0005	.82500 + .00004	.030	4
3	7432536		.825	.002	.82510 + .00007	.030	4
3	7432538		.825	.004	.82520 + .00010	.030	8
3	7432542		.825	.008 AND UP	.82540 + .00030	.030	8
3	7432546		.826	MASTER	.82600 + .00003	.030	2
3	7432548	7432549	.826	.0005	.82600 + .00006	.030	4
3	7432552		.826	.002	.82610 + .00009	.030	4
3	7432554		.826	.004	.82620 + .00012	.030	8
3	7432558		.826	.008 AND UP	.82640 + .00030	.030	8
3	7432562		.827	MASTER	.82700 + .00003	.030	2
3	7432564	7432565	.827	.0005	.82700 + .00006	.030	4
3	7432568		.827	.002	.82710 + .00009	.030	4
3	7432570		.827	.004	.82720 + .00012	.030	8
3	7432574		.827	.008 AND UP	.82740 + .00030	.030	8
3	7432578		.828	MASTER	.82800 + .00003	.030	2
3	7432580	7432581	.828	.0005	.82800 + .00006	.030	4
3	7432584		.828	.002	.82810 + .00009	.030	4
3	7432586		.828	.004	.82820 + .00012	.030	8
3	7432590		.828	.008 AND UP	.82840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432594		.829	MASTER	.82900 + .00003	.030	2
3	7432596	7432597	.829	.0005	.82900 + .00006	.030	4
3	7432600		.829	.002	.82910 + .00009	.030	4
3	7432602		.829	.004	.82920 + .00012	.030	8
3	7432606		.829	.008 AND UP	.82940 + .00030	.030	8
3	7432610		.830	MASTER	.83000 + .00003	.030	2
3	7432612	7432613	.830	.0005	.83000 + .00006	.030	4
3	7432616		.830	.002	.83010 + .00009	.030	4
3	7432618		.830	.004	.83020 + .00012	.030	8
3	7432622		.830	.008 AND UP	.83040 + .00030	.030	8
3	7432626		.831	MASTER	.83100 + .00003	.030	2
3	7432628	7432629	.831	.0005	.83100 + .00006	.030	4
3	7432632		.831	.002	.83110 + .00009	.030	4
3	7432634		.831	.004	.83120 + .00012	.030	8
3	7432638		.831	.008 AND UP	.83140 + .00030	.030	8
3	7432642		.832	MASTER	.83200 + .00003	.030	2
3	7432644	7432645	.832	.0005	.83200 + .00006	.030	4
3	7432648		.832	.002	.83210 + .00009	.030	4
3	7432650		.832	.004	.83220 + .00012	.030	8
3	7432654		.832	.008 AND UP	.83240 + .00030	.030	8
3	7432658		.833	MASTER	.83300 + .00003	.030	2
3	7432660	7432661	.833	.0005	.83300 + .00006	.030	4
3	7432664		.833	.002	.83310 + .00009	.030	4
3	7432666		.833	.004	.83320 + .00012	.030	8
3	7432670		.833	.008 AND UP	.83340 + .00030	.030	8
3	7432674		.834	MASTER	.83400 + .00003	.030	2
3	7432676	7432677	.834	.0005	.83400 + .00006	.030	4
3	7432680		.834	.002	.83410 + .00009	.030	4
3	7432682		.834	.004	.83420 + .00012	.030	8
3	7432686		.834	.008 AND UP	.83440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7432690		.835	MASTER	.83500 + .00003	.030	2
3	7432692	7432693	.835	.0005	.83500 + .00006	.030	4
3	7432696		.835	.002	.83510 + .00009	.030	4
3	7432698		.835	.004	.83520 + .00012	.030	8
3	7432702		.835	.008 AND UP	.83540 + .00030	.030	8
3	7432706		.836	MASTER	.83600 + .00003	.030	2
3	7432708	7432709	.836	.0005	.83600 + .00006	.030	4
3	7432712		.836	.002	.83610 + .00009	.030	4
3	7432714		.836	.004	.83620 + .00012	.030	8
3	7432718		.836	.008 AND UP	.83640 + .00030	.030	8
3	7432722		.837	MASTER	.83700 + .00003	.030	2
3	7432724	7432725	.837	.0005	.83700 + .00006	.030	4
3	7432728		.837	.002	.83710 + .00009	.030	4
3	7432730		.837	.004	.83720 + .00012	.030	8
3	7432734		.837	.008 AND UP	.83740 + .00030	.030	8
3	7432738		.838	MASTER	.83800 + .00003	.030	2
3	7432740	7432741	.838	.0005	.83800 + .00006	.030	4
3	7432744		.838	.002	.83810 + .00009	.030	4
3	7432746		.838	.004	.83820 + .00012	.030	8
3	7432750		.838	.008 AND UP	.83840 + .00030	.030	8
3	7432754		.839	MASTER	.83900 + .00003	.030	2
3	7432756	7432757	.839	.0005	.83900 + .00006	.030	4
3	7432760		.839	.002	.83910 + .00009	.030	4
3	7432762		.839	.004	.83920 + .00012	.030	8
3	7432766		.839	.008 AND UP	.83940 + .00030	.030	8
3	7432770		.840	MASTER	.84000 + .00003	.030	2
3	7432772	7432773	.840	.0005	.84000 + .00006	.030	4
3	7432776		.840	.002	.84010 + .00009	.030	4
3	7432778		.840	.004	.84020 + .00012	.030	8
3	7432782		.840	.008 AND UP	.84040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432786	7432789	.841	MASTER	.84100 + .00003	.030	2
3	7432788		.841	.0005	.84100 + .00006	.030	4
3	7432792		.841	.002	.84110 + .00009	.030	4
3	7432794		.841	.004	.84120 + .00012	.030	8
3	7432798		.841	.008 AND UP	.84140 + .00030	.030	8
3	7432802	7432805	.842	MASTER	.84200 + .00003	.030	2
3	7432804		.842	.0005	.84200 + .00006	.030	4
3	7432808		.842	.002	.84210 + .00009	.030	4
3	7432810		.842	.004	.84220 + .00012	.030	8
3	7432814		.842	.008 AND UP	.84240 + .00030	.030	8
3	7432818	7432821	.843	MASTER	.84300 + .00003	.030	2
3	7432820		.843	.0005	.84300 + .00006	.030	4
3	7432824		.843	.002	.84310 + .00009	.030	4
3	7432826		.843	.004	.84320 + .00012	.030	8
3	7432830		.843	.008 AND UP	.84340 + .00030	.030	8
3	7432834	7497469	.84375	MASTER	.84375 + .00003	.030	2
3	7497468		.84375	.0005	.84375 + .00006	.030	4
3	7497472		.84375	.002	.84385 + .00009	.030	4
3	7497474		.84375	.004	.84395 + .00012	.030	8
3	7497478		.84375	.008 AND UP	.84415 + .00030	.030	8
3	7432836	7432839	.844	MASTER	.84400 + .00003	.030	2
3	7432838		.844	.0005	.84400 + .00006	.030	4
3	7432842		.844	.002	.84410 + .00009	.030	4
3	7432844		.844	.004	.84420 + .00012	.030	8
3	7432848		.844	.008 AND UP	.84440 + .00030	.030	8
3	7432852	7432855	.845	MASTER	.84500 + .00003	.030	2
3	7432854		.845	.0005	.84500 + .00006	.030	4
3	7432858		.845	.002	.84510 + .00009	.030	4
3	7432860		.845	.004	.84520 + .00012	.030	8
3	7432864		.845	.008 AND UP	.84540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432868		.846	MASTER	.84600 + .00003	.030	2
3	7432870	7432871	.846	.0005	.84600 + .00006	.030	4
3	7432874		.846	.002	.84610 + .00009	.030	4
3	7432876		.846	.004	.84620 + .00012	.030	8
3	7432880		.846	.008 AND UP	.84640 + .00030	.030	8
3	7432884		.847	MASTER	.84700 + .00003	.030	2
3	7432886	7432887	.847	.0005	.84700 + .00006	.030	4
3	7432890		.847	.002	.84710 + .00009	.030	4
3	7432892		.847	.004	.84720 + .00012	.030	8
3	7432896		.847	.008 AND UP	.84740 + .00030	.030	8
3	7432900		.848	MASTER	.84800 + .00003	.030	2
3	7432902	7432903	.848	.0005	.84800 + .00006	.030	4
3	7432906		.848	.002	.84810 + .00009	.030	4
3	7432908		.848	.004	.84820 + .00012	.030	8
3	7432912		.848	.008 AND UP	.84840 + .00030	.030	8
3	7432916		.849	MASTER	.84900 + .00003	.030	2
3	7432918	7432919	.849	.0005	.84900 + .00006	.030	4
3	7432922		.849	.002	.84910 + .00009	.030	4
3	7432924		.849	.004	.84920 + .00012	.030	8
3	7432928		.849	.008 AND UP	.84940 + .00030	.030	8
3	7432932		.850	MASTER	.85000 + .00003	.030	2
3	7432934	7432935	.850	.0005	.85000 + .00006	.030	4
3	7432938		.850	.002	.85010 + .00009	.030	4
3	7432940		.850	.004	.85020 + .00012	.030	8
3	7432944		.850	.008 AND UP	.85040 + .00030	.030	8
3	7432948		.851	MASTER	.85100 + .00003	.030	2
3	7432950	7432951	.851	.0005	.85100 + .00006	.030	4
3	7432954		.851	.002	.85110 + .00009	.030	4
3	7432956		.851	.004	.85120 + .00012	.030	8
3	7432960		.851	.008 AND UP	.85140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7432964		.852	MASTER	.85200 + .00003	.030	2
3	7432966	7432967	.852	.0005	.85200 + .00006	.030	4
3	7432970		.852	.002	.85210 + .00009	.030	4
3	7432972		.852	.004	.85220 + .00012	.030	8
3	7432976		.852	.008 AND UP	.85240 + .00030	.030	8
3	7432980		.853	MASTER	.85300 + .00003	.030	2
3	7432982	7432983	.853	.0005	.85300 + .00006	.030	4
3	7432986		.853	.002	.85310 + .00009	.030	4
3	7432988		.853	.004	.85320 + .00012	.030	8
3	7432992		.853	.008 AND UP	.85340 + .00030	.030	8
3	7432996		.854	MASTER	.85400 + .00003	.030	2
3	7432998	7432999	.854	.0005	.85400 + .00006	.030	4
3	7433002		.854	.002	.85410 + .00009	.030	4
3	7433004		.854	.004	.85420 + .00012	.030	8
3	7433008		.854	.008 AND UP	.85440 + .00030	.030	8
3	7433012		.855	MASTER	.85500 + .00003	.030	2
3	7433014	7433015	.855	.0005	.85500 + .00006	.030	4
3	7433018		.855	.002	.85510 + .00009	.030	4
3	7433020		.855	.004	.85520 + .00012	.030	8
3	7433024		.855	.008 AND UP	.85540 + .00030	.030	8
3	7433028		.856	MASTER	.85600 + .00003	.030	2
3	7433030	7433031	.856	.0005	.85600 + .00006	.030	4
3	7433034		.856	.002	.85610 + .00009	.030	4
3	7433036		.856	.004	.85620 + .00012	.030	8
3	7433040		.856	.008 AND UP	.85640 + .00030	.030	8
3	7433044		.857	MASTER	.85700 + .00003	.030	2
3	7433046	7433047	.857	.0005	.85700 + .00006	.030	4
3	7433050		.857	.002	.85710 + .00009	.030	4
3	7433052		.857	.004	.85720 + .00012	.030	8
3	7433056		.857	.008 AND UP	.85740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433060	7433063	.858	MASTER	.85800 + .00003	.030	2
3	7433062		.858	.0005	.85800 + .00006	.030	4
3	7433066		.858	.002	.85810 + .00009	.030	4
3	7433068		.858	.004	.85820 + .00012	.030	8
3	7433072		.858	.008 AND UP	.85840 + .00030	.030	8
3	7433076	7433079	.859	MASTER	.85900 + .00003	.030	2
3	7433078		.859	.0005	.85900 + .00006	.030	4
3	7433082		.859	.002	.85910 + .00009	.030	4
3	7433084		.859	.004	.85920 + .00012	.030	8
3	7433088		.859	.008 AND UP	.85940 + .00030	.030	8
3	7433092	7433095	.860	MASTER	.86000 + .00003	.030	2
3	7433094		.860	.0005	.86000 + .00006	.030	4
3	7433098		.860	.002	.86010 + .00009	.030	4
3	7433100		.860	.004	.86020 + .00012	.030	8
3	7433104		.860	.008 AND UP	.86040 + .00030	.030	8
3	7433108	7433111	.861	MASTER	.86100 + .00003	.030	2
3	7433110		.861	.0005	.86100 + .00006	.030	4
3	7433114		.861	.002	.86110 + .00009	.030	4
3	7433116		.861	.004	.86120 + .00012	.030	8
3	7433120		.861	.008 AND UP	.86140 + .00030	.030	8
3	7433124	7433127	.862	MASTER	.86200 + .00003	.030	2
3	7433126		.862	.0005	.86200 + .00006	.030	4
3	7433130		.862	.002	.86210 + .00009	.030	4
3	7433132		.862	.004	.86220 + .00012	.030	8
3	7433136		.862	.008 AND UP	.86240 + .00030	.030	8
3	7433140	7433143	.863	MASTER	.86300 + .00003	.030	2
3	7433142		.863	.0005	.86300 + .00006	.030	4
3	7433146		.863	.002	.86310 + .00009	.030	4
3	7433148		.863	.004	.86320 + .00012	.030	8
3	7433152		.863	.008 AND UP	.86340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7433156	7433159	.864	MASTER	.86400 + .00003	.030	2
3	7433158		.864	.0005	.86400 + .00006	.030	4
3	7433162		.864	.002	.86410 + .00009	.030	4
3	7433164		.864	.004	.86420 + .00012	.030	8
3	7433168		.864	.008 AND UP	.86440 + .00030	.030	8
3	7433172	7433175	.865	MASTER	.86500 + .00003	.030	2
3	7433174		.865	.0005	.86500 + .00006	.030	4
3	7433178		.865	.002	.86510 + .00009	.030	4
3	7433180		.865	.004	.86520 + .00012	.030	8
3	7433184		.865	.008 AND UP	.86540 + .00030	.030	8
3	7433188	7433191	.866	MASTER	.86600 + .00003	.030	2
3	7433190		.866	.0005	.86600 + .00006	.030	4
3	7433194		.866	.002	.86610 + .00009	.030	4
3	7433196		.866	.004	.86620 + .00012	.030	8
3	7433200		.866	.008 AND UP	.86640 + .00030	.030	8
3	7433204	7433207	.867	MASTER	.86700 + .00003	.030	2
3	7433206		.867	.0005	.86700 + .00006	.030	4
3	7433210		.867	.002	.86710 + .00009	.030	4
3	7433212		.867	.004	.86720 + .00012	.030	8
3	7433216		.867	.008 AND UP	.86740 + .00030	.030	8
3	7433220	7433223	.868	MASTER	.86800 + .00003	.030	2
3	7433222		.868	.0005	.86800 + .00006	.030	4
3	7433226		.868	.002	.86810 + .00009	.030	4
3	7433228		.868	.004	.86820 + .00012	.030	8
3	7433232		.868	.008 AND UP	.86840 + .00030	.030	8
3	7433236	7433239	.869	MASTER	.86900 + .00003	.030	2
3	7433238		.869	.0005	.86900 + .00006	.030	4
3	7433242		.869	.002	.86910 + .00009	.030	4
3	7433244		.869	.004	.86920 + .00012	.030	8
3	7433248		.869	.008 AND UP	.86940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433252		.870	MASTER	.87000 + .00003	.030	2
3	7433254	7433255	.870	.0005	.87000 + .00006	.030	4
3	7433258		.870	.002	.87010 + .00009	.030	4
3	7433260		.870	.004	.87020 + .00012	.030	8
3	7433264		.870	.008 AND UP	.87040 + .00030	.030	8
3	7433268		.871	MASTER	.87100 + .00003	.030	2
3	7433270	7433271	.871	.0005	.87100 + .00006	.030	4
3	7433274		.871	.002	.87110 + .00009	.030	4
3	7433276		.871	.004	.87120 + .00012	.030	8
3	7433280		.871	.008 AND UP	.87140 + .00030	.030	8
3	7433284		.872	MASTER	.87200 + .00003	.030	2
3	7433286	7433287	.872	.0005	.87200 + .00006	.030	4
3	7433290		.872	.002	.87210 + .00009	.030	4
3	7433292		.872	.004	.87220 + .00012	.030	8
3	7433296		.872	.008 AND UP	.87240 + .00030	.030	8
3	7433300		.873	MASTER	.87300 + .00003	.030	2
3	7433302	7433303	.873	.0005	.87300 + .00006	.030	4
3	7433306		.873	.002	.87310 + .00009	.030	4
3	7433308		.873	.004	.87320 + .00012	.030	8
3	7433312		.873	.008 AND UP	.87340 + .00030	.030	8
3	7433316		.874	MASTER	.87400 + .00003	.030	2
3	7433318	7433319	.874	.0005	.87400 + .00006	.030	4
3	7433322		.874	.002	.87410 + .00009	.030	4
3	7433324		.874	.004	.87420 + .00012	.030	8
3	7433328		.874	.008 AND UP	.87440 + .00030	.030	8
3	7433332		.875	MASTER	.87500 + .00003	.030	2
3	7433334	7433335	.875	.0005	.87500 + .00006	.030	4
3	7433338		.875	.002	.87510 + .00009	.030	4
3	7433340		.875	.004	.87520 + .00012	.030	8
3	7433344		.875	.008 AND UP	.87540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433348	7433351	.876	MASTER	.87600 + .00003	.030	2
3	7433350		.876	.0005	.87600 + .00006	.030	4
3	7433354		.876	.002	.87610 + .00009	.030	4
3	7433356		.876	.004	.87620 + .00012	.030	8
3	7433360		.876	.008 AND UP	.87640 + .00030	.030	8
3	7433364	7433367	.877	MASTER	.87700 + .00003	.030	2
3	7433366		.877	.0005	.87700 + .00006	.030	4
3	7433370		.877	.002	.87710 + .00009	.030	4
3	7433372		.877	.004	.87720 + .00012	.030	8
3	7433376		.877	.008 AND UP	.87740 + .00030	.030	8
3	7433380	7433383	.878	MASTER	.87800 + .00003	.030	2
3	7433382		.878	.0005	.87800 + .00006	.030	4
3	7433386		.878	.002	.87810 + .00009	.030	4
3	7433388		.878	.004	.87820 + .00012	.030	8
3	7433392		.878	.008 AND UP	.87840 + .00030	.030	8
3	7433396	7433399	.879	MASTER	.87900 + .00003	.030	2
3	7433398		.879	.0005	.87900 + .00006	.030	4
3	7433402		.879	.002	.87910 + .00009	.030	4
3	7433404		.879	.004	.87920 + .00012	.030	8
3	7433408		.879	.008 AND UP	.87940 + .00030	.030	8
3	7433412	7433415	.880	MASTER	.88000 + .00003	.030	2
3	7433414		.880	.0005	.88000 + .00006	.030	4
3	7433418		.880	.002	.88010 + .00009	.030	4
3	7433420		.880	.004	.88020 + .00012	.030	8
3	7433424		.880	.008 AND UP	.88040 + .00030	.030	8
3	7433428	7433431	.881	MASTER	.88100 + .00003	.030	2
3	7433430		.881	.0005	.88100 + .00006	.030	4
3	7433434		.881	.002	.88110 + .00009	.030	4
3	7433436		.881	.004	.88120 + .00012	.030	8
3	7433440		.881	.008 AND UP	.88140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433444		.882	MASTER	.88200 + .00003	.030	2
3	7433446	7433447	.882	.0005	.88200 + .00006	.030	4
3	7433450		.882	.002	.88210 + .00009	.030	4
3	7433452		.882	.004	.88220 + .00012	.030	8
3	7433455		.882	.008 AND UP	.88240 + .00030	.030	8
3	7433460		.883	MASTER	.88300 + .00003	.030	2
3	7433462	7433463	.883	.0005	.88300 + .00006	.030	4
3	7433466		.883	.002	.88310 + .00009	.030	4
3	7433468		.883	.004	.88320 + .00012	.030	8
3	7433472		.883	.008 AND UP	.88340 + .00030	.030	8
3	7433476		.884	MASTER	.88400 + .00003	.030	2
3	7433478	7433479	.884	.0005	.88400 + .00006	.030	4
3	7433482		.884	.002	.88410 + .00009	.030	4
3	7433484		.884	.004	.88420 + .00012	.030	8
3	7433488		.884	.008 AND UP	.88440 + .00030	.030	8
3	7433492		.885	MASTER	.88500 + .00003	.030	2
3	7433494	7433495	.885	.0005	.88500 + .00006	.030	4
3	7433498		.885	.002	.88510 + .00009	.030	4
3	7433500		.885	.004	.88520 + .00012	.030	8
3	7433504		.885	.008 AND UP	.88540 + .00030	.030	8
3	7433508		.886	MASTER	.88600 + .00003	.030	2
3	7433510	7433511	.886	.0005	.88600 + .00006	.030	4
3	7433514		.886	.002	.88610 + .00009	.030	4
3	7433516		.886	.004	.88620 + .00012	.030	8
3	7433520		.886	.008 AND UP	.88640 + .00030	.030	8
3	7433524		.887	MASTER	.88700 + .00003	.030	2
3	7433526	7433527	.887	.0005	.88700 + .00006	.030	4
3	7433530		.887	.002	.88710 + .00009	.030	4
3	7433532		.887	.004	.88720 + .00012	.030	8
3	7433536		.887	.008 AND UP	.88740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2020-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433540	7433543	.888	MASTER	.88800 + .00003	.030	2
3	7433542		.888	.0005	.88800 + .00006	.030	4
3	7433546		.888	.002	.88810 + .00009	.030	4
3	7433548		.888	.004	.88820 + .00012	.030	8
3	7433552		.888	.008 AND UP	.88840 + .00030	.030	8
3	7433556	7433559	.889	MASTER	.88900 + .00003	.030	2
3	7433558		.889	.0005	.88900 + .00006	.030	4
3	7433562		.889	.002	.88910 + .00009	.030	4
3	7433564		.889	.004	.88920 + .00012	.030	8
3	7433568		.889	.008 AND UP	.88940 + .00030	.030	8
3	7433572	7433575	.890	MASTER	.89000 + .00003	.030	2
3	7433574		.890	.0005	.89000 + .00006	.030	4
3	7433578		.890	.002	.89010 + .00009	.030	4
3	7433580		.890	.004	.89020 + .00012	.030	8
3	7433584		.890	.008 AND UP	.89040 + .00030	.030	8
3	7433588	7433591	.891	MASTER	.89100 + .00003	.030	2
3	7433590		.891	.0005	.89100 + .00006	.030	4
3	7433594		.891	.002	.89110 + .00009	.030	4
3	7433596		.891	.004	.89120 + .00012	.030	8
3	7433600		.891	.008 AND UP	.89140 + .00030	.030	8
3	7433604	7433607	.892	MASTER	.89200 + .00003	.030	2
3	7433606		.892	.0005	.89200 + .00006	.030	4
3	7433610		.892	.002	.89210 + .00009	.030	4
3	7433612		.892	.004	.89220 + .00012	.030	8
3	7433616		.892	.008 AND UP	.89240 + .00030	.030	8
3	7433620	7433623	.893	MASTER	.89300 + .00003	.030	2
3	7433622		.893	.0005	.89300 + .00006	.030	4
3	7433626		.893	.002	.89310 + .00009	.030	4
3	7433628		.893	.004	.89320 + .00012	.030	8
3	7433632		.893	.008 AND UP	.89340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433636		.894	MASTER	.89400 + .00003	.030	2
3	7433638	7433639	.894	.0005	.89400 + .00006	.030	4
3	7433642		.894	.002	.89410 + .00009	.030	4
3	7433644		.894	.004	.89420 + .00012	.030	8
3	7433648		.894	.008 AND UP	.89440 + .00030	.030	8
3	7433652		.895	MASTER	.89500 + .00003	.030	2
3	7433654	7433655	.895	.0005	.89500 + .00006	.030	4
3	7433658		.895	.002	.89510 + .00009	.030	4
3	7433660		.895	.004	.89520 + .00012	.030	8
3	7433664		.895	.008 AND UP	.89540 + .00030	.030	8
3	7433668		.896	MASTER	.89600 + .00003	.030	2
3	7433670	7433671	.896	.0005	.89600 + .00006	.030	4
3	7433674		.896	.002	.89610 + .00009	.030	4
3	7433676		.896	.004	.89620 + .00012	.030	8
3	7433680		.896	.008 AND UP	.89640 + .00030	.030	8
3	7433684		.897	MASTER	.89700 + .00003	.030	2
3	7433686	7433687	.897	.0005	.89700 + .00006	.030	4
3	7433690		.897	.002	.89710 + .00009	.030	4
3	7433692		.897	.004	.89720 + .00012	.030	8
3	7433696		.897	.008 AND UP	.89740 + .00030	.030	8
3	7433700		.898	MASTER	.89800 + .00003	.030	2
3	7433702	7433703	.898	.0005	.89800 + .00006	.030	4
3	7433706		.898	.002	.89810 + .00009	.030	4
3	7433708		.898	.004	.89820 + .00012	.030	8
3	7433712		.898	.008 AND UP	.89840 + .00030	.030	8
3	7433716		.899	MASTER	.89900 + .00003	.030	2
3	7433718	7433719	.899	.0005	.89900 + .00006	.030	4
3	7433722		.899	.002	.89910 + .00009	.030	4
3	7433724		.899	.004	.89920 + .00012	.030	8
3	7433728		.899	.008 AND UP	.89940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7433732	7433735	.900	MASTER	.90000 + .00003	.030	2
3	7433734		.900	.0005	.90000 + .00006	.030	4
3	7433738		.900	.002	.90010 + .00009	.030	4
3	7433740		.900	.004	.90020 + .00012	.030	8
3	7433744		.900	.008 AND UP	.90040 + .00030	.030	8
3	7433748	7433751	.901	MASTER	.90100 + .00003	.030	2
3	7433750		.901	.0005	.90100 + .00006	.030	4
3	7433754		.901	.002	.90110 + .00009	.030	4
3	7433756		.901	.004	.90120 + .00012	.030	8
3	7433760		.901	.008 AND UP	.90140 + .00030	.030	8
3	7433764	7433767	.902	MASTER	.90200 + .00003	.030	2
3	7433766		.902	.0005	.90200 + .00006	.030	4
3	7433770		.902	.002	.90210 + .00009	.030	4
3	7433772		.902	.004	.90220 + .00012	.030	8
3	7433776		.902	.008 AND UP	.90240 + .00030	.030	8
3	7433780	7433783	.903	MASTER	.90300 + .00003	.030	2
3	7433782		.903	.0005	.90300 + .00006	.030	4
3	7433786		.903	.002	.90310 + .00009	.030	4
3	7433788		.903	.004	.90320 + .00012	.030	8
3	7433792		.903	.008 AND UP	.90340 + .00030	.030	8
3	7433796	7433799	.904	MASTER	.90400 + .00003	.030	2
3	7433798		.904	.0005	.90400 + .00006	.030	4
3	7433802		.904	.002	.90410 + .00009	.030	4
3	7433804		.904	.004	.90420 + .00012	.030	8
3	7433808		.904	.008 AND UP	.90440 + .00030	.030	8
3	7433812	7433815	.905	MASTER	.90500 + .00003	.030	2
3	7433814		.905	.0005	.90500 + .00006	.030	4
3	7433818		.905	.002	.90510 + .00009	.030	4
3	7433820		.905	.004	.90520 + .00012	.030	8
3	7433824		.905	.008 AND UP	.90540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7433828		.906	MASTER	.90600 + .00003	.030	2
3	7433830	7433831	.906	.0005	.90600 + .00006	.030	4
3	7433834		.906	.002	.90610 + .00009	.030	4
3	7433836		.906	.004	.90620 + .00012	.030	8
3	7433840		.906	.008 AND UP	.90640 + .00030	.030	8
3	7433844		.90625	MASTER	.90625 + .00003	.030	2
3	7497482	7497483	.90625	.0005	.90625 + .00006	.030	4
3	7497486		.90625	.002	.90635 + .00009	.030	4
3	7497488		.90625	.004	.90645 + .00012	.030	8
3	7497492		.90625	.008 AND UP	.90665 + .00030	.030	8
3	7433846		.907	MASTER	.90700 + .00003	.030	2
3	7433848	7433849	.907	.0005	.90700 + .00006	.030	4
3	7433852		.907	.002	.90710 + .00009	.030	4
3	7433854		.907	.004	.90720 + .00012	.030	8
3	7433858		.907	.008 AND UP	.90740 + .00030	.030	8
3	7433862		.908	MASTER	.90800 + .00003	.030	2
3	7433864	7433865	.908	.0005	.90800 + .00006	.030	4
3	7433868		.908	.002	.90810 + .00009	.030	4
3	7433870		.908	.004	.90820 + .00012	.030	8
3	7433874		.908	.008 AND UP	.90840 + .00030	.030	8
3	7433878		.909	MASTER	.90900 + .00003	.030	2
3	7433880	7433881	.909	.0005	.90900 + .00006	.030	4
3	7433884		.909	.002	.90910 + .00009	.030	4
3	7433886		.909	.004	.90920 + .00012	.030	8
3	7433890		.909	.008 AND UP	.90940 + .00030	.030	8
3	7433894		.910	MASTER	.91000 + .00003	.030	2
3	7433896	7433897	.910	.0005	.91000 + .00006	.030	4
3	7433900		.910	.002	.91010 + .00009	.030	4
3	7433902		.910	.004	.91020 + .00012	.030	8
3	7433906		.910	.008 AND UP	.91040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433910	7433913	.911	MASTER	.91100 + .00003	.030	2
3	7433912		.911	.0005	.91100 + .00006	.030	4
3	7433916		.911	.002	.91110 + .00009	.030	4
3	7433918		.911	.004	.91120 + .00012	.030	8
3	7433922		.911	.008 AND UP	.91140 + .00030	.030	8
3	7433926	7433929	.912	MASTER	.91200 + .00003	.030	2
3	7433928		.912	.0005	.91200 + .00006	.030	4
3	7433932		.912	.002	.91210 + .00009	.030	4
3	7433934		.912	.004	.91220 + .00012	.030	8
3	7433938		.912	.008 AND UP	.91240 + .00030	.030	8
3	7433942	7433945	.913	MASTER	.91300 + .00003	.030	2
3	7433944		.913	.0005	.91300 + .00006	.030	4
3	7433948		.913	.002	.91310 + .00009	.030	4
3	7433950		.913	.004	.91320 + .00012	.030	8
3	7433954		.913	.008 AND UP	.91340 + .00030	.030	8
3	7433958	7433961	.914	MASTER	.91400 + .00003	.030	2
3	7433960		.914	.0005	.91400 + .00006	.030	4
3	7433964		.914	.002	.91410 + .00009	.030	4
3	7433966		.914	.004	.91420 + .00012	.030	8
3	7433970		.914	.008 AND UP	.91440 + .00030	.030	8
3	7433974	7433977	.915	MASTER	.91500 + .00003	.030	2
3	7433976		.915	.0005	.91500 + .00006	.030	4
3	7433980		.915	.002	.91510 + .00009	.030	4
3	7433982		.915	.004	.91520 + .00012	.030	8
3	7433986		.915	.008 AND UP	.91540 + .00030	.030	8
3	7433990	7433993	.916	MASTER	.91600 + .00003	.030	2
3	7433992		.916	.0005	.91600 + .00006	.030	4
3	7433996		.916	.002	.91610 + .00009	.030	4
3	7433998		.916	.004	.91620 + .00012	.030	8
3	7434002		.916	.008 AND UP	.91640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434006		.917	MASTER	.91700 + .00003	.030	2
3	7434008	7434009	.917	.0005	.91700 + .00006	.030	4
3	7434012		.917	.002	.91710 + .00009	.030	4
3	7434014		.917	.004	.91720 + .00012	.030	8
3	7434018		.917	.008 AND UP	.91740 + .00030	.030	8
3	7434022		.918	MASTER	.91800 + .00003	.030	2
3	7434024	7434025	.918	.0005	.91800 + .00006	.030	4
3	7434028		.918	.002	.91810 + .00009	.030	4
3	7434030		.918	.004	.91820 + .00012	.030	8
3	7434034		.918	.008 AND UP	.91840 + .00030	.030	8
3	7434038		.919	MASTER	.91900 + .00003	.030	2
3	7434040	7434041	.919	.0005	.91900 + .00006	.030	4
3	7434044		.919	.002	.91910 + .00009	.030	4
3	7434046		.919	.004	.91920 + .00012	.030	8
3	7434050		.919	.008 AND UP	.91940 + .00030	.030	8
3	7434054		.920	MASTER	.92000 + .00003	.030	2
3	7434056	7434057	.920	.0005	.92000 + .00006	.030	4
3	7434060		.920	.002	.92010 + .00009	.030	4
3	7434062		.920	.004	.92020 + .00012	.030	8
3	7434066		.920	.008 AND UP	.92040 + .00030	.030	8
3	7434070		.921	MASTER	.92100 + .00003	.030	2
3	7434072	7434073	.921	.0005	.92100 + .00006	.030	4
3	7434076		.921	.002	.92110 + .00009	.030	4
3	7434078		.921	.004	.92120 + .00012	.030	8
3	7434082		.921	.008 AND UP	.92140 + .00030	.030	8
3	7434086		.922	MASTER	.92200 + .00003	.030	2
3	7434088	7434089	.922	.0005	.92200 + .00006	.030	4
3	7434092		.922	.002	.92210 + .00009	.030	4
3	7434094		.922	.004	.92220 + .00012	.030	8
3	7434098		.922	.008 AND UP	.92240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:252
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7434102		.923	MASTER	.92300 + .00003	.030	2
3	7434104	7434105	.923	.0005	.92300 + .00006	.030	4
3	7434108		.923	.002	.92310 + .00009	.030	4
3	7434110		.923	.004	.92320 + .00012	.030	8
3	7434114		.923	.008 AND UP	.92340 + .00030	.030	8
3	7434118		.924	MASTER	.92400 + .00003	.030	2
3	7434120	7434121	.924	.0005	.92400 + .00006	.030	4
3	7434124		.924	.002	.92410 + .00009	.030	4
3	7434126		.924	.004	.92420 + .00012	.030	8
3	7434130		.924	.008 AND UP	.92440 + .00030	.030	8
3	7434134		.925	MASTER	.92500 + .00003	.030	2
3	7434136	7434137	.925	.0005	.92500 + .00006	.030	4
3	7434140		.925	.002	.92510 + .00009	.030	4
3	7434142		.925	.004	.92520 + .00012	.030	8
3	7434146		.925	.008 AND UP	.92540 + .00030	.030	8
3	7434150		.926	MASTER	.92600 + .00003	.030	2
3	7434152	7434153	.926	.0005	.92600 + .00006	.030	4
3	7434156		.926	.002	.92610 + .00009	.030	4
3	7434158		.926	.004	.92620 + .00012	.030	8
3	7434162		.926	.008 AND UP	.92640 + .00030	.030	8
3	7434166		.927	MASTER	.92700 + .00003	.030	2
3	7434168	7434169	.927	.0005	.92700 + .00006	.030	4
3	7434172		.927	.002	.92710 + .00009	.030	4
3	7434174		.927	.004	.92720 + .00012	.030	8
3	7434178		.927	.008 AND UP	.92740 + .00030	.030	8
3	7434182		.928	MASTER	.92800 + .00003	.030	2
3	7434184	7434185	.928	.0005	.92800 + .00006	.030	4
3	7434188		.928	.002	.92810 + .00009	.030	4
3	7434190		.928	.004	.92820 + .00012	.030	8
3	7434194		.928	.008 AND UP	.92840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7434198		.929	MASTER	.92900 + .00003	.030	2
3	7434200	7434201	.929	.0005	.92900 + .00006	.030	4
3	7434204		.929	.002	.92910 + .00009	.030	4
3	7434206		.929	.004	.92920 + .00012	.030	8
3	7434210		.929	.008 AND UP	.92940 + .00030	.030	8
3	7434214		.930	MASTER	.93000 + .00003	.030	2
3	7434216	7434217	.930	.0005	.93000 + .00006	.030	4
3	7434220		.930	.002	.93010 + .00009	.030	4
3	7434222		.930	.004	.93020 + .00012	.030	8
3	7434226		.930	.008 AND UP	.93040 + .00030	.030	8
3	7434230		.931	MASTER	.93100 + .00003	.030	2
3	7434232	7434233	.931	.0005	.93100 + .00006	.030	4
3	7434236		.931	.002	.93110 + .00009	.030	4
3	7434238		.931	.004	.93120 + .00012	.030	8
3	7434242		.931	.008 AND UP	.93140 + .00030	.030	8
3	7434246		.932	MASTER	.93200 + .00003	.030	2
3	7434248	7434249	.932	.0005	.93200 + .00006	.030	4
3	7434252		.932	.002	.93210 + .00009	.030	4
3	7434254		.932	.004	.93220 + .00012	.030	8
3	7434258		.932	.008 AND UP	.93240 + .00030	.030	8
3	7434262		.933	MASTER	.93300 + .00003	.030	2
3	7434264	7434265	.933	.0005	.93300 + .00006	.030	4
3	7434268		.933	.002	.93310 + .00009	.030	4
3	7434270		.933	.004	.93320 + .00012	.030	8
3	7434274		.933	.008 AND UP	.93340 + .00030	.030	8
3	7434278		.934	MASTER	.93400 + .00003	.030	2
3	7434280	7434281	.934	.0005	.93400 + .00006	.030	4
3	7434284		.934	.002	.93410 + .00009	.030	4
3	7434286		.934	.004	.93420 + .00012	.030	8
3	7434290		.934	.008 AND UP	.93440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434294		.935	MASTER	.93500 + .00003	.030	2
3	7434296	7434297	.935	.0005	.93500 + .00006	.030	4
3	7434300		.935	.002	.93510 + .00009	.030	4
3	7434302		.935	.004	.93520 + .00012	.030	8
3	7434306		.935	.008 AND UP	.93540 + .00030	.030	8
3	7434310		.936	MASTER	.93600 + .00003	.030	2
3	7434312	7434313	.936	.0005	.93600 + .00006	.030	4
3	7434316		.936	.002	.93610 + .00009	.030	4
3	7434318		.936	.004	.93620 + .00012	.030	8
3	7434322		.936	.008 AND UP	.93640 + .00030	.030	8
3	7434326		.937	MASTER	.93700 + .00003	.030	2
3	7434328	7434329	.937	.0005	.93700 + .00006	.030	4
3	7434332		.937	.002	.93710 + .00009	.030	4
3	7434334		.937	.004	.93720 + .00012	.030	8
3	7434338		.937	.008 AND UP	.93740 + .00030	.030	8
3	7434342		.9375	MASTER	.93750 + .00003	.030	2
3	7497496	7497497	.9375	.0005	.93750 + .00006	.030	4
3	7497500		.9375	.002	.93760 + .00009	.030	4
3	7497502		.9375	.004	.93770 + .00012	.030	8
3	7497506		.9375	.008 AND UP	.93790 + .00030	.030	8
3	7434344		.938	MASTER	.93800 + .00003	.030	2
3	7434346	7434347	.938	.0005	.93800 + .00006	.030	4
3	7434350		.938	.002	.93810 + .00009	.030	4
3	7434352		.938	.004	.93820 + .00012	.030	8
3	7434356		.938	.008 AND UP	.93840 + .00030	.030	8
3	7434360		.939	MASTER	.93900 + .00003	.030	2
3	7434362	7434363	.939	.0005	.93900 + .00006	.030	4
3	7434366		.939	.002	.93910 + .00009	.030	4
3	7434368		.939	.004	.93920 + .00012	.030	8
3	7434372		.939	.008 AND UP	.93940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434376		.940	MASTER	.94000 + .00003	.030	2
3	7434378	7434379	.940	.0005	.94000 + .00006	.030	4
3	7434382		.940	.002	.94010 + .00009	.030	4
3	7434384		.940	.004	.94020 + .00012	.030	8
3	7434388		.940	.008 AND UP	.94040 + .00030	.030	8
3	7434392		.941	MASTER	.94100 + .00003	.030	2
3	7434394	7434395	.941	.0005	.94100 + .00006	.030	4
3	7434398		.941	.002	.94110 + .00009	.030	4
3	7434400		.941	.004	.94120 + .00012	.030	8
3	7434404		.941	.008 AND UP	.94140 + .00030	.030	8
3	7434408		.942	MASTER	.94200 + .00003	.030	2
3	7434410	7434411	.942	.0005	.94200 + .00006	.030	4
3	7434414		.942	.002	.94210 + .00009	.030	4
3	7434416		.942	.004	.94220 + .00012	.030	8
3	7434420		.942	.008 AND UP	.94240 + .00030	.030	8
3	7434424		.943	MASTER	.94300 + .00003	.030	2
3	7434426	7434427	.943	.0005	.94300 + .00006	.030	4
3	7434430		.943	.002	.94310 + .00009	.030	4
3	7434432		.943	.004	.94320 + .00012	.030	8
3	7434436		.943	.008 AND UP	.94340 + .00030	.030	8
3	7434440		.944	MASTER	.94400 + .00003	.030	2
3	7434442	7434443	.944	.0005	.94400 + .00006	.030	4
3	7434446		.944	.002	.94410 + .00009	.030	4
3	7434448		.944	.004	.94420 + .00012	.030	8
3	7434452		.944	.008 AND UP	.94440 + .00030	.030	8
3	7434456		.945	MASTER	.94500 + .00003	.030	2
3	7434458	7434459	.945	.0005	.94500 + .00006	.030	4
3	7434462		.945	.002	.94510 + .00009	.030	4
3	7434464		.945	.004	.94520 + .00012	.030	8
3	7434468		.945	.008 AND UP	.94540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MARKING ON GAGE HANDLE: MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7434472	7434475	.946	MASTER	.94600 + .00003	.030	2
3	7434474		.946	.0005	.94600 + .00006	.030	4
3	7434478		.946	.002	.94610 + .00009	.030	4
3	7434480		.946	.004	.94620 + .00012	.030	8
3	7434484		.946	.008 AND UP	.94640 + .00030	.030	8
3	7434488	7434491	.947	MASTER	.94700 + .00003	.030	2
3	7434490		.947	.0005	.94700 + .00006	.030	4
3	7434494		.947	.002	.94710 + .00009	.030	4
3	7434496		.947	.004	.94720 + .00012	.030	8
3	7434500		.947	.008 AND UP	.94740 + .00030	.030	8
3	7434504	7434507	.948	MASTER	.94800 + .00003	.030	2
3	7434506		.948	.0005	.94800 + .00006	.030	4
3	7434510		.948	.002	.94810 + .00009	.030	4
3	7434512		.948	.004	.94820 + .00012	.030	8
3	7434516		.948	.008 AND UP	.94840 + .00030	.030	8
3	7434520	7434523	.949	MASTER	.94900 + .00003	.030	2
3	7434522		.949	.0005	.94900 + .00006	.030	4
3	7434526		.949	.002	.94910 + .00009	.030	4
3	7434528		.949	.004	.94920 + .00012	.030	8
3	7434532		.949	.008 AND UP	.94940 + .00030	.030	8
3	7434536	7434539	.950	MASTER	.95000 + .00003	.030	2
3	7434538		.950	.0005	.95000 + .00006	.030	4
3	7434542		.950	.002	.95010 + .00009	.030	4
3	7434544		.950	.004	.95020 + .00012	.030	8
3	7434548		.950	.008 AND UP	.95040 + .00030	.030	8
3	7434552	7434555	.951	MASTER	.95100 + .00003	.030	2
3	7434554		.951	.0005	.95100 + .00006	.030	4
3	7434558		.951	.002	.95110 + .00009	.030	4
3	7434560		.951	.004	.95120 + .00012	.030	8
3	7434564		.951	.008 AND UP	.95140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434568	7434571	.952	MASTER	.95200 + .00003	.030	2
3	7434570		.952	.0005	.95200 + .00006	.030	4
3	7434574		.952	.002	.95210 + .00009	.030	4
3	7434576		.952	.004	.95220 + .00012	.030	8
3	7434580		.952	.008 AND UP	.95240 + .00030	.030	8
3	7434584	7434587	.953	MASTER	.95300 + .00003	.030	2
3	7434586		.953	.0005	.95300 + .00006	.030	4
3	7434590		.953	.002	.95310 + .00009	.030	4
3	7434592		.953	.004	.95320 + .00012	.030	8
3	7434596		.953	.008 AND UP	.95340 + .00030	.030	8
3	7434600	7434603	.954	MASTER	.95400 + .00003	.030	2
3	7434602		.954	.0005	.95400 + .00006	.030	4
3	7434606		.954	.002	.95410 + .00009	.030	4
3	7434608		.954	.004	.95420 + .00012	.030	8
3	7434612		.954	.008 AND UP	.95440 + .00030	.030	8
3	7434616	7434619	.955	MASTER	.95500 + .00003	.030	2
3	7434618		.955	.0005	.95500 + .00006	.030	4
3	7434622		.955	.002	.95510 + .00009	.030	4
3	7434624		.955	.004	.95520 + .00012	.030	8
3	7434628		.955	.008 AND UP	.95540 + .00030	.030	8
3	7434632	7434635	.956	MASTER	.95600 + .00003	.030	2
3	7434634		.956	.0005	.95600 + .00006	.030	4
3	7434638		.956	.002	.95610 + .00009	.030	4
3	7434640		.956	.004	.95620 + .00012	.030	8
3	7434644		.956	.008 AND UP	.95640 + .00030	.030	8
3	7434648	7434651	.957	MASTER	.95700 + .00003	.030	2
3	7434650		.957	.0005	.95700 + .00006	.030	4
3	7434654		.957	.002	.95710 + .00009	.030	4
3	7434656		.957	.004	.95720 + .00012	.030	8
3	7434660		.957	.008 AND UP	.95740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z.
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434664		.958	MASTER	.95800 + .00003	.030	2
3	7434666	7434667	.958	.0005	.95800 + .00006	.030	4
3	7434670		.958	.002	.95810 + .00009	.030	4
3	7434672		.958	.004	.95820 + .00012	.030	8
3	7434676		.958	.008 AND UP	.95840 + .00030	.030	8
3	7434680		.959	MASTER	.95900 + .00003	.030	2
3	7434682	7434683	.959	.0005	.95900 + .00006	.030	4
3	7434686		.959	.002	.95910 + .00009	.030	4
3	7434688		.959	.004	.95920 + .00012	.030	8
3	7434692		.959	.008 AND UP	.95940 + .00030	.030	8
3	7434696		.960	MASTER	.96000 + .00003	.030	2
3	7434698	7434699	.960	.0005	.96000 + .00006	.030	4
3	7434702		.960	.002	.96010 + .00009	.030	4
3	7434704		.960	.004	.96020 + .00012	.030	8
3	7434708		.960	.008 AND UP	.96040 + .00030	.030	8
3	7434712		.961	MASTER	.96100 + .00003	.030	2
3	7434714	7434715	.961	.0005	.96100 + .00006	.030	4
3	7434718		.961	.002	.96110 + .00009	.030	4
3	7434720		.961	.004	.96120 + .00012	.030	8
3	7434724		.961	.008 AND UP	.96140 + .00030	.030	8
3	7434728		.962	MASTER	.96200 + .00003	.030	2
3	7434730	7434731	.962	.0005	.96200 + .00006	.030	4
3	7434734		.962	.002	.96210 + .00009	.030	4
3	7434736		.962	.004	.96220 + .00012	.030	8
3	7434740		.962	.008 AND UP	.96240 + .00030	.030	8
3	7434744		.963	MASTER	.96300 + .00003	.030	2
3	7434746	7434747	.963	.0005	.96300 + .00006	.030	4
3	7434750		.963	.002	.96310 + .00009	.030	4
3	7434752		.963	.004	.96320 + .00012	.030	8
3	7434756		.963	.008 AND UP	.96340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7434760	7434763	.964	MASTER	.96400 + .00003	.030	2
3	7434762		.964	.0005	.96400 + .00006	.030	4
3	7434766		.964	.002	.96410 + .00009	.030	4
3	7434768		.964	.004	.96420 + .00012	.030	8
3	7434772		.964	.008 AND UP	.96440 + .00030	.030	8
3	7434776	7434779	.965	MASTER	.96500 + .00003	.030	2
3	7434778		.965	.0005	.96500 + .00006	.030	4
3	7434782		.965	.002	.96510 + .00009	.030	4
3	7434784		.965	.004	.96520 + .00012	.030	8
3	7434788		.965	.008 AND UP	.96540 + .00030	.030	8
3	7434792	7434795	.966	MASTER	.96600 + .00003	.030	2
3	7434794		.966	.0005	.96600 + .00006	.030	4
3	7434798		.966	.002	.96610 + .00009	.030	4
3	7434800		.966	.004	.96620 + .00012	.030	8
3	7434804		.966	.008 AND UP	.96640 + .00030	.030	8
3	7434808	7434811	.967	MASTER	.96700 + .00003	.030	2
3	7434810		.967	.0005	.96700 + .00006	.030	4
3	7434814		.967	.002	.96710 + .00009	.030	4
3	7434816		.967	.004	.96720 + .00012	.030	8
3	7434820		.967	.008 AND UP	.96740 + .00030	.030	8
3	7434824	7434827	.968	MASTER	.96800 + .00003	.030	2
3	7434826		.968	.0005	.96800 + .00006	.030	4
3	7434830		.968	.002	.96810 + .00009	.030	4
3	7434832		.968	.004	.96820 + .00012	.030	8
3	7434836		.968	.008 AND UP	.96840 + .00030	.030	8
3	7434840	7497511	.96875	MASTER	.96875 + .00003	.030	2
3	7497510		.96875	.0005	.96875 + .00006	.030	4
3	7497514		.96875	.002	.96885 + .00009	.030	4
3	7497516		.96875	.004	.96895 + .00012	.030	8
3	7497520		.96875	.008 AND UP	.96915 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434842	7434845	.969	MASTER	.96900 + .00003	.030	2
3	7434844		.969	.0005	.96900 + .00006	.030	4
3	7434848		.969	.002	.96910 + .00009	.030	4
3	7434850		.969	.004	.96920 + .00012	.030	8
3	7434854		.969	.008 AND UP	.96940 + .00030	.030	8
3	7434858	7434861	.970	MASTER	.97000 + .00003	.030	2
3	7434860		.970	.0005	.97000 + .00006	.030	4
3	7434864		.970	.002	.97010 + .00009	.030	4
3	7434866		.970	.004	.97020 + .00012	.030	8
3	7434870		.970	.008 AND UP	.97040 + .00030	.030	8
3	7434874	7434877	.971	MASTER	.97100 + .00003	.030	2
3	7434876		.971	.0005	.97100 + .00006	.030	4
3	7434880		.971	.002	.97110 + .00009	.030	4
3	7434882		.971	.004	.97120 + .00012	.030	8
3	7434886		.971	.008 AND UP	.97140 + .00030	.030	8
3	7434890	7434893	.972	MASTER	.97200 + .00003	.030	2
3	7434892		.972	.0005	.97200 + .00006	.030	4
3	7434896		.972	.002	.97210 + .00009	.030	4
3	7434898		.972	.004	.97220 + .00012	.030	8
3	7434902		.972	.008 AND UP	.97240 + .00030	.030	8
3	7434906	7434909	.973	MASTER	.97300 + .00003	.030	2
3	7434908		.973	.0005	.97300 + .00006	.030	4
3	7434912		.973	.002	.97310 + .00009	.030	4
3	7434914		.973	.004	.97320 + .00012	.030	8
3	7434918		.973	.008 AND UP	.97340 + .00030	.030	8
3	7434922	7434925	.974	MASTER	.97400 + .00003	.030	2
3	7434924		.974	.0005	.97400 + .00006	.030	4
3	7434928		.974	.002	.97410 + .00009	.030	4
3	7434930		.974	.004	.97420 + .00012	.030	8
3	7434934		.974	.008 AND UP	.97440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434938		.975	MASTER	.97500 + .00003	.030	2
3	7434940	7434941	.975	.0005	.97500 + .00006	.030	4
3	7434944		.975	.002	.97510 + .00009	.030	4
3	7434946		.975	.004	.97520 + .00012	.030	8
3	7434950		.975	.008 AND UP	.97540 + .00030	.030	8
3	7434954		.976	MASTER	.97600 + .00003	.030	2
3	7434956	7434957	.976	.0005	.97600 + .00006	.030	4
3	7434960		.976	.002	.97610 + .00009	.030	4
3	7434962		.976	.004	.97620 + .00012	.030	8
3	7434966		.976	.008 AND UP	.97640 + .00030	.030	8
3	7434970		.977	MASTER	.97700 + .00003	.030	2
3	7434972	7434973	.977	.0005	.97700 + .00006	.030	4
3	7434976		.977	.002	.97710 + .00009	.030	4
3	7434978		.977	.004	.97720 + .00012	.030	8
3	7434982		.977	.008 AND UP	.97740 + .00030	.030	8
3	7434986		.978	MASTER	.97800 + .00003	.030	2
3	7434988	7434989	.978	.0005	.97800 + .00006	.030	4
3	7434992		.978	.002	.97810 + .00009	.030	4
3	7434994		.978	.004	.97820 + .00012	.030	8
3	7434998		.978	.008 AND UP	.97840 + .00030	.030	8
3	7435002		.979	MASTER	.97900 + .00003	.030	2
3	7435004	7435005	.979	.0005	.97900 + .00006	.030	4
3	7435008		.979	.002	.97910 + .00009	.030	4
3	7435010		.979	.004	.97920 + .00012	.030	8
3	7435014		.979	.008 AND UP	.97940 + .00030	.030	8
3	7435018		.980	MASTER	.98000 + .00003	.030	2
3	7435020	7435021	.980	.0005	.98000 + .00006	.030	4
3	7435024		.980	.002	.98010 + .00009	.030	4
3	7435026		.980	.004	.98020 + .00012	.030	8
3	7435030		.980	.008 AND UP	.98040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435034		.981	MASTER	.98100 + .00003	.030	2
3	7435036	7435037	.981	.0005	.98100 + .00006	.030	4
3	7435040		.981	.002	.98110 + .00009	.030	4
3	7435042		.981	.004	.98120 + .00012	.030	8
3	7435046		.981	.008 AND UP	.98140 + .00030	.030	8
3	7435050		.982	MASTER	.98200 + .00003	.030	2
3	7435052	7435053	.982	.0005	.98200 + .00006	.030	4
3	7435056		.982	.002	.98210 + .00009	.030	4
3	7435058		.982	.004	.98220 + .00012	.030	8
3	7435062		.982	.008 AND UP	.98240 + .00030	.030	8
3	7435066		.983	MASTER	.98300 + .00003	.030	2
3	7435068	7435069	.983	.0005	.98300 + .00006	.030	4
3	7435072		.983	.002	.98310 + .00009	.030	4
3	7435074		.983	.004	.98320 + .00012	.030	8
3	7435078		.983	.008 AND UP	.98340 + .00030	.030	8
3	7435082		.984	MASTER	.98400 + .00003	.030	2
3	7435084	7435085	.984	.0005	.98400 + .00006	.030	4
3	7435088		.984	.002	.98410 + .00009	.030	4
3	7435090		.984	.004	.98420 + .00012	.030	8
3	7435094		.984	.008 AND UP	.98440 + .00030	.030	8
3	7435098		.985	MASTER	.98500 + .00003	.030	2
3	7435100	7435101	.985	.0005	.98500 + .00006	.030	4
3	7435104		.985	.002	.98510 + .00009	.030	4
3	7435106		.985	.004	.98520 + .00012	.030	8
3	7435110		.985	.008 AND UP	.98540 + .00030	.030	8
3	7435114		.986	MASTER	.98600 + .00003	.030	2
3	7435116	7435117	.986	.0005	.98600 + .00006	.030	4
3	7435120		.986	.002	.98610 + .00009	.030	4
3	7435122		.986	.004	.98620 + .00012	.030	8
3	7435126		.986	.008 AND UP	.98640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435130		.987	MASTER	.98700 + .00003	.030	2
3	7435132	7435133	.987	.0005	.98700 + .00006	.030	4
3	7435136		.987	.002	.98710 + .00009	.030	4
3	7435138		.987	.004	.98720 + .00012	.030	8
3	7435142		.987	.008 AND UP	.98740 + .00030	.030	8
3	7435146		.988	MASTER	.98800 + .00003	.030	2
3	7435148	7435149	.988	.0005	.98800 + .00006	.030	4
3	7435152		.988	.002	.98810 + .00009	.030	4
3	7435154		.988	.004	.98820 + .00012	.030	8
3	7435158		.988	.008 AND UP	.98840 + .00030	.030	8
3	7435162		.989	MASTER	.98900 + .00003	.030	2
3	7435164	7435165	.989	.0005	.98900 + .00006	.030	4
3	7435168		.989	.002	.98910 + .00009	.030	4
3	7435170		.989	.004	.98920 + .00012	.030	8
3	7435174		.989	.008 AND UP	.98940 + .00030	.030	8
3	7435178		.990	MASTER	.99000 + .00003	.030	2
3	7435180	7435181	.990	.0005	.99000 + .00006	.030	4
3	7435184		.990	.002	.99010 + .00009	.030	4
3	7435186		.990	.004	.99020 + .00012	.030	8
3	7435190		.990	.008 AND UP	.99040 + .00030	.030	8
3	7435194		.991	MASTER	.99100 + .00003	.030	2
3	7435196	7435197	.991	.0005	.99100 + .00006	.030	4
3	7435200		.991	.002	.99110 + .00009	.030	4
3	7435202		.991	.004	.99120 + .00012	.030	8
3	7435206		.991	.008 AND UP	.99140 + .00030	.030	8
3	7435210		.992	MASTER	.99200 + .00003	.030	2
3	7435212	7435213	.992	.0005	.99200 + .00006	.030	4
3	7435216		.992	.002	.99210 + .00009	.030	4
3	7435218		.992	.004	.99220 + .00012	.030	8
3	7435222		.992	.008 AND UP	.99240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435226	7435229	.993	MASTER	.99300 + .00003	.030	2
3	7435228		.993	.0005	.99300 + .00006	.030	4
3	7435232		.993	.002	.99310 + .00009	.030	4
3	7435234		.993	.004	.99320 + .00012	.030	8
3	7435238		.993	.008 AND UP	.99340 + .00030	.030	8
3	7435242	7435245	.994	MASTER	.99400 + .00003	.030	2
3	7435244		.994	.0005	.99400 + .00006	.030	4
3	7435248		.994	.002	.99410 + .00009	.030	4
3	7435250		.994	.004	.99420 + .00012	.030	8
3	7435254		.994	.008 AND UP	.99440 + .00030	.030	8
3	7435258	7435261	.995	MASTER	.99500 + .00003	.030	2
3	7435260		.995	.0005	.99500 + .00006	.030	4
3	7435264		.995	.002	.99510 + .00009	.030	4
3	7435266		.995	.004	.99520 + .00012	.030	8
3	7435270		.995	.008 AND UP	.99540 + .00030	.030	8
3	7435274	7435277	.996	MASTER	.99600 + .00003	.030	2
3	7435276		.996	.0005	.99600 + .00006	.030	4
3	7435280		.996	.002	.99610 + .00009	.030	4
3	7435282		.996	.004	.99620 + .00012	.030	8
3	7435286		.996	.008 AND UP	.99640 + .00030	.030	8
3	7435290	7435293	.997	MASTER	.99700 + .00003	.030	2
3	7435292		.997	.0005	.99700 + .00006	.030	4
3	7435296		.997	.002	.99710 + .00009	.030	4
3	7435298		.997	.004	.99720 + .00012	.030	8
3	7435302		.997	.008 AND UP	.99740 + .00030	.030	8
3	7435306	7435309	.998	MASTER	.99800 + .00003	.030	2
3	7435308		.998	.0005	.99800 + .00006	.030	4
3	7435312		.998	.002	.99810 + .00009	.030	4
3	7435314		.998	.004	.99820 + .00012	.030	8
3	7435318		.998	.008 AND UP	.99840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435322	7435325	.999	MASTER	.99900 + .00003	.030	2
3	7435324		.999	.0005	.99900 + .00006	.030	4
3	7435328		.999	.002	.99910 + .00009	.030	4
3	7435330		.999	.004	.99920 + .00012	.030	8
3	7435334		.999	.008 AND UP	.99940 + .00030	.030	8
3	7435338	7435341	1.000	MASTER	1.00000 + .00003	.030	2
3	7435340		1.000	.0005	1.00000 + .00006	.030	4
3	7435344		1.000	.002	1.00010 + .00009	.030	4
3	7435346		1.000	.004	1.00020 + .00012	.030	8
3	7435350		1.000	.008 AND UP	1.00040 + .00030	.030	8
3	7435354	7435357	1.001	MASTER	1.00100 + .00003	.030	2
3	7435356		1.001	.0005	1.00100 + .00006	.030	4
3	7435360		1.001	.002	1.00110 + .00009	.030	4
3	7435362		1.001	.004	1.00120 + .00012	.030	8
3	7435366		1.001	.008 AND UP	1.00140 + .00030	.030	8
3	7435370	7435373	1.002	MASTER	1.00200 + .00003	.030	2
3	7435372		1.002	.0005	1.00200 + .00006	.030	4
3	7435376		1.002	.002	1.00210 + .00009	.030	4
3	7435378		1.002	.004	1.00220 + .00012	.030	8
3	7435382		1.002	.008 AND UP	1.00240 + .00030	.030	8
3	7435386	7435389	1.003	MASTER	1.00300 + .00003	.030	2
3	7435388		1.003	.0005	1.00300 + .00006	.030	4
3	7435392		1.003	.002	1.00310 + .00009	.030	4
3	7435394		1.003	.004	1.00320 + .00012	.030	8
3	7435398		1.003	.008 AND UP	1.00340 + .00030	.030	8
3	7435402	7435405	1.004	MASTER	1.00400 + .00003	.030	2
3	7435404		1.004	.0005	1.00400 + .00006	.030	4
3	7435408		1.004	.002	1.00410 + .00009	.030	4
3	7435410		1.004	.004	1.00420 + .00012	.030	8
3	7435414		1.004	.008 AND UP	1.00440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN – GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN – GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435418	7435421	1.005	MASTER	1.00500 + .00003	.030	2
3	7435420		1.005	.0005	1.00500 + .00006	.030	4
3	7435424		1.005	.002	1.00510 + .00009	.030	8
3	7435426		1.005	.004	1.00520 + .00012	.030	8
3	7435430		1.005	.008 AND UP	1.00540 + .00030	.030	
3	7435434	7435437	1.006	MASTER	1.00600 + .00003	.030	2
3	7435436		1.006	.0005	1.00600 + .00006	.030	4
3	7435440		1.006	.002	1.00610 + .00009	.030	8
3	7435442		1.006	.004	1.00620 + .00012	.030	8
3	7435446		1.006	.008 AND UP	1.00640 + .00030	.030	
3	7435450	7435453	1.007	MASTER	1.00700 + .00003	.030	2
3	7435452		1.007	.0005	1.00700 + .00006	.030	4
3	7435456		1.007	.002	1.00710 + .00009	.030	8
3	7435458		1.007	.004	1.00720 + .00012	.030	8
3	7435462		1.007	.008 AND UP	1.00740 + .00030	.030	
3	7435466	7435469	1.008	MASTER	1.00800 + .00003	.030	2
3	7435468		1.008	.0005	1.00800 + .00006	.030	4
3	7435472		1.008	.002	1.00810 + .00009	.030	8
3	7435474		1.008	.004	1.00820 + .00012	.030	8
3	7435478		1.008	.008 AND UP	1.00840 + .00030	.030	
3	7435482	7435485	1.009	MASTER	1.00900 + .00003	.030	2
3	7435484		1.009	.0005	1.00900 + .00006	.030	4
3	7435488		1.009	.002	1.00910 + .00009	.030	8
3	7435490		1.009	.004	1.00920 + .00012	.030	8
3	7435494		1.009	.008 AND UP	1.00940 + .00030	.030	
3	7435498	7435501	1.010	MASTER	1.01000 + .00003	.030	2
3	7435500		1.010	.0005	1.01000 + .00006	.030	4
3	7435504		1.010	.002	1.01010 + .00009	.030	8
3	7435506		1.010	.004	1.01020 + .00012	.030	8
3	7435510		1.010	.008 AND UP	1.01040 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435514		1.011	MASTER	1.01100 + .00003	.030	2
3	7435516	7435517	1.011	.0005	1.01100 + .00006	.030	4
3	7435520		1.011	.002	1.01110 + .00009	.030	4
3	7435522		1.011	.004	1.01120 + .00012	.030	8
3	7435526		1.011	.008 AND UP	1.01140 + .00030	.030	8
3	7435530		1.012	MASTER	1.01200 + .00003	.030	2
3	7435532	7435533	1.012	.0005	1.01200 + .00006	.030	4
3	7435536		1.012	.002	1.01210 + .00009	.030	4
3	7435538		1.012	.004	1.01220 + .00012	.030	8
3	7435542		1.012	.008 AND UP	1.01240 + .00030	.030	8
3	7435546		1.013	MASTER	1.01300 + .00003	.030	2
3	7435548	7435549	1.013	.0005	1.01300 + .00006	.030	4
3	7435552		1.013	.002	1.01310 + .00009	.030	4
3	7435554		1.013	.004	1.01320 + .00012	.030	8
3	7435558		1.013	.008 AND UP	1.01340 + .00030	.030	8
3	7435562		1.014	MASTER	1.01400 + .00003	.030	2
3	7435564	7435565	1.014	.0005	1.01400 + .00006	.030	4
3	7435568		1.014	.002	1.01410 + .00009	.030	4
3	7435570		1.014	.004	1.01420 + .00012	.030	8
3	7435574		1.014	.008 AND UP	1.01440 + .00030	.030	8
3	7435578		1.015	MASTER	1.01500 + .00003	.030	2
3	7435580	7435581	1.015	.0005	1.01500 + .00006	.030	4
3	7435584		1.015	.002	1.01510 + .00009	.030	4
3	7435586		1.015	.004	1.01520 + .00012	.030	8
3	7435590		1.015	.008 AND UP	1.01540 + .00030	.030	8
3	7435594		1.016	MASTER	1.01600 + .00003	.030	2
3	7435596	7435597	1.016	.0005	1.01600 + .00006	.030	4
3	7435600		1.016	.002	1.01610 + .00009	.030	4
3	7435602		1.016	.004	1.01620 + .00012	.030	8
3	7435606		1.016	.008 AND UP	1.01640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435610	7435613	1.017	MASTER	1.01700 + .00003	.030	2
3	7435612		1.017	.0005	1.01700 + .00006	.030	4
3	7435616		1.017	.002	1.01710 + .00009	.030	8
3	7435618		1.017	.004	1.01720 + .00012	.030	8
3	7435622		1.017	.008 AND UP	1.01740 + .00030	.030	
3	7435626	7435629	1.018	MASTER	1.01800 + .00003	.030	2
3	7435628		1.018	.0005	1.01800 + .00006	.030	4
3	7435632		1.018	.002	1.01810 + .00009	.030	8
3	7435634		1.018	.004	1.01820 + .00012	.030	8
3	7435638		1.018	.008 AND UP	1.01840 + .00030	.030	
3	7435642	7435645	1.019	MASTER	1.01900 + .00003	.030	2
3	7435644		1.019	.0005	1.01900 + .00006	.030	4
3	7435648		1.019	.002	1.01910 + .00009	.030	8
3	7435650		1.019	.004	1.01920 + .00012	.030	8
3	7435654		1.019	.008 AND UP	1.01940 + .00030	.030	
3	7435658	7435661	1.020	MASTER	1.02000 + .00003	.030	2
3	7435660		1.020	.0005	1.02000 + .00006	.030	4
3	7435664		1.020	.002	1.02010 + .00009	.030	8
3	7435666		1.020	.004	1.02020 + .00012	.030	8
3	7435670		1.020	.008 AND UP	1.02040 + .00030	.030	
3	7435674	7435677	1.021	MASTER	1.02100 + .00003	.030	2
3	7435676		1.021	.0005	1.02100 + .00006	.030	4
3	7435680		1.021	.002	1.02110 + .00009	.030	8
3	7435682		1.021	.004	1.02120 + .00012	.030	8
3	7435686		1.021	.008 AND UP	1.02140 + .00030	.030	
3	7435690	7435693	1.022	MASTER	1.02200 + .00003	.030	2
3	7435692		1.022	.0005	1.02200 + .00006	.030	4
3	7435696		1.022	.002	1.02210 + .00009	.030	8
3	7435698		1.022	.004	1.02220 + .00012	.030	8
3	7435702		1.022	.008 AND UP	1.02240 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435706		1.023	MASTER	1.02300 + .00003	.030	2
3	7435708	7435709	1.023	.0005	1.02300 + .00006	.030	4
3	7435712		1.023	.002	1.02310 + .00009	.030	4
3	7435714		1.023	.004	1.02320 + .00012	.030	8
3	7435718		1.023	.008 AND UP	1.02340 + .00030	.030	8
3	7435722		1.024	MASTER	1.02400 + .00003	.030	2
3	7435724	7435725	1.024	.0005	1.02400 + .00006	.030	4
3	7435728		1.024	.002	1.02410 + .00009	.030	4
3	7435730		1.024	.004	1.02420 + .00012	.030	8
3	7435734		1.024	.008 AND UP	1.02440 + .00030	.030	8
3	7435738		1.025	MASTER	1.02500 + .00003	.030	2
3	7435740	7435741	1.025	.0005	1.02500 + .00006	.030	4
3	7435744		1.025	.002	1.02510 + .00009	.030	4
3	7435746		1.025	.004	1.02520 + .00012	.030	8
3	7435750		1.025	.008 AND UP	1.02540 + .00030	.030	8
3	7435754		1.026	MASTER	1.02600 + .00003	.030	2
3	7435756	7435757	1.026	.0005	1.02600 + .00006	.030	4
3	7435760		1.026	.002	1.02610 + .00009	.030	4
3	7435762		1.026	.004	1.02620 + .00012	.030	8
3	7435766		1.026	.008 AND UP	1.02640 + .00030	.030	8
3	7435770		1.027	MASTER	1.02700 + .00003	.030	2
3	7435772	7435773	1.027	.0005	1.02700 + .00006	.030	4
3	7435776		1.027	.002	1.02710 + .00009	.030	4
3	7435778		1.027	.004	1.02720 + .00012	.030	8
3	7435782		1.027	.008 AND UP	1.02740 + .00030	.030	8
3	7435786		1.028	MASTER	1.02800 + .00003	.030	2
3	7435788	7435789	1.028	.0005	1.02800 + .00006	.030	4
3	7435792		1.028	.002	1.02810 + .00009	.030	4
3	7435794		1.028	.004	1.02820 + .00012	.030	8
3	7435798		1.028	.008 AND UP	1.02840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435802	7435805	1.029	MASTER	1.02300 + .00003	.030	2
3	7435804		1.029	.0005	1.02900 + .00006	.030	4
3	7435808		1.029	.002	1.02910 + .00009	.030	4
3	7435810		1.029	.004	1.02920 + .00012	.030	8
3	7435814		1.029	.008 AND UP	1.02940 + .00030	.030	8
3	7435818	7435821	1.030	MASTER	1.03000 + .00003	.030	2
3	7435820		1.030	.0005	1.03000 + .00006	.030	4
3	7435824		1.030	.002	1.03010 + .00009	.030	4
3	7435826		1.030	.004	1.03020 + .00012	.030	8
3	7435830		1.030	.008 AND UP	1.03040 + .00030	.030	8
3	7435834	7435837	1.031	MASTER	1.03100 + .00003	.030	2
3	7435836		1.031	.0005	1.03100 + .00006	.030	4
3	7435840		1.031	.002	1.03110 + .00009	.030	4
3	7435842		1.031	.004	1.03120 + .00012	.030	8
3	7435846		1.031	.008 AND UP	1.03140 + .00030	.030	8
3	7435850	7497525	1.03125	MASTER	1.03125 + .00003	.030	2
3	7497524		1.03125	.0005	1.03125 + .00006	.030	4
3	7497528		1.03125	.002	1.03135 + .00009	.030	4
3	7497530		1.03125	.004	1.03145 + .00012	.030	8
3	7497534		1.03125	.008 AND UP	1.03165 + .00030	.030	8
3	7435852	7435855	1.032	MASTER	1.03200 + .00003	.030	2
3	7435854		1.032	.0005	1.03200 + .00006	.030	4
3	7435858		1.032	.002	1.03210 + .00009	.030	4
3	7435860		1.032	.004	1.03220 + .00012	.030	8
3	7435864		1.032	.008 AND UP	1.03240 + .00030	.030	8
3	7435868	7435871	1.033	MASTER	1.03300 + .00003	.030	2
3	7435870		1.033	.0005	1.03300 + .00006	.030	4
3	7435874		1.033	.002	1.03310 + .00009	.030	4
3	7435876		1.033	.004	1.03320 + .00012	.030	8
3	7435880		1.033	.008 AND UP	1.03340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7435884		1.034	MASTER	1.03400 + .00003	.030	2
3	7435886	7435887	1.034	.0005	1.03400 + .00006	.030	4
3	7435890		1.034	.002	1.03410 + .00009	.030	4
3	7435892		1.034	.004	1.03420 + .00012	.030	8
3	7435896		1.034	.008 AND UP	1.03440 + .00030	.030	8
3	7435900		1.035	MASTER	1.03500 + .00003	.030	2
3	7435902	7435903	1.035	.0005	1.03500 + .00006	.030	4
3	7435906		1.035	.002	1.03510 + .00009	.030	4
3	7435908		1.035	.004	1.03520 + .00012	.030	8
3	7435912		1.035	.008 AND UP	1.03540 + .00030	.030	8
3	7435916		1.036	MASTER	1.03600 + .00003	.030	2
3	7435918	7435919	1.036	.0005	1.03600 + .00006	.030	4
3	7435922		1.036	.002	1.03610 + .00009	.030	4
3	7435924		1.036	.004	1.03620 + .00012	.030	8
3	7435928		1.036	.008 AND UP	1.03640 + .00030	.030	8
3	7435932		1.037	MASTER	1.03700 + .00003	.030	2
3	7435934	7435935	1.037	.0005	1.03700 + .00006	.030	4
3	7435938		1.037	.002	1.03710 + .00009	.030	4
3	7435940		1.037	.004	1.03720 + .00012	.030	8
3	7435944		1.037	.008 AND UP	1.03740 + .00030	.030	8
3	7435948		1.038	MASTER	1.03800 + .00003	.030	2
3	7435950	7435951	1.038	.0005	1.03800 + .00006	.030	4
3	7435954		1.038	.002	1.03810 + .00009	.030	4
3	7435956		1.038	.004	1.03820 + .00012	.030	8
3	7435960		1.038	.008 AND UP	1.03840 + .00030	.030	8
3	7435964		1.039	MASTER	1.03900 + .00003	.030	2
3	7435966	7435967	1.039	.0005	1.03900 + .00006	.030	4
3	7435970		1.039	.002	1.03910 + .00009	.030	4
3	7435972		1.039	.004	1.03920 + .00012	.030	8
3	7435976		1.039	.008 AND UP	1.03940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435980	7435983	1.040	MASTER	1.04000 + .00003	.030	2
3	7435982		1.040	.0005	1.04000 + .00006	.030	4
3	7435986		1.040	.002	1.04010 + .00009	.030	4
3	7435988		1.040	.004	1.04020 + .00012	.030	8
3	7435992		1.040	.008 AND UP	1.04040 + .00030	.030	8
3	7435996	7435999	1.041	MASTER	1.04100 + .00003	.030	2
3	7435998		1.041	.0005	1.04100 + .00006	.030	4
3	7436002		1.041	.002	1.04110 + .00009	.030	4
3	7436004		1.041	.004	1.04120 + .00012	.030	8
3	7436008		1.041	.008 AND UP	1.04140 + .00030	.030	8
3	7436012	7436015	1.042	MASTER	1.04200 + .00003	.030	2
3	7436014		1.042	.0005	1.04200 + .00006	.030	4
3	7436018		1.042	.002	1.04210 + .00009	.030	4
3	7436020		1.042	.004	1.04220 + .00012	.030	8
3	7436024		1.042	.008 AND UP	1.04240 + .00030	.030	8
3	7436028	7436031	1.043	MASTER	1.04300 + .00003	.030	2
3	7436030		1.043	.0005	1.04300 + .00006	.030	4
3	7436034		1.043	.002	1.04310 + .00009	.030	4
3	7436036		1.043	.004	1.04320 + .00012	.030	8
3	7436040		1.043	.008 AND UP	1.04340 + .00030	.030	8
3	7436044	7436047	1.044	MASTER	1.04400 + .00003	.030	2
3	7436046		1.044	.0005	1.04400 + .00006	.030	4
3	7436050		1.044	.002	1.04410 + .00009	.030	4
3	7436052		1.044	.004	1.04420 + .00012	.030	8
3	7436056		1.044	.008 AND UP	1.04440 + .00030	.030	8
3	7436060	7436063	1.045	MASTER	1.04500 + .00003	.030	2
3	7436062		1.045	.0005	1.04500 + .00006	.030	4
3	7436066		1.045	.002	1.04510 + .00009	.030	4
3	7436068		1.045	.004	1.04520 + .00012	.030	8
3	7436072		1.045	.008 AND UP	1.04540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436076		1.046	MASTER	1.04600 + .00003	.030	2
3	7436078	7436079	1.046	.0005	1.04600 + .00006	.030	4
3	7436082		1.046	.002	1.04610 + .00009	.030	4
3	7436084		1.046	.004	1.04620 + .00012	.030	8
3	7436088		1.046	.008 AND UP	1.04640 + .00030	.030	8
3	7436092		1.047	MASTER	1.04700 + .00003	.030	2
3	7436094	7436095	1.047	.0005	1.04700 + .00006	.030	4
3	7436098		1.047	.002	1.04710 + .00009	.030	4
3	7436100		1.047	.004	1.04720 + .00012	.030	8
3	7436104		1.047	.008 AND UP	1.04740 + .00030	.030	8
3	7436108		1.048	MASTER	1.04800 + .00003	.030	2
3	7436110	7436111	1.048	.0005	1.04800 + .00006	.030	4
3	7436114		1.048	.002	1.04810 + .00009	.030	4
3	7436116		1.048	.004	1.04820 + .00012	.030	8
3	7436120		1.048	.008 AND UP	1.04840 + .00030	.030	8
3	7436124		1.049	MASTER	1.04900 + .00003	.030	2
3	7436126	7436127	1.049	.0005	1.04900 + .00006	.030	4
3	7436130		1.049	.002	1.04910 + .00009	.030	4
3	7436132		1.049	.004	1.04920 + .00012	.030	8
3	7436136		1.049	.008 AND UP	1.04940 + .00030	.030	8
3	7436140		1.050	MASTER	1.05000 + .00003	.030	2
3	7436142	7436143	1.050	.0005	1.05000 + .00006	.030	4
3	7436146		1.050	.002	1.05010 + .00009	.030	4
3	7436148		1.050	.004	1.05020 + .00012	.030	8
3	7436152		1.050	.008 AND UP	1.05040 + .00030	.030	8
3	7436156		1.051	MASTER	1.05100 + .00003	.030	2
3	7436158	7436159	1.051	.0005	1.05100 + .00006	.030	4
3	7436162		1.051	.002	1.05110 + .00009	.030	4
3	7436164		1.051	.004	1.05120 + .00012	.030	8
3	7436168		1.051	.008 AND UP	1.05140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7436172	7436175	1.052	MASTER	1.05200 + .00003	.030	2
3	7436174		1.052	.0005	1.05200 + .00006	.030	4
3	7436178		1.052	.002	1.05210 + .00009	.030	4
3	7436180		1.052	.004	1.05220 + .00012	.030	8
3	7436184		1.052	.008 AND UP	1.05240 + .00030	.030	8
3	7436188	7436191	1.053	MASTER	1.05300 + .00003	.030	2
3	7436190		1.053	.0005	1.05300 + .00006	.030	4
3	7436194		1.053	.002	1.05310 + .00009	.030	4
3	7436196		1.053	.004	1.05320 + .00012	.030	8
3	7436200		1.053	.008 AND UP	1.05340 + .00030	.030	8
3	7436204	7436207	1.054	MASTER	1.05400 + .00003	.030	2
3	7436206		1.054	.0005	1.05400 + .00006	.030	4
3	7436210		1.054	.002	1.05410 + .00009	.030	4
3	7436212		1.054	.004	1.05420 + .00012	.030	8
3	7436216		1.054	.008 AND UP	1.05440 + .00030	.030	8
3	7436220	7436223	1.055	MASTER	1.05500 + .00003	.030	2
3	7436222		1.055	.0005	1.05500 + .00006	.030	4
3	7436226		1.055	.002	1.05510 + .00009	.030	4
3	7436228		1.055	.004	1.05520 + .00012	.030	8
3	7436232		1.055	.008 AND UP	1.05540 + .00030	.030	8
3	7436236	7436239	1.056	MASTER	1.05600 + .00003	.030	2
3	7436238		1.056	.0005	1.05600 + .00006	.030	4
3	7436242		1.056	.002	1.05610 + .00009	.030	4
3	7436244		1.056	.004	1.05620 + .00012	.030	8
3	7436248		1.056	.008 AND UP	1.05640 + .00030	.030	8
3	7436252	7436255	1.057	MASTER	1.05700 + .00003	.030	2
3	7436254		1.057	.0005	1.05700 + .00006	.030	4
3	7436258		1.057	.002	1.05710 + .00009	.030	4
3	7436260		1.057	.004	1.05720 + .00012	.030	8
3	7436264		1.057	.008 AND UP	1.05740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436268		1.058	MASTER	1.05800 + .00003	.030	2
3	7436270	7436271	1.058	.0005	1.05800 + .00006	.030	4
3	7436274		1.058	.002	1.05810 + .00009	.030	4
3	7436276		1.058	.004	1.05820 + .00012	.030	8
3	7436280		1.058	.008 AND UP	1.05840 + .00030	.030	8
3	7436284		1.059	MASTER	1.05900 + .00003	.030	2
3	7436286	7436287	1.059	.0005	1.05900 + .00006	.030	4
3	7436290		1.059	.002	1.05910 + .00009	.030	4
3	7436292		1.059	.004	1.05920 + .00012	.030	8
3	7436296		1.059	.008 AND UP	1.05940 + .00030	.030	8
3	7436300		1.060	MASTER	1.06000 + .00003	.030	2
3	7436302	7436303	1.060	.0005	1.06000 + .00006	.030	4
3	7436306		1.060	.002	1.06010 + .00009	.030	4
3	7436308		1.060	.004	1.06020 + .00012	.030	8
3	7436312		1.060	.008 AND UP	1.06040 + .00030	.030	8
3	7436316		1.061	MASTER	1.06100 + .00003	.030	2
3	7436318	7436319	1.061	.0005	1.06100 + .00006	.030	4
3	7436322		1.061	.002	1.06110 + .00009	.030	4
3	7436324		1.061	.004	1.06120 + .00012	.030	8
3	7436328		1.061	.008 AND UP	1.06140 + .00030	.030	8
3	7436332		1.062	MASTER	1.06200 + .00003	.030	2
3	7436334	7436335	1.062	.0005	1.06200 + .00006	.030	4
3	7436338		1.062	.002	1.06210 + .00009	.030	4
3	7436340		1.062	.004	1.06220 + .00012	.030	8
3	7436344		1.062	.008 AND UP	1.06240 + .00030	.030	8
3	7436348		1.0625	MASTER	1.06250 + .00003	.030	2
3	7497538	7497539	1.0625	.0005	1.06250 + .00006	.030	4
3	7497542		1.0625	.002	1.06260 + .00009	.030	4
3	7497544		1.0625	.004	1.06270 + .00012	.030	8
3	7497548		1.0625	.008 AND UP	1.06290 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7436350		1.063	MASTER	1.06300 + .00003	.030	2
3	7436352	7436353	1.063	.0005	1.06300 + .00006	.030	4
3	7436356		1.063	.002	1.06310 + .00009	.030	4
3	7436358		1.063	.004	1.06320 + .00012	.030	8
3	7436362		1.063	.008 AND UP	1.06340 + .00030	.030	8
3	7436366		1.064	MASTER	1.06400 + .00003	.030	2
3	7436368	7436369	1.064	.0005	1.06400 + .00006	.030	4
3	7436372		1.064	.002	1.06410 + .00009	.030	4
3	7436374		1.064	.004	1.06420 + .00012	.030	8
3	7436378		1.064	.008 AND UP	1.06440 + .00030	.030	8
3	7436382		1.065	MASTER	1.06500 + .00003	.030	2
3	7436384	7436385	1.065	.0005	1.06500 + .00006	.030	4
3	7436388		1.065	.002	1.06510 + .00009	.030	4
3	7436390		1.065	.004	1.06520 + .00012	.030	8
3	7436394		1.065	.008 AND UP	1.06540 + .00030	.030	8
3	7436398		1.066	MASTER	1.06600 + .00003	.030	2
3	7436400	7436401	1.066	.0005	1.06600 + .00006	.030	4
3	7436404		1.066	.002	1.06610 + .00009	.030	4
3	7436406		1.066	.004	1.06620 + .00012	.030	8
3	7436410		1.066	.008 AND UP	1.06640 + .00030	.030	8
3	7436414		1.067	MASTER	1.06700 + .00003	.030	2
3	7436416	7436417	1.067	.0005	1.06700 + .00006	.030	4
3	7436420		1.067	.002	1.06710 + .00009	.030	4
3	7436422		1.067	.004	1.06720 + .00012	.030	8
3	7436426		1.067	.008 AND UP	1.06740 + .00030	.030	8
3	7436430		1.068	MASTER	1.06800 + .00003	.030	2
3	7436432	7436433	1.068	.0005	1.06800 + .00006	.030	4
3	7436436		1.068	.002	1.06810 + .00009	.030	4
3	7436438		1.068	.004	1.06820 + .00012	.030	8
3	7436442		1.068	.008 AND UP	1.06840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436446		1.069	MASTER	1.06900 + .00003	.030	2
3	7436448	7436449	1.069	.0005	1.06900 + .00006	.030	4
3	7436452		1.069	.002	1.06910 + .00009	.030	4
3	7436454		1.069	.004	1.06920 + .00012	.030	8
3	7436458		1.069	.008 AND UP	1.06940 + .00030	.030	8
3	7436462		1.070	MASTER	1.07000 + .00003	.030	2
3	7436464	7436465	1.070	.0005	1.07000 + .00006	.030	4
3	7436468		1.070	.002	1.07010 + .00009	.030	4
3	7436470		1.070	.004	1.07020 + .00012	.030	8
3	7436474		1.070	.008 AND UP	1.07040 + .00030	.030	8
3	7436478		1.071	MASTER	1.07100 + .00003	.030	2
3	7436480	7436481	1.071	.0005	1.07100 + .00006	.030	4
3	7436484		1.071	.002	1.07110 + .00009	.030	4
3	7436486		1.071	.004	1.07120 + .00012	.030	8
3	7436490		1.071	.008 AND UP	1.07140 + .00030	.030	8
3	7436494		1.072	MASTER	1.07200 + .00003	.030	2
3	7436496	7436497	1.072	.0005	1.07200 + .00006	.030	4
3	7436500		1.072	.002	1.07210 + .00009	.030	4
3	7436502		1.072	.004	1.07220 + .00012	.030	8
3	7436506		1.072	.008 AND UP	1.07240 + .00030	.030	8
3	7436510		1.073	MASTER	1.07300 + .00003	.030	2
3	7436512	7436513	1.073	.0005	1.07300 + .00006	.030	4
3	7436516		1.073	.002	1.07310 + .00009	.030	4
3	7436518		1.073	.004	1.07320 + .00012	.030	8
3	7436522		1.073	.008 AND UP	1.07340 + .00030	.030	8
3	7436526		1.074	MASTER	1.07400 + .00003	.030	2
3	7436528	7436529	1.074	.0005	1.07400 + .00006	.030	4
3	7436532		1.074	.002	1.07410 + .00009	.030	4
3	7436534		1.074	.004	1.07420 + .00012	.030	8
3	7436538		1.074	.008 AND UP	1.07440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7436542		1.075	MASTER	1.07500 + .00003	.030	2
3	7436544	7436545	1.075	.0005	1.07500 + .00006	.030	4
3	7436548		1.075	.002	1.07510 + .00009	.030	4
3	7436550		1.075	.004	1.07520 + .00012	.030	8
3	7436554		1.075	.008 AND UP	1.07540 + .00030	.030	8
3	7436558		1.076	MASTER	1.07600 + .00003	.030	2
3	7436560	7436561	1.076	.0005	1.07600 + .00006	.030	4
3	7436564		1.076	.002	1.07610 + .00009	.030	4
3	7436566		1.076	.004	1.07620 + .00012	.030	8
3	7436570		1.076	.008 AND UP	1.07640 + .00030	.030	8
3	7436574		1.077	MASTER	1.07700 + .00003	.030	2
3	7436576	7436577	1.077	.0005	1.07700 + .00006	.030	4
3	7436580		1.077	.002	1.07710 + .00009	.030	4
3	7436582		1.077	.004	1.07720 + .00012	.030	8
3	7436586		1.077	.008 AND UP	1.07740 + .00030	.030	8
3	7436590		1.078	MASTER	1.07800 + .00003	.030	2
3	7436592	7436593	1.078	.0005	1.07800 + .00006	.030	4
3	7436596		1.078	.002	1.07810 + .00009	.030	4
3	7436598		1.078	.004	1.07820 + .00012	.030	8
3	7436602		1.078	.008 AND UP	1.07840 + .00030	.030	8
3	7436606		1.079	MASTER	1.07900 + .00003	.030	2
3	7436608	7436609	1.079	.0005	1.07900 + .00006	.030	4
3	7436612		1.079	.002	1.07910 + .00009	.030	4
3	7436614		1.079	.004	1.07920 + .00012	.030	8
3	7436618		1.079	.008 AND UP	1.07940 + .00030	.030	8
3	7436622		1.080	MASTER	1.08000 + .00003	.030	2
3	7436624	7436625	1.080	.0005	1.08000 + .00006	.030	4
3	7436628		1.080	.002	1.08010 + .00009	.030	4
3	7436630		1.080	.004	1.08020 + .00012	.030	8
3	7436634		1.080	.008 AND UP	1.08040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436638	7436641	1.081	MASTER	1.08100 + .00003	.030	2
3	7436640		1.081	.0005	1.08100 + .00006	.030	4
3	7436644		1.081	.002	1.08110 + .00009	.030	4
3	7436646		1.081	.004	1.08120 + .00012	.030	8
3	7436650		1.081	.008 AND UP	1.08140 + .00030	.030	8
3	7436654	7436657	1.082	MASTER	1.08200 + .00003	.030	2
3	7436656		1.082	.0005	1.08200 + .00006	.030	4
3	7436660		1.082	.002	1.08210 + .00009	.030	4
3	7436662		1.082	.004	1.08220 + .00012	.030	8
3	7436666		1.082	.008 AND UP	1.08240 + .00030	.030	8
3	7436670	7436673	1.083	MASTER	1.08300 + .00003	.030	2
3	7436672		1.083	.0005	1.08300 + .00006	.030	4
3	7436676		1.083	.002	1.08310 + .00009	.030	4
3	7436678		1.083	.004	1.08320 + .00012	.030	8
3	7436682		1.083	.008 AND UP	1.08340 + .00030	.030	8
3	7436686	7436689	1.084	MASTER	1.08400 + .00003	.030	2
3	7436688		1.084	.0005	1.08400 + .00006	.030	4
3	7436692		1.084	.002	1.08410 + .00009	.030	4
3	7436694		1.084	.004	1.08420 + .00012	.030	8
3	7436698		1.084	.008 AND UP	1.08440 + .00030	.030	8
3	7436702	7436705	1.085	MASTER	1.08500 + .00003	.030	2
3	7436704		1.085	.0005	1.08500 + .00006	.030	4
3	7436708		1.085	.002	1.08510 + .00009	.030	4
3	7436710		1.085	.004	1.08520 + .00012	.030	8
3	7436714		1.085	.008 AND UP	1.08540 + .00030	.030	8
3	7436718	7436721	1.086	MASTER	1.08600 + .00003	.030	2
3	7436720		1.086	.0005	1.08600 + .00006	.030	4
3	7436724		1.086	.002	1.08610 + .00009	.030	4
3	7436726		1.086	.004	1.08620 + .00012	.030	8
3	7436730		1.086	.008 AND UP	1.08640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436734	7436737	1.087	MASTER	1.08700 + .00003	.030	2
3	7436736		1.087	.0005	1.08700 + .00006	.030	4
3	7436740		1.087	.002	1.08710 + .00009	.030	8
3	7436742		1.087	.004	1.08720 + .00012	.030	8
3	7436746		1.087	.008 AND UP	1.08740 + .00030	.030	
3	7436750	7436753	1.088	MASTER	1.08800 + .00003	.030	2
3	7436752		1.088	.0005	1.08800 + .00006	.030	4
3	7436756		1.088	.002	1.08810 + .00009	.030	8
3	7436758		1.088	.004	1.08820 + .00012	.030	8
3	7436762		1.088	.008 AND UP	1.08840 + .00030	.030	
3	7436766	7436769	1.089	MASTER	1.08900 + .00003	.030	2
3	7436768		1.089	.0005	1.08900 + .00006	.030	4
3	7436772		1.089	.002	1.08910 + .00009	.030	8
3	7436774		1.089	.004	1.08920 + .00012	.030	8
3	7436778		1.089	.008 AND UP	1.08940 + .00030	.030	
3	7436782	7436785	1.090	MASTER	1.09000 + .00003	.030	2
3	7436784		1.090	.0005	1.09000 + .00006	.030	4
3	7436788		1.090	.002	1.09010 + .00009	.030	8
3	7436790		1.090	.004	1.09020 + .00012	.030	8
3	7436794		1.090	.008 AND UP	1.09040 + .00030	.030	
3	7436798	7436801	1.091	MASTER	1.09100 + .00003	.030	2
3	7436800		1.091	.0005	1.09100 + .00006	.030	4
3	7436804		1.091	.002	1.09110 + .00009	.030	8
3	7436806		1.091	.004	1.09120 + .00012	.030	8
3	7436810		1.091	.008 AND UP	1.09140 + .00030	.030	
3	7436814	7436817	1.092	MASTER	1.09200 + .00003	.030	2
3	7436816		1.092	.0005	1.09200 + .00006	.030	4
3	7436820		1.092	.002	1.09210 + .00009	.030	8
3	7436822		1.092	.004	1.09220 + .00012	.030	8
3	7436826		1.092	.008 AND UP	1.09240 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7436830		1.093	MASTER	1.09300 + .00003	.030	2
3	7436832	7436833	1.093	.0005	1.09300 + .00006	.030	4
3	7436836		1.093	.002	1.09310 + .00009	.030	4
3	7436838		1.093	.004	1.09320 + .00012	.030	8
3	7436842		1.093	.008 AND UP	1.09340 + .00030	.030	8
3	7436846		1.09375	MASTER	1.09375 + .00003	.030	2
3	7497552	7497553	1.09375	.0005	1.09375 + .00006	.030	4
3	7497556		1.09375	.002	1.09385 + .00009	.030	4
3	7497558		1.09375	.004	1.09395 + .00012	.030	8
3	7497562		1.09375	.008 AND UP	1.09415 + .00030	.030	8
3	7436848		1.094	MASTER	1.09400 + .00003	.030	2
3	7436850	7436851	1.094	.0005	1.09400 + .00006	.030	4
3	7436854		1.094	.002	1.09410 + .00009	.030	4
3	7436856		1.094	.004	1.09420 + .00012	.030	8
3	7436860		1.094	.008 AND UP	1.09440 + .00030	.030	8
3	7436864		1.095	MASTER	1.09500 + .00003	.030	2
3	7436866	7436867	1.095	.0005	1.09500 + .00006	.030	4
3	7436870		1.095	.002	1.09510 + .00009	.030	4
3	7436872		1.095	.004	1.09520 + .00012	.030	8
3	7436876		1.095	.008 AND UP	1.09540 + .00030	.030	8
3	7436880		1.096	MASTER	1.09600 + .00003	.030	2
3	7436882	7436883	1.096	.0005	1.09600 + .00006	.030	4
3	7436886		1.096	.002	1.09610 + .00009	.030	4
3	7436888		1.096	.004	1.09620 + .00012	.030	8
3	7436892		1.096	.008 AND UP	1.09640 + .00030	.030	8
3	7436896		1.097	MASTER	1.09700 + .00003	.030	2
3	7436898	7436899	1.097	.0005	1.09700 + .00006	.030	4
3	7436902		1.097	.002	1.09710 + .00009	.030	4
3	7436904		1.097	.004	1.09720 + .00012	.030	8
3	7436908		1.097	.008 AND UP	1.09740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436912	7436915	1.098	MASTER	1.09800 + .00003	.030	2
3	7436914		1.098	.0005	1.09800 + .00006	.030	4
3	7436918		1.098	.002	1.09810 + .00009	.030	4
3	7436920		1.098	.004	1.09820 + .00012	.030	8
3	7436924		1.098	.008 AND UP	1.09840 + .00030	.030	8
3	7436928	7436931	1.099	MASTER	1.09900 + .00003	.030	2
3	7436930		1.099	.0005	1.09900 + .00006	.030	4
3	7436934		1.099	.002	1.09910 + .00009	.030	4
3	7436936		1.099	.004	1.09920 + .00012	.030	8
3	7436940		1.099	.008 AND UP	1.09940 + .00030	.030	8
3	7436944	7436947	1.100	MASTER	1.10000 + .00003	.030	2
3	7436946		1.100	.0005	1.10000 + .00006	.030	4
3	7436950		1.100	.002	1.10010 + .00009	.030	4
3	7436952		1.100	.004	1.10020 + .00012	.030	8
3	7436956		1.100	.008 AND UP	1.10040 + .00030	.030	8
3	7436960	7436963	1.101	MASTER	1.10100 + .00003	.030	2
3	7436962		1.101	.0005	1.10100 + .00006	.030	4
3	7436966		1.101	.002	1.10110 + .00009	.030	4
3	7436968		1.101	.004	1.10120 + .00012	.030	8
3	7436972		1.101	.008 AND UP	1.10140 + .00030	.030	8
3	7436976	7436979	1.102	MASTER	1.10200 + .00003	.030	2
3	7436978		1.102	.0005	1.10200 + .00006	.030	4
3	7436982		1.102	.002	1.10210 + .00009	.030	4
3	7436984		1.102	.004	1.10220 + .00012	.030	8
3	7436988		1.102	.008 AND UP	1.10240 + .00030	.030	8
3	7436992	7436995	1.103	MASTER	1.10300 + .00003	.030	2
3	7436994		1.103	.0005	1.10300 + .00006	.030	4
3	7436998		1.103	.002	1.10310 + .00009	.030	4
3	7437000		1.103	.004	1.10320 + .00012	.030	8
3	7437004		1.103	.008 AND UP	1.10340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437008		1.104	MASTER	1.10400 + .00003	.030	2
3	7437010	7437011	1.104	.0005	1.10400 + .00006	.030	4
3	7437014		1.104	.002	1.10410 + .00009	.030	4
3	7437016		1.104	.004	1.10420 + .00012	.030	8
3	7437020		1.104	.008 AND UP	1.10440 + .00030	.030	8
3	7437024		1.105	MASTER	1.10500 + .00003	.030	2
3	7437026	7437027	1.105	.0005	1.10500 + .00006	.030	4
3	7437030		1.105	.002	1.10510 + .00009	.030	4
3	7437032		1.105	.004	1.10520 + .00012	.030	8
3	7437036		1.105	.008 AND UP	1.10540 + .00030	.030	8
3	7437040		1.106	MASTER	1.10600 + .00003	.030	2
3	7437042	7437043	1.106	.0005	1.10600 + .00006	.030	4
3	7437046		1.106	.002	1.10610 + .00009	.030	4
3	7437048		1.106	.004	1.10620 + .00012	.030	8
3	7437052		1.106	.008 AND UP	1.10640 + .00030	.030	8
3	7437056		1.107	MASTER	1.10700 + .00003	.030	2
3	7437058	7437059	1.107	.0005	1.10700 + .00006	.030	4
3	7437062		1.107	.002	1.10710 + .00009	.030	4
3	7437064		1.107	.004	1.10720 + .00012	.030	8
3	7437068		1.107	.008 AND UP	1.10740 + .00030	.030	8
3	7437072		1.108	MASTER	1.10800 + .00003	.030	2
3	7437074	7437075	1.108	.0005	1.10800 + .00006	.030	4
3	7437078		1.108	.002	1.10810 + .00009	.030	4
3	7437080		1.108	.004	1.10820 + .00012	.030	8
3	7437084		1.108	.008 AND UP	1.10840 + .00030	.030	8
3	7437088		1.109	MASTER	1.10900 + .00003	.030	2
3	7437090	7437091	1.109	.0005	1.10900 + .00006	.030	4
3	7437094		1.109	.002	1.10910 + .00009	.030	4
3	7437096		1.109	.004	1.10920 + .00012	.030	8
3	7437100		1.109	.008 AND UP	1.10940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437104		1.110	MASTER	1.11000 + .00003	.030	2
3	7437106	7437107	1.110	.0005	1.11000 + .00006	.030	4
3	7437110		1.110	.002	1.11010 + .00009	.030	4
3	7437112		1.110	.004	1.11020 + .00012	.030	8
3	7437116		1.110	.008 AND UP	1.11040 + .00030	.030	8
3	7437120		1.111	MASTER	1.11100 + .00003	.030	2
3	7437122	7437123	1.111	.0005	1.11100 + .00006	.030	4
3	7437126		1.111	.002	1.11110 + .00009	.030	4
3	7437128		1.111	.004	1.11120 + .00012	.030	8
3	7437132		1.111	.008 AND UP	1.11140 + .00030	.030	8
3	7437136		1.112	MASTER	1.11200 + .00003	.030	2
3	7437138	7437139	1.112	.0005	1.11200 + .00006	.030	4
3	7437142		1.112	.002	1.11210 + .00009	.030	4
3	7437144		1.112	.004	1.11220 + .00012	.030	8
3	7437148		1.112	.008 AND UP	1.11240 + .00030	.030	8
3	7437152		1.113	MASTER	1.11300 + .00003	.030	2
3	7437154	7437155	1.113	.0005	1.11300 + .00006	.030	4
3	7437158		1.113	.002	1.11310 + .00009	.030	4
3	7437160		1.113	.004	1.11320 + .00012	.030	8
3	7437164		1.113	.008 AND UP	1.11340 + .00030	.030	8
3	7437168		1.114	MASTER	1.11400 + .00003	.030	2
3	7437170	7437171	1.114	.0005	1.11400 + .00006	.030	4
3	7437174		1.114	.002	1.11410 + .00009	.030	4
3	7437176		1.114	.004	1.11420 + .00012	.030	8
3	7437180		1.114	.008 AND UP	1.11440 + .00030	.030	8
3	7437184		1.115	MASTER	1.11500 + .00003	.030	2
3	7437186	7437187	1.115	.0005	1.11500 + .00006	.030	4
3	7437190		1.115	.002	1.11510 + .00009	.030	4
3	7437192		1.115	.004	1.11520 + .00012	.030	8
3	7437196		1.115	.008 AND UP	1.11540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7437200		1.116	MASTER	1.11600 + .00003	.030	2
3	7437202	7437203	1.116	.0005	1.11600 + .00006	.030	4
3	7437206		1.116	.002	1.11610 + .00009	.030	4
3	7437208		1.116	.004	1.11620 + .00012	.030	8
3	7437212		1.116	.008 AND UP	1.11640 + .00030	.030	8
3	7437216		1.117	MASTER	1.11700 + .00003	.030	2
3	7437218	7437219	1.117	.0005	1.11700 + .00006	.030	4
3	7437222		1.117	.002	1.11710 + .00009	.030	4
3	7437224		1.117	.004	1.11720 + .00012	.030	8
3	7437228		1.117	.008 AND UP	1.11740 + .00030	.030	8
3	7437232		1.118	MASTER	1.11800 + .00003	.030	2
3	7437234	7437235	1.118	.0005	1.11800 + .00006	.030	4
3	7437238		1.118	.002	1.11810 + .00009	.030	4
3	7437240		1.118	.004	1.11820 + .00012	.030	8
3	7437244		1.118	.008 AND UP	1.11840 + .00030	.030	8
3	7437248		1.119	MASTER	1.11900 + .00003	.030	2
3	7437250	7437251	1.119	.0005	1.11900 + .00006	.030	4
3	7437254		1.119	.002	1.11910 + .00009	.030	4
3	7437256		1.119	.004	1.11920 + .00012	.030	8
3	7437260		1.119	.008 AND UP	1.11940 + .00030	.030	8
3	7437264		1.120	MASTER	1.12000 + .00003	.030	2
3	7437266	7437267	1.120	.0005	1.12000 + .00006	.030	4
3	7437270		1.120	.002	1.12010 + .00009	.030	4
3	7437272		1.120	.004	1.12020 + .00012	.030	8
3	7437276		1.120	.008 AND UP	1.12040 + .00030	.030	8
3	7437280		1.121	MASTER	1.12100 + .00003	.030	2
3	7437282	7437283	1.121	.0005	1.12100 + .00006	.030	4
3	7437286		1.121	.002	1.12110 + .00009	.030	4
3	7437288		1.121	.004	1.12120 + .00012	.030	8
3	7437292		1.121	.008 AND UP	1.12140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437296		1.122	MASTER	1.12200 + .00003	.030	2
3	7437298	7437299	1.122	.0005	1.12200 + .00006	.030	2
3	7437302		1.122	.002	1.12210 + .00009	.030	4
3	7437304		1.122	.004	1.12220 + .00012	.030	8
3	7437308		1.122	.008 AND UP	1.12240 + .00030	.030	8
3	7437312		1.123	MASTER	1.12300 + .00003	.030	2
3	7437314	7437315	1.123	.0005	1.12300 + .00006	.030	2
3	7437318		1.123	.002	1.12310 + .00009	.030	4
3	7437320		1.123	.004	1.12320 + .00012	.030	8
3	7437324		1.123	.008 AND UP	1.12340 + .00030	.030	8
3	7437328		1.124	MASTER	1.12400 + .00003	.030	2
3	7437330	7437331	1.124	.0005	1.12400 + .00006	.030	2
3	7437334		1.124	.002	1.12410 + .00009	.030	4
3	7437336		1.124	.004	1.12420 + .00012	.030	8
3	7437340		1.124	.008 AND UP	1.12440 + .00030	.030	8
3	7437344		1.125	MASTER	1.12500 + .00003	.030	2
3	7437346	7437347	1.125	.0005	1.12500 + .00006	.030	2
3	7437350		1.125	.002	1.12510 + .00009	.030	4
3	7437352		1.125	.004	1.12520 + .00012	.030	8
3	7437356		1.125	.008 AND UP	1.12540 + .00030	.030	8
3	7437360		1.126	MASTER	1.12600 + .00003	.030	2
3	7437362	7437363	1.126	.0005	1.12600 + .00006	.030	2
3	7437366		1.126	.002	1.12610 + .00009	.030	4
3	7437368		1.126	.004	1.12620 + .00012	.030	8
3	7437372		1.126	.008 AND UP	1.12640 + .00030	.030	8
3	7437376		1.127	MASTER	1.12700 + .00003	.030	2
3	7437378	7437379	1.127	.0005	1.12700 + .00006	.030	2
3	7437382		1.127	.002	1.12710 + .00009	.030	4
3	7437384		1.127	.004	1.12720 + .00012	.030	8
3	7437388		1.127	.008 AND UP	1.12740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437392		1.128	MASTER	1.12800 + .00003	.030	2
3	7437394	7437395	1.128	.0005	1.12800 + .00006	.030	4
3	7437398		1.128	.002	1.12810 + .00009	.030	4
3	7437400		1.128	.004	1.12820 + .00012	.030	8
3	7437404		1.128	.008 AND UP	1.12840 + .00030	.030	8
3	7437408		1.129	MASTER	1.12900 + .00003	.030	2
3	7437410	7437411	1.129	.0005	1.12900 + .00006	.030	4
3	7437414		1.129	.002	1.12910 + .00009	.030	4
3	7437416		1.129	.004	1.12920 + .00012	.030	8
3	7437420		1.129	.008 AND UP	1.12940 + .00030	.030	8
3	7437424		1.130	MASTER	1.13000 + .00003	.030	2
3	7437426	7437427	1.130	.0005	1.13000 + .00006	.030	4
3	7437430		1.130	.002	1.13010 + .00009	.030	4
3	7437432		1.130	.004	1.13020 + .00012	.030	8
3	7437436		1.130	.008 AND UP	1.13040 + .00030	.030	8
3	7437440		1.131	MASTER	1.13100 + .00003	.030	2
3	7437442	7437443	1.131	.0005	1.13100 + .00006	.030	4
3	7437446		1.131	.002	1.13110 + .00009	.030	4
3	7437448		1.131	.004	1.13120 + .00012	.030	8
3	7437452		1.131	.008 AND UP	1.13140 + .00030	.030	8
3	7437456		1.132	MASTER	1.13200 + .00003	.030	2
3	7437458	7437459	1.132	.0005	1.13200 + .00006	.030	4
3	7437462		1.132	.002	1.13210 + .00009	.030	4
3	7437464		1.132	.004	1.13220 + .00012	.030	8
3	7437468		1.132	.008 AND UP	1.13240 + .00030	.030	8
3	7437472		1.133	MASTER	1.13300 + .00003	.030	2
3	7437474	7437475	1.133	.0005	1.13300 + .00006	.030	4
3	7437478		1.133	.002	1.13310 + .00009	.030	4
3	7437480		1.133	.004	1.13320 + .00012	.030	8
3	7437484		1.133	.008 AND UP	1.13340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437488	7437491	1.134	MASTER	1.13400 + .00003	.030	2
3	7437490		1.134	.0005	1.13400 + .00006	.030	4
3	7437494		1.134	.002	1.13410 + .00009	.030	8
3	7437496		1.134	.004	1.13420 + .00012	.030	8
3	7437500		1.134	.008 AND UP	1.13440 + .00030	.030	
3	7437504	7437507	1.135	MASTER	1.13500 + .00003	.030	2
3	7437506		1.135	.0005	1.13500 + .00006	.030	4
3	7437510		1.135	.002	1.13510 + .00009	.030	8
3	7437512		1.135	.004	1.13520 + .00012	.030	8
3	7437516		1.135	.008 AND UP	1.13540 + .00030	.030	
3	7437520	7437523	1.136	MASTER	1.13600 + .00003	.030	2
3	7437522		1.136	.0005	1.13600 + .00006	.030	4
3	7437526		1.136	.002	1.13610 + .00009	.030	8
3	7437528		1.136	.004	1.13620 + .00012	.030	8
3	7437532		1.136	.008 AND UP	1.13640 + .00030	.030	
3	7437536	7437539	1.137	MASTER	1.13700 + .00003	.030	2
3	7437538		1.137	.0005	1.13700 + .00006	.030	4
3	7437542		1.137	.002	1.13710 + .00009	.030	8
3	7437544		1.137	.004	1.13720 + .00012	.030	8
3	7437548		1.137	.008 AND UP	1.13740 + .00030	.030	
3	7437552	7437555	1.138	MASTER	1.13800 + .00003	.030	2
3	7437554		1.138	.0005	1.13800 + .00006	.030	4
3	7437558		1.138	.002	1.13810 + .00009	.030	8
3	7437560		1.138	.004	1.13820 + .00012	.030	8
3	7437564		1.138	.008 AND UP	1.13840 + .00030	.030	
3	7437568	7437571	1.139	MASTER	1.13900 + .00003	.030	2
3	7437570		1.139	.0005	1.13900 + .00006	.030	4
3	7437574		1.139	.002	1.13910 + .00009	.030	8
3	7437576		1.139	.004	1.13920 + .00012	.030	8
3	7437580		1.139	.008 AND UP	1.13940 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437584	7437587	1.140	MASTER	1.14000 + .00003	.030	2
3	7437586		1.140	.0005	1.14000 + .00006	.030	4
3	7437590		1.140	.002	1.14010 + .00009	.030	4
3	7437592		1.140	.004	1.14020 + .00012	.030	8
3	7437596		1.140	.008 AND UP	1.14040 + .00030	.030	8
3	7437600	7437603	1.141	MASTER	1.14100 + .00003	.030	2
3	7437602		1.141	.0005	1.14100 + .00006	.030	4
3	7437606		1.141	.002	1.14110 + .00009	.030	4
3	7437608		1.141	.004	1.14120 + .00012	.030	8
3	7437612		1.141	.008 AND UP	1.14140 + .00030	.030	8
3	7437616	7437619	1.142	MASTER	1.14200 + .00003	.030	2
3	7437618		1.142	.0005	1.14200 + .00006	.030	4
3	7437622		1.142	.002	1.14210 + .00009	.030	4
3	7437624		1.142	.004	1.14220 + .00012	.030	8
3	7437628		1.142	.008 AND UP	1.14240 + .00030	.030	8
3	7437632	7437635	1.143	MASTER	1.14300 + .00003	.030	2
3	7437634		1.143	.0005	1.14300 + .00006	.030	4
3	7437638		1.143	.002	1.14310 + .00009	.030	4
3	7437640		1.143	.004	1.14320 + .00012	.030	8
3	7437644		1.143	.008 AND UP	1.14340 + .00030	.030	8
3	7437648	7437651	1.144	MASTER	1.14400 + .00003	.030	2
3	7437650		1.144	.0005	1.14400 + .00006	.030	4
3	7437654		1.144	.002	1.14410 + .00009	.030	4
3	7437656		1.144	.004	1.14420 + .00012	.030	8
3	7437660		1.144	.008 AND UP	1.14440 + .00030	.030	8
3	7437664	7437667	1.145	MASTER	1.14500 + .00003	.030	2
3	7437666		1.145	.0005	1.14500 + .00006	.030	4
3	7437670		1.145	.002	1.14510 + .00009	.030	4
3	7437672		1.145	.004	1.14520 + .00012	.030	8
3	7437676		1.145	.008 AND UP	1.14540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7437680	7437683	1.146	MASTER	1.14600 + .00003	.030	2
3	7437682		1.146	.0005	1.14600 + .00006	.030	4
3	7437686		1.146	.002	1.14610 + .00009	.030	4
3	7437688		1.146	.004	1.14620 + .00012	.030	8
3	7437692		1.146	.008 AND UP	1.14640 + .00030	.030	8
3	7437696	7437699	1.147	MASTER	1.14700 + .00003	.030	2
3	7437698		1.147	.0005	1.14700 + .00006	.030	4
3	7437702		1.147	.002	1.14710 + .00009	.030	4
3	7437704		1.147	.004	1.14720 + .00012	.030	8
3	7437708		1.147	.008 AND UP	1.14740 + .00030	.030	8
3	7437712	7437715	1.148	MASTER	1.14800 + .00003	.030	2
3	7437714		1.148	.0005	1.14800 + .00006	.030	4
3	7437718		1.148	.002	1.14810 + .00009	.030	4
3	7437720		1.148	.004	1.14820 + .00012	.030	8
3	7437724		1.148	.008 AND UP	1.14840 + .00030	.030	8
3	7437728	7437731	1.149	MASTER	1.14900 + .00003	.030	2
3	7437730		1.149	.0005	1.14900 + .00006	.030	4
3	7437734		1.149	.002	1.14910 + .00009	.030	4
3	7437736		I.149	.004	1.14920 + .00012	.030	8
3	7437740		1.149	.008 AND UP	1.14940 + .00030	.030	8
3	7437744	7437747	1.150	MASTER	1.15000 + .00003	.030	2
3	7437746		1.150	.0005	1.15000 + .00006	.030	4
3	7437750		1.150	.002	1.15010 + .00009	.030	4
3	7437752		1.150	.004	1.15020 + .00012	.030	8
3	7437756		1.150	.008 AND UP	1.15040 + .00030	.030	8
3	7437760	7437763	1.151	MASTER	1.15100 + .00003	.030	2
3	7437762		1.151	.0005	1.15100 + .00006	.030	4
3	7437766		1.151	.002	1.15110 + .00009	.030	4
3	7437768		1.151	.004	1.15120 + .00012	.030	8
3	7437772		1.151	.008 AND UP	1.15140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437776		1.152	MASTER	1.15200 + .00003	.030	2
3	7437778	7437779	1.152	.0005	1.15200 + .00006	.030	4
3	7437782		1.152	.002	1.15210 + .00009	.030	4
3	7437784		1.152	.004	1.15220 + .00012	.030	8
3	7437788		1.152	.008 AND UP	1.15240 + .00030	.030	8
3	7437792		1.153	MASTER	1.15300 + .00003	.030	2
3	7437794	7437795	1.153	.0005	1.15300 + .00006	.030	4
3	7437798		1.153	.002	1.15310 + .00009	.030	4
3	7437800		1.153	.004	1.15320 + .00012	.030	8
3	7437804		1.153	.008 AND UP	1.15340 + .00030	.030	8
3	7437808		1.154	MASTER	1.15400 + .00003	.030	2
3	7437810	7437811	1.154	.0005	1.15400 + .00006	.030	4
3	7437814		1.154	.002	1.15410 + .00009	.030	4
3	7437816		1.154	.004	1.15420 + .00012	.030	8
3	7437820		1.154	.008 AND UP	1.15440 + .00030	.030	8
3	7437824		1.155	MASTER	1.15500 + .00003	.030	2
3	7437826	7437827	1.155	.0005	1.15500 + .00006	.030	4
3	7437830		1.155	.002	1.15510 + .00009	.030	4
3	7437832		1.155	.004	1.15520 + .00012	.030	8
3	7437836		1.155	.008 AND UP	1.15540 + .00030	.030	8
3	7437840		1.156	MASTER	1.15600 + .00003	.030	2
3	7437842	7437843	1.156	.0005	1.15600 + .00006	.030	4
3	7437846		1.156	.002	1.15610 + .00009	.030	4
3	7437848		1.156	.004	1.15620 + .00012	.030	8
3	7437852		1.156	.008 AND UP	1.15640 + .00030	.030	8
3	7437856		1.15625	MASTER	1.15625 + .00003	.030	2
3	7497566	7497567	1.15625	.0005	1.15625 + .00006	.030	4
3	7497570		1.15625	.002	1.15635 + .00009	.030	4
3	7497572		1.15625	.004	1.15645 + .00012	.030	8
3	7497576		1.15625	.008 AND UP	1.15665 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7437858		1.157	MASTER	1.15700 + .00003	.030	2
3	7437860	7437861	1.157	.0005	1.15700 + .00006	.030	4
3	7437864		1.157	.002	1.15710 + .00009	.030	4
3	7437866		1.157	.004	1.15720 + .00012	.030	8
3	7437870		1.157	.008 AND UP	1.15740 + .00030	.030	8
3	7437874		1.158	MASTER	1.15800 + .00003	.030	2
3	7437876	7437877	1.158	.0005	1.15800 + .00006	.030	4
3	7437880		1.158	.002	1.15810 + .00009	.030	4
3	7437882		1.158	.004	1.15820 + .00012	.030	8
3	7437886		1.158	.008 AND UP	1.15840 + .00030	.030	8
3	7437890		1.159	MASTER	1.15900 + .00003	.030	2
3	7437892	7437893	1.159	.0005	1.15900 + .00006	.030	4
3	7437896		1.159	.002	1.15910 + .00009	.030	4
3	7437898		1.159	.004	1.15920 + .00012	.030	8
3	7437902		1.159	.008 AND UP	1.15940 + .00030	.030	8
3	7437906		1.160	MASTER	1.16000 + .00003	.030	2
3	7437908	7437909	1.160	.0005	1.16000 + .00006	.030	4
3	7437912		1.160	.002	1.16010 + .00009	.030	4
3	7437914		1.160	.004	1.16020 + .00012	.030	8
3	7437918		1.160	.008 AND UP	1.16040 + .00030	.030	8
3	7437922		1.161	MASTER	1.16100 + .00003	.030	2
3	7437924	7437925	1.161	.0005	1.16100 + .00006	.030	4
3	7437928		1.161	.002	1.16110 + .00009	.030	4
3	7437930		1.161	.004	1.16120 + .00012	.030	8
3	7437934		1.161	.008 AND UP	1.16140 + .00030	.030	8
3	7437938		1.162	MASTER	1.16200 + .00003	.030	2
3	7437940	7437941	1.162	.0005	1.16200 + .00006	.030	4
3	7437944		1.162	.002	1.16210 + .00009	.030	4
3	7437946		1.162	.004	1.16220 + .00012	.030	8
3	7437950		1.162	.008 AND UP	1.16240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7437954	7437957	1.163	MASTER	1.16300 + .00003	.030	2
3	7437956		1.163	.0005	1.16300 + .00006	.030	4
3	7437960		1.163	.002	1.16310 + .00009	.030	4
3	7437962		1.163	.004	1.16320 + .00012	.030	8
3	7437966		1.163	.008 AND UP	1.16340 + .00030	.030	8
3	7437970	7437973	1.164	MASTER	1.16400 + .00003	.030	2
3	7437972		1.164	.0005	1.16400 + .00006	.030	4
3	7437976		1.164	.002	1.16410 + .00009	.030	4
3	7437978		1.164	.004	1.16420 + .00012	.030	8
3	7437982		1.164	.008 AND UP	1.16440 + .00030	.030	8
3	7437986	7437989	1.165	MASTER	1.16500 + .00003	.030	2
3	7437988		1.165	.0005	1.16500 + .00006	.030	4
3	7437992		1.165	.002	1.16510 + .00009	.030	4
3	7437994		1.165	.004	1.16520 + .00012	.030	8
3	7437998		1.165	.008 AND UP	1.16540 + .00030	.030	8
3	7438002	7438005	1.166	MASTER	1.16600 + .00003	.030	2
3	7438004		1.166	.0005	1.16600 + .00006	.030	4
3	7438008		1.166	.002	1.16610 + .00009	.030	4
3	7438010		1.166	.004	1.16620 + .00012	.030	8
3	7438014		1.166	.008 AND UP	1.16640 + .00030	.030	8
3	7438018	7438021	1.167	MASTER	1.16700 + .00003	.030	2
3	7438020		1.167	.0005	1.16700 + .00006	.030	4
3	7438024		1.167	.002	1.16710 + .00009	.030	4
3	7438026		1.167	.004	1.16720 + .00012	.030	8
3	7438030		1.167	.008 AND UP	1.16740 + .00030	.030	8
3	7438034	7438037	1.168	MASTER	1.16800 + .00003	.030	2
3	7438036		1.168	.0005	1.16800 + .00006	.030	4
3	7438040		1.168	.002	1.16810 + .00009	.030	4
3	7438042		1.168	.004	1.16820 + .00012	.030	8
3	7438046		1.168	.008 AND UP	1.16840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438050		1.169	MASTER	1.16900 + .00003	.030	2
3	7438052	7438053	1.169	.0005	1.16900 + .00006	.030	4
3	7438056		1.169	.002	1.16910 + .00009	.030	4
3	7438058		1.169	.004	1.16920 + .00012	.030	8
3	7438062		1.169	.008 AND UP	1.16940 + .00030	.030	8
3	7438066		1.170	MASTER	1.17000 + .00003	.030	2
3	7438068	7438069	1.170	.0005	1.17000 + .00006	.030	4
3	7438072		1.170	.002	1.17010 + .00009	.030	4
3	7438074		1.170	.004	1.17020 + .00012	.030	8
3	7438078		1.170	.008 AND UP	1.17040 + .00030	.030	8
3	7438082		1.171	MASTER	1.17100 + .00003	.030	2
3	7438084	7438085	1.171	.0005	1.17100 + .00006	.030	4
3	7438088		1.171	.002	1.17110 + .00009	.030	4
3	7438090		1.171	.004	1.17120 + .00012	.030	8
3	7438094		1.171	.008 AND UP	1.17140 + .00030	.030	8
3	7438098		1.172	MASTER	1.17200 + .00003	.030	2
3	7438100	7438101	1.172	.0005	1.17200 + .00006	.030	4
3	7438104		1.172	.002	1.17210 + .00009	.030	4
3	7438106		1.172	.004	1.17220 + .00012	.030	8
3	7438110		1.172	.008 AND UP	1.17240 + .00030	.030	8
3	7438114		1.173	MASTER	1.17300 + .00003	.030	2
3	7438116	7438117	1.173	.0005	1.17300 + .00006	.030	4
3	7438120		1.173	.002	1.17310 + .00009	.030	4
3	7438122		1.173	.004	1.17320 + .00012	.030	8
3	7438126		1.173	.008 AND UP	1.17340 + .00030	.030	8
3	7438130		1.174	MASTER	1.17400 + .00003	.030	2
3	7438132	7438133	1.174	.0005	1.17400 + .00006	.030	4
3	7438136		1.174	.002	1.17410 + .00009	.030	4
3	7438138		1.174	.004	1.17420 + .00012	.030	8
3	7438142		1.174	.008 AND UP	1.17440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438146		1.175	MASTER	1.17500 + .00003	.030	2
3	7438148	7438149	1.175	.0005	1.17500 + .00006	.030	4
3	7438152		1.175	.002	1.17510 + .00009	.030	4
3	7438154		1.175	.004	1.17520 + .00012	.030	8
3	7438158		1.175	.008 AND UP	1.17540 + .00030	.030	8
3	7438162		1.176	MASTER	1.17600 + .00003	.030	2
3	7438164	7438165	1.176	.0005	1.17600 + .00006	.030	4
3	7438168		1.176	.002	1.17610 + .00009	.030	4
3	7438170		1.176	.004	1.17620 + .00012	.030	8
3	7438174		1.176	.008 AND UP	1.17640 + .00030	.030	8
3	7438178		1.177	MASTER	1.17700 + .00003	.030	2
3	7438180	7438181	1.177	.0005	1.17700 + .00006	.030	4
3	7438184		1.177	.002	1.17710 + .00009	.030	4
3	7438186		1.177	.004	1.17720 + .00012	.030	8
3	7438190		1.177	.008 AND UP	1.17740 + .00030	.030	8
3	7438194		1.178	MASTER	1.17800 + .00003	.030	2
3	7438196	7438197	1.178	.0005	1.17800 + .00006	.030	4
3	7438200		1.178	.002	1.17810 + .00009	.030	4
3	7438202		1.178	.004	1.17820 + .00012	.030	8
3	7438206		1.178	.008 AND UP	1.17840 + .00030	.030	8
3	7438210		1.179	MASTER	1.17900 + .00003	.030	2
3	7438212	7438213	1.179	.0005	1.17900 + .00006	.030	4
3	7438216		1.179	.002	1.17910 + .00009	.030	4
3	7438218		1.179	.004	1.17920 + .00012	.030	8
3	7438222		1.179	.008 AND UP	1.17940 + .00030	.030	8
3	7438226		1.180	MASTER	1.18000 + .00003	.030	2
3	7438228	7438229	1.180	.0005	1.18000 + .00006	.030	4
3	7438232		1.180	.002	1.18010 + .00009	.030	4
3	7438234		1.180	.004	1.18020 + .00012	.030	8
3	7438238		1.180	.008 AND UP	1.18040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHCUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438242		1.181	MASTER	1.18100 + .00003	.030	2
3	7438244	7438245	1.181	.0005	1.18100 + .00006	.030	4
3	7438248		1.181	.002	1.18110 + .00009	.030	4
3	7438250		1.181	.004	1.18120 + .00012	.030	8
3	7438254		1.181	.008 AND UP	1.18140 + .00030	.030	8
3	7438258		1.182	MASTER	1.18200 + .00003	.030	2
3	7438260	7438261	1.182	.0005	1.18200 + .00006	.030	4
3	7438264		1.182	.002	1.18210 + .00009	.030	4
3	7438266		1.182	.004	1.18220 + .00012	.030	8
3	7438270		1.182	.008 AND UP	1.18240 + .00030	.030	8
3	7438274		1.183	MASTER	1.18300 + .00003	.030	2
3	7438276	7438277	1.183	.0005	1.18300 + .00006	.030	4
3	7438280		1.183	.002	1.18310 + .00009	.030	4
3	7438282		1.183	.004	1.18320 + .00012	.030	8
3	7438286		1.183	.008 AND UP	1.18340 + .00030	.030	8
3	7438290		1.184	MASTER	1.18400 + .00003	.030	2
3	7438292	7438293	1.184	.0005	1.18400 + .00006	.030	4
3	7438296		1.184	.002	1.18410 + .00009	.030	4
3	7438298		1.184	.004	1.18420 + .00012	.030	8
3	7438302		1.184	.008 AND UP	1.18440 + .00030	.030	8
3	7438306		1.185	MASTER	1.18500 + .00003	.030	2
3	7438308	7438309	1.185	.0005	1.18500 + .00006	.030	4
3	7438312		1.185	.002	1.18510 + .00009	.030	4
3	7438314		1.185	.004	1.18520 + .00012	.030	8
3	7438318		1.185	.008 AND UP	1.18540 + .00030	.030	8
3	7438322		1.186	MASTER	1.18600 + .00003	.030	2
3	7438324	7438325	1.186	.0005	1.18600 + .00006	.030	4
3	7438328		1.186	.002	1.18610 + .00009	.030	4
3	7438330		1.186	.004	1.18620 + .00012	.030	8
3	7438334		1.186	.008 AND UP	1.18640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438338		1.187	MASTER	1.18700 + .00003	.030	2
3	7438340	7438341	1.187	.0005	1.18700 + .00006	.030	4
3	7438344		1.187	.002	1.18710 + .00009	.030	4
3	7438346		1.187	.004	1.18720 + .00012	.030	8
3	7438350		1.187	.008 AND UP	1.18740 + .00030	.030	8
3	7438354		1.1875	MASTER	1.18750 + .00003	.030	2
3	7497580	7497581	1.1875	.0005	1.18750 + .00006	.030	4
3	7497584		1.1875	.002	1.18760 + .00009	.030	4
3	7497586		1.1875	.004	1.18770 + .00012	.030	8
3	7497590		1.1875	.008 AND UP	1.18790 + .00030	.030	8
3	7438356		1.188	MASTER	1.18800 + .00003	.030	2
3	7438358	7438359	1.188	.0005	1.18800 + .00006	.030	4
3	7438362		1.188	.002	1.18810 + .00009	.030	4
3	7438364		1.188	.004	1.18820 + .00012	.030	8
3	7438368		1.188	.008 AND UP	1.18840 + .00030	.030	8
3	7438372		1.189	MASTER	1.18900 + .00003	.030	2
3	7438374	7438375	1.189	.0005	1.18900 + .00006	.030	4
3	7438378		1.189	.002	1.18910 + .00009	.030	4
3	7438380		1.189	.004	1.18920 + .00012	.030	8
3	7438384		1.189	.008 AND UP	1.18940 + .00030	.030	8
3	7438388		1.190	MASTER	1.19000 + .00003	.030	2
3	7438390	7438391	1.190	.0005	1.19000 + .00006	.030	4
3	7438394		1.190	.002	1.19010 + .00009	.030	4
3	7438396		1.190	.004	1.19020 + .00012	.030	8
3	7438400		1.190	.008 AND UP	1.19040 + .00030	.030	8
3	7438404		1.191	MASTER	1.19100 + .00003	.030	2
3	7438406	7438407	1.191	.0005	1.19100 + .00006	.030	4
3	7438410		1.191	.002	1.19110 + .00009	.030	4
3	7438412		1.191	.004	1.19120 + .00012	.030	8
3	7438416		1.191	.008 AND UP	1.19140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438420		1.192	MASTER	1.19200 + .00003	.030	2
3	7438422	7438423	1.192	.0005	1.19200 + .00006	.030	4
3	7438426		1.192	.002	1.19210 + .00009	.030	4
3	7438428		1.192	.004	1.19220 + .00012	.030	8
3	7438432		1.192	.008 AND UP	1.19240 + .00030	.030	8
3	7438436		1.193	MASTER	1.19300 + .00003	.030	2
3	7438438	7438439	1.193	.0005	1.19300 + .00006	.030	4
3	7438442		1.193	.002	1.19310 + .00009	.030	4
3	7438444		1.193	.004	1.19320 + .00012	.030	8
3	7438448		1.193	.008 AND UP	1.19340 + .00030	.030	8
3	7438452		1.194	MASTER	1.19400 + .00003	.030	2
3	7438454	7438455	1.194	.0005	1.19400 + .00006	.030	4
3	7438458		1.194	.002	1.19410 + .00009	.030	4
3	7438460		1.194	.004	1.19420 + .00012	.030	8
3	7438464		1.194	.008 AND UP	1.19440 + .00030	.030	8
3	7438468		1.195	MASTER	1.19500 + .00003	.030	2
3	7438470	7438471	1.195	.0005	1.19500 + .00006	.030	4
3	7438474		1.195	.002	1.19510 + .00009	.030	4
3	7438476		1.195	.004	1.19520 + .00012	.030	8
3	7438480		1.195	.008 AND UP	1.19540 + .00030	.030	8
3	7438484		1.196	MASTER	1.19600 + .00003	.030	2
3	7438486	7438487	1.196	.0005	1.19600 + .00006	.030	4
3	7438490		1.196	.002	1.19610 + .00009	.030	4
3	7438492		1.196	.004	1.19620 + .00012	.030	8
3	7438496		1.196	.008 AND UP	1.19640 + .00030	.030	8
3	7438500		1.197	MASTER	1.19700 + .00003	.030	2
3	7438502	7438503	1.197	.0005	1.19700 + .00006	.030	4
3	7438506		1.197	.002	1.19710 + .00009	.030	4
3	7438508		1.197	.004	1.19720 + .00012	.030	8
3	7438512		1.197	.008 AND UP	1.19740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438516		1.198	MASTER	1.19800 + .00003	.030	2
3	7438518	7438519	1.198	.0005	1.19800 + .00006	.030	4
3	7438522		1.198	.002	1.19810 + .00009	.030	4
3	7438524		1.198	.004	1.19820 + .00012	.030	8
3	7438528		1.198	.008 AND UP	1.19840 + .00030	.030	8
3	7438532		1.199	MASTER	1.19900 + .00003	.030	2
3	7438534	7438535	1.199	.0005	1.19900 + .00006	.030	4
3	7438538		1.199	.002	1.19910 + .00009	.030	4
3	7438540		1.199	.004	1.19920 + .00012	.030	8
3	7438544		1.199	.008 AND UP	1.19940 + .00030	.030	8
3	7438548		1.200	MASTER	1.20000 + .00003	.030	2
3	7438550	7438551	1.200	.0005	1.20000 + .00006	.030	4
3	7438554		1.200	.002	1.20010 + .00009	.030	4
3	7438556		1.200	.004	1.20020 + .00012	.030	8
3	7438560		1.200	.008 AND UP	1.20040 + .00030	.030	8
3	7438564		1.201	MASTER	1.20100 + .00003	.030	2
3	7438566	7438567	1.201	.0005	1.20100 + .00006	.030	4
3	7438570		1.201	.002	1.20110 + .00009	.030	4
3	7438572		1.201	.004	1.20120 + .00012	.030	8
3	7438576		1.201	.008 AND UP	1.20140 + .00030	.030	8
3	7438580		1.202	MASTER	1.20200 + .00003	.030	2
3	7438582	7438583	1.202	.0005	1.20200 + .00006	.030	4
3	7438586		1.202	.002	1.20210 + .00009	.030	4
3	7438588		1.202	.004	1.20220 + .00012	.030	8
3	7438592		1.202	.008 AND UP	1.20240 + .00030	.030	8
3	7438596		1.203	MASTER	1.20300 + .00003	.030	2
3	7438598	7438599	1.203	.0005	1.20300 + .00006	.030	4
3	7438602		1.203	.002	1.20310 + .00009	.030	4
3	7438604		1.203	.004	1.20320 + .00012	.030	8
3	7438608		1.203	.008 AND UP	1.20340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438612		1.204	MASTER	1.20400 + .00003	.030	2
3	7438614	7438615	1.204	.0005	1.20400 + .00006	.030	4
3	7438618		1.204	.002	1.20410 + .00009	.030	4
3	7438620		1.204	.004	1.20420 + .00012	.030	8
3	7438624		1.204	.008 AND UP	1.20440 + .00030	.030	8
3	7438628		1.205	MASTER	1.20500 + .00003	.030	2
3	7438630	7438631	1.205	.0005	1.20500 + .00006	.030	4
3	7438634		1.205	.002	1.20510 + .00009	.030	4
3	7438636		1.205	.004	1.20520 + .00012	.030	8
3	7438640		1.205	.008 AND UP	1.20540 + .00030	.030	8
3	7438644		1.206	MASTER	1.20600 + .00003	.030	2
3	7438646	7438647	1.206	.0005	1.20600 + .00006	.030	4
3	7438650		1.206	.002	1.20610 + .00009	.030	4
3	7438652		1.206	.004	1.20620 + .00012	.030	8
3	7438656		1.206	.008 AND UP	1.20640 + .00030	.030	8
3	7438660		1.207	MASTER	1.20700 + .00003	.030	2
3	7438662	7438663	1.207	.0005	1.20700 + .00006	.030	4
3	7438666		1.207	.002	1.20710 + .00009	.030	4
3	7438668		1.207	.004	1.20720 + .00012	.030	8
3	7438672		1.207	.008 AND UP	1.20740 + .00030	.030	8
3	7438676		1.208	MASTER	1.20800 + .00003	.030	2
3	7438678	7438679	1.208	.0005	1.20800 + .00006	.030	4
3	7438682		1.208	.002	1.20810 + .00009	.030	4
3	7438684		1.208	.004	1.20820 + .00012	.030	8
3	7438688		1.208	.008 AND UP	1.20840 + .00030	.030	8
3	7438692		1.209	MASTER	1.20900 + .00003	.030	2
3	7438694	7438695	1.209	.0005	1.20900 + .00006	.030	4
3	7438698		1.209	.002	1.20910 + .00009	.030	4
3	7438700		1.209	.004	1.20920 + .00012	.030	8
3	7438704		1.209	.008 AND UP	1.20940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438708		1.210	MASTER	1.21000 + .00003	.030	2
3	7438710	7438711	1.210	.0005	1.21000 + .00006	.030	4
3	7433714		1.210	.002	1.21010 + .00009	.030	4
3	7438716		1.210	.004	1.21020 + .00012	.030	8
3	7438720		1.210	.008 AND UP	1.21040 + .00030	.030	8
3	7438724		1.211	MASTER	1.21100 + .00003	.030	2
3	7438726	7438727	1.211	.0005	1.21100 + .00006	.030	4
3	7438730		1.211	.002	1.21110 + .00009	.030	4
3	7438732		1.211	.004	1.21120 + .00012	.030	8
3	7438736		1.211	.008 AND UP	1.21140 + .00030	.030	8
3	7438740		1.212	MASTER	1.21200 + .00003	.030	2
3	7438742	7438743	1.212	.0005	1.21200 + .00006	.030	4
3	7438746		1.212	.002	1.21210 + .00009	.030	4
3	7438748		1.212	.004	1.21220 + .00012	.030	8
3	7438752		1.212	.008 AND UP	1.21240 + .00030	.030	8
3	7438756		1.213	MASTER	1.21300 + .00003	.030	2
3	7438758	7438759	1.213	.0005	1.21300 + .00006	.030	4
3	7438762		1.213	.002	1.21310 + .00009	.030	4
3	7438764		1.213	.004	1.21320 + .00012	.030	8
3	7438768		1.213	.008 AND UP	1.21340 + .00030	.030	8
3	7438772		1.214	MASTER	1.21400 + .00003	.030	2
3	7438774	7438775	1.214	.0005	1.21400 + .00006	.030	4
3	7438778		1.214	.002	1.21410 + .00009	.030	4
3	7438780		1.214	.004	1.21420 + .00012	.030	8
3	7438784		1.214	.008 AND UP	1.21440 + .00030	.030	8
3	7438788		1.215	MASTER	1.21500 + .00003	.030	2
3	7438790	7438791	1.215	.0005	1.21500 + .00006	.030	4
3	7438794		1.215	.002	1.21510 + .00009	.030	4
3	7438796		1.215	.004	1.21520 + .00012	.030	8
3	7438800		1.215	.008 AND UP	1.21540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438804	7438807	1.216	MASTER	1.21600 + .00003	.030	2
3	7438806		1.216	.0005	1.21600 + .00006	.030	4
3	7438810		1.216	.002	1.21610 + .00009	.030	8
3	7438812		1.216	.004	1.21620 + .00012	.030	8
3	7438816		1.216	.008 AND UP	1.21640 + .00030	.030	
3	7438820	7438823	1.217	MASTER	1.21700 + .00003	.030	2
3	7438822		1.217	.0005	1.21700 + .00006	.030	4
3	7438826		1.217	.002	1.21710 + .00009	.030	8
3	7438828		1.217	.004	1.21720 + .00012	.030	8
3	7438832		1.217	.008 AND UP	1.21740 + .00030	.030	
3	7438836	7438839	1.218	MASTER	1.21800 + .00003	.030	2
3	7438838		1.218	.0005	1.21800 + .00006	.030	4
3	7438842		1.218	.002	1.21810 + .00009	.030	8
3	7438844		1.218	.004	1.21820 + .00012	.030	8
3	7438848		1.218	.008 AND UP	1.21840 + .00030	.030	
3	7438852	7497595	1.21875	MASTER	1.21875 + .00003	.030	2
3	7497594		1.21875	.0005	1.21875 + .00006	.030	4
3	7497598		1.21875	.002	1.21885 + .00009	.030	8
3	7497600		1.21875	.004	1.21895 + .00012	.030	8
3	7497604		1.21875	.008 AND UP	1.21915 + .00030	.030	
3	7438854	7438857	1.219	MASTER	1.21900 + .00003	.030	2
3	7438856		1.219	.0005	1.21900 + .00006	.030	4
3	7438860		1.219	.002	1.21910 + .00009	.030	8
3	7438862		1.219	.004	1.21920 + .00012	.030	8
3	7438866		1.219	.008 AND UP	1.21940 + .00030	.030	
3	7438870	7438873	1.220	MASTER	1.22000 + .00003	.030	2
3	7438872		1.220	.0005	1.22000 + .00006	.030	4
3	7438876		1.220	.002	1.22010 + .00009	.030	8
3	7438878		1.220	.004	1.22020 + .00012	.030	8
3	7438882		1.220	.008 AND UP	1.22040 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7438886	7438889	1.221	MASTER	1.22100 + .00003	.030	2
3	7438888		1.221	.0005	1.22100 + .00006	.030	4
3	7438892		1.221	.002	1.22110 + .00009	.030	4
3	7438894		1.221	.004	1.22120 + .00012	.030	8
3	7438898		1.221	.008 AND UP	1.22140 + .00030	.030	8
3	7438902	7438905	1.222	MASTER	1.22200 + .00003	.030	2
3	7438904		1.222	.0005	1.22200 + .00006	.030	4
3	7438908		1.222	.002	1.22210 + .00009	.030	4
3	7438910		1.222	.004	1.22220 + .00012	.030	8
3	7438914		1.222	.008 AND UP	1.22240 + .00030	.030	8
3	7438918	7438921	1.223	MASTER	1.22300 + .00003	.030	2
3	7438920		1.223	.0005	1.22300 + .00006	.030	4
3	7438924		1.223	.002	1.22310 + .00009	.030	4
3	7438926		1.223	.004	1.22320 + .00012	.030	8
3	7438930		1.223	.008 AND UP	1.22340 + .00030	.030	8
3	7438934	7438937	1.224	MASTER	1.22400 + .00003	.030	2
3	7438936		1.224	.0005	1.22400 + .00006	.030	4
3	7438940		1.224	.002	1.22410 + .00009	.030	4
3	7438942		1.224	.004	1.22420 + .00012	.030	8
3	7438946		1.224	.008 AND UP	1.22440 + .00030	.030	8
3	7438950	7438953	1.225	MASTER	1.22500 + .00003	.030	2
3	7438952		1.225	.0005	1.22500 + .00006	.030	4
3	7438956		1.225	.002	1.22510 + .00009	.030	4
3	7438958		1.225	.004	1.22520 + .00012	.030	8
3	7438962		1.225	.008 AND UP	1.22540 + .00030	.030	8
3	7438966	7438969	1.226	MASTER	1.22600 + .00003	.030	2
3	7438968		1.226	.0005	1.22600 + .00006	.030	4
3	7438972		1.226	.002	1.22610 + .00009	.030	4
3	7438974		1.226	.004	1.22620 + .00012	.030	8
3	7438978		1.226	.008 AND UP	1.22640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438982	7438985	1.227	MASTER	1.22700 + .00003	.030	2
3	7438984		1.227	.0005	1.22700 + .00006	.030	4
3	7438988		1.227	.002	1.22710 + .00009	.030	4
3	7438990		1.227	.004	1.22720 + .00012	.030	8
3	7438994		1.227	.008 AND UP	1.22740 + .00030	.030	8
3	7438998	7439001	1.228	MASTER	1.22800 + .00003	.030	2
3	7439000		1.228	.0005	1.22800 + .00006	.030	4
3	7439004		1.228	.002	1.22810 + .00009	.030	4
3	7439006		1.228	.004	1.22820 + .00012	.030	8
3	7439010		1.228	.008 AND UP	1.22840 + .00030	.030	8
3	7439014	7439017	1.229	MASTER	1.22900 + .00003	.030	2
3	7439016		1.229	.0005	1.22900 + .00006	.030	4
3	7439020		1.229	.002	1.22910 + .00009	.030	4
3	7439022		1.229	.004	1.22920 + .00012	.030	8
3	7439026		1.229	.008 AND UP	1.22940 + .00030	.030	8
3	7439030	7439033	1.230	MASTER	1.23000 + .00003	.030	2
3	7439032		1.230	.0005	1.23000 + .00006	.030	4
3	7439036		1.230	.002	1.23010 + .00009	.030	4
3	7439038		1.230	.004	1.23020 + .00012	.030	8
3	7439042		1.230	.008 AND UP	1.23040 + .00030	.030	8
3	7439046	7439049	1.231	MASTER	1.23100 + .00003	.030	2
3	7439048		1.231	.0005	1.23100 + .00006	.030	4
3	7439052		1.231	.002	1.23110 + .00009	.030	4
3	7439054		1.231	.004	1.23120 + .00012	.030	8
3	7439058		1.231	.008 AND UP	1.23140 + .00030	.030	8
3	7439062	7439065	1.232	MASTER	1.23200 + .00003	.030	2
3	7439064		1.232	.0005	1.23200 + .00006	.030	4
3	7439068		1.232	.002	1.23210 + .00009	.030	4
3	7439070		1.232	.004	1.23220 + .00012	.030	8
3	7439074		1.232	.008 AND UP	1.23240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7439078		1.233	MASTER	1.23300 + .00003	.030	2
3	7439080	7439081	1.233	.0005	1.23300 + .00006	.030	4
3	7439084		1.233	.002	1.23310 + .00009	.030	4
3	7439086		1.233	.004	1.23320 + .00012	.030	8
3	7439090		1.233	.008 AND UP	1.23340 + .00030	.030	8
3	7439094		1.234	MASTER	1.23400 + .00003	.030	2
3	7439096	7439097	1.234	.0005	1.23400 + .00006	.030	4
3	7439100		1.234	.002	1.23410 + .00009	.030	4
3	7439102		1.234	.004	1.23420 + .00012	.030	8
3	7439106		1.234	.008 AND UP	1.23440 + .00030	.030	8
3	7439110		1.235	MASTER	1.23500 + .00003	.030	2
3	7439112	7439113	1.235	.0005	1.23500 + .00006	.030	4
3	7439116		1.235	.002	1.23510 + .00009	.030	4
3	7439118		1.235	.004	1.23520 + .00012	.030	8
3	7439122		1.235	.008 AND UP	1.23540 + .00030	.030	8
3	7439126		1.236	MASTER	1.23600 + .00003	.030	2
3	7439128	7439129	1.236	.0005	1.23600 + .00006	.030	4
3	7439132		1.236	.002	1.23610 + .00009	.030	4
3	7439134		1.236	.004	1.23620 + .00012	.030	8
3	7439138		1.236	.008 AND UP	1.23640 + .00030	.030	8
3	7439142		1.237	MASTER	1.23700 + .00003	.030	2
3	7439144	7439145	1.237	.0005	1.23700 + .00006	.030	4
3	7439148		1.237	.002	1.23710 + .00009	.030	4
3	7439150		1.237	.004	1.23720 + .00012	.030	8
3	7439154		1.237	.008 AND UP	1.23740 + .00030	.030	8
3	7439158		1.238	MASTER	1.23800 + .00003	.030	2
3	7439160	7439161	1.238	.0005	1.23800 + .00006	.030	4
3	7439164		1.238	.002	1.23810 + .00009	.030	4
3	7439166		1.238	.004	1.23820 + .00012	.030	8
3	7439170		1.238	.008 AND UP	1.23840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439174		1.239	MASTER	1.23900 + .00003	.030	2
3	7439176	7439177	1.239	.0005	1.23900 + .00006	.030	4
3	7439180		1.239	.002	1.23910 + .00009	.030	4
3	7439182		1.239	.004	1.23920 + .00012	.030	8
3	7439186		1.239	.008 AND UP	1.23940 + .00030	.030	8
3	7439190		1.240	MASTER	1.24000 + .00003	.030	2
3	7439192	7439193	1.240	.0005	1.24000 + .00006	.030	4
3	7439196		1.240	.002	1.24010 + .00009	.030	4
3	7439198		1.240	.004	1.24020 + .00012	.030	8
3	7439202		1.240	.008 AND UP	1.24040 + .00030	.030	8
3	7439206		1.241	MASTER	1.24100 + .00003	.030	2
3	7439208	7439209	1.241	.0005	1.24100 + .00006	.030	4
3	7439212		1.241	.002	1.24110 + .00009	.030	4
3	7439214		1.241	.004	1.24120 + .00012	.030	8
3	7439218		1.241	.008 AND UP	1.24140 + .00030	.030	8
3	7439222		1.242	MASTER	1.24200 + .00003	.030	2
3	7439224	7439225	1.242	.0005	1.24200 + .00006	.030	4
3	7439228		1.242	.002	1.24210 + .00009	.030	4
3	7439230		1.242	.004	1.24220 + .00012	.030	8
3	7439234		1.242	.008 AND UP	1.24240 + .00030	.030	8
3	7439238		1.243	MASTER	1.24300 + .00003	.030	2
3	7439240	7439241	1.243	.0005	1.24300 + .00006	.030	4
3	7439244		1.243	.002	1.24310 + .00009	.030	4
3	7439246		1.243	.004	1.24320 + .00012	.030	8
3	7439250		1.243	.008 AND UP	1.24340 + .00030	.030	8
3	7439254		1.244	MASTER	1.24400 + .00003	.030	2
3	7439256	7439257	1.244	.0005	1.24400 + .00006	.030	4
3	7439260		1.244	.002	1.24410 + .00009	.030	4
3	7439262		1.244	.004	1.24420 + .00012	.030	8
3	7439266		1.244	.008 AND UP	1.24440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7439270		1.245	MASTER	1.24500 + .00003	.030	2
3	7439272	7439273	1.245	.0005	1.24500 + .00006	.030	4
3	7439276		1.245	.002	1.24510 + .00009	.030	4
3	7439278		1.245	.004	1.24520 + .00012	.030	8
3	7439282		1.245	.008 AND UP	1.24540 + .00030	.030	8
3	7439286		1.246	MASTER	1.24600 + .00003	.030	2
3	7439288	7439289	1.246	.0005	1.24600 + .00006	.030	4
3	7439292		1.246	.002	1.24610 + .00009	.030	4
3	7439294		1.246	.004	1.24620 + .00012	.030	8
3	7439298		1.246	.008 AND UP	1.24640 + .00030	.030	8
3	7439302		1.247	MASTER	1.24700 + .00003	.030	2
3	7439304	7439305	1.247	.0005	1.24700 + .00006	.030	4
3	7439308		1.247	.002	1.24710 + .00009	.030	4
3	7439310		1.247	.004	1.24720 + .00012	.030	8
3	7439314		1.247	.008 AND UP	1.24740 + .00030	.030	8
3	7439318		1.248	MASTER	1.24800 + .00003	.030	2
3	7439320	7439321	1.248	.0005	1.24800 + .00006	.030	4
3	7439324		1.248	.002	1.24810 + .00009	.030	4
3	7439326		1.248	.004	1.24820 + .00012	.030	8
3	7439330		1.248	.008 AND UP	1.24840 + .00030	.030	8
3	7439334		1.249	MASTER	1.24900 + .00003	.030	2
3	7439336	7439337	1.249	.0005	1.24900 + .00006	.030	4
3	7439340		1.249	.002	1.24910 + .00009	.030	4
3	7439342		1.249	.004	1.24920 + .00012	.030	8
3	7439346		1.249	.008 AND UP	1.24940 + .00030	.030	8
3	7439350		1.250	MASTER	1.25000 + .00003	.030	2
3	7439352	7439353	1.250	.0005	1.25000 + .00006	.030	4
3	7439356		1.250	.002	1.25010 + .00009	.030	4
3	7439358		1.250	.004	1.25020 + .00012	.030	8
3	7439362		1.250	.008 AND UP	1.25040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439366	7439369	1.251	MASTER	1.25100 + .00003	.030	2
3	7439368		1.251	.0005	1.25100 + .00006	.030	4
3	7439372		1.251	.002	1.25110 + .00009	.030	4
3	7439374		1.251	.004	1.25120 + .00012	.030	8
3	7439378		1.251	.008 AND UP	1.25140 + .00030	.030	8
3	7439382	7439385	1.252	MASTER	1.25200 + .00003	.030	2
3	7439384		1.252	.0005	1.25200 + .00006	.030	4
3	7439388		1.252	.002	1.25210 + .00009	.030	4
3	7439390		1.252	.004	1.25220 + .00012	.030	8
3	7439394		1.252	.008 AND UP	1.25240 + .00030	.030	8
3	7439398	7439401	1.253	MASTER	1.25300 + .00003	.030	2
3	7439400		1.253	.0005	1.25300 + .00006	.030	4
3	7439404		1.253	.002	1.25310 + .00009	.030	4
3	7439406		1.253	.004	1.25320 + .00012	.030	8
3	7439410		1.253	.008 AND UP	1.25340 + .00030	.030	8
3	7439414	7439417	1.254	MASTER	1.25400 + .00003	.030	2
3	7439416		1.254	.0005	1.25400 + .00006	.030	4
3	7439420		1.254	.002	1.25410 + .00009	.030	4
3	7439422		1.254	.004	1.25420 + .00012	.030	8
3	7439426		1.254	.008 AND UP	1.25440 + .00030	.030	8
3	7439430	7439433	1.255	MASTER	1.25500 + .00003	.030	2
3	7439432		1.255	.0005	1.25500 + .00006	.030	4
3	7439436		1.255	.002	1.25510 + .00009	.030	4
3	7439438		1.255	.004	1.25520 + .00012	.030	8
3	7439442		1.255	.008 AND UP	1.25540 + .00030	.030	8
3	7439446	7439449	1.256	MASTER	1.25600 + .00003	.030	2
3	7439448		1.256	.0005	1.25600 + .00006	.030	4
3	7439452		1.256	.002	1.25610 + .00009	.030	4
3	7439454		1.256	.004	1.25620 + .00012	.030	8
3	7439458		1.256	.008 AND UP	1.25640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7439462		1.257	MASTER	1.25700 + .00003	.030	2
3	7439464	7439465	1.257	.0005	1.25700 + .00006	.030	4
3	7439468		1.257	.002	1.25710 + .00009	.030	4
3	7439470		1.257	.004	1.25720 + .00012	.030	8
3	7439474		1.257	.008 AND UP	1.25740 + .00030	.030	8
3	7439478		1.258	MASTER	1.25800 + .00003	.030	2
3	7439480	7439481	1.258	.0005	1.25800 + .00006	.030	4
3	7439484		1.258	.002	1.25810 + .00009	.030	4
3	7439486		1.258	.004	1.25820 + .00012	.030	8
3	7439490		1.258	.008 AND UP	1.25840 + .00030	.030	8
3	7439494		1.259	MASTER	1.25900 + .00003	.030	2
3	7439496	7439497	1.259	.0005	1.25900 + .00006	.030	4
3	7439500		1.259	.002	1.25910 + .00009	.030	4
3	7439502		1.259	.004	1.25920 + .00012	.030	8
3	7439506		1.259	.008 AND UP	1.25940 + .00030	.030	8
3	7439510		1.260	MASTER	1.26000 + .00003	.030	2
3	7439512	7439513	1.260	.0005	1.26000 + .00006	.030	4
3	7439516		1.260	.002	1.26010 + .00009	.030	4
3	7439518		1.260	.004	1.26020 + .00012	.030	8
3	7439522		1.260	.008 AND UP	1.26040 + .00030	.030	8
3	7439526		1.261	MASTER	1.26100 + .00003	.030	2
3	7439528	7439529	1.261	.0005	1.26100 + .00006	.030	4
3	7439532		1.261	.002	1.26110 + .00009	.030	4
3	7439534		1.261	.004	1.26120 + .00012	.030	8
3	7439538		1.261	.008 AND UP	1.26140 + .00030	.030	8
3	7439542		1.262	MASTER	1.26200 + .00003	.030	2
3	7439544	7439545	1.262	.0005	1.26200 + .00006	.030	4
3	7439548		1.262	.002	1.26210 + .00009	.030	4
3	7439550		1.262	.004	1.26220 + .00012	.030	8
3	7439554		1.262	.008 AND UP	1.26240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439558		1.263	MASTER	1.26300 + .00003	.030	2
3	7439560	7439561	1.263	.0005	1.26300 + .00006	.030	4
3	7439564		1.263	.002	1.26310 + .00009	.030	4
3	7439566		1.263	.004	1.26320 + .00012	.030	8
3	7439570		1.263	.008 AND UP	1.26340 + .00030	.030	8
3	7439574		1.264	MASTER	1.26400 + .00003	.030	2
3	7439576	7439577	1.264	.0005	1.26400 + .00006	.030	4
3	7439580		1.264	.002	1.26410 + .00009	.030	4
3	7439582		1.264	.004	1.26420 + .00012	.030	8
3	7439586		1.264	.008 AND UP	1.26440 + .00030	.030	8
3	7439590		1.265	MASTER	1.26500 + .00003	.030	2
3	7439592	7439593	1.265	.0005	1.26500 + .00006	.030	4
3	7439596		1.265	.002	1.26510 + .00009	.030	4
3	7439598		1.265	.004	1.26520 + .00012	.030	8
3	7439602		1.265	.008 AND UP	1.26540 + .00030	.030	8
3	7439606		1.266	MASTER	1.26600 + .00003	.030	2
3	7439608	7439609	1.266	.0005	1.26600 + .00006	.030	4
3	7439612		1.266	.002	1.26610 + .00009	.030	4
3	7439614		1.266	.004	1.26620 + .00012	.030	8
3	7439618		1.266	.008 AND UP	1.26640 + .00030	.030	8
3	7439622		1.267	MASTER	1.26700 + .00003	.030	2
3	7439624	7439625	1.267	.0005	1.26700 + .00006	.030	4
3	7439628		1.267	.002	1.26710 + .00009	.030	4
3	7439630		1.267	.004	1.26720 + .00012	.030	8
3	7439634		1.267	.008 AND UP	1.26740 + .00030	.030	8
3	7439638		1.268	MASTER	1.26800 + .00003	.030	2
3	7439640	7439641	1.268	.0005	1.26800 + .00006	.030	4
3	7439644		1.268	.002	1.26810 + .00009	.030	4
3	7439646		1.268	.004	1.26820 + .00012	.030	8
3	7439650		1.268	.008 AND UP	1.26840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439654		1.269	MASTER	1.26900 + .00003	.030	2
3	7439656	7439657	1.269	.0005	1.26900 + .00006	.030	4
3	7439660		1.269	.002	1.26910 + .00009	.030	4
3	7439662		1.269	.004	1.26920 + .00012	.030	8
3	7439666		1.269	.008 AND UP	1.26940 + .00030	.030	8
3	7439670		1.270	MASTER	1.27000 + .00003	.030	2
3	7439672	7439673	1.270	.0005	1.27000 + .00006	.030	4
3	7439676		1.270	.002	1.27010 + .00009	.030	4
3	7439678		1.270	.004	1.27020 + .00012	.030	8
3	7439682		1.270	.008 AND UP	1.27040 + .00030	.030	8
3	7439686		1.271	MASTER	1.27100 + .00003	.030	2
3	7439688	7439689	1.271	.0005	1.27100 + .00006	.030	4
3	7439692		1.271	.002	1.27110 + .00009	.030	4
3	7439694		1.271	.004	1.27120 + .00012	.030	8
3	7439698		1.271	.008 AND UP	1.27140 + .00030	.030	8
3	7439702		1.272	MASTER	1.27200 + .00003	.030	2
3	7439704	7439705	1.272	.0005	1.27200 + .00006	.030	4
3	7439708		1.272	.002	1.27210 + .00009	.030	4
3	7439710		1.272	.004	1.27220 + .00012	.030	8
3	7439714		1.272	.008 AND UP	1.27240 + .00030	.030	8
3	7439718		1.273	MASTER	1.27300 + .00003	.030	2
3	7439720	7439721	1.273	.0005	1.27300 + .00006	.030	4
3	7439724		1.273	.002	1.27310 + .00009	.030	4
3	7439726		1.273	.004	1.27320 + .00012	.030	8
3	7439730		1.273	.008 AND UP	1.27340 + .00030	.030	8
3	7439734		1.274	MASTER	1.27400 + .00003	.030	2
3	7439736	7439737	1.274	.0005	1.27400 + .00006	.030	4
3	7439740		1.274	.002	1.27410 + .00009	.030	4
3	7439742		1.274	.004	1.27420 + .00012	.030	8
3	7439746		1.274	.008 AND UP	1.27440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7439750		1.275	MASTER	1.27500 + .00003	.030	2
3	7439752	7439753	1.275	.0005	1.27500 + .00006	.030	4
3	7439756		1.275	.002	1.27510 + .00009	.030	4
3	7439758		1.275	.004	1.27520 + .00012	.030	8
3	7439762		1.275	.008 AND UP	1.27540 + .00030	.030	8
3	7439766		1.276	MASTER	1.27600 + .00003	.030	2
3	7439768	7439769	1.276	.0005	1.27600 + .00006	.030	4
3	7439772		1.276	.002	1.27610 + .00009	.030	4
3	7439774		1.276	.004	1.27620 + .00012	.030	8
3	7439778		1.276	.008 AND UP	1.27640 + .00030	.030	8
3	7439782		1.277	MASTER	1.27700 + .00003	.030	2
3	7439784	7439785	1.277	.0005	1.27700 + .00006	.030	4
3	7439788		1.277	.002	1.27710 + .00009	.030	4
3	7439790		1.277	.004	1.27720 + .00012	.030	8
3	7439794		1.277	.008 AND UP	1.27740 + .00030	.030	8
3	7439798		1.278	MASTER	1.27800 + .00003	.030	2
3	7439800	7439801	1.278	.0005	1.27800 + .00006	.030	4
3	7439804		1.278	.002	1.27810 + .00009	.030	4
3	7439806		1.278	.004	1.27820 + .00012	.030	8
3	7439810		1.278	.008 AND UP	1.27840 + .00030	.030	8
3	7439814		1.279	MASTER	1.27900 + .00003	.030	2
3	7439816	7439817	1.279	.0005	1.27900 + .00006	.030	4
3	7439820		1.279	.002	1.27910 + .00009	.030	4
3	7439822		1.279	.004	1.27920 + .00012	.030	8
3	7439826		1.279	.008 AND UP	1.27940 + .00030	.030	8
3	7439830		1.280	MASTER	1.28000 + .00003	.030	2
3	7439832	7439833	1.280	.0005	1.28000 + .00006	.030	4
3	7439836		1.280	.002	1.28010 + .00009	.030	4
3	7439838		1.280	.004	1.28020 + .00012	.030	8
3	7439842		1.280	.008 AND UP	1.28040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7439846		1.281	MASTER	1.28100 + .00003	.030	2
3	7439848	7439849	1.281	.0005	1.28100 + .00006	.030	4
3	7439852		1.281	.002	1.28110 + .00009	.030	4
3	7439854		1.281	.004	1.28120 + .00012	.030	8
3	7439858		1.281	.008 AND UP	1.28140 + .00030	.030	8
3	7439862		1.28125	MASTER	1.28125 + .00003	.030	2
3	7497608	7497609	1.28125	.0005	1.28125 + .00006	.030	4
3	7497612		1.28125	.002	1.28135 + .00009	.030	4
3	7497614		1.28125	.004	1.28145 + .00012	.030	8
3	7497618		1.28125	.008 AND UP	1.28165 + .00030	.030	8
3	7439864		1.282	MASTER	1.28200 + .00003	.030	2
3	7439866	7439867	1.282	.0005	1.28200 + .00006	.030	4
3	7439870		1.282	.002	1.28210 + .00009	.030	4
3	7439872		1.282	.004	1.28220 + .00012	.030	8
3	7439876		1.282	.008 AND UP	1.28240 + .00030	.030	8
3	7439880		1.283	MASTER	1.28300 + .00003	.030	2
3	7439882	7439883	1.283	.0005	1.28300 + .00006	.030	4
3	7439886		1.283	.002	1.28310 + .00009	.030	4
3	7439888		1.283	.004	1.28320 + .00012	.030	8
3	7439892		1.283	.008 AND UP	1.28340 + .00030	.030	8
3	7439896		1.284	MASTER	1.28400 + .00003	.030	2
3	7439898	7439899	1.284	.0005	1.28400 + .00006	.030	4
3	7439902		1.284	.002	1.28410 + .00009	.030	4
3	7439904		1.284	.004	1.28420 + .00012	.030	8
3	7439908		1.284	.008 AND UP	1.28440 + .00030	.030	8
3	7439912		1.285	MASTER	1.28500 + .00003	.030	2
3	7439914	7439915	1.285	.0005	1.28500 + .00006	.030	4
3	7439918		1.285	.002	1.28510 + .00009	.030	4
3	7439920		1.285	.004	1.28520 + .00012	.030	8
3	7439924		1.285	.008 AND UP	1.28540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. — WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. — WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7439928		1.286	MASTER	1.28600 + .00003	.030	2
3	7439930	7439931	1.286	.0005	1.28600 + .00006	.030	4
3	7439934		1.286	.002	1.28610 + .00009	.030	4
3	7439936		1.286	.004	1.28620 + .00012	.030	8
3	7439940		1.286	.008 AND UP	1.28640 + .00030	.030	8
3	7439944		1.287	MASTER	1.28700 + .00003	.030	2
3	7439946	7439947	1.287	.0005	1.28700 + .00006	.030	4
3	7439950		1.287	.002	1.28710 + .00009	.030	4
3	7439952		1.287	.004	1.28720 + .00012	.030	8
3	7439956		1.287	.008 AND UP	1.28740 + .00030	.030	8
3	7439960		1.288	MASTER	1.28800 + .00003	.030	2
3	7439962	7439963	1.288	.0005	1.28800 + .00006	.030	4
3	7439966		1.288	.002	1.28810 + .00009	.030	4
3	7439968		1.288	.004	1.28820 + .00012	.030	8
3	7439972		1.288	.008 AND UP	1.28840 + .00030	.030	8
3	7439976		1.289	MASTER	1.28900 + .00003	.030	2
3	7439978	7439979	1.289	.0005	1.28900 + .00006	.030	4
3	7439982		1.289	.002	1.28910 + .00009	.030	4
3	7439984		1.289	.004	1.28920 + .00012	.030	8
3	7439988		1.289	.008 AND UP	1.28940 + .00030	.030	8
3	7439992		1.290	MASTER	1.29000 + .00003	.030	2
3	7439994	7439995	1.290	.0005	1.29000 + .00006	.030	4
3	7439998		1.290	.002	1.29010 + .00009	.030	4
3	7440000		1.290	.004	1.29020 + .00012	.030	8
3	7440004		1.290	.008 AND UP	1.29040 + .00030	.030	8
3	7440008		1.291	MASTER	1.29100 + .00003	.030	2
3	7440010	7440011	1.291	.0005	1.29100 + .00006	.030	4
3	7440014		1.291	.002	1.29110 + .00009	.030	4
3	7440016		1.291	.004	1.29120 + .00012	.030	8
3	7440020		1.291	.008 AND UP	1.29140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440024	7440027	1.292	MASTER	1.29200 + .00003	.030	2
3	7440026		1.292	.0005	1.29200 + .00006	.030	4
3	7440030		1.292	.002	1.29210 + .00009	.030	4
3	7440032		1.292	.004	1.29220 + .00012	.030	8
3	7440036		1.292	.008 AND UP	1.29240 + .00030	.030	8
3	7440040	7440043	1.293	MASTER	1.29300 + .00003	.030	2
3	7440042		1.293	.0005	1.29300 + .00006	.030	4
3	7440046		1.293	.002	1.29310 + .00009	.030	4
3	7440048		1.293	.004	1.29320 + .00012	.030	8
3	7440052		1.293	.008 AND UP	1.29340 + .00030	.030	8
3	7440056	7440059	1.294	MASTER	1.29400 + .00003	.030	2
3	7440058		1.294	.0005	1.29400 + .00006	.030	4
3	7440062		1.294	.002	1.29410 + .00009	.030	4
3	7440064		1.294	.004	1.29420 + .00012	.030	8
3	7440068		1.294	.008 AND UP	1.29440 + .00030	.030	8
3	7440072	7440075	1.295	MASTER	1.29500 + .00003	.030	2
3	7440074		1.295	.0005	1.29500 + .00006	.030	4
3	7440078		1.295	.002	1.29510 + .00009	.030	4
3	7440080		1.295	.004	1.29520 + .00012	.030	8
3	7440084		1.295	.008 AND UP	1.29540 + .00030	.030	8
3	7440088	7440091	1.296	MASTER	1.29600 + .00003	.030	2
3	7440090		1.296	.0005	1.29600 + .00006	.030	4
3	7440094		1.296	.002	1.29610 + .00009	.030	4
3	7440096		1.296	.004	1.29620 + .00012	.030	8
3	7440100		1.296	.008 AND UP	1.29640 + .00030	.030	8
3	7440104	7440107	1.297	MASTER	1.29700 + .00003	.030	2
3	7440106		1.297	.0005	1.29700 + .00006	.030	4
3	7440110		1.297	.002	1.29710 + .00009	.030	4
3	7440112		1.297	.004	1.29720 + .00012	.030	8
3	7440116		1.297	.008 AND UP	1.29740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

U.S. NO.	MARKING ON GAGE HANDLE: PLUG-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: PLUG-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440120		1.298	MASTER	1.29800 + .00003	.030	2
3	7440122	7440123	1.298	.0005	1.29800 + .00006	.030	4
3	7440126		1.298	.002	1.29810 + .00009	.030	4
3	7440128		1.298	.004	1.29820 + .00012	.030	8
3	7440132		1.298	.008 AND UP	1.29840 + .00030	.030	8
3	7440136		1.299	MASTER	1.29900 + .00003	.030	2
3	7440138	7440139	1.299	.0005	1.29900 + .00006	.030	4
3	7440142		1.299	.002	1.29910 + .00009	.030	4
3	7440144		1.299	.004	1.29920 + .00012	.030	8
3	7440148		1.299	.008 AND UP	1.29940 + .00030	.030	8
3	7440152		1.300	MASTER	1.30000 + .00003	.030	2
3	7440154	7440155	1.300	.0005	1.30000 + .00006	.030	4
3	7440158		1.300	.002	1.30010 + .00009	.030	4
3	7440160		1.300	.004	1.30020 + .00012	.030	8
3	7440164		1.300	.008 AND UP	1.30040 + .00030	.030	8
3	7440168		1.301	MASTER	1.30100 + .00003	.030	2
3	7440170	7440171	1.301	.0005	1.30100 + .00006	.030	4
3	7440174		1.301	.002	1.30110 + .00009	.030	4
3	7440176		1.301	.004	1.30120 + .00012	.030	8
3	7440180		1.301	.008 AND UP	1.30140 + .00030	.030	8
3	7440184		1.302	MASTER	1.30200 + .00003	.030	2
3	7440186	7440187	1.302	.0005	1.30200 + .00006	.030	4
3	7440190		1.302	.002	1.30210 + .00009	.030	4
3	7440192		1.302	.004	1.30220 + .00012	.030	8
3	7440196		1.302	.008 AND UP	1.30240 + .00030	.030	8
3	7440200		1.303	MASTER	1.30300 + .00003	.030	2
3	7440202	7440203	1.303	.0005	1.30300 + .00006	.030	4
3	7440206		1.303	.002	1.30310 + .00009	.030	4
3	7440208		1.303	.004	1.30320 + .00012	.030	8
3	7440212		1.303	.008 AND UP	1.30340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MARKING ON GAGE HANDLE: MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440216		1.304	MASTER	1.30400 + .00003	.030	2
3	7440218	7440219	1.304	.0005	1.30400 + .00006	.030	4
3	7440222		1.304	.002	1.30410 + .00009	.030	4
3	7440224		1.304	.004	1.30420 + .00012	.030	8
3	7440228		1.304	.008 AND UP	1.30440 + .00030	.030	8
3	7440232		1.305	MASTER	1.30500 + .00003	.030	2
3	7440234	7440235	1.305	.0005	1.30500 + .00006	.030	4
3	7440238		1.305	.002	1.30510 + .00009	.030	4
3	7440240		1.305	.004	1.30520 + .00012	.030	8
3	7440244		1.305	.008 AND UP	1.30540 + .00030	.030	8
3	7440248		1.306	MASTER	1.30600 + .00003	.030	2
3	7440250	7440251	1.306	.0005	1.30600 + .00006	.030	4
3	7440254		1.306	.002	1.30610 + .00009	.030	4
3	7440256		1.306	.004	1.30620 + .00012	.030	8
3	7440260		1.306	.008 AND UP	1.30640 + .00030	.030	8
3	7440264		1.307	MASTER	1.30700 + .00003	.030	2
3	7440266	7440267	1.307	.0005	1.30700 + .00006	.030	4
3	7440270		1.307	.002	1.30710 + .00009	.030	4
3	7440272		1.307	.004	1.30720 + .00012	.030	8
3	7440276		1.307	.008 AND UP	1.30740 + .00030	.030	8
3	7440280		1.308	MASTER	1.30800 + .00003	.030	2
3	7440282	7440283	1.308	.0005	1.30800 + .00006	.030	4
3	7440286		1.308	.002	1.30810 + .00009	.030	4
3	7440288		1.308	.004	1.30820 + .00012	.030	8
3	7440292		1.308	.008 AND UP	1.30840 + .00030	.030	8
3	7440296		1.309	MASTER	1.30900 + .00003	.030	2
3	7440298	7440299	1.309	.0005	1.30900 + .00006	.030	4
3	7440302		1.309	.002	1.30910 + .00009	.030	4
3	7440304		1.309	.004	1.30920 + .00012	.030	8
3	7440308		1.309	.008 AND UP	1.30940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7440312		1.310	MASTER	1.31000 + .00003	.030	2
3	7440314	7440315	1.310	.0005	1.31000 + .00006	.030	4
3	7440318		1.310	.002	1.31010 + .00009	.030	4
3	7440320		1.310	.004	1.31020 + .00012	.030	8
3	7440324		1.310	.008 AND UP	1.31040 + .00030	.030	8
3	7440328		1.311	MASTER	1.31100 + .00003	.030	2
3	7440330	7440331	1.311	.0005	1.31100 + .00006	.030	4
3	7440334		1.311	.002	1.31110 + .00009	.030	4
3	7440336		1.311	.004	1.31120 + .00012	.030	8
3	7440340		1.311	.008 AND UP	1.31140 + .00030	.030	8
3	7440344		1.312	MASTER	1.31200 + .00003	.030	2
3	7440346	7440347	1.312	.0005	1.31200 + .00006	.030	4
3	7440350		1.312	.002	1.31210 + .00009	.030	4
3	7440352		1.312	.004	1.31220 + .00012	.030	8
3	7440356		1.312	.008 AND UP	1.31240 + .00030	.030	8
3	7440360		1.3125	MASTER	1.31250 + .00003	.030	2
3	7497622	7497623	1.3125	.0005	1.31250 + .00006	.030	4
3	7497626		1.3125	.002	1.31260 + .00009	.030	4
3	7497628		1.3125	.004	1.31270 + .00012	.030	8
3	7497632		1.3125	.008 AND UP	1.31290 + .00030	.030	8
3	7440362		1.313	MASTER	1.31300 + .00003	.030	2
3	7440364	7440365	1.313	.0005	1.31300 + .00006	.030	4
3	7440368		1.313	.002	1.31310 + .00009	.030	4
3	7440370		1.313	.004	1.31320 + .00012	.030	8
3	7440374		1.313	.008 AND UP	1.31340 + .00030	.030	8
3	7440378		1.314	MASTER	1.31400 + .00003	.030	2
3	7440380	7440381	1.314	.0005	1.31400 + .00006	.030	4
3	7440384		1.314	.002	1.31410 + .00009	.030	4
3	7440386		1.314	.004	1.31420 + .00012	.030	8
3	7440390		1.314	.008 AND UP	1.31440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440394	7440397	1.315	MASTER	1.31500 + .00003	.030	2
3	7440396		1.315	.0005	1.31500 + .00006	.030	4
3	7440400		1.315	.002	1.31510 + .00009	.030	4
3	7440402		1.315	.004	1.31520 + .00012	.030	8
3	7440406		1.315	.008 AND UP	1.31540 + .00030	.030	8
3	7440410	7440413	1.316	MASTER	1.31600 + .00003	.030	2
3	7440412		1.316	.0005	1.31600 + .00006	.030	4
3	7440416		1.316	.002	1.31610 + .00009	.030	4
3	7440418		1.316	.004	1.31620 + .00012	.030	8
3	7440422		1.316	.008 AND UP	1.31640 + .00030	.030	8
3	7440426	7440429	1.317	MASTER	1.31700 + .00003	.030	2
3	7440428		1.317	.0005	1.31700 + .00006	.030	4
3	7440432		1.317	.002	1.31710 + .00009	.030	4
3	7440434		1.317	.004	1.31720 + .00012	.030	8
3	7440438		1.317	.008 AND UP	1.31740 + .00030	.030	8
3	7440442	7440445	1.318	MASTER	1.31800 + .00003	.030	2
3	7440444		1.318	.0005	1.31800 + .00006	.030	4
3	7440448		1.318	.002	1.31810 + .00009	.030	4
3	7440450		1.318	.004	1.31820 + .00012	.030	8
3	7440454		1.318	.008 AND UP	1.31840 + .00030	.030	8
3	7440458	7440461	1.319	MASTER	1.31900 + .00003	.030	2
3	7440460		1.319	.0005	1.31900 + .00006	.030	4
3	7440464		1.319	.002	1.31910 + .00009	.030	4
3	7440466		1.319	.004	1.31920 + .00012	.030	8
3	7440470		1.319	.008 AND UP	1.31940 + .00030	.030	8
3	7440474	7440477	1.320	MASTER	1.32000 + .00003	.030	2
3	7440476		1.320	.0005	1.32000 + .00006	.030	4
3	7440480		1.320	.002	1.32010 + .00009	.030	4
3	7440482		1.320	.004	1.32020 + .00012	.030	8
3	7440486		1.320	.008 AND UP	1.32040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN – GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN – GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440490	7440493	1.321	MASTER	1.32100 + .00003	.030	2
3	7440492		1.321	.0005	1.32100 + .00006	.030	4
3	7440496		1.321	.002	1.32110 + .00009	.030	4
3	7440498		1.321	.004	1.32120 + .00012	.030	8
3	7440502		1.321	.008 AND UP	1.32140 + .00030	.030	8
3	7440506	7440509	1.322	MASTER	1.32200 + .00003	.030	2
3	7440508		1.322	.0005	1.32200 + .00006	.030	4
3	7440512		1.322	.002	1.32210 + .00009	.030	4
3	7440514		1.322	.004	1.32220 + .00012	.030	8
3	7440518		1.322	.008 AND UP	1.32240 + .00030	.030	8
3	7440522	7440525	1.323	MASTER	1.32300 + .00003	.030	2
3	7440524		1.323	.0005	1.32300 + .00006	.030	4
3	7440528		1.323	.002	1.32310 + .00009	.030	4
3	7440530		1.323	.004	1.32320 + .00012	.030	8
3	7440534		1.323	.008 AND UP	1.32340 + .00030	.030	8
3	7440538	7440541	1.324	MASTER	1.32400 + .00003	.030	2
3	7440540		1.324	.0005	1.32400 + .00006	.030	4
3	7440544		1.324	.002	1.32410 + .00009	.030	4
3	7440546		1.324	.004	1.32420 + .00012	.030	8
3	7440550		1.324	.008 AND UP	1.32440 + .00030	.030	8
3	7440554	7440557	1.325	MASTER	1.32500 + .00003	.030	2
3	7440556		1.325	.0005	1.32500 + .00006	.030	4
3	7440560		1.325	.002	1.32510 + .00009	.030	4
3	7440562		1.325	.004	1.32520 + .00012	.030	8
3	7440566		1.325	.008 AND UP	1.32540 + .00030	.030	8
3	7440570	7440573	1.326	MASTER	1.32600 + .00003	.030	2
3	7440572		1.326	.0005	1.32600 + .00006	.030	4
3	7440576		1.326	.002	1.32610 + .00009	.030	4
3	7440578		1.326	.004	1.32620 + .00012	.030	8
3	7440582		1.326	.008 AND UP	1.32640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440586		1.327	MASTER	1.32700 + .00003	.030	2
3	7440588	7440589	1.327	.0005	1.32700 + .00006	.030	4
3	7440592		1.327	.002	1.32710 + .00009	.030	4
3	7440594		1.327	.004	1.32720 + .00012	.030	8
3	7440598		1.327	.008 AND UP	1.32740 + .00030	.030	8
3	7440602		1.328	MASTER	1.32800 + .00003	.030	2
3	7440604	7440605	1.328	.0005	1.32800 + .00006	.030	4
3	7440608		1.328	.002	1.32810 + .00009	.030	4
3	7440610		1.328	.004	1.32820 + .00012	.030	8
3	7440614		1.328	.008 AND UP	1.32840 + .00030	.030	8
3	7440618		1.329	MASTER	1.32900 + .00003	.030	2
3	7440620	7440621	1.329	.0005	1.32900 + .00006	.030	4
3	7440624		1.329	.002	1.32910 + .00009	.030	4
3	7440626		1.329	.004	1.32920 + .00012	.030	8
3	7440630		1.329	.008 AND UP	1.32940 + .00030	.030	8
3	7440634		1.330	MASTER	1.33000 + .00003	.030	2
3	7440636	7440637	1.330	.0005	1.33000 + .00006	.030	4
3	7440640		1.330	.002	1.33010 + .00009	.030	4
3	7440642		1.330	.004	1.33020 + .00012	.030	8
3	7440646		1.330	.008 AND UP	1.33040 + .00030	.030	8
3	7440650		1.331	MASTER	1.33100 + .00003	.030	2
3	7440652	7440653	1.331	.0005	1.33100 + .00006	.030	4
3	7440656		1.331	.002	1.33110 + .00009	.030	4
3	7440658		1.331	.004	1.33120 + .00012	.030	8
3	7440662		1.331	.008 AND UP	1.33140 + .00030	.030	8
3	7440666		1.332	MASTER	1.33200 + .00003	.030	2
3	7440668	7440669	1.332	.0005	1.33200 + .00006	.030	4
3	7440672		1.332	.002	1.33210 + .00009	.030	4
3	7440674		1.332	.004	1.33220 + .00012	.030	8
3	7440678		1.332	.008 AND UP	1.33240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440682	7440685	1.333	MASTER	1.33300 + .00003	.030	2
3	7440684		1.333	.0005	1.33300 + .00006	.030	4
3	7440688		1.333	.002	1.33310 + .00009	.030	4
3	7440690		1.333	.004	1.33320 + .00012	.030	8
3	7440694		1.333	.008 AND UP	1.33340 + .00030	.030	8
3	7440698	7440701	1.334	MASTER	1.33400 + .00003	.030	2
3	7440700		1.334	.0005	1.33400 + .00006	.030	4
3	7440704		1.334	.002	1.33410 + .00009	.030	4
3	7440706		1.334	.004	1.33420 + .00012	.030	8
3	7440710		1.334	.008 AND UP	1.33440 + .00030	.030	8
3	7440714	7440717	1.335	MASTER	1.33500 + .00003	.030	2
3	7440716		1.335	.0005	1.33500 + .00006	.030	4
3	7440720		1.335	.002	1.33510 + .00009	.030	4
3	7440722		1.335	.004	1.33520 + .00012	.030	8
3	7440726		1.335	.008 AND UP	1.33540 + .00030	.030	8
3	7440730	7440733	1.336	MASTER	1.33600 + .00003	.030	2
3	7440732		1.336	.0005	1.33600 + .00006	.030	4
3	7440736		1.336	.002	1.33610 + .00009	.030	4
3	7440738		1.336	.004	1.33620 + .00012	.030	8
3	7440742		1.336	.008 AND UP	1.33640 + .00030	.030	8
3	7440746	7440749	1.337	MASTER	1.33700 + .00003	.030	2
3	7440748		1.337	.0005	1.33700 + .00006	.030	4
3	7440752		1.337	.002	1.33710 + .00009	.030	4
3	7440754		1.337	.004	1.33720 + .00012	.030	8
3	7440758		1.337	.008 AND UP	1.33740 + .00030	.030	8
3	7440762	7440765	1.338	MASTER	1.33800 + .00003	.030	2
3	7440764		1.338	.0005	1.33800 + .00006	.030	4
3	7440768		1.338	.002	1.33810 + .00009	.030	4
3	7440770		1.338	.004	1.33820 + .00012	.030	8
3	7440774		.338	.008 AND UP	1.33840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440778	7440781	1.339	MASTER	1.33900 + .00003	.030	2
3	7440780		1.339	.0005	1.33900 + .00006	.030	4
3	7440784		1.339	.002	1.33910 + .00009	.030	4
3	7440786		1.339	.004	1.33920 + .00012	.030	8
3	7440790		1.339	.008 AND UP	1.33940 + .00030	.030	8
3	7440794	7440797	1.340	MASTER	1.34000 + .00003	.030	2
3	7440796		1.340	.0005	1.34000 + .00006	.030	4
3	7440800		1.340	.002	1.34010 + .00009	.030	4
3	7440802		1.340	.004	1.34020 + .00012	.030	8
3	7440806		1.340	.008 AND UP	1.34040 + .00030	.030	8
3	7440810	7440813	1.341	MASTER	1.34100 + .00003	.030	2
3	7440812		1.341	.0005	1.34100 + .00006	.030	4
3	7440816		1.341	.002	1.34110 + .00009	.030	4
3	7440818		1.341	.004	1.34120 + .00012	.030	8
3	7440822		1.341	.008 AND UP	1.34140 + .00030	.030	8
3	7440826	7440829	1.342	MASTER	1.34200 + .00003	.030	2
3	7440828		1.342	.0005	1.34200 + .00006	.030	4
3	7440832		1.342	.002	1.34210 + .00009	.030	4
3	7440834		1.342	.004	1.34220 + .00012	.030	8
3	7440838		1.342	.008 AND UP	1.34240 + .00030	.030	8
3	7440842	7440845	1.343	MASTER	1.34300 + .00003	.030	2
3	7440844		1.343	.0005	1.34300 + .00006	.030	4
3	7440848		1.343	.002	1.34310 + .00009	.030	4
3	7440850		1.343	.004	1.34320 + .00012	.030	8
3	7440854		1.343	.008 AND UP	1.34340 + .00030	.030	8
3	7440858	7497637	1.34375	MASTER	1.34375 + .00003	.030	2
3	7497636		1.34375	.0005	1.34375 + .00006	.030	4
3	7497640		1.34375	.002	1.34385 + .00009	.030	4
3	7497642		1.34375	.004	1.34395 + .00012	.030	8
3	7457646		1.34375	.008 AND UP	1.34415 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440860	7440863	1.344	MASTER	1.34400 + .00003	.030	2
3	7440862		1.344	.0005	1.34400 + .00006	.030	4
3	7440866		1.344	.002	1.34410 + .00009	.030	4
3	7440868		1.344	.004	1.34420 + .00012	.030	8
3	7440872		1.344	.008 AND UP	1.34440 + .00030	.030	8
3	7440876	7440879	1.345	MASTER	1.34500 + .00003	.030	2
3	7440878		1.345	.0005	1.34500 + .00006	.030	4
3	7440882		1.345	.002	1.34510 + .00009	.030	4
3	7440884		1.345	.004	1.34520 + .00012	.030	8
3	7440888		1.345	.008 AND UP	1.34540 + .00030	.030	8
3	7440892	7440895	1.346	MASTER	1.34600 + .00003	.030	2
3	7440894		1.346	.0005	1.34600 + .00006	.030	4
3	7440898		1.346	.002	1.34610 + .00009	.030	4
3	7440900		1.346	.004	1.34620 + .00012	.030	8
3	7440904		1.346	.008 AND UP	1.34640 + .00030	.030	8
3	7440908	7440911	1.347	MASTER	1.34700 + .00003	.030	2
3	7440910		1.347	.0005	1.34700 + .00006	.030	4
3	7440914		1.347	.002	1.34710 + .00009	.030	4
3	7440916		1.347	.004	1.34720 + .00012	.030	8
3	7440920		1.347	.008 AND UP	1.34740 + .00030	.030	8
3	7440924	7440927	1.348	MASTER	1.34800 + .00003	.030	2
3	7440926		1.348	.0005	1.34800 + .00006	.030	4
3	7440930		1.348	.002	1.34810 + .00009	.030	4
3	7440932		1.348	.004	1.34820 + .00012	.030	8
3	7440936		1.348	.008 AND UP	1.34840 + .00030	.030	8
3	7440940	7440943	1.349	MASTER	1.34900 + .00003	.030	2
3	7440942		1.349	.0005	1.34900 + .00006	.030	4
3	7440946		1.349	.002	1.34910 + .00009	.030	4
3	7440948		1.349	.004	1.34920 + .00012	.030	8
3	7440952		1.349	.008 AND UP	1.34940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7440956	7440959	1.350	MASTER	1.35000 + .00003	.030	2
3	7440958		1.350	.0005	1.35000 + .00006	.030	4
3	7440962		1.350	.002	1.35010 + .00009	.030	4
3	7440964		1.350	.004	1.35020 + .00012	.030	8
3	7440968		1.350	.008 AND UP	1.35040 + .00030	.030	8
3	7440972	7440975	1.351	MASTER	1.35100 + .00003	.030	2
3	7440974		1.351	.0005	1.35100 + .00006	.030	4
3	7440978		1.351	.002	1.35110 + .00009	.030	4
3	7440980		1.351	.004	1.35120 + .00012	.030	8
3	7440984		1.351	.008 AND UP	1.35140 + .00030	.030	8
3	7440988	7440991	1.352	MASTER	1.35200 + .00003	.030	2
3	7440990		1.352	.0005	1.35200 + .00006	.030	4
3	7440994		1.352	.002	1.35210 + .00009	.030	4
3	7440996		1.352	.004	1.35220 + .00012	.030	8
3	7441000		1.352	.008 AND UP	1.35240 + .00030	.030	8
3	7441004	7441007	1.353	MASTER	1.35300 + .00003	.030	2
3	7441006		1.353	.0005	1.35300 + .00006	.030	4
3	7441010		1.353	.002	1.35310 + .00009	.030	4
3	7441012		1.353	.004	1.35320 + .00012	.030	8
3	7441016		1.353	.008 AND UP	1.35340 + .00030	.030	8
3	7441020	7441023	1.354	MASTER	1.35400 + .00003	.030	2
3	7441022		1.354	.0005	1.35400 + .00006	.030	4
3	7441026		1.354	.002	1.35410 + .00009	.030	4
3	7441028		1.354	.004	1.35420 + .00012	.030	8
3	7441032		1.354	.008 AND UP	1.35440 + .00030	.030	8
3	7441036	7441039	1.355	MASTER	1.35500 + .00003	.030	2
3	7441038		1.355	.0005	1.35500 + .00006	.030	4
3	7441042		1.355	.002	1.35510 + .00009	.030	4
3	7441044		1.355	.004	1.35520 + .00012	.030	8
3	7441048		1.355	.008 AND UP	1.35540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7441052	7441055	1.356	MASTER	1.35600 + .00003	.030	2
3	7441054		1.356	.0005	1.35600 + .00006	.030	4
3	7441058		1.356	.002	1.35610 + .00009	.030	4
3	7441060		1.356	.004	1.35620 + .00012	.030	8
3	7441064		1.356	.008 AND UP	1.35640 + .00030	.030	8
3	7441068	7441071	1.357	MASTER	1.35700 + .00003	.030	2
3	7441070		1.357	.0005	1.35700 + .00006	.030	4
3	7441074		1.357	.002	1.35710 + .00009	.030	4
3	7441076		1.357	.004	1.35720 + .00012	.030	8
3	7441080		1.357	.008 AND UP	1.35740 + .00030	.030	8
3	7441084	7441087	1.358	MASTER	1.35800 + .00003	.030	2
3	7441086		1.358	.0005	1.35800 + .00006	.030	4
3	7441090		1.358	.002	1.35810 + .00009	.030	4
3	7441092		1.358	.004	1.35820 + .00012	.030	8
3	7441096		1.358	.008 AND UP	1.35840 + .00030	.030	8
3	7441100	7441103	1.359	MASTER	1.35900 + .00003	.030	2
3	7441102		1.359	.0005	1.35900 + .00006	.030	4
3	7441106		1.359	.002	1.35910 + .00009	.030	4
3	7441108		1.359	.004	1.35920 + .00012	.030	8
3	7441112		1.359	.008 AND UP	1.35940 + .00030	.030	8
3	7441116	7441119	1.360	MASTER	1.36000 + .00003	.030	2
3	7441118		1.360	.0005	1.36000 + .00006	.030	4
3	7441122		1.360	.002	1.36010 + .00009	.030	4
3	7441124		1.360	.004	1.36020 + .00012	.030	8
3	7441128		1.360	.008 AND UP	1.36040 + .00030	.030	8
3	7441132	7441135	1.361	MASTER	1.36100 + .00003	.030	2
3	7441134		1.361	.0005	1.36100 + .00006	.030	4
3	7441138		1.361	.002	1.36110 + .00009	.030	4
3	7441140		1.361	.004	1.36120 + .00012	.030	8
3	7441144		1.361	.008 AND UP	1.36140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7441148		1.362	MASTER	1.36200 + .00003	.030	2
3	7441150	7441151	1.362	.0005	1.36200 + .00006	.030	4
3	7441154		1.362	.002	1.36210 + .00009	.030	4
3	7441156		1.362	.004	1.36220 + .00012	.030	8
3	7441160		1.362	.008 AND UP	1.36240 + .00030	.030	8
3	7441164		1.363	MASTER	1.36300 + .00003	.030	2
3	7441166	7441167	1.363	.0005	1.36300 + .00006	.030	4
3	7441170		1.363	.002	1.36310 + .00009	.030	4
3	7441172		1.363	.004	1.36320 + .00012	.030	8
3	7441176		1.363	.008 AND UP	1.36340 + .00030	.030	8
3	7441180		1.364	MASTER	1.36400 + .00003	.030	2
3	7441182	7441183	1.364	.0005	1.36400 + .00006	.030	4
3	7441186		1.364	.002	1.36410 + .00009	.030	4
3	7441188		1.364	.004	1.36420 + .00012	.030	8
3	7441192		1.364	.008 AND UP	1.36440 + .00030	.030	8
3	7441196		1.365	MASTER	1.36500 + .00003	.030	2
3	7441198	7441199	1.365	.0005	1.36500 + .00006	.030	4
3	7441202		1.365	.002	1.36510 + .00009	.030	4
3	7441204		1.365	.004	1.36520 + .00012	.030	8
3	7441208		1.365	.008 AND UP	1.36540 + .00030	.030	8
3	7441212		1.366	MASTER	1.36600 + .00003	.030	2
3	7441214	7441215	1.366	.0005	1.36600 + .00006	.030	4
3	7441218		1.366	.002	1.36610 + .00009	.030	4
3	7441220		1.366	.004	1.36620 + .00012	.030	8
3	7441224		1.366	.008 AND UP	1.36640 + .00030	.030	8
3	7441228		1.367	MASTER	1.36700 + .00003	.030	2
3	7441230	7441231	1.367	.0005	1.36700 + .00006	.030	4
3	7441234		1.367	.002	1.36710 + .00009	.030	4
3	7441236		1.367	.004	1.36720 + .00012	.030	8
3	7441240		1.367	.008 AND UP	1.36740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	F	F	G	H
3	7441244	7441247	1.368	MASTER	1.36800 + .00003	.030	2
3	7441246		1.368	.0005	1.36800 + .00006	.030	4
3	7441250		1.368	.002	1.36810 + .00009	.030	8
3	7441252		1.368	.004	1.36820 + .00012	.030	8
3	7441256		1.368	.008 AND UP	1.36840 + .00030	.030	
3	7441260	7441263	1.369	MASTER	1.36900 + .00003	.030	2
3	7441262		1.369	.0005	1.36900 + .00006	.030	4
3	7441266		1.369	.002	1.36910 + .00009	.030	8
3	7441268		1.369	.004	1.36920 + .00012	.030	8
3	7441272		1.369	.008 AND UP	1.36940 + .00030	.030	
3	7441276	7441279	1.370	MASTER	1.37000 + .00003	.030	2
3	7441278		1.370	.0005	1.37000 + .00006	.030	4
3	7441282		1.370	.002	1.37010 + .00009	.030	8
3	7441284		1.370	.004	1.37020 + .00012	.030	8
3	7441288		1.370	.008 AND UP	1.37040 + .00030	.030	
3	7441292	7441295	1.371	MASTER	1.37100 + .00003	.030	2
3	7441294		1.371	.0005	1.37100 + .00006	.030	4
3	7441298		1.371	.002	1.37110 + .00009	.030	8
3	7441300		1.371	.004	1.37120 + .00012	.030	8
3	7441304		1.371	.008 AND UP	1.37140 + .00030	.030	
3	7441308	7441311	1.372	MASTER	1.37200 + .00003	.030	2
3	7441310		1.372	.0005	1.37200 + .00006	.030	4
3	7441314		1.372	.002	1.37210 + .00009	.030	8
3	7441316		1.372	.004	1.37220 + .00012	.030	8
3	7441320		1.372	.008 AND UP	1.37240 + .00030	.030	
3	7441324	7441327	1.373	MASTER	1.37300 + .00003	.030	2
3	7441326		1.373	.0005	1.37300 + .00006	.030	4
3	7441330		1.373	.002	1.37310 + .00009	.030	8
3	7441332		1.373	.004	1.37320 + .00012	.030	8
3	7441336		1.373	.008 AND UP	1.37340 + .00030	.030	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7441340		1.374	MASTER	1.37400 + .00003	.030	2
3	7441342	7441343	1.374	.0005	1.37400 + .00006	.030	4
3	7441346		1.374	.002	1.37410 + .00009	.030	4
3	7441348		1.374	.004	1.37420 + .00012	.030	8
3	7441352		1.374	.008 AND UP	1.37440 + .00030	.030	8
3	7441356		1.375	MASTER	1.37500 + .00003	.030	2
3	7441358	7441359	1.375	.0005	1.37500 + .00006	.030	4
3	7441362		1.375	.002	1.37510 + .00009	.030	4
3	7441364		1.375	.004	1.37520 + .00012	.030	8
3	7441368		1.375	.008 AND UP	1.37540 + .00030	.030	8
3	7441372		1.376	MASTER	1.37600 + .00003	.030	2
3	7441374	7441375	1.376	.0005	1.37600 + .00006	.030	4
3	7441378		1.376	.002	1.37610 + .00009	.030	4
3	7441380		1.376	.004	1.37620 + .00012	.030	8
3	7441384		1.376	.008 AND UP	1.37640 + .00030	.030	8
3	7441388		1.377	MASTER	1.37700 + .00003	.030	2
3	7441390	7441391	1.377	.0005	1.37700 + .00006	.030	4
3	7441394		1.377	.002	1.37710 + .00009	.030	4
3	7441396		1.377	.004	1.37720 + .00012	.030	8
3	7441400		1.377	.008 AND UP	1.37740 + .00030	.030	8
3	7441404		1.378	MASTER	1.37800 + .00003	.030	2
3	7441406	7441407	1.378	.0005	1.37800 + .00006	.030	4
3	7441410		1.378	.002	1.37810 + .00009	.030	4
3	7441412		1.378	.004	1.37820 + .00012	.030	8
3	7441416		1.378	.008 AND UP	1.37840 + .00030	.030	8
3	7441420		1.379	MASTER	1.37900 + .00003	.030	2
3	7441422	7441423	1.379	.0005	1.37900 + .00006	.030	4
3	7441426		1.379	.002	1.37910 + .00009	.030	4
3	7441428		1.379	.004	1.37920 + .00012	.030	8
3	7441432		1.379	.008 AND UP	1.37940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441436		1.380	MASTER	1.38000 + .00003	.030	2
3	7441438	7441439	1.380	.0005	1.38000 + .00006	.030	4
3	7441442		1.380	.002	1.38010 + .00009	.030	4
3	7441444		1.380	.004	1.38020 + .00012	.030	8
3	7441448		1.380	.008 AND UP	1.38040 + .00030	.030	8
3	7441452		1.381	MASTER	1.38100 + .00003	.030	2
3	7441454	7441455	1.381	.0005	1.38100 + .00006	.030	4
3	7441458		1.381	.002	1.38110 + .00009	.030	4
3	7441460		1.381	.004	1.38120 + .00012	.030	8
3	7441464		1.381	.008 AND UP	1.38140 + .00030	.030	8
3	7441468		1.382	MASTER	1.38200 + .00003	.030	2
3	7441470	7441471	1.382	.0005	1.38200 + .00006	.030	4
3	7441474		1.382	.002	1.38210 + .00009	.030	4
3	7441476		1.382	.004	1.38220 + .00012	.030	8
3	7441480		1.382	.008 AND UP	1.38240 + .00030	.030	8
3	7441484		1.383	MASTER	1.38300 + .00003	.030	2
3	7441486	7441487	1.383	.0005	1.38300 + .00006	.030	4
3	7441490		1.383	.002	1.38310 + .00009	.030	4
3	7441492		1.383	.004	1.38320 + .00012	.030	8
3	7441496		1.383	.008 AND UP	1.38340 + .00030	.030	8
3	7441500		1.384	MASTER	1.38400 + .00003	.030	2
3	7441502	7441503	1.384	.0005	1.38400 + .00006	.030	4
3	7441506		1.384	.002	1.38410 + .00009	.030	4
3	7441508		1.384	.004	1.38420 + .00012	.030	8
3	7441512		1.384	.008 AND UP	1.38440 + .00030	.030	8
3	7441516		1.385	MASTER	1.38500 + .00003	.030	2
3	7441518	7441519	1.385	.0005	1.38500 + .00006	.030	4
3	7441522		1.385	.002	1.38510 + .00009	.030	4
3	7441524		1.385	.004	1.38520 + .00012	.030	8
3	7441528		1.385	.008 AND UP	1.38540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441532		1.386	MASTER	1.38600 + .00003	.030	2
3	7441534	7441535	1.386	.0005	1.38600 + .00006	.030	4
3	7441538		1.386	.002	1.38610 + .00009	.030	4
3	7441540		1.386	.004	1.38620 + .00012	.030	8
3	7441544		1.386	.008 AND UP	1.38640 + .00030	.030	8
3	7441548		1.387	MASTER	1.38700 + .00003	.030	2
3	7441550	7441551	1.387	.0005	1.38700 + .00006	.030	4
3	7441554		1.387	.002	1.38710 + .00009	.030	4
3	7441556		1.387	.004	1.38720 + .00012	.030	8
3	7441560		1.387	.008 AND UP	1.38740 + .00030	.030	8
3	7441564		1.388	MASTER	1.38800 + .00003	.030	2
3	7441566	7441567	1.388	.0005	1.38800 + .00006	.030	4
3	7441570		1.388	.002	1.38810 + .00009	.030	4
3	7441572		1.388	.004	1.38820 + .00012	.030	8
3	7441576		1.388	.008 AND UP	1.38840 + .00030	.030	8
3	7441580		1.389	MASTER	1.38900 + .00003	.030	2
3	7441582	7441583	1.389	.0005	1.38900 + .00006	.030	4
3	7441586		1.389	.002	1.38910 + .00009	.030	4
3	7441588		1.389	.004	1.38920 + .00012	.030	8
3	7441592		1.389	.008 AND UP	1.38940 + .00030	.030	8
3	7441596		1.390	MASTER	1.39000 + .00003	.030	2
3	7441598	7441599	1.390	.0005	1.39000 + .00006	.030	4
3	7441602		1.390	.002	1.39010 + .00009	.030	4
3	7441604		1.390	.004	1.39020 + .00012	.030	8
3	7441608		1.390	.008 AND UP	1.39040 + .00030	.030	8
3	7441612		1.391	MASTER	1.39100 + .00003	.030	2
3	7441614	7441615	1.391	.0005	1.39100 + .00006	.030	4
3	7441618		1.391	.002	1.39110 + .00009	.030	4
3	7441620		1.391	.004	1.39120 + .00012	.030	8
3	7441624		1.391	.008 AND UP	1.39140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7441628		1.392	MASTER	1.39200 + .00003	.030	2
3	7441630	7441631	1.392	.0005	1.39200 + .00006	.030	4
3	7441634		1.392	.002	1.39210 + .00009	.030	4
3	7441636		1.392	.004	1.39220 + .00012	.030	8
3	7441640		1.392	.008 AND UP	1.39240 + .00030	.030	8
3	7441644		1.393	MASTER	1.39300 + .00003	.030	2
3	7441646	7441647	1.393	.0005	1.39300 + .00006	.030	4
3	7441650		1.393	.002	1.39310 + .00009	.030	4
3	7441652		1.393	.004	1.39320 + .00012	.030	8
3	7441656		1.393	.008 AND UP	1.39340 + .00030	.030	8
3	7441660		1.394	MASTER	1.39400 + .00003	.030	2
3	7441662	7441663	1.394	.0005	1.39400 + .00006	.030	4
3	7441666		1.394	.002	1.39410 + .00009	.030	4
3	7441668		1.394	.004	1.39420 + .00012	.030	8
3	7441672		1.394	.008 AND UP	1.39440 + .00030	.030	8
3	7441676		1.395	MASTER	1.39500 + .00003	.030	2
3	7441678	7441679	1.395	.0005	1.39500 + .00006	.030	4
3	7441682		1.395	.002	1.39510 + .00009	.030	4
3	7441684		1.395	.004	1.39520 + .00012	.030	8
3	7441688		1.395	.008 AND UP	1.39540 + .00030	.030	8
3	7441692		1.396	MASTER	1.39600 + .00003	.030	2
3	7441694	7441695	1.396	.0005	1.39600 + .00006	.030	4
3	7441698		1.396	.002	1.39610 + .00009	.030	4
3	7441700		1.396	.004	1.39620 + .00012	.030	8
3	7441704		1.396	.008 AND UP	1.39640 + .00030	.030	8
3	7441708		1.397	MASTER	1.39700 + .00003	.030	2
3	7441710	7441711	1.397	.0005	1.39700 + .00006	.030	4
3	7441714		1.397	.002	1.39710 + .00009	.030	4
3	7441716		1.397	.004	1.39720 + .00012	.030	8
3	7441720		1.397	.008 AND UP	1.39740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7441724	7441727	1.398	MASTER	1.39800 + .00003	.030	2
3	7441726		1.398	.0005	1.39800 + .00006	.030	4
3	7441730		1.398	.002	1.39810 + .00009	.030	4
3	7441732		1.398	.004	1.39820 + .00012	.030	8
3	7441736		1.398	.008 AND UP	1.39840 + .00030	.030	8
3	7441740	7441743	1.399	MASTER	1.39900 + .00003	.030	2
3	7441742		1.399	.0005	1.39900 + .00006	.030	4
3	7441746		1.399	.002	1.39910 + .00009	.030	4
3	7441748		1.399	.004	1.39920 + .00012	.030	8
3	7441752		1.399	.008 AND UP	1.39940 + .00030	.030	8
3	7441756	7441759	1.400	MASTER	1.40000 + .00003	.030	2
3	7441758		1.400	.0005	1.40000 + .00006	.030	4
3	7441762		1.400	.002	1.40010 + .00009	.030	4
3	7441764		1.400	.004	1.40020 + .00012	.030	8
3	7441768		1.400	.008 AND UP	1.40040 + .00030	.030	8
3	7441772	7441775	1.401	MASTER	1.40100 + .00003	.030	2
3	7441774		1.401	.0005	1.40100 + .00006	.030	4
3	7441778		1.401	.002	1.40110 + .00009	.030	4
3	7441780		1.401	.004	1.40120 + .00012	.030	8
3	7441784		1.401	.008 AND UP	1.40140 + .00030	.030	8
3	7441788	7441791	1.402	MASTER	1.40200 + .00003	.030	2
3	7441790		1.402	.0005	1.40200 + .00006	.030	4
3	7441794		1.402	.002	1.40210 + .00009	.030	4
3	7441796		1.402	.004	1.40220 + .00012	.030	8
3	7441800		1.402	.008 AND UP	1.40240 + .00030	.030	8
3	7441804	7441807	1.403	MASTER	1.40300 + .00003	.030	2
3	7441806		1.403	.0005	1.40300 + .00006	.030	4
3	7441810		1.403	.002	1.40310 + .00009	.030	4
3	7441812		1.403	.004	1.40320 + .00012	.030	8
3	7441816		1.403	.008 AND UP	1.40340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441820	7441823	1.404	MASTER	1.40400 + .00003	.030	2
3	7441822		1.404	.0005	1.40400 + .00006	.030	4
3	7441826		1.404	.002	1.40410 + .00009	.030	4
3	7441828		1.404	.004	1.40420 + .00012	.030	8
3	7441832		1.404	.008 AND UP	1.40440 + .00030	.030	8
3	7441836	7441839	1.405	MASTER	1.40500 + .00003	.030	2
3	7441838		1.405	.0005	1.40500 + .00006	.030	4
3	7441842		1.405	.002	1.40510 + .00009	.030	4
3	7441844		1.405	.004	1.40520 + .00012	.030	8
3	7441848		1.405	.008 AND UP	1.40540 + .00030	.030	8
3	7441852	7441855	1.406	MASTER	1.40600 + .00003	.030	2
3	7441854		1.406	.0005	1.40600 + .00006	.030	4
3	7441858		1.406	.002	1.40610 + .00009	.030	4
3	7441860		1.406	.004	1.40620 + .00012	.030	8
3	7441864		1.406	.008 AND UP	1.40640 + .00030	.030	8
3	7441868	7497651	1.40625	MASTER	1.40625 + .00003	.030	2
3	7497650		1.40625	.0005	1.40625 + .00006	.030	4
3	7497654		1.40625	.002	1.40635 + .00009	.030	4
3	7497656		1.40625	.004	1.40645 + .00012	.030	8
3	7497660		1.40625	.008 AND UP	1.40665 + .00030	.030	8
3	7441870	7441873	1.407	MASTER	1.40700 + .00003	.030	2
3	7441872		1.407	.0005	1.40700 + .00006	.030	4
3	7441876		1.407	.002	1.40710 + .00009	.030	4
3	7441878		1.407	.004	1.40720 + .00012	.030	8
3	7441882		1.407	.008 AND UP	1.40740 + .00030	.030	8
3	7441886	7441889	1.408	MASTER	1.40800 + .00003	.030	2
3	7441888		1.408	.0005	1.40800 + .00006	.030	4
3	7441892		1.408	.002	1.40810 + .00009	.030	4
3	7441894		1.408	.004	1.40820 + .00012	.030	8
3	7441898		1.408	.008 AND UP	1.40840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441902	7441905	1.409	MASTER	1.40900 + .00003	.030	2
3	7441904		1.409	.0005	1.40900 + .00006	.030	4
3	7441908		1.409	.002	1.40910 + .00009	.030	4
3	7441910		1.409	.004	1.40920 + .00012	.030	8
3	7441914		1.409	.008 AND UP	1.40940 + .00030	.030	8
3	7441918	7441921	1.410	MASTER	1.41000 + .00003	.030	2
3	7441920		1.410	.0005	1.41000 + .00006	.030	4
3	7441924		1.410	.002	1.41010 + .00009	.030	4
3	7441926		1.410	.004	1.41020 + .00012	.030	8
3	7441930		1.410	.008 AND UP	1.41040 + .00030	.030	8
3	7441934	7441937	1.411	MASTER	1.41100 + .00003	.030	2
3	7441936		1.411	.0005	1.41100 + .00006	.030	4
3	7441940		1.411	.002	1.41110 + .00009	.030	4
3	7441942		1.411	.004	1.41120 + .00012	.030	8
3	7441946		1.411	.008 AND UP	1.41140 + .00030	.030	8
3	7441950	7441953	1.412	MASTER	1.41200 + .00003	.030	2
3	7441952		1.412	.0005	1.41200 + .00006	.030	4
3	7441956		1.412	.002	1.41210 + .00009	.030	4
3	7441958		1.412	.004	1.41220 + .00012	.030	8
3	7441962		1.412	.008 AND UP	1.41240 + .00030	.030	8
3	7441966	7441969	1.413	MASTER	1.41300 + .00003	.030	2
3	7441968		1.413	.0005	1.41300 + .00006	.030	4
3	7441972		1.413	.002	1.41310 + .00009	.030	4
3	7441974		1.413	.004	1.41320 + .00012	.030	8
3	7441978		1.413	.008 AND UP	1.41340 + .00030	.030	8
3	7441982	7441985	1.414	MASTER	1.41400 + .00003	.030	2
3	7441984		1.414	.0005	1.41400 + .00006	.030	4
3	7441988		1.414	.002	1.41410 + .00009	.030	4
3	7441990		1.414	.004	1.41420 + .00012	.030	8
3	7441994		1.414	.008 AND UP	1.41440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441998	7442001	1.415	MASTER	1.41500 + .00003	.030	2
3	7442000		1.415	.0005	1.41500 + .00006	.030	4
3	7442004		1.415	.002	1.41510 + .00009	.030	4
3	7442006		1.415	.004	1.41520 + .00012	.030	8
3	7442010		1.415	.008 AND UP	1.41540 + .00030	.030	8
3	7442014	7442017	1.416	MASTER	1.41600 + .00003	.030	2
3	7442016		1.416	.0005	1.41600 + .00006	.030	4
3	7442020		1.416	.002	1.41610 + .00009	.030	4
3	7442022		1.416	.004	1.41620 + .00012	.030	8
3	7442026		1.416	.008 AND UP	1.41640 + .00030	.030	8
3	7442030	7442033	1.417	MASTER	1.41700 + .00003	.030	2
3	7442032		1.417	.0005	1.41700 + .00006	.030	4
3	7442036		1.417	.002	1.41710 + .00009	.030	4
3	7442038		1.417	.004	1.41720 + .00012	.030	8
3	7442042		1.417	.008 AND UP	1.41740 + .00030	.030	8
3	7442046	7442049	1.418	MASTER	1.41800 + .00003	.030	2
3	7442048		1.418	.0005	1.41800 + .00006	.030	4
3	7442052		1.418	.002	1.41810 + .00009	.030	4
3	7442054		1.418	.004	1.41820 + .00012	.030	8
3	7442058		1.418	.008 AND UP	1.41840 + .00030	.030	8
3	7442062	7442065	1.419	MASTER	1.41900 + .00003	.030	2
3	7442064		1.419	.0005	1.41900 + .00006	.030	4
3	7442068		1.419	.002	1.41910 + .00009	.030	4
3	7442070		1.419	.004	1.41920 + .00012	.030	8
3	7442074		1.419	.008 AND UP	1.41940 + .00030	.030	8
3	7442078	7442081	1.420	MASTER	1.42000 + .00003	.030	2
3	7442080		1.420	.0005	1.42000 + .00006	.030	4
3	7442084		1.420	.002	1.42010 + .00009	.030	4
3	7442086		1.420	.004	1.42020 + .00012	.030	8
3	7442090		1.420	.008 AND UP	1.42040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3333333	7442094	7442097	1.421	MASTER	1.42100 + .00003	.030	2
	7442096		1.421	.0005	1.42100 + .00006	.030	4
	7442100		1.421	.002	1.42110 + .00009	.030	4
	7442102		1.421	.004	1.42120 + .00012	.030	8
	7442106		1.421	.008 AND UP	1.42140 + .00030	.030	8
3333334	7442110	7442113	1.422	MASTER	1.42200 + .00003	.030	2
	7442112		1.422	.0005	1.42200 + .00006	.030	4
	7442116		1.422	.002	1.42210 + .00009	.030	4
	7442118		1.422	.004	1.42220 + .00012	.030	8
	7442122		1.422	.008 AND UP	1.42240 + .00030	.030	8
3333335	7442126	7442129	1.423	MASTER	1.42300 + .00003	.030	2
	7442128		1.423	.0005	1.42300 + .00006	.030	4
	7442132		1.423	.002	1.42310 + .00009	.030	4
	7442134		1.423	.004	1.42320 + .00012	.030	8
	7442138		1.423	.008 AND UP	1.42340 + .00030	.030	8
3333336	7442142	7442145	1.424	MASTER	1.42400 + .00003	.030	2
	7442144		1.424	.0005	1.42400 + .00006	.030	4
	7442148		1.424	.002	1.42410 + .00009	.030	4
	7442150		1.424	.004	1.42420 + .00012	.030	8
	7442154		1.424	.008 AND UP	1.42440 + .00030	.030	8
3333337	7442158	7442161	1.425	MASTER	1.42500 + .00003	.030	2
	7442160		1.425	.0005	1.42500 + .00006	.030	4
	7442164		1.425	.002	1.42510 + .00009	.030	4
	7442166		1.425	.004	1.42520 + .00012	.030	8
	7442170		1.425	.008 AND UP	1.42540 + .00030	.030	8
3333338	7442174	7442177	1.426	MASTER	1.42600 + .00003	.030	2
	7442176		1.426	.0005	1.42600 + .00006	.030	4
	7442180		1.426	.002	1.42610 + .00009	.030	4
	7442182		1.426	.004	1.42620 + .00012	.030	8
	7442186		1.426	.008 AND UP	1.42640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442190		1.427	MASTER	1.42700 + .00003	.030	2
3	7442192	7442193	1.427	.0005	1.42700 + .00006	.030	4
3	7442196		1.427	.002	1.42710 + .00009	.030	4
3	7442198		1.427	.004	1.42720 + .00012	.030	8
3	7442202		1.427	.008 AND UP	1.42740 + .00030	.030	8
3	7442206		1.428	MASTER	1.42800 + .00003	.030	2
3	7442208	7442209	1.428	.0005	1.42800 + .00006	.030	4
3	7442212		1.428	.002	1.42810 + .00009	.030	4
3	7442214		1.428	.004	1.42820 + .00012	.030	8
3	7442218		1.428	.008 AND UP	1.42840 + .00030	.030	8
3	7442222		1.429	MASTER	1.42900 + .00003	.030	2
3	7442224	7442225	1.429	.0005	1.42900 + .00006	.030	4
3	7442228		1.429	.002	1.42910 + .00009	.030	4
3	7442230		1.429	.004	1.42920 + .00012	.030	8
3	7442234		1.429	.008 AND UP	1.42940 + .00030	.030	8
3	7442238		1.430	MASTER	1.43000 + .00003	.030	2
3	7442240	7442241	1.430	.0005	1.43000 + .00006	.030	4
3	7442244		1.430	.002	1.43010 + .00009	.030	4
3	7442246		1.430	.004	1.43020 + .00012	.030	8
3	7442250		1.430	.008 AND UP	1.43040 + .00030	.030	8
3	7442254		1.431	MASTER	1.43100 + .00003	.030	2
3	7442256	7442257	1.431	.0005	1.43100 + .00006	.030	4
3	7442260		1.431	.002	1.43110 + .00009	.030	4
3	7442262		1.431	.004	1.43120 + .00012	.030	8
3	7442266		1.431	.008 AND UP	1.43140 + .00030	.030	8
3	7442270		1.432	MASTER	1.43200 + .00003	.030	2
3	7442272	7442273	1.432	.0005	1.43200 + .00006	.030	4
3	7442276		1.432	.002	1.43210 + .00009	.030	4
3	7442278		1.432	.004	1.43220 + .00012	.030	8
3	7442282		1.432	.008 AND UP	1.43240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442286		1.433	MASTER	1.43300 + .00003	.030	2
3	7442288	7442289	1.433	.0005	1.43300 + .00006	.030	4
3	7442292		1.433	.002	1.43310 + .00009	.030	4
3	7442294		1.433	.004	1.43320 + .00012	.030	8
3	7442298		1.433	.008 AND UP	1.43340 + .00030	.030	8
3	7442302		1.434	MASTER	1.43400 + .00003	.030	2
3	7442304	7442305	1.434	.0005	1.43400 + .00006	.030	4
3	7442308		1.434	.002	1.43410 + .00009	.030	4
3	7442310		1.434	.004	1.43420 + .00012	.030	8
3	7442314		1.434	.008 AND UP	1.43440 + .00030	.030	8
3	7442318		1.435	MASTER	1.43500 + .00003	.030	2
3	7442320	7442321	1.435	.0005	1.43500 + .00006	.030	4
3	7442324		1.435	.002	1.43510 + .00009	.030	4
3	7442326		1.435	.004	1.43520 + .00012	.030	8
3	7442330		1.435	.008 AND UP	1.43540 + .00030	.030	8
3	7442334		1.436	MASTER	1.43600 + .00003	.030	2
3	7442336	7442337	1.436	.0005	1.43600 + .00006	.030	4
3	7442340		1.436	.002	1.43610 + .00009	.030	4
3	7442342		1.436	.004	1.43620 + .00012	.030	8
3	7442346		1.436	.008 AND UP	1.43640 + .00030	.030	8
3	7442350		1.437	MASTER	1.43700 + .00003	.030	2
3	7442352	7442353	1.437	.0005	1.43700 + .00006	.030	4
3	7442356		1.437	.002	1.43710 + .00009	.030	4
3	7442358		1.437	.004	1.43720 + .00012	.030	8
3	7442362		1.437	.008 AND UP	1.43740 + .00030	.030	8
3	7442366		1.4375	MASTER	1.43750 + .00003	.030	2
3	7497664	7497665	1.4375	.0005	1.43750 + .00006	.030	4
3	7497668		1.4375	.002	1.43760 + .00009	.030	4
3	7497670		1.4375	.004	1.43770 + .00012	.030	8
3	7497674		1.4375	.008 AND UP	1.43790 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442368	7442371	1.438	MASTER	1.43800 + .00003	.030	2
3	7442370		1.438	.0005	1.43800 + .00006	.030	4
3	7442374		1.438	.002	1.43810 + .00009	.030	4
3	7442376		1.438	.004	1.43820 + .00012	.030	8
3	7442380		1.438	.008 AND UP	1.43840 + .00030	.030	8
3	7442384	7442387	1.439	MASTER	1.43900 + .00003	.030	2
3	7442386		1.439	.0005	1.43900 + .00006	.030	4
3	7442390		1.439	.002	1.43910 + .00009	.030	4
3	7442392		1.439	.004	1.43920 + .00012	.030	8
3	7442396		1.439	.008 AND UP	1.43940 + .00030	.030	8
3	7442400	7442403	1.440	MASTER	1.44000 + .00003	.030	2
3	7442402		1.440	.0005	1.44000 + .00006	.030	4
3	7442406		1.440	.002	1.44010 + .00009	.030	4
3	7442408		1.440	.004	1.44020 + .00012	.030	8
3	7442412		1.440	.008 AND UP	1.44040 + .00030	.030	8
3	7442416	7442419	1.441	MASTER	1.44100 + .00003	.030	2
3	7442418		1.441	.0005	1.44100 + .00006	.030	4
3	7442422		1.441	.002	1.44110 + .00009	.030	4
3	7442424		1.441	.004	1.44120 + .00012	.030	8
3	7442426		1.441	.008 AND UP	1.44140 + .00030	.030	8
3	7442432	7442435	1.442	MASTER	1.44200 + .00003	.030	2
3	7442434		1.442	.0005	1.44200 + .00006	.030	4
3	7442438		1.442	.002	1.44210 + .00009	.030	4
3	7442440		1.442	.004	1.44220 + .00012	.030	8
3	7442444		1.442	.008 AND UP	1.44240 + .00030	.030	8
3	7442448	7442451	1.443	MASTER	1.44300 + .00003	.030	2
3	7442450		1.443	.0005	1.44300 + .00006	.030	4
3	7442454		1.443	.002	1.44310 + .00009	.030	4
3	7442456		1.443	.004	1.44320 + .00012	.030	8
3	7442460		1.443	.008 AND UP	1.44340 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442464		1.444	MASTER	1.44400 + .00003	.030	2
3	7442466	7442467	1.444	.0005	1.44400 + .00006	.030	4
3	7442470		1.444	.002	1.44410 + .00009	.030	4
3	7442472		1.444	.004	1.44420 + .00012	.030	8
3	7442476		1.444	.008 AND UP	1.44440 + .00030	.030	8
3	7442480		1.445	MASTER	1.44500 + .00003	.030	2
3	7442482	7442483	1.445	.0005	1.44500 + .00006	.030	4
3	7442486		1.445	.002	1.44510 + .00009	.030	4
3	7442488		1.445	.004	1.44520 + .00012	.030	8
3	7442492		1.445	.008 AND UP	1.44540 + .00030	.030	8
3	7442496		1.446	MASTER	1.44600 + .00003	.030	2
3	7442498	7442499	1.446	.0005	1.44600 + .00006	.030	4
3	7442502		1.446	.002	1.44610 + .00009	.030	4
3	7442504		1.446	.004	1.44620 + .00012	.030	8
3	7442508		1.446	.008 AND UP	1.44640 + .00030	.030	8
3	7442512		1.447	MASTER	1.44700 + .00003	.030	2
3	7442514	7442515	1.447	.0005	1.44700 + .00006	.030	4
3	7442518		1.447	.002	1.44710 + .00009	.030	4
3	7442520		1.447	.004	1.44720 + .00012	.030	8
3	7442524		1.447	.008 AND UP	1.44740 + .00030	.030	8
3	7442528		1.448	MASTER	1.44800 + .00003	.030	2
3	7442530	7442531	1.448	.0005	1.44800 + .00006	.030	4
3	7442534		1.448	.002	1.44810 + .00009	.030	4
3	7442536		1.448	.004	1.44820 + .00012	.030	8
3	7442540		1.448	.008 AND UP	1.44840 + .00030	.030	8
3	7442544		1.449	MASTER	1.44900 + .00003	.030	2
3	7442546	7442547	1.449	.0005	1.44900 + .00006	.030	4
3	7442550		1.449	.002	1.44910 + .00009	.030	4
3	7442552		1.449	.004	1.44920 + .00012	.030	8
3	7442556		1.449	.008 AND UP	1.44940 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7442560	7442563	1.450	MASTER	1.45000 + .00003	.030	2
3	7442562		1.450	.0005	1.45000 + .00006	.030	4
3	7442566		1.450	.002	1.45010 + .00009	.030	4
3	7442568		1.450	.004	1.45020 + .00012	.030	8
3	7442572		1.450	.008 AND UP	1.45040 + .00030	.030	8
3	7442576	7442579	1.451	MASTER	1.45100 + .00003	.030	2
3	7442578		1.451	.0005	1.45100 + .00006	.030	4
3	7442582		1.451	.002	1.45110 + .00009	.030	4
3	7442584		1.451	.004	1.45120 + .00012	.030	8
3	7442588		1.451	.008 AND UP	1.45140 + .00030	.030	8
3	7442592	7442595	1.452	MASTER	1.45200 + .00003	.030	2
3	7442594		1.452	.0005	1.45200 + .00006	.030	4
3	7442598		1.452	.002	1.45210 + .00009	.030	4
3	7442600		1.452	.004	1.45220 + .00012	.030	8
3	7442604		1.452	.008 AND UP	1.45240 + .00030	.030	8
3	7442608	7442611	1.453	MASTER	1.45300 + .00003	.030	2
3	7442610		1.453	.0005	1.45300 + .00006	.030	4
3	7442614		1.453	.002	1.45310 + .00009	.030	4
3	7442616		1.453	.004	1.45320 + .00012	.030	8
3	7442620		1.453	.008 AND UP	1.45340 + .00030	.030	8
3	7442624	7442627	1.454	MASTER	1.45400 + .00003	.030	2
3	7442626		1.454	.0005	1.45400 + .00006	.030	4
3	7442630		1.454	.002	1.45410 + .00009	.030	4
3	7442632		1.454	.004	1.45420 + .00012	.030	8
3	7442636		1.454	.008 AND UP	1.45440 + .00030	.030	8
3	7442640	7442643	1.455	MASTER	1.45500 + .00003	.030	2
3	7442642		1.455	.0005	1.45500 + .00006	.030	4
3	7442646		1.455	.002	1.45510 + .00009	.030	4
3	7442648		1.455	.004	1.45520 + .00012	.030	8
3	7442652		1.455	.008 AND UP	1.45540 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7442656		1.456	MASTER	1.45600 + .00003	.030	2
3	7442658	7442659	1.456	.0005	1.45600 + .00006	.030	4
3	7442662		1.456	.002	1.45610 + .00009	.030	4
3	7442664		1.456	.004	1.45620 + .00012	.030	8
3	7442668		1.456	.008 AND UP	1.45640 + .00030	.030	8
3	7442672		1.457	MASTER	1.45700 + .00003	.030	2
3	7442674	7442675	1.457	.0005	1.45700 + .00006	.030	4
3	7442678		1.457	.002	1.45710 + .00009	.030	4
3	7442680		1.457	.004	1.45720 + .00012	.030	8
3	7442684		1.457	.008 AND UP	1.45740 + .00030	.030	8
3	7442688		1.458	MASTER	1.45800 + .00003	.030	2
3	7442690	7442691	1.458	.0005	1.45800 + .00006	.030	4
3	7442694		1.458	.002	1.45810 + .00009	.030	4
3	7442696		1.458	.004	1.45820 + .00012	.030	8
3	7442700		1.458	.008 AND UP	1.45840 + .00030	.030	8
3	7442704		1.459	MASTER	1.45900 + .00003	.030	2
3	7442706	7442707	1.459	.0005	1.45900 + .00006	.030	4
3	7442710		1.459	.002	1.45910 + .00009	.030	4
3	7442712		1.459	.004	1.45920 + .00012	.030	8
3	7442716		1.459	.008 AND UP	1.45940 + .00030	.030	8
3	7442720		1.460	MASTER	1.46000 + .00003	.030	2
3	7442722	7442723	1.460	.0005	1.46000 + .00006	.030	4
3	7442726		1.460	.002	1.46010 + .00009	.030	4
3	7442728		1.460	.004	1.46020 + .00012	.030	8
3	7442732		1.460	.008 AND UP	1.46040 + .00030	.030	8
3	7442736		1.461	MASTER	1.46100 + .00003	.030	2
3	7442738	7442739	1.461	.0005	1.46100 + .00006	.030	4
3	7442742		1.461	.002	1.46110 + .00009	.030	4
3	7442744		1.461	.004	1.46120 + .00012	.030	8
3	7442748		1.461	.008 AND UP	1.46140 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7442752		1.462	MASTER	1.46200 + .00003	.030	2
3	7442754	7442755	1.462	.0005	1.46200 + .00006	.030	4
3	7442758		1.462	.002	1.46210 + .00009	.030	4
3	7442760		1.462	.004	1.46220 + .00012	.030	8
3	7442764		1.462	.008 AND UP	1.46240 + .00030	.030	8
3	7442768		1.463	MASTER	1.46300 + .00003	.030	2
3	7442770	7442771	1.463	.0005	1.46300 + .00006	.030	4
3	7442774		1.463	.002	1.46310 + .00009	.030	4
3	7442776		1.463	.004	1.46320 + .00012	.030	8
3	7442780		1.463	.008 AND UP	1.46340 + .00030	.030	8
3	7442784		1.464	MASTER	1.46400 + .00003	.030	2
3	7442786	7442787	1.464	.0005	1.46400 + .00006	.030	4
3	7442790		1.464	.002	1.46410 + .00009	.030	4
3	7442792		1.464	.004	1.46420 + .00012	.030	8
3	7442796		1.464	.008 AND UP	1.46440 + .00030	.030	8
3	7442800		1.465	MASTER	1.46500 + .00003	.030	2
3	7442802	7442803	1.465	.0005	1.46500 + .00006	.030	4
3	7442806		1.465	.002	1.46510 + .00009	.030	4
3	7442808		1.465	.004	1.46520 + .00012	.030	8
3	7442812		1.465	.008 AND UP	1.46540 + .00030	.030	8
3	7442816		1.466	MASTER	1.46600 + .00003	.030	2
3	7442818	7442819	1.466	.0005	1.46600 + .00006	.030	4
3	7442822		1.466	.002	1.46610 + .00009	.030	4
3	7442824		1.466	.004	1.46620 + .00012	.030	8
3	7442828		1.466	.008 AND UP	1.46640 + .00030	.030	8
3	7442832		1.467	MASTER	1.46700 + .00003	.030	2
3	7442834	7442835	1.467	.0005	1.46700 + .00006	.030	4
3	7442838		1.467	.002	1.46710 + .00009	.030	4
3	7442840		1.467	.004	1.46720 + .00012	.030	8
3	7442844		1.467	.008 AND UP	1.46740 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442848		1.468	MASTER	1.46800 + .00003	.030	2
3	7442850	7442851	1.468	.0005	1.46800 + .00006	.030	4
3	7442854		1.468	.002	1.46810 + .00009	.030	4
3	7442856		1.468	.004	1.46820 + .00012	.030	8
3	7442860		1.468	.008 AND UP	1.46840 + .00030	.030	8
3	7442864		1.46875	MASTER	1.46875 + .00003	.030	2
3	7497678	7497679	1.46875	.0005	1.46875 + .00006	.030	4
3	7497682		1.46875	.002	1.46885 + .00009	.030	4
3	7497684		1.46875	.004	1.46895 + .00012	.030	8
3	7497688		1.46875	.008 AND UP	1.46915 + .00030	.030	8
3	7442866		1.469	MASTER	1.46900 + .00003	.030	2
3	7442868	7442869	1.469	.0005	1.46900 + .00006	.030	4
3	7442872		1.469	.002	1.46910 + .00009	.030	4
3	7442874		1.469	.004	1.46920 + .00012	.030	8
3	7442878		1.469	.008 AND UP	1.46940 + .00030	.030	8
3	7442882		1.470	MASTER	1.47000 + .00003	.030	2
3	7442884	7442885	1.470	.0005	1.47000 + .00006	.030	4
3	7442888		1.470	.002	1.47010 + .00009	.030	4
3	7442890		1.470	.004	1.47020 + .00012	.030	8
3	7442894		1.470	.008 AND UP	1.47040 + .00030	.030	8
3	7442898		1.471	MASTER	1.47100 + .00003	.030	2
3	7442900	7442901	1.471	.0005	1.47100 + .00006	.030	4
3	7442904		1.471	.002	1.47110 + .00009	.030	4
3	7442906		1.471	.004	1.47120 + .00012	.030	8
3	7442910		1.471	.008 AND UP	1.47140 + .00030	.030	8
3	7442914		1.472	MASTER	1.47200 + .00003	.030	2
3	7442916	7442917	1.472	.0005	1.47200 + .00006	.030	4
3	7442920		1.472	.002	1.47210 + .00009	.030	4
3	7442922		1.472	.004	1.47220 + .00012	.030	8
3	7442926		1.472	.008 AND UP	1.47240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442930		1.473	MASTER	1.47300 + .00003	.030	2
3	7442932	7442933	1.473	.0005	1.47300 + .00006	.030	4
3	7442936		1.473	.002	1.47310 + .00009	.030	4
3	7442938		1.473	.004	1.47320 + .00012	.030	8
3	7442942		1.473	.008 AND UP	1.47340 + .00030	.030	8
3	7442946		1.474	MASTER	1.47400 + .00003	.030	2
3	7442948	7442949	1.474	.0005	1.47400 + .00006	.030	4
3	7442952		1.474	.002	1.47410 + .00009	.030	4
3	7442954		1.474	.004	1.47420 + .00012	.030	8
3	7442958		1.474	.008 AND UP	1.47440 + .00030	.030	8
3	7442962		1.475	MASTER	1.47500 + .00003	.030	2
3	7442964	7442965	1.475	.0005	1.47500 + .00006	.030	4
3	7442968		1.475	.002	1.47510 + .00009	.030	4
3	7442970		1.475	.004	1.47520 + .00012	.030	8
3	7442974		1.475	.008 AND UP	1.47540 + .00030	.030	8
3	7442978		1.476	MASTER	1.47600 + .00003	.030	2
3	7442980	7442981	1.476	.0005	1.47600 + .00006	.030	4
3	7442984		1.476	.002	1.47610 + .00009	.030	4
3	7442986		1.476	.004	1.47620 + .00012	.030	8
3	7442990		1.476	.008 AND UP	1.47640 + .00030	.030	8
3	7442994		1.477	MASTER	1.47700 + .00003	.030	2
3	7442996	7442997	1.477	.0005	1.47700 + .00006	.030	4
3	7443000		1.477	.002	1.47710 + .00009	.030	4
3	7443002		1.477	.004	1.47720 + .00012	.030	8
3	7443006		1.477	.008 AND UP	1.47740 + .00030	.030	8
3	7443010		1.478	MASTER	1.47800 + .00003	.030	2
3	7443012	7443013	1.478	.0005	1.47800 + .00006	.030	4
3	7443016		1.478	.002	1.47810 + .00009	.030	4
3	7443018		1.478	.004	1.47820 + .00012	.030	8
3	7443022		1.478	.008 AND UP	1.47840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7443026		1.479	MASTER	1.47900 + .00003	.030	2
3	7443028	7443029	1.479	.0005	1.47900 + .00006	.030	4
3	7443032		1.479	.002	1.47910 + .00009	.030	4
3	7443034		1.479	.004	1.47920 + .00012	.030	8
3	7443038		1.479	.008 AND UP	1.47940 + .00030	.030	8
3	7443042		1.480	MASTER	1.48000 + .00003	.030	2
3	7443044	7443045	1.480	.0005	1.48000 + .00006	.030	4
3	7443048		1.480	.002	1.48010 + .00009	.030	4
3	7443050		1.480	.004	1.48020 + .00012	.030	8
3	7443054		1.480	.008 AND UP	1.48040 + .00030	.030	8
3	7443058		1.481	MASTER	1.48100 + .00003	.030	2
3	7443060	7443061	1.481	.0005	1.48100 + .00006	.030	4
3	7443064		1.481	.002	1.48110 + .00009	.030	4
3	7443066		1.481	.004	1.48120 + .00012	.030	8
3	7443070		1.481	.008 AND UP	1.48140 + .00030	.030	8
3	7443074		1.482	MASTER	1.48200 + .00003	.030	2
3	7443076	7443077	1.482	.0005	1.48200 + .00006	.030	4
3	7443080		1.482	.002	1.48210 + .00009	.030	4
3	7443082		1.482	.004	1.48220 + .00012	.030	8
3	7443086		1.482	.008 AND UP	1.48240 + .00030	.030	8
3	7443090		1.483	MASTER	1.48300 + .00003	.030	2
3	7443092	7443093	1.483	.0005	1.48300 + .00006	.030	4
3	7443096		1.483	.002	1.48310 + .00009	.030	4
3	7443098		1.483	.004	1.48320 + .00012	.030	8
3	7443102		1.483	.008 AND UP	1.48340 + .00030	.030	8
3	7443106		1.484	MASTER	1.48400 + .00003	.030	2
3	7443108	7443109	1.484	.0005	1.48400 + .00006	.030	4
3	7443112		1.484	.002	1.48410 + .00009	.030	4
3	7443114		1.484	.004	1.48420 + .00012	.030	8
3	7443118		1.484	.008 AND UP	1.48440 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7443122	7443125	1.485	MASTER	1.48500 + .00003	.030	2
3	7443124		1.485	.0005	1.48500 + .00006	.030	4
3	7443128		1.485	.002	1.48510 + .00009	.030	4
3	7443130		1.485	.004	1.48520 + .00012	.030	8
3	7443134		1.485	.008 AND UP	1.48540 + .00030	.030	8
3	7443138	7443141	1.486	MASTER	1.48600 + .00003	.030	2
3	7443140		1.486	.0005	1.48600 + .00006	.030	4
3	7443144		1.486	.002	1.48610 + .00009	.030	4
3	7443146		1.486	.004	1.48620 + .00012	.030	8
3	7443150		1.486	.008 AND UP	1.48640 + .00030	.030	8
3	7443154	7443157	1.487	MASTER	1.48700 + .00003	.030	2
3	7443156		1.487	.0005	1.48700 + .00006	.030	4
3	7443160		1.487	.002	1.48710 + .00009	.030	4
3	7443162		1.487	.004	1.48720 + .00012	.030	8
3	7443166		1.487	.008 AND UP	1.48740 + .00030	.030	8
3	7443170	7443173	1.488	MASTER	1.48800 + .00003	.030	2
3	7443172		1.488	.0005	1.48800 + .00006	.030	4
3	7443176		1.488	.002	1.48810 + .00009	.030	4
3	7443178		1.488	.004	1.48820 + .00012	.030	8
3	7443182		1.488	.008 AND UP	1.48840 + .00030	.030	8
3	7443186	7443189	1.489	MASTER	1.48900 + .00003	.030	2
3	7443188		1.489	.0005	1.48900 + .00006	.030	4
3	7443192		1.489	.002	1.48910 + .00009	.030	4
3	7443194		1.489	.004	1.48920 + .00012	.030	8
3	7443198		1.489	.008 AND UP	1.48940 + .00030	.030	8
3	7443202	7443205	1.490	MASTER	1.49000 + .00003	.030	2
3	7443204		1.490	.0005	1.49000 + .00006	.030	4
3	7443208		1.490	.002	1.49110 + .00009	.030	4
3	7443210		1.490	.004	1.49020 + .00012	.030	8
3	7443214		1.490	.008 AND UP	1.49040 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7443218		1.491	MASTER	1.49100 + .00003	.030	2
3	7443220	7443221	1.491	.0005	1.49100 + .00006	.030	4
3	7443224		1.491	.002	1.49110 + .00009	.030	4
3	7443226		1.491	.004	1.49120 + .00012	.030	8
3	7443230		1.491	.008 AND UP	1.49140 + .00030	.030	8
3	7443234		1.492	MASTER	1.49200 + .00003	.030	2
3	7443236	7443237	1.492	.0005	1.49200 + .00006	.030	4
3	7443240		1.492	.002	1.49210 + .00009	.030	4
3	7443242		1.492	.004	1.49220 + .00012	.030	8
3	7443246		1.492	.008 AND UP	1.49240 + .00030	.030	8
3	7443250		1.493	MASTER	1.49300 + .00003	.030	2
3	7443252	7443253	1.493	.0005	1.49300 + .00006	.030	4
3	7443256		1.493	.002	1.49310 + .00009	.030	4
3	7443258		1.493	.004	1.49320 + .00012	.030	8
3	7443262		1.493	.008 AND UP	1.49340 + .00030	.030	8
3	7443266		1.494	MASTER	1.49400 + .00003	.030	2
3	7443268	7443269	1.494	.0005	1.49400 + .00006	.030	4
3	7443272		1.494	.002	1.49410 + .00009	.030	4
3	7443274		1.494	.004	1.49420 + .00012	.030	8
3	7443278		1.494	.008 AND UP	1.49440 + .00030	.030	8
3	7443282		1.495	MASTER	1.49500 + .00003	.030	2
3	7443284	7443285	1.495	.0005	1.49500 + .00006	.030	4
3	7443288		1.495	.002	1.49510 + .00009	.030	4
3	7443290		1.495	.004	1.49520 + .00012	.030	8
3	7443294		1.495	.008 AND UP	1.49540 + .00030	.030	8
3	7443298		1.496	MASTER	1.49600 + .00003	.030	2
3	7443300	7443301	1.496	.0005	1.49600 + .00006	.030	4
3	7443304		1.496	.002	1.49610 + .00009	.030	4
3	7443306		1.496	.004	1.49620 + .00012	.030	8
3	7443310		1.496	.008 AND UP	1.49640 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7443314		1.497	MASTER	1.49700 + .00003	.030	2
3	7443316	7443317	1.497	.0005	1.49700 + .00006	.030	4
3	7443320		1.497	.002	1.49710 + .00009	.030	4
3	7443322		1.497	.004	1.49720 + .00012	.030	8
3	7443326		1.497	.008 AND UP	1.49740 + .00030	.030	8
3	7443330		1.498	MASTER	1.49800 + .00003	.030	2
3	7443332	7443333	1.498	.0005	1.49800 + .00006	.030	4
3	7443336		1.498	.002	1.49810 + .00009	.030	4
3	7443338		1.498	.004	1.49820 + .00012	.030	8
3	7443342		1.498	.008 AND UP	1.49840 + .00030	.030	8
3	7443346		1.499	MASTER	1.49900 + .00003	.030	2
3	7443348	7443349	1.499	.0005	1.49900 + .00006	.030	4
3	7443352		1.499	.002	1.49910 + .00009	.030	4
3	7443354		1.499	.004	1.49920 + .00012	.030	8
3	7443358		1.499	.008 AND UP	1.49940 + .00030	.030	8
3	7443362		1.500	MASTER	1.50000 + .00003	.030	2
3	7443364	7443365	1.500	.0005	1.50000 + .00006	.030	4
3	7443368		1.500	.002	1.50010 + .00009	.030	4
3	7443370		1.500	.004	1.50020 + .00012	.030	8
3	7443374		1.500	.008 AND UP	1.50040 + .00030	.030	8
3	7443378		1.501	MASTER	1.50100 + .00003	.030	2
3	7443380	7443381	1.501	.0005	1.50100 + .00006	.030	4
3	7443384		1.501	.002	1.50110 + .00009	.030	4
3	7443386		1.501	.004	1.50120 + .00012	.030	8
3	7443390		1.501	.008 AND UP	1.50140 + .00030	.030	8
3	7443394		1.502	MASTER	1.50200 + .00003	.030	2
3	7443396	7443397	1.502	.0005	1.50200 + .00006	.030	4
3	7443400		1.502	.002	1.50210 + .00009	.030	4
3	7443402		1.502	.004	1.50220 + .00012	.030	8
3	7443406		1.502	.008 AND UP	1.50240 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7443410	7443413	1.503	MASTER	1.50300 + .00003	.030	2
3	7443412		1.503	.0005	1.50300 + .00006	.030	4
3	7443416		1.503	.002	1.50310 + .00009	.030	4
3	7443418		1.503	.004	1.50320 + .00012	.030	8
3	7443422		1.503	.008 AND UP	1.50340 + .00030	.030	8
3	7443426	7443429	1.504	MASTER	1.50400 + .00003	.030	2
3	7443428		1.504	.0005	1.50400 + .00006	.030	4
3	7443432		1.504	.002	1.50410 + .00009	.030	4
3	7443434		1.504	.004	1.50420 + .00012	.030	8
3	7443438		1.504	.008 AND UP	1.50440 + .00030	.030	8
3	7443442	7443445	1.505	MASTER	1.50500 + .00003	.030	2
3	7443444		1.505	.0005	1.50500 + .00006	.030	4
3	7443448		1.505	.002	1.50510 + .00009	.030	4
3	7443450		1.505	.004	1.50520 + .00012	.030	8
3	7443454		1.505	.008 AND UP	1.50540 + .00030	.030	8
3	7443458	7443461	1.506	MASTER	1.50600 + .00003	.030	2
3	7443460		1.506	.0005	1.50600 + .00006	.030	4
3	7443464		1.506	.002	1.50610 + .00009	.030	4
3	7443466		1.506	.004	1.50620 + .00012	.030	8
3	7443470		1.506	.008 AND UP	1.50640 + .00030	.030	8
3	7443474	7443477	1.507	MASTER	1.50700 + .00003	.030	2
3	7443476		1.507	.0005	1.50700 + .00006	.030	4
3	7443480		1.507	.002	1.50710 + .00009	.030	4
3	7443482		1.507	.004	1.50720 + .00012	.030	8
3	7443486		1.507	.008 AND UP	1.50740 + .00030	.030	8
3	7443490	7443493	1.508	MASTER	1.50800 + .00003	.030	2
3	7443492		1.508	.0005	1.50800 + .00006	.030	4
3	7443496		1.508	.002	1.50810 + .00009	.030	4
3	7443498		1.508	.004	1.50820 + .00012	.030	8
3	7443502		1.508	.008 AND UP	1.50840 + .00030	.030	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN — GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
3	7443506		1.509	MASTER	1.50900 + .00003	.030	2
3	7443508	7443509	1.509	.0005	1.50900 + .00006	.030	4
3	7443512		1.509	.002	1.50910 + .00009	.030	4
3	7443514		1.509	.004	1.50920 + .00012	.030	8
3	7443518		1.509	.008 AND UP	1.50940 + .00030	.030	8
3	7443522		1.510	MASTER	1.51000 + .00003	.030	2
3	7443524	7443525	1.510	.0005	1.51000 + .00006	.030	4
3	7443528		1.510	.002	1.51010 + .00009	.030	4
3	7443530		1.510	.004	1.51020 + .00012	.030	8
3	7443534		1.510	.008 AND UP	1.51040 + .00030	.030	8
4	7443538		1.511	MASTER	1.51100 + .00004	.050	2
4	7443540	7443541	1.511	.001	1.51100 + .00008	.050	4
4	7443542		1.511	.002	1.51108 + .00012	.050	4
4	7443544		1.511	.004	1.51120 + .00016	.050	8
4	7443548		1.511	.008 AND UP	1.51140 + .00040	.050	8
4	7443552		1.512	MASTER	1.51200 + .00004	.050	2
4	7443554	7443555	1.512	.001	1.51200 + .00008	.050	4
4	7443556		1.512	.002	1.51208 + .00012	.050	4
4	7443558		1.512	.004	1.51220 + .00016	.050	8
4	7443562		1.512	.008 AND UP	1.51240 + .00040	.050	8
4	7443566		1.513	MASTER	1.51300 + .00004	.050	2
4	7443568	7443569	1.513	.001	1.51300 + .00008	.050	4
4	7443570		1.513	.002	1.51308 + .00012	.050	4
4	7443572		1.513	.004	1.51320 + .00016	.050	8
4	7443576		1.513	.008 AND UP	1.51340 + .00040	.050	8
4	7443580		1.514	MASTER	1.51400 + .00004	.050	2
4	7443582	7443583	1.514	.001	1.51400 + .00008	.050	4
4	7443584		1.514	.002	1.51408 + .00012	.050	4
4	7443586		1.514	.004	1.51420 + .00016	.050	8
4	7443590		1.514	.008 AND UP	1.51440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7443594	7443597	1.515	MASTER	1.51500 + .00004	.050	2
4	7443596		1.515	.001	1.51500 + .00008	.050	4
4	7443598		1.515	.002	1.51508 + .00012	.050	4
4	7443600		1.515	.004	1.51520 + .00016	.050	8
4	7443604		1.515	.008 AND UP	1.51540 + .00040	.050	8
4	7443608	7443611	1.516	MASTER	1.51600 + .00004	.050	2
4	7443610		1.516	.001	1.51600 + .00008	.050	4
4	7443612		1.516	.002	1.51608 + .00012	.050	4
4	7443614		1.516	.004	1.51620 + .00016	.050	8
4	7443618		1.516	.008 AND UP	1.51640 + .00040	.050	8
4	7443622	7443625	1.517	MASTER	1.51700 + .00004	.050	2
4	7443624		1.517	.001	1.51700 + .00008	.050	4
4	7443626		1.517	.002	1.51708 + .00012	.050	4
4	7443628		1.517	.004	1.51720 + .00016	.050	8
4	7443632		1.517	.008 AND UP	1.51740 + .00040	.050	8
4	7443636	7443639	1.518	MASTER	1.51800 + .00004	.050	2
4	7443638		1.518	.001	1.51800 + .00008	.050	4
4	7443640		1.518	.002	1.51808 + .00012	.050	4
4	7443642		1.518	.004	1.51820 + .00016	.050	8
4	7443646		1.518	.008 AND UP	1.51840 + .00040	.050	8
4	7443650	7443653	1.519	MASTER	1.51900 + .00004	.050	2
4	7443652		1.519	.001	1.51900 + .00008	.050	4
4	7443654		1.519	.002	1.51908 + .00012	.050	4
4	7443656		1.519	.004	1.51920 + .00016	.050	8
4	7443660		1.519	.008 AND UP	1.51940 + .00040	.050	8
4	7443664	7443667	1.520	MASTER	1.52000 + .00004	.050	2
4	7443666		1.520	.001	1.52000 + .00008	.050	4
4	7443668		1.520	.002	1.52008 + .00012	.050	4
4	7443670		1.520	.004	1.52020 + .00016	.050	8
4	7443674		1.520	.008 AND UP	1.52040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7443678	7443681	1.521	MASTER	1.52100 + .00004	.050	2
4	7443680		1.521	.001	1.52100 + .00008	.050	4
4	7443682		1.521	.002	1.52108 + .00012	.050	4
4	7443684		1.521	.004	1.52120 + .00016	.050	8
4	7443688		1.521	.008 AND UP	1.52140 + .00040	.050	8
4	7443692	7443695	1.522	MASTER	1.52200 + .00004	.050	2
4	7443694		1.522	.001	1.52200 + .00008	.050	4
4	7443696		1.522	.002	1.52208 + .00012	.050	4
4	7443698		1.522	.004	1.52220 + .00016	.050	8
4	7443702		1.522	.008 AND UP	1.52240 + .00040	.050	8
4	7443706	7443709	1.523	MASTER	1.52300 + .00004	.050	2
4	7443708		1.523	.001	1.52300 + .00008	.050	4
4	7443710		1.523	.002	1.52308 + .00012	.050	4
4	7443712		1.523	.004	1.52320 + .00016	.050	8
4	7443716		1.523	.008 AND UP	1.52340 + .00040	.050	8
4	7443720	7443723	1.524	MASTER	1.52400 + .00004	.050	2
4	7443722		1.524	.001	1.52400 + .00008	.050	4
4	7443724		1.524	.002	1.52408 + .00012	.050	4
4	7443726		1.524	.004	1.52420 + .00016	.050	8
4	7443730		1.524	.008 AND UP	1.52440 + .00040	.050	8
4	7443734	7443737	1.525	MASTER	1.52500 + .00004	.050	2
4	7443736		1.525	.001	1.52500 + .00008	.050	4
4	7443738		1.525	.002	1.52508 + .00012	.050	4
4	7443740		1.525	.004	1.52520 + .00016	.050	8
4	7443744		1.525	.008 AND UP	1.52540 + .00040	.050	8
4	7443748	7443751	1.526	MASTER	1.52600 + .00004	.050	2
4	7443750		1.526	.001	1.52600 + .00008	.050	4
4	7443752		1.526	.002	1.52608 + .00012	.050	4
4	7443754		1.526	.004	1.52620 + .00016	.050	8
4	7443758		1.526	.008 AND UP	1.52640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7443762	7443765	1.527	MASTER	1.52700 + .00004	.050	2
4	7443764		1.527	.001	1.52700 + .00008	.050	4
4	7443766		1.527	.002	1.52708 + .00012	.050	4
4	7443768		1.527	.004	1.52720 + .00016	.050	8
4	7443772		1.527	.008 AND UP	1.52740 + .00040	.050	8
4	7443776	7443779	1.528	MASTER	1.52800 + .00004	.050	2
4	7443778		1.528	.001	1.52800 + .00008	.050	4
4	7443780		1.528	.002	1.52808 + .00012	.050	4
4	7443782		1.528	.004	1.52820 + .00016	.050	8
4	7443786		1.528	.008 AND UP	1.52840 + .00040	.050	8
4	7443790	7443793	1.529	MASTER	1.52900 + .00004	.050	2
4	7443792		1.529	.001	1.52900 + .00008	.050	4
4	7443794		1.529	.002	1.52908 + .00012	.050	4
4	7443796		1.529	.004	1.52920 + .00016	.050	8
4	7443800		1.529	.008 AND UP	1.52940 + .00040	.050	8
4	7443804	7443807	1.530	MASTER	1.53000 + .00004	.050	2
4	7443806		1.530	.001	1.53000 + .00008	.050	4
4	7443808		1.530	.002	1.53008 + .00012	.050	4
4	7443810		1.530	.004	1.53020 + .00016	.050	8
4	7443814		1.530	.008 AND UP	1.53040 + .00040	.050	8
4	7443818	7443821	1.531	MASTER	1.53100 + .00004	.050	2
4	7443820		1.531	.001	1.53100 + .00008	.050	4
4	7443822		1.531	.002	1.53108 + .00012	.050	4
4	7443824		1.531	.004	1.53120 + .00016	.050	8
4	7443828		1.531	.008 AND UP	1.53140 + .00040	.050	8
4	7443832	7497693	1.53125	MASTER	1.53125 + .00004	.050	2
4	7497692		1.53125	.001	1.53125 + .00008	.050	4
4	7497694		1.53125	.002	1.53133 + .00012	.050	4
4	7497696		1.53125	.004	1.53145 + .00016	.050	8
4	7497700		1.53125	.008 AND UP	1.53165 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7443834	7443837	1.532	MASTER	1.53200 + .00004	.050	2
4	7443836		1.532	.001	1.53200 + .00008	.050	4
4	7443838		1.532	.002	1.53208 + .00012	.050	4
4	7443840		1.532	.004	1.53220 + .00016	.050	8
4	7443844		1.532	.008 AND UP	1.53240 + .00040	.050	8
4	7443848	7443851	1.533	MASTER	1.53300 + .00004	.050	2
4	7443850		1.533	.001	1.53300 + .00008	.050	4
4	7443852		1.533	.002	1.53308 + .00012	.050	4
4	7443854		1.533	.004	1.53320 + .00016	.050	8
4	7443858		1.533	.008 AND UP	1.53340 + .00040	.050	8
4	7443862	7443865	1.534	MASTER	1.53400 + .00004	.050	2
4	7443864		1.534	.001	1.53400 + .00008	.050	4
4	7443866		1.534	.002	1.53408 + .00012	.050	4
4	7443868		1.534	.004	1.53420 + .00016	.050	8
4	7443872		1.534	.008 AND UP	1.53440 + .00040	.050	8
4	7443876	7443879	1.535	MASTER	1.53500 + .00004	.050	2
4	7443878		1.535	.001	1.53500 + .00008	.050	4
4	7443880		1.535	.002	1.53508 + .00012	.050	4
4	7443882		1.535	.004	1.53520 + .00016	.050	8
4	7443886		1.535	.008 AND UP	1.53540 + .00040	.050	8
4	7443890	7443893	1.536	MASTER	1.53600 + .00004	.050	2
4	7443892		1.536	.001	1.53600 + .00008	.050	4
4	7443894		1.536	.002	1.53608 + .00012	.050	4
4	7443896		1.536	.004	1.53620 + .00016	.050	8
4	7443900		1.536	.008 AND UP	1.53640 + .00040	.050	8
4	7443904	7443907	1.537	MASTER	1.53700 + .00004	.050	2
4	7443906		1.537	.001	1.53700 + .00008	.050	4
4	7443908		1.537	.002	1.53708 + .00012	.050	4
4	7443910		1.537	.004	1.53720 + .00016	.050	8
4	7443914		1.537	.008 AND UP	1.53740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7443918		1.538	MASTER	1.53800 + .00004	.050	2
4	7443920	7443921	1.538	.001	1.53800 + .00008	.050	4
4	7443922		1.538	.002	1.53808 + .00012	.050	4
4	7443924		1.538	.004	1.53820 + .00016	.050	8
4	7443928		1.538	.008 AND UP	1.53840 + .00040	.050	8
4	7443932		1.539	MASTER	1.53900 + .00004	.050	2
4	7443934	7443935	1.539	.001	1.53900 + .00008	.050	4
4	7443936		1.539	.002	1.53908 + .00012	.050	4
4	7443938		1.539	.004	1.53920 + .00016	.050	8
4	7443942		1.539	.008 AND UP	1.53940 + .00040	.050	8
4	7443946		1.540	MASTER	1.54000 + .00004	.050	2
4	7443948	7443949	1.540	.001	1.54000 + .00008	.050	4
4	7443950		1.540	.002	1.54008 + .00012	.050	4
4	7443952		1.540	.004	1.54020 + .00016	.050	8
4	7443956		1.540	.008 AND UP	1.54040 + .00040	.050	8
4	7443960		1.541	MASTER	1.54100 + .00004	.050	2
4	7443962	7443963	1.541	.001	1.54100 + .00008	.050	4
4	7443964		1.541	.002	1.54108 + .00012	.050	4
4	7443966		1.541	.004	1.54120 + .00016	.050	8
4	7443970		1.541	.008 AND UP	1.54140 + .00040	.050	8
4	7443974		1.542	MASTER	1.54200 + .00004	.050	2
4	7443976	7443977	1.542	.001	1.54200 + .00008	.050	4
4	7443978		1.542	.002	1.54208 + .00012	.050	4
4	7443980		1.542	.004	1.54220 + .00016	.050	8
4	7443984		1.542	.008 AND UP	1.54240 + .00040	.050	8
4	7443988		1.543	MASTER	1.54300 + .00004	.050	2
4	7443990	7443991	1.543	.001	1.54300 + .00008	.050	4
4	7443992		1.543	.002	1.54308 + .00012	.050	4
4	7443994		1.543	.004	1.54320 + .00016	.050	8
4	7443998		1.543	.008 AND UP	1.54340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444002		1.544	MASTER	1.54400 + .00004	.050	2
4	7444004	7444005	1.544	.001	1.54400 + .00008	.050	4
4	7444006		1.544	.002	1.54408 + .00012	.050	4
4	7444008		1.544	.004	1.54420 + .00016	.050	8
4	7444012		1.544	.008 AND UP	1.54440 + .00040	.050	8
4	7444016		1.545	MASTER	1.54500 + .00004	.050	2
4	7444018	7444019	1.545	.001	1.54500 + .00008	.050	4
4	7444020		1.545	.002	1.54508 + .00012	.050	4
4	7444022		1.545	.004	1.54520 + .00016	.050	8
4	7444026		1.545	.008 AND UP	1.54540 + .00040	.050	8
4	7444030		1.546	MASTER	1.54600 + .00004	.050	2
4	7444032	7444033	1.546	.001	1.54600 + .00008	.050	4
4	7444034		1.546	.002	1.54608 + .00012	.050	4
4	7444036		1.546	.004	1.54620 + .00016	.050	8
4	7444040		1.546	.008 AND UP	1.54640 + .00040	.050	8
4	7444044		1.547	MASTER	1.54700 + .00004	.050	2
4	7444046	7444047	1.547	.001	1.54700 + .00008	.050	4
4	7444048		1.547	.002	1.54708 + .00012	.050	4
4	7444050		1.547	.004	1.54720 + .00016	.050	8
4	7444054		1.547	.008 AND UP	1.54740 + .00040	.050	8
4	7444058		1.548	MASTER	1.54800 + .00004	.050	2
4	7444060	7444061	1.548	.001	1.54800 + .00008	.050	4
4	7444062		1.548	.002	1.54808 + .00012	.050	4
4	7444064		1.548	.004	1.54820 + .00016	.050	8
4	7444068		1.548	.008 AND UP	1.54840 + .00040	.050	8
4	7444072		1.549	MASTER	1.54900 + .00004	.050	2
4	7444074	7444075	1.549	.001	1.54900 + .00008	.050	4
4	7444076		1.549	.002	1.54908 + .00012	.050	4
4	7444078		1.549	.004	1.54920 + .00016	.050	8
4	7444082		1.549	.008 AND UP	1.54940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7444086	7444089	1.550	MASTER	1.55000 + .00004	.050	2
4	7444088		1.550	.001	1.55000 + .00008	.050	4
4	7444090		1.550	.002	1.55008 + .00012	.050	4
4	7444092		1.550	.004	1.55020 + .00016	.050	8
4	7444096		1.550	.008 AND UP	1.55040 + .00040	.050	8
4	7444100	7444103	1.551	MASTER	1.55100 + .00004	.050	2
4	7444102		1.551	.001	1.55100 + .00008	.050	4
4	7444104		1.551	.002	1.55108 + .00012	.050	4
4	7444106		1.551	.004	1.55120 + .00016	.050	8
4	7444110		1.551	.008 AND UP	1.55140 + .00040	.050	8
4	7444114	7444117	1.552	MASTER	1.55200 + .00004	.050	2
4	7444116		1.552	.001	1.55200 + .00008	.050	4
4	7444118		1.552	.002	1.55208 + .00012	.050	4
4	7444120		1.552	.004	1.55220 + .00016	.050	8
4	7444124		1.552	.008 AND UP	1.55240 + .00040	.050	8
4	7444128	7444131	1.553	MASTER	1.55300 + .00004	.050	2
4	7444130		1.553	.001	1.55300 + .00008	.050	4
4	7444132		1.553	.002	1.55308 + .00012	.050	4
4	7444134		1.553	.004	1.55320 + .00016	.050	8
4	7444138		1.553	.008 AND UP	1.55340 + .00040	.050	8
4	7444142	7444145	1.554	MASTER	1.55400 + .00004	.050	2
4	7444144		1.554	.001	1.55400 + .00008	.050	4
4	7444146		1.554	.002	1.55408 + .00012	.050	4
4	7444148		1.554	.004	1.55420 + .00016	.050	8
4	7444152		1.554	.008 AND UP	1.55440 + .00040	.050	8
4	7444156	7444159	1.555	MASTER	1.55500 + .00004	.050	2
4	7444158		1.555	.001	1.55500 + .00008	.050	4
4	7444160		1.555	.002	1.55508 + .00012	.050	4
4	7444162		1.555	.004	1.55520 + .00016	.050	8
4	7444166		1.555	.008 AND UP	1.55540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7444170		1.556	MASTER	1.55600 + .00004	.050	2
4	7444172	7444173	1.556	.001	1.55600 + .00008	.050	4
4	7444174		1.556	.002	1.55608 + .00012	.050	4
4	7444176		1.556	.004	1.55620 + .00016	.050	8
4	7444180		1.556	.008 AND UP	1.55640 + .00040	.050	8
4	7444184		1.557	MASTER	1.55700 + .00004	.050	2
4	7444186	7444187	1.557	.001	1.55700 + .00008	.050	4
4	7444188		1.557	.002	1.55708 + .00012	.050	4
4	7444190		1.557	.004	1.55720 + .00016	.050	8
4	7444194		1.557	.008 AND UP	1.55740 + .00040	.050	8
4	7444198		1.558	MASTER	1.55800 + .00004	.050	2
4	7444200	7444201	1.558	.001	1.55800 + .00008	.050	4
4	7444202		1.558	.002	1.55808 + .00012	.050	4
4	7444204		1.558	.004	1.55820 + .00016	.050	8
4	7444208		1.558	.008 AND UP	1.55840 + .00040	.050	8
4	7444212		1.559	MASTER	1.55900 + .00004	.050	2
4	7444214	7444215	1.559	.001	1.55900 + .00008	.050	4
4	7444216		1.559	.002	1.55908 + .00012	.050	4
4	7444218		1.559	.004	1.55920 + .00016	.050	8
4	7444222		1.559	.008 AND UP	1.55940 + .00040	.050	8
4	7444226		1.560	MASTER	1.56000 + .00004	.050	2
4	7444228	7444229	1.560	.001	1.56000 + .00008	.050	4
4	7444230		1.560	.002	1.56008 + .00012	.050	4
4	7444232		1.560	.004	1.56020 + .00016	.050	8
4	7444236		1.560	.008 AND UP	1.56040 + .00040	.050	8
4	7444240		1.561	MASTER	1.56100 + .00004	.050	2
4	7444242	7444243	1.561	.001	1.56100 + .00008	.050	4
4	7444244		1.561	.002	1.56108 + .00012	.050	4
4	7444246		1.561	.004	1.56120 + .00016	.050	8
4	7444250		1.561	.008 AND UP	1.56140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7444254		1.562	MASTER	1.56200 + .00004	.050	2
4	7444256	7444257	1.562	.001	1.56200 + .00008	.050	4
4	7444258		1.562	.002	1.56208 + .00012	.050	4
4	7444260		1.562	.004	1.56220 + .00016	.050	8
4	7444264		1.562	.008 AND UP	1.56240 + .00040	.050	8
4	7444268		1.5625	MASTER	1.56250 + .00004	.050	2
4	7497704	7497705	1.5625	.001	1.56250 + .00008	.050	4
4	7497706		1.5625	.002	1.56258 + .00012	.050	4
4	7497708		1.5625	.004	1.56270 + .00016	.050	8
4	7497712		1.5625	.008 AND UP	1.56290 + .00040	.050	8
4	7444270		1.563	MASTER	1.56300 + .00004	.050	2
4	7444272	7444273	1.563	.001	1.56300 + .00008	.050	4
4	7444274		1.563	.002	1.56308 + .00012	.050	4
4	7444276		1.563	.004	1.56320 + .00016	.050	8
4	7444280		1.563	.008 AND UP	1.56340 + .00040	.050	8
4	7444284		1.564	MASTER	1.56400 + .00004	.050	2
4	7444286	7444287	1.564	.001	1.56400 + .00008	.050	4
4	7444288		1.564	.002	1.56408 + .00012	.050	4
4	7444290		1.564	.004	1.56420 + .00016	.050	8
4	7444294		1.564	.008 AND UP	1.56440 + .00040	.050	8
4	7444298		1.565	MASTER	1.56500 + .00004	.050	2
4	7444300	7444301	1.565	.001	1.56500 + .00008	.050	4
4	7444302		1.565	.002	1.56508 + .00012	.050	4
4	7444304		1.565	.004	1.56520 + .00016	.050	8
4	7444308		1.565	.008 AND UP	1.56540 + .00040	.050	8
4	7444312		1.566	MASTER	1.56600 + .00004	.050	2
4	7444314	7444315	1.566	.001	1.56600 + .00008	.050	4
4	7444316		1.566	.002	1.56608 + .00012	.050	4
4	7444318		1.566	.004	1.56620 + .00016	.050	8
4	7444322		1.566	.008 AND UP	1.56640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444326		1.567	MASTER	1.56700 + .00004	.050	2
4	7444328	7444329	1.567	.001	1.56700 + .00008	.050	4
4	7444330		1.567	.002	1.56708 + .00012	.050	4
4	7444332		1.567	.004	1.56720 + .00016	.050	8
4	7444336		1.567	.008 AND UP	1.56740 + .00040	.050	8
4	7444340		1.568	MASTER	1.56800 + .00004	.050	2
4	7444342	7444343	1.568	.001	1.56800 + .00008	.050	4
4	7444344		1.568	.002	1.56808 + .00012	.050	4
4	7444346		1.568	.004	1.56820 + .00016	.050	8
4	7444350		1.568	.008 AND UP	1.56840 + .00040	.050	8
4	7444354		1.569	MASTER	1.56900 + .00004	.050	2
4	7444356	7444357	1.569	.001	1.56900 + .00008	.050	4
4	7444358		1.569	.002	1.56908 + .00012	.050	4
4	7444360		1.569	.004	1.56920 + .00016	.050	8
4	7444364		1.569	.008 AND UP	1.56940 + .00040	.050	8
4	7444368		1.570	MASTER	1.57000 + .00004	.050	2
4	7444370	7444371	1.570	.001	1.57000 + .00008	.050	4
4	7444372		1.570	.002	1.57008 + .00012	.050	4
4	7444374		1.570	.004	1.57020 + .00016	.050	8
4	7444378		1.570	.008 AND UP	1.57040 + .00040	.050	8
4	7444382		1.571	MASTER	1.57100 + .00004	.050	2
4	7444384	7444385	1.571	.001	1.57100 + .00008	.050	4
4	7444386		1.571	.002	1.57108 + .00012	.050	4
4	7444388		1.571	.004	1.57120 + .00016	.050	8
4	7444392		1.571	.008 AND UP	1.57140 + .00040	.050	8
4	7444396		1.572	MASTER	1.57200 + .00004	.050	2
4	7444398	7444399	1.572	.001	1.57200 + .00008	.050	4
4	7444400		1.572	.002	1.57208 + .00012	.050	4
4	7444402		572	.004	1.57220 + .00016	.050	8
4	7444406		1.572	.008 AND UP	1.57240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444410		1.573	MASTER	1.57300 + .00004	.050	2
4	7444412	7444413	1.573	.001	1.57300 + .00008	.050	4
4	7444414		1.573	.002	1.57308 + .00012	.050	4
4	7444416		1.573	.004	1.57320 + .00016	.050	8
4	7444420		1.573	.008 AND UP	1.57340 + .00040	.050	8
4	7444424		1.574	MASTER	1.57400 + .00004	.050	2
4	7444426	7444427	1.574	.001	1.57400 + .00008	.050	4
4	7444428		1.574	.002	1.57408 + .00012	.050	4
4	7444430		1.574	.004	1.57420 + .00016	.050	8
4	7444434		1.574	.008 AND UP	1.57440 + .00040	.050	8
4	7444438		1.575	MASTER	1.57500 + .00004	.050	2
4	7444440	7444441	1.575	.001	1.57500 + .00008	.050	4
4	7444442		1.575	.002	1.57508 + .00012	.050	4
4	7444444		1.575	.004	1.57520 + .00016	.050	8
4	7444448		1.575	.008 AND UP	1.57540 + .00040	.050	8
4	7444452		1.576	MASTER	1.57600 + .00004	.050	2
4	7444454	7444455	1.576	.001	1.57600 + .00008	.050	4
4	7444456		1.576	.002	1.57608 + .00012	.050	4
4	7444458		1.576	.004	1.57620 + .00016	.050	8
4	7444462		1.576	.008 AND UP	1.57640 + .00040	.050	8
4	7444466		1.577	MASTER	1.57700 + .00004	.050	2
4	7444468	7444469	1.577	.001	1.57700 + .00008	.050	4
4	7444470		1.577	.002	1.57708 + .00012	.050	4
4	7444472		1.577	.004	1.57720 + .00016	.050	8
4	7444476		1.577	.008 AND UP	1.57740 + .00040	.050	8
4	7444480		1.578	MASTER	1.57800 + .00004	.050	2
4	7444482	7444483	1.578	.001	1.57800 + .00008	.050	4
4	7444484		1.578	.002	1.57808 + .00012	.050	4
4	7444486		1.578	.004	1.57820 + .00016	.050	8
4	7444490		1.578	.008 AND UP	1.57840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444494	7444497	1.579	MASTER	1.57900 + .00004	.050	2
4	7444496		1.579	.001	1.57900 + .00008	.050	4
4	7444498		1.579	.002	1.57908 + .00012	.050	4
4	7444500		1.579	.004	1.57920 + .00016	.050	8
4	7444504		1.579	.008 AND UP	1.57940 + .00040	.050	8
4	7444508	7444511	1.580	MASTER	1.58000 + .00004	.050	2
4	7444510		1.580	.001	1.58000 + .00008	.050	4
4	7444512		1.580	.002	1.58008 + .00012	.050	4
4	7444514		1.580	.004	1.58020 + .00016	.050	8
4	7444518		1.580	.008 AND UP	1.58040 + .00040	.050	8
4	7444522	7444525	1.581	MASTER	1.58100 + .00004	.050	2
4	7444524		1.581	.001	1.58100 + .00008	.050	4
4	7444526		1.581	.002	1.58108 + .00012	.050	4
4	7444528		1.581	.004	1.58120 + .00016	.050	8
4	7444532		1.581	.008 AND UP	1.58140 + .00040	.050	8
4	7444536	7444539	1.582	MASTER	1.58200 + .00004	.050	2
4	7444538		1.582	.001	1.58200 + .00008	.050	4
4	7444540		1.582	.002	1.58208 + .00012	.050	4
4	7444542		1.582	.004	1.58220 + .00016	.050	8
4	7444546		1.582	.008 AND UP	1.58240 + .00040	.050	8
4	7444550	7444553	1.583	MASTER	1.58300 + .00004	.050	2
4	7444552		1.583	.001	1.58300 + .00008	.050	4
4	7444554		1.583	.002	1.58308 + .00012	.050	4
4	7444556		1.583	.004	1.58320 + .00016	.050	8
4	7444560		1.583	.008 AND UP	1.58340 + .00040	.050	8
4	7444564	7444567	1.584	MASTER	1.58400 + .00004	.050	2
4	7444566		1.584	.001	1.58400 + .00008	.050	4
4	7444568		1.584	.002	1.58408 + .00012	.050	4
4	7444570		1.584	.004	1.58420 + .00016	.050	8
4	7444574		1.584	.008 AND UP	1.58440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444578		1.585	MASTER	1.58500 + .00004	.050	2
4	7444580	7444581	1.585	.001	1.58500 + .00008	.050	4
4	7444582		1.585	.002	1.58508 + .00012	.050	4
4	7444584		1.585	.004	1.58520 + .00016	.050	8
4	7444588		1.585	.008 AND UP	1.58540 + .00040	.050	8
4	7444592		1.586	MASTER	1.58600 + .00004	.050	2
4	7444594	7444595	1.586	.001	1.58600 + .00008	.050	4
4	7444596		1.586	.002	1.58608 + .00012	.050	4
4	7444598		1.586	.004	1.58620 + .00016	.050	8
4	7444602		1.586	.008 AND UP	1.58640 + .00040	.050	8
4	7444606		1.587	MASTER	1.58700 + .00004	.050	2
4	7444608	7444609	1.587	.001	1.58700 + .00008	.050	4
4	7444610		1.587	.002	1.58708 + .00012	.050	4
4	7444612		1.587	.004	1.58720 + .00016	.050	8
4	7444616		1.587	.008 AND UP	1.58740 + .00040	.050	8
4	7444620		1.588	MASTER	1.58800 + .00004	.050	2
4	7444622	7444623	1.588	.001	1.58800 + .00008	.050	4
4	7444624		1.588	.002	1.58808 + .00012	.050	4
4	7444626		1.588	.004	1.58820 + .00016	.050	8
4	7444630		1.588	.008 AND UP	1.58840 + .00040	.050	8
4	7444634		1.589	MASTER	1.58900 + .00004	.050	2
4	7444636	7444637	1.589	.001	1.58900 + .00008	.050	4
4	7444638		1.589	.002	1.58908 + .00012	.050	4
4	7444640		1.589	.004	1.58920 + .00016	.050	8
4	7444644		1.589	.008 AND UP	1.58940 + .00040	.050	8
4	7444648		1.590	MASTER	1.59000 + .00004	.050	2
4	7444650	7444651	1.590	.001	1.59000 + .00008	.050	4
4	7444652		1.590	.002	1.59008 + .00012	.050	4
4	7444654		1.590	.004	1.59020 + .00016	.050	8
4	7444658		1.590	.008 AND UP	1.59040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444662	7444665	1.591	MASTER	1.59100 + .00004	.050	2
4	7444664		1.591	.001	1.59100 + .00008	.050	4
4	7444666		1.591	.002	1.59108 + .00012	.050	4
4	7444668		1.591	.004	1.59120 + .00016	.050	8
4	7444672		1.591	.008 AND UP	1.59140 + .00040	.050	8
4	7444676	7444679	1.592	MASTER	1.59200 + .00004	.050	2
4	7444678		1.592	.001	1.59200 + .00008	.050	4
4	7444680		1.592	.002	1.59208 + .00012	.050	4
4	7444682		1.592	.004	1.59220 + .00016	.050	8
4	7444686		1.592	.008 AND UP	1.59240 + .00040	.050	8
4	7444690	7444693	1.593	MASTER	1.59300 + .00004	.050	2
4	7444692		1.593	.001	1.59300 + .00008	.050	4
4	7444694		1.593	.002	1.59308 + .00012	.050	4
4	7444696		1.593	.004	1.59320 + .00016	.050	8
4	7444700		1.593	.008 AND UP	1.59340 + .00040	.050	8
4	7444704	7497717	1.59375	MASTER	1.59375 + .00004	.050	2
4	7497716		1.59375	.001	1.59375 + .00008	.050	4
4	7497718		1.59375	.002	1.59383 + .00012	.050	4
4	7497720		1.59375	.004	1.59395 + .00016	.050	8
4	7497724		1.59375	.008 AND UP	1.59415 + .00040	.050	8
4	7444706	7444709	1.594	MASTER	1.59400 + .00004	.050	2
4	7444708		1.594	.001	1.59400 + .00008	.050	4
4	7444710		1.594	.002	1.59408 + .00012	.050	4
4	7444712		1.594	.004	1.59420 + .00016	.050	8
4	7444716		1.594	.008 AND UP	1.59440 + .00040	.050	8
4	7444720	7444723	1.595	MASTER	1.59500 + .00004	.050	2
4	7444722		1.595	.001	1.59500 + .00008	.050	4
4	7444724		1.595	.002	1.59508 + .00012	.050	4
4	7444726		1.595	.004	1.59520 + .00016	.050	8
4	7444730		1.595	.008 AND UP	1.59540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444734	7444737	1.596	MASTER	1.59600 + .00004	.050	2
	7444736		1.596	.001	1.59600 + .00008	.050	4
	7444738		1.596	.002	1.59608 + .00012	.050	4
	7444740		1.596	.004	1.59620 + .00016	.050	8
	7444744		1.596	.008 AND UP	1.59640 + .00040	.050	8
4	7444748	7444751	1.597	MASTER	1.59700 + .00004	.050	2
	7444750		1.597	.001	1.59700 + .00008	.050	4
	7444752		1.597	.002	1.59708 + .00012	.050	4
	7444754		1.597	.004	1.59720 + .00016	.050	8
	7444758		1.597	.008 AND UP	1.59740 + .00040	.050	8
4	7444762	7444765	1.598	MASTER	1.59800 + .00004	.050	2
	7444764		1.598	.001	1.59800 + .00008	.050	4
	7444766		1.598	.002	1.59808 + .00012	.050	4
	7444768		1.598	.004	1.59820 + .00016	.050	8
	7444772		1.598	.008 AND UP	1.59840 + .00040	.050	8
4	7444776	7444779	1.599	MASTER	1.59900 + .00004	.050	2
	7444778		1.599	.001	1.59900 + .00008	.050	4
	7444780		1.599	.002	1.59908 + .00012	.050	4
	7444782		1.599	.004	1.59920 + .00016	.050	8
	7444786		1.599	.008 AND UP	1.59940 + .00040	.050	8
4	7444790	7444793	1.600	MASTER	1.60000 + .00004	.050	2
	7444792		1.600	.001	1.60000 + .00008	.050	4
	7444794		1.600	.002	1.60008 + .00012	.050	4
	7444796		1.600	.004	1.60020 + .00016	.050	8
	7444800		1.600	.008 AND UP	1.60040 + .00040	.050	8
4	7444804	7444807	1.601	MASTER	1.60100 + .00004	.050	2
	7444806		1.601	.001	1.60100 + .00008	.050	4
	7444808		1.601	.002	1.60108 + .00012	.050	4
	7444810		1.601	.004	1.60120 + .00016	.050	8
	7444814		1.601	.008 AND UP	1.60140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7444818	7444821	1.602	MASTER	1.60200 + .00004	.050	2
4	7444820		1.602	.001	1.60200 + .00008	.050	4
4	7444822		1.602	.002	1.60208 + .00012	.050	4
4	7444824		1.602	.004	1.60220 + .00016	.050	8
4	7444828		1.602	.008 AND UP	1.60240 + .00040	.050	8
4	7444832	7444835	1.603	MASTER	1.60300 + .00004	.050	2
4	7444834		1.603	.001	1.60300 + .00008	.050	4
4	7444836		1.603	.002	1.60308 + .00012	.050	4
4	7444838		1.603	.004	1.60320 + .00016	.050	8
4	7444842		1.603	.008 AND UP	1.60340 + .00040	.050	8
4	7444846	7444849	1.604	MASTER	1.60400 + .00004	.050	2
4	7444848		1.604	.001	1.60400 + .00008	.050	4
4	7444850		1.604	.002	1.60408 + .00012	.050	4
4	7444852		1.604	.004	1.60420 + .00016	.050	8
4	7444856		1.604	.008 AND UP	1.60440 + .00040	.050	8
4	7444860	7444863	1.605	MASTER	1.60500 + .00004	.050	2
4	7444862		1.605	.001	1.60500 + .00008	.050	4
4	7444864		1.605	.002	1.60508 + .00012	.050	4
4	7444866		1.605	.004	1.60520 + .00016	.050	8
4	7444870		1.605	.008 AND UP	1.60540 + .00040	.050	8
4	7444874	7444877	1.606	MASTER	1.60600 + .00004	.050	2
4	7444876		1.606	.001	1.60600 + .00008	.050	4
4	7444878		1.606	.002	1.60608 + .00012	.050	4
4	7444880		1.606	.004	1.60620 + .00016	.050	8
4	7444884		1.606	.008 AND UP	1.60640 + .00040	.050	8
4	7444888	7444891	1.607	MASTER	1.60700 + .00004	.050	2
4	7444890		1.607	.001	1.60700 + .00008	.050	4
4	7444892		1.607	.002	1.60708 + .00012	.050	4
4	7444894		1.607	.004	1.60720 + .00016	.050	8
4	7444898		1.607	.008 AND UP	1.60740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN–GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN–GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
11	7444902	7444905	1.608	MASTER	1.60800 + .00004	.050	2
11	7444904		1.608	.001	1.60800 + .00008	.050	4
11	7444906		1.608	.002	1.60808 + .00012	.050	4
11	7444908		1.608	.004	1.60820 + .00016	.050	8
11	7444912		1.608	.008 AND UP	1.60840 + .00040	.050	8
11	7444916	7444919	1.609	MASTER	1.60900 + .00004	.050	2
11	7444918		1.609	.001	1.60900 + .00008	.050	4
11	7444920		1.609	.002	1.60908 + .00012	.050	4
11	7444922		1.609	.004	1.60920 + .00016	.050	8
11	7444926		1.609	.008 AND UP	1.60940 + .00040	.050	8
11	7444930	7444933	1.610	MASTER	1.61000 + .00004	.050	2
11	7444932		1.610	.001	1.61000 + .00008	.050	4
11	7444934		1.610	.002	1.61008 + .00012	.050	4
11	7444936		1.610	.004	1.61020 + .00016	.050	8
11	7444940		1.610	.008 AND UP	1.61040 + .00040	.050	8
11	7444944	7444947	1.611	MASTER	1.61100 + .00004	.050	2
11	7444946		1.611	.001	1.61100 + .00008	.050	4
11	7444948		1.611	.002	1.61108 + .00012	.050	4
11	7444950		1.611	.004	1.61120 + .00016	.050	8
11	7444954		1.611	.008 AND UP	1.61140 + .00040	.050	8
11	7444958	7444961	1.612	MASTER	1.61200 + .00004	.050	2
11	7444960		1.612	.001	1.61200 + .00008	.050	4
11	7444962		1.612	.002	1.61208 + .00012	.050	4
11	7444964		1.612	.004	1.61220 + .00016	.050	8
11	7444968		1.612	.008 AND UP	1.61240 + .00040	.050	8
11	7444972	7444975	1.613	MASTER	1.61300 + .00004	.050	2
11	7444974		1.613	.001	1.61300 + .00008	.050	4
11	7444976		1.613	.002	1.61308 + .00012	.050	4
11	7444978		1.613	.004	1.61320 + .00016	.050	8
11	7444982		1.613	.008 AND UP	1.61340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7444986	7444989	1.614	MASTER	1.61400 + .00004	.050	2
4	7444988		1.614	.001	1.61400 + .00008	.050	4
4	7444990		1.614	.002	1.61408 + .00012	.050	8
4	7444992		1.614	.004	1.61420 + .00016	.050	8
4	7444996		1.614	.008 AND UP	1.61440 + .00040	.050	
4	7445000	7445003	1.615	MASTER	1.61500 + .00004	.050	2
4	7445002		1.615	.001	1.61500 + .00008	.050	4
4	7445004		1.615	.002	1.61508 + .00012	.050	8
4	7445006		1.615	.004	1.61520 + .00016	.050	8
4	7445010		1.615	.008 AND UP	1.61540 + .00040	.050	
4	7445014	7445017	1.616	MASTER	1.61600 + .00004	.050	2
4	7445016		1.616	.001	1.61600 + .00008	.050	4
4	7445018		1.616	.002	1.61608 + .00012	.050	8
4	7445020		1.616	.004	1.61620 + .00016	.050	8
4	7445024		1.616	.008 AND UP	1.61640 + .00040	.050	
4	7445028	7445031	1.617	MASTER	1.61700 + .00004	.050	2
4	7445030		1.617	.001	1.61700 + .00008	.050	4
4	7445032		1.617	.002	1.61708 + .00012	.050	8
4	7445034		1.617	.004	1.61720 + .00016	.050	8
4	7445038		1.617	.008 AND UP	1.61740 + .00040	.050	
4	7445042	7445045	1.618	MASTER	1.61800 + .00004	.050	2
4	7445044		1.618	.001	1.61800 + .00008	.050	4
4	7445046		1.618	.002	1.61808 + .00012	.050	8
4	7445048		1.618	.004	1.61820 + .00016	.050	8
4	7445052		1.618	.008 AND UP	1.61840 + .00040	.050	
4	7445056	7445059	1.619	MASTER	1.61900 + .00004	.050	2
4	7445058		1.619	.001	1.61900 + .00008	.050	4
4	7445060		1.619	.002	1.61908 + .00012	.050	
4	7445062		1.619	.004	1.61920 + .00016	.050	8
4	7445066		1.619	.008 AND UP	1.61940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7445070	7445073	1.620	MASTER	1.62000 + .00004	.050	2
4	7445072		1.620	.001	1.62000 + .00008	.050	4
4	7445074		1.620	.002	1.62008 + .00012	.050	4
4	7445076		1.620	.004	1.62020 + .00016	.050	8
4	7445080		1.620	.008 AND UP	1.62040 + .00040	.050	8
4	7445084	7445087	1.621	MASTER	1.62100 + .00004	.050	2
4	7445086		1.621	.001	1.62100 + .00008	.050	4
4	7445088		1.621	.002	1.62108 + .00012	.050	4
4	7445090		1.621	.004	1.62120 + .00016	.050	8
4	7445094		1.621	.008 AND UP	1.62140 + .00040	.050	8
4	7445098	7445101	1.622	MASTER	1.62200 + .00004	.050	2
4	7445100		1.622	.001	1.62200 + .00008	.050	4
4	7445102		1.622	.002	1.62208 + .00012	.050	4
4	7445104		1.622	.004	1.62220 + .00016	.050	8
4	7445108		1.622	.008 AND UP	1.62240 + .00040	.050	8
4	7445112	7445115	1.623	MASTER	1.62300 + .00004	.050	2
4	7445114		1.623	.001	1.62300 + .00008	.050	4
4	7445116		1.623	.002	1.62308 + .00012	.050	4
4	7445118		1.623	.004	1.62320 + .00016	.050	8
4	7445122		1.623	.008 AND UP	1.62340 + .00040	.050	8
4	7445126	7445129	1.624	MASTER	1.62400 + .00004	.050	2
4	7445128		1.624	.001	1.62400 + .00008	.050	4
4	7445130		1.624	.002	1.62408 + .00012	.050	4
4	7445132		1.624	.004	1.62420 + .00016	.050	8
4	7445136		1.624	.008 AND UP	1.62440 + .00040	.050	8
4	7445140	7445143	1.625	MASTER	1.62500 + .00004	.050	2
4	7445142		1.625	.001	1.62500 + .00008	.050	4
4	7445144		1.625	.002	1.62508 + .00012	.050	4
4	7445146		1.625	.004	1.62520 + .00016	.050	8
4	7445150		1.625	.008 AND UP	1.62540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445154		1.626	MASTER	1.62600 + .00004	.050	2
4	7445156	7445157	1.626	.001	1.62600 + .00008	.050	4
4	7445158		1.626	.002	1.62608 + .00012	.050	4
4	7445160		1.626	.004	1.62620 + .00016	.050	8
4	7445164		1.626	.008 AND UP	1.62640 + .00040	.050	8
4	7445168		1.627	MASTER	1.62700 + .00004	.050	2
4	7445170	7445171	1.627	.001	1.62700 + .00008	.050	4
4	7445172		1.627	.002	1.62708 + .00012	.050	4
4	7445174		1.627	.004	1.62720 + .00016	.050	8
4	7445178		1.627	.008 AND UP	1.62740 + .00040	.050	8
4	7445182		1.628	MASTER	1.62800 + .00004	.050	2
4	7445184	7445185	1.628	.001	1.62800 + .00008	.050	4
4	7445186		1.628	.002	1.62808 + .00012	.050	4
4	7445188		1.628	.004	1.62820 + .00016	.050	8
4	7445192		1.628	.008 AND UP	1.62840 + .00040	.050	8
4	7445196		1.629	MASTER	1.62900 + .00004	.050	2
4	7445198	7445199	1.629	.001	1.62900 + .00008	.050	4
4	7445200		1.629	.002	1.62908 + .00012	.050	4
4	7445202		1.629	.004	1.62920 + .00016	.050	8
4	7445206		1.629	.008 AND UP	1.62940 + .00040	.050	8
4	7445210		1.630	MASTER	1.63000 + .00004	.050	2
4	7445212	7445213	1.630	.001	1.63000 + .00008	.050	4
4	7445214		1.630	.002	1.63008 + .00012	.050	4
4	7445216		1.630	.004	1.63020 + .00016	.050	8
4	7445220		1.630	.008 AND UP	1.63040 + .00040	.050	8
4	7445224		1.631	MASTER	1.63100 + .00004	.050	2
4	7445226	7445227	1.631	.001	1.63100 + .00008	.050	4
4	7445228		1.631	.002	1.63108 + .00012	.050	4
4	7445230		1.631	.004	1.63120 + .00016	.050	8
4	7445234		1.631	.008 AND UP	1.63140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445238		1.632	MASTER	1.63200 + .00004	.050	2
4	7445240	7445241	1.632	.001	1.63200 + .00008	.050	4
4	7445242		1.632	.002	1.63208 + .00012	.050	4
4	7445244		1.632	.004	1.63220 + .00016	.050	8
4	7445248		1.632	.008 AND UP	1.63240 + .00040	.050	8
4	7445252		1.633	MASTER	1.63300 + .00004	.050	2
4	7445254	7445255	1.633	.001	1.63300 + .00008	.050	4
4	7445256		1.633	.002	1.63308 + .00012	.050	4
4	7445258		1.633	.004	1.63320 + .00016	.050	8
4	7445262		1.633	.008 AND UP	1.63340 + .00040	.050	8
4	7445266		1.634	MASTER	1.63400 + .00004	.050	2
4	7445268	7445269	1.634	.001	1.63400 + .00008	.050	4
4	7445270		1.634	.002	1.63408 + .00012	.050	4
4	7445272		1.634	.004	1.63420 + .00016	.050	8
4	7445276		1.634	.008 AND UP	1.63440 + .00040	.050	8
4	7445280		1.635	MASTER	1.63500 + .00004	.050	2
4	7445282	7445283	1.635	.001	1.63500 + .00008	.050	4
4	7445284		1.635	.002	1.63508 + .00012	.050	4
4	7445286		1.635	.004	1.63520 + .00016	.050	8
4	7445290		1.635	.008 AND UP	1.63540 + .00040	.050	8
4	7445294		1.636	MASTER	1.63600 + .00004	.050	2
4	7445296	7445297	1.636	.001	1.63600 + .00008	.050	4
4	7445298		1.636	.002	1.63608 + .00012	.050	4
4	7445300		1.636	.004	1.63620 + .00016	.050	8
4	7445304		1.636	.008 AND UP	1.63640 + .00040	.050	8
4	7445308		1.637	MASTER	1.63700 + .00004	.050	2
4	7445310	7445311	1.637	.001	1.63700 + .00008	.050	4
4	7445312		1.637	.002	1.63708 + .00012	.050	4
4	7445314		1.637	.004	1.63720 + .00016	.050	8
4	7445318		1.637	.008 AND UP	1.63740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7445322		1.638	MASTER	1.63800 + .00004	.050	2
4	7445324	7445325	1.638	.001	1.63800 + .00008	.050	4
4	7445326		1.638	.002	1.63808 + .00012	.050	4
4	7445328		1.638	.004	1.63820 + .00016	.050	8
4	7445332		1.638	.008 AND UP	1.63840 + .00040	.050	8
4	7445336		1.639	MASTER	1.63900 + .00004	.050	2
4	7445338	7445339	1.639	.001	1.63900 + .00008	.050	4
4	7445340		1.639	.002	1.63908 + .00012	.050	4
4	7445342		1.639	.004	1.63920 + .00016	.050	8
4	7445346		1.639	.008 AND UP	1.63940 + .00040	.050	8
4	7445350		1.640	MASTER	1.64000 + .00004	.050	2
4	7445352	7445353	1.640	.001	1.64000 + .00008	.050	4
4	7445354		1.640	.002	1.64008 + .00012	.050	4
4	7445356		1.640	.004	1.64020 + .00016	.050	8
4	7445360		1.640	.008 AND UP	1.64040 + .00040	.050	8
4	7445364		1.641	MASTER	1.64100 + .00004	.050	2
4	7445366	7445367	1.641	.001	1.64100 + .00008	.050	4
4	7445368		1.641	.002	1.64108 + .00012	.050	4
4	7445370		1.641	.004	1.64120 + .00016	.050	8
4	7445374		1.641	.008 AND UP	1.64140 + .00040	.050	8
4	7445378		1.642	MASTER	1.64200 + .00004	.050	2
4	7445380	7445381	1.642	.001	1.64200 + .00008	.050	4
4	7445382		1.642	.002	1.64208 + .00012	.050	4
4	7445384		1.642	.004	1.64220 + .00016	.050	8
4	7445388		1.642	.008 AND UP	1.64240 + .00040	.050	8
4	7445392		1.643	MASTER	1.64300 + .00004	.050	2
4	7445394	7445395	1.643	.001	1.64300 + .00008	.050	4
4	7445396		1.643	.002	1.64308 + .00012	.050	4
4	7445398		1.643	.004	1.64320 + .00016	.050	8
4	7445402		1.643	.008 AND UP	1.64340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445406	7445409	1.644	MASTER	1.64400 + .00004	.050	2
4	7445408		1.644	.001	1.64400 + .00008	.050	4
4	7445410		1.644	.002	1.64408 + .00012	.050	4
4	7445412		1.644	.004	1.64420 + .00016	.050	8
4	7445416		1.644	.008 AND UP	1.64440 + .00040	.050	8
4	7445420	7445423	1.645	MASTER	1.64500 + .00004	.050	2
4	7445422		1.645	.001	1.64500 + .00008	.050	4
4	7445424		1.645	.002	1.64508 + .00012	.050	4
4	7445426		1.645	.004	1.64520 + .00016	.050	8
4	7445430		1.645	.008 AND UP	1.64540 + .00040	.050	8
4	7445434	7445437	1.646	MASTER	1.64600 + .00004	.050	2
4	7445436		1.646	.001	1.64600 + .00008	.050	4
4	7445438		1.646	.002	1.64608 + .00012	.050	4
4	7445440		1.646	.004	1.64620 + .00016	.050	8
4	7445444		1.646	.008 AND UP	1.64640 + .00040	.050	8
4	7445448	7445451	1.647	MASTER	1.64700 + .00004	.050	2
4	7445450		1.647	.001	1.64700 + .00008	.050	4
4	7445452		1.647	.002	1.64708 + .00012	.050	4
4	7445454		1.647	.004	1.64720 + .00016	.050	8
4	7445458		1.647	.008 AND UP	1.64740 + .00040	.050	8
4	7445462	7445465	1.648	MASTER	1.64800 + .00004	.050	2
4	7445464		1.648	.001	1.64800 + .00008	.050	4
4	7445466		1.648	.002	1.64808 + .00012	.050	4
4	7445468		1.648	.004	1.64820 + .00016	.050	8
4	7445472		1.648	.008 AND UP	1.64840 + .00040	.050	8
4	7445476	7445479	1.649	MASTER	1.64900 + .00004	.050	2
4	7445478		1.649	.001	1.64900 + .00008	.050	4
4	7445480		1.649	.002	1.64908 + .00012	.050	4
4	7445482		1.649	.004	1.64920 + .00016	.050	8
4	7445486		1.649	.008 AND UP	1.64940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445490	7445493	1.650	MASTER	1.65000 + .00004	.050	2
4	7445492		1.650	.001	1.65000 + .00008	.050	4
4	7445494		1.650	.002	1.65008 + .00012	.050	4
4	7445496		1.650	.004	1.65020 + .00016	.050	8
4	7445500		1.650	.008 AND UP	1.65040 + .00040	.050	8
4	7445504	7445507	1.651	MASTER	1.65100 + .00004	.050	2
4	7445506		1.651	.001	1.65100 + .00008	.050	4
4	7445508		1.651	.002	1.65108 + .00012	.050	4
4	7445510		1.651	.004	1.65120 + .00016	.050	8
4	7445514		1.651	.008 AND UP	1.65140 + .00040	.050	8
4	7445518	7445521	1.652	MASTER	1.65200 + .00004	.050	2
4	7445520		1.652	.001	1.65200 + .00008	.050	4
4	7445522		1.652	.002	1.65208 + .00012	.050	4
4	7445524		1.652	.004	1.65220 + .00016	.050	8
4	7445528		1.652	.008 AND UP	1.65240 + .00040	.050	8
4	7445532	7445535	1.653	MASTER	1.65300 + .00004	.050	2
4	7445534		1.653	.001	1.65300 + .00008	.050	4
4	7445536		1.653	.002	1.65308 + .00012	.050	4
4	7445538		1.653	.004	1.65320 + .00016	.050	8
4	7445542		1.653	.008 AND UP	1.65340 + .00040	.050	8
4	7445546	7445549	1.654	MASTER	1.65400 + .00004	.050	2
4	7445548		1.654	.001	1.65400 + .00008	.050	4
4	7445550		1.654	.002	1.65408 + .00012	.050	4
4	7445552		1.654	.004	1.65420 + .00016	.050	8
4	7445556		1.654	.008 AND UP	1.65440 + .00040	.050	8
4	7445560	7445563	1.655	MASTER	1.65500 + .00004	.050	2
4	7445562		1.655	.001	1.65500 + .00008	.050	4
4	7445564		1.655	.002	1.65508 + .00012	.050	4
4	7445566		1.655	.004	1.65520 + .00016	.050	8
4	7445570		1.655	.008 AND UP	1.65540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7445574	7445577	1.656	MASTER	1.65600 + .00004	.050	2
4	7445576		1.656	.001	1.65600 + .00008	.050	4
4	7445578		1.656	.002	1.65608 + .00012	.050	4
4	7445580		1.656	.004	1.65620 + .00016	.050	8
4	7445584		1.656	.008 AND UP	1.65640 + .00040	.050	8
4	7445588	7497729	1.65625	MASTER	1.65625 + .00004	.050	2
4	7497728		1.65625	.001	1.65625 + .00008	.050	4
4	7497730		1.65625	.002	1.65633 + .00012	.050	4
4	7497732		1.65625	.004	1.65645 + .00016	.050	8
4	7497736		1.65625	.008 AND UP	1.65665 + .00040	.050	8
4	7445590	7445593	1.657	MASTER	1.65700 + .00004	.050	2
4	7445592		1.657	.001	1.65700 + .00008	.050	4
4	7445594		1.657	.002	1.65708 + .00012	.050	4
4	7445596		1.657	.004	1.65720 + .00016	.050	8
4	7445600		1.657	.008 AND UP	1.65740 + .00040	.050	8
4	7445604	7445607	1.658	MASTER	1.65800 + .00004	.050	2
4	7445606		1.658	.001	1.65800 + .00008	.050	4
4	7445608		1.658	.002	1.65808 + .00012	.050	4
4	7445610		1.658	.004	1.65820 + .00016	.050	8
4	7445614		1.658	.008 AND UP	1.65840 + .00040	.050	8
4	7445618	7445621	1.659	MASTER	1.65900 + .00004	.050	2
4	7445620		1.659	.001	1.65900 + .00008	.050	4
4	7445622		1.659	.002	1.65908 + .00012	.050	4
4	7445624		1.659	.004	1.65920 + .00016	.050	8
4	7445628		1.659	.008 AND UP	1.65940 + .00040	.050	8
4	7445632	7445635	1.660	MASTER	1.66000 + .00004	.050	2
4	7445634		1.660	.001	1.66000 + .00008	.050	4
4	7445636		1.660	.002	1.66008 + .00012	.050	4
4	7445638		1.660	.004	1.66020 + .00016	.050	8
4	7445642		1.660	.008 AND UP	1.66040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445646	7445649	1.661	MASTER	1.66100 + .00004	.050	2
4	7445648		1.661	.001	1.66100 + .00008	.050	4
4	7445650		1.661	.002	1.66108 + .00012	.050	4
4	7445652		1.661	.004	1.66120 + .00016	.050	8
4	7445656		1.661	.008 AND UP	1.66140 + .00040	.050	8
4	7445660	7445663	1.662	MASTER	1.66200 + .00004	.050	2
4	7445662		1.662	.001	1.66200 + .00008	.050	4
4	7445664		1.662	.002	1.66208 + .00012	.050	4
4	7445666		1.662	.004	1.66220 + .00016	.050	8
4	7445670		1.662	.008 AND UP	1.66240 + .00040	.050	8
4	7445674	7445677	1.663	MASTER	1.66300 + .00004	.050	2
4	7445676		1.663	.001	1.66300 + .00008	.050	4
4	7445678		1.663	.002	1.66308 + .00012	.050	4
4	7445680		1.663	.004	1.66320 + .00016	.050	8
4	7445684		1.663	.008 AND UP	1.66340 + .00040	.050	8
4	7445688	7445691	1.664	MASTER	1.66400 + .00004	.050	2
4	7445690		1.664	.001	1.66400 + .00008	.050	4
4	7445692		1.664	.002	1.66408 + .00012	.050	4
4	7445694		1.664	.004	1.66420 + .00016	.050	8
4	7445698		1.664	.008 AND UP	1.66440 + .00040	.050	8
4	7445702	7445705	1.665	MASTER	1.66500 + .00004	.050	2
4	7445704		1.665	.001	1.66500 + .00008	.050	4
4	7445706		1.665	.002	1.66508 + .00012	.050	4
4	7445708		1.665	.004	1.66520 + .00016	.050	8
4	7445712		1.665	.008 AND UP	1.66540 + .00040	.050	8
4	7445716	7445719	1.666	MASTER	1.66600 + .00004	.050	2
4	7445718		1.666	.001	1.66600 + .00008	.050	4
4	7445720		1.666	.002	1.66608 + .00012	.050	4
4	7445722		1.666	.004	1.66620 + .00016	.050	8
4	7445726		1.666	.008 AND UP	1.66640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445730	7445733	1.667	MASTER	1.66700 + .00004	.050	2
4	7445732		1.667	.001	1.66700 + .00008	.050	4
4	7445734		1.667	.002	1.66708 + .00012	.050	4
4	7445736		1.667	.004	1.66720 + .00016	.050	8
4	7445740		1.667	.008 AND UP	1.66740 + .00040	.050	8
4	7445744	7445747	1.668	MASTER	1.66800 + .00004	.050	2
4	7445746		1.668	.001	1.66800 + .00008	.050	4
4	7445748		1.668	.002	1.66808 + .00012	.050	4
4	7445750		1.668	.004	1.66820 + .00016	.050	8
4	7445754		1.668	.008 AND UP	1.66840 + .00040	.050	8
4	7445758	7445761	1.669	MASTER	1.66900 + .00004	.050	2
4	7445760		1.669	.001	1.66900 + .00008	.050	4
4	7445762		1.669	.002	1.66908 + .00012	.050	4
4	7445764		1.669	.004	1.66920 + .00016	.050	8
4	7445768		1.669	.008 AND UP	1.66940 + .00040	.050	8
4	7445772	7445775	1.670	MASTER	1.67000 + .00004	.050	2
4	7445774		1.670	.001	1.67000 + .00008	.050	4
4	7445776		1.670	.002	1.67008 + .00012	.050	4
4	7445778		1.670	.004	1.67020 + .00016	.050	8
4	7445782		1.670	.008 AND UP	1.67040 + .00040	.050	8
4	7445786	7445789	1.671	MASTER	1.67100 + .00004	.050	2
4	7445788		1.671	.001	1.67100 + .00008	.050	4
4	7445790		1.671	.002	1.67108 + .00012	.050	4
4	7445792		1.671	.004	1.67120 + .00016	.050	8
4	7445796		1.671	.008 AND UP	1.67140 + .00040	.050	8
4	7445800	7445803	1.672	MASTER	1.67200 + .00004	.050	2
4	7445802		1.672	.001	1.67200 + .00008	.050	4
4	7445804		1.672	.002	1.67208 + .00012	.050	4
4	7445806		1.672	.004	1.67220 + .00016	.050	8
4	7445810		1.672	.008 AND UP	1.67240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445814		1.673	MASTER	1.67300 + .00004	.050	2
4	7445816	7445817	1.673	.001	1.67300 + .00008	.050	4
4	7445818		1.673	.002	1.67308 + .00012	.050	4
4	7445820		1.673	.004	1.67320 + .00016	.050	8
4	7445824		1.673	.008 AND UP	1.67340 + .00040	.050	8
4	7445828		1.674	MASTER	1.67400 + .00004	.050	2
4	7445830	7445831	1.674	.001	1.67400 + .00008	.050	4
4	7445832		1.674	.002	1.67408 + .00012	.050	4
4	7445834		1.674	.004	1.67420 + .00016	.050	8
4	7445838		1.674	.008 AND UP	1.67440 + .00040	.050	8
4	7445842		1.675	MASTER	1.67500 + .00004	.050	2
4	7445844	7445845	1.675	.001	1.67500 + .00008	.050	4
4	7445846		1.675	.002	1.67508 + .00012	.050	4
4	7445848		1.675	.004	1.67520 + .00016	.050	8
4	7445852		1.675	.008 AND UP	1.67540 + .00040	.050	8
4	7445856		1.676	MASTER	1.67600 + .00004	.050	2
4	7445858	7445859	1.676	.001	1.67600 + .00008	.050	4
4	7445860		1.676	.002	1.67608 + .00012	.050	4
4	7445862		1.676	.004	1.67620 + .00016	.050	8
4	7445866		1.676	.008 AND UP	1.67640 + .00040	.050	8
4	7445870		1.677	MASTER	1.67700 + .00004	.050	2
4	7445872	7445873	1.677	.001	1.67700 + .00008	.050	4
4	7445874		1.677	.002	1.67708 + .00012	.050	4
4	7445876		1.677	.004	1.67720 + .00016	.050	8
4	7445880		1.677	.008 AND UP	1.67740 + .00040	.050	8
4	7445884		1.678	MASTER	1.67800 + .00004	.050	2
4	7445886	7445887	1.678	.001	1.67800 + .00008	.050	4
4	7445888		1.678	.002	1.67808 + .00012	.050	4
4	7445890		1.678	.004	1.67820 + .00016	.050	8
4	7445894		1.678	.008 AND UP	1.67840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445898		1.679	MASTER	1.67900 + .00004	.050	2
4	7445900	7445901	1.679	.001	1.67900 + .00008	.050	4
4	7445902		1.679	.002	1.67908 + .00012	.050	4
4	7445904		1.679	.004	1.67920 + .00016	.050	8
4	7445908		1.679	.008 AND UP	1.67940 + .00040	.050	8
4	7445912		1.680	MASTER	1.68000 + .00004	.050	2
4	7445914	7445915	1.680	.001	1.68000 + .00008	.050	4
4	7445916		1.680	.002	1.68008 + .00012	.050	4
4	7445918		1.680	.004	1.68020 + .00016	.050	8
4	7445922		1.680	.008 AND UP	1.68040 + .00040	.050	8
4	7445926		1.681	MASTER	1.68100 + .00004	.050	2
4	7445928	7445929	1.681	.001	1.68100 + .00008	.050	4
4	7445930		1.681	.002	1.68108 + .00012	.050	4
4	7445932		1.681	.004	1.68120 + .00016	.050	8
4	7445936		1.681	.008 AND UP	1.68140 + .00040	.050	8
4	7445940		1.682	MASTER	1.68200 + .00004	.050	2
4	7445942	7445943	1.682	.001	1.68200 + .00008	.050	4
4	7445944		1.682	.002	1.68208 + .00012	.050	4
4	7445946		1.682	.004	1.68220 + .00016	.050	8
4	7445950		1.682	.008 AND UP	1.68240 + .00040	.050	8
4	7445954		1.683	MASTER	1.68300 + .00004	.050	2
4	7445956	7445957	1.683	.001	1.68300 + .00008	.050	4
4	7445958		1.683	.002	1.68308 + .00012	.050	4
4	7445960		1.683	.004	1.68320 + .00016	.050	8
4	7445964		1.683	.008 AND UP	1.68340 + .00040	.050	8
4	7445968		1.684	MASTER	1.68400 + .00004	.050	2
4	7445970	7445971	1.684	.001	1.68400 + .00008	.050	4
4	7445972		1.684	.002	1.68408 + .00012	.050	4
4	7445974		1.684	.004	1.68420 + .00016	.050	8
4	7445978		1.684	.008 AND UP	1.68440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445982		1.685	MASTER	1.68500 + .00004	.050	2
4	7445984	7445985	1.685	.001	1.68500 + .00008	.050	4
4	7445986		1.685	.002	1.68508 + .00012	.050	4
4	7445988		1.685	.004	1.68520 + .00016	.050	8
4	7445992		1.685	.008 AND UP	1.68540 + .00040	.050	8
4	7445996		1.686	MASTER	1.68600 + .00004	.050	2
4	7445998	7445999	1.686	.001	1.68600 + .00008	.050	4
4	7446000		1.686	.002	1.68608 + .00012	.050	4
4	7446002		1.686	.004	1.68620 + .00016	.050	8
4	7446006		1.686	.008 AND UP	1.68640 + .00040	.050	8
4	7446010		1.687	MASTER	1.68700 + .00004	.050	2
4	7446012	7446013	1.687	.001	1.68700 + .00008	.050	4
4	7446014		1.687	.002	1.68708 + .00012	.050	4
4	7446016		1.687	.004	1.68720 + .00016	.050	8
4	7446020		1.687	.008 AND UP	1.68740 + .00040	.050	8
4	7446024		1.6875	MASTER	1.68750 + .00004	.050	2
4	7497740	7497741	1.6875	.001	1.68750 + .00008	.050	4
4	7497742		1.6875	.002	1.68758 + .00012	.050	4
4	7497744		1.6875	.004	1.68770 + .00016	.050	8
4	7497748		1.6875	.008 AND UP	1.68790 + .00040	.050	8
4	7446026		1.688	MASTER	1.68800 + .00004	.050	2
4	7446028	7446029	1.688	.001	1.68800 + .00008	.050	4
4	7446030		1.688	.002	1.68808 + .00012	.050	4
4	7446032		1.688	.004	1.68820 + .00016	.050	8
4	7446036		1.688	.008 AND UP	1.68840 + .00040	.050	8
4	7446040		1.689	MASTER	1.68900 + .00004	.050	2
4	7446042	7446043	1.689	.001	1.68900 + .00008	.050	4
4	7446044		1.689	.002	1.68908 + .00012	.050	4
4	7446046		1.689	.004	1.68920 + .00016	.050	8
4	7446050		1.689	.008 AND UP	1.68940 .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7446054		1.690	MASTER	1.69000 + .00004	.050	2
4	7446056	7446057	1.690	.001	1.69000 + .00008	.050	4
4	7446058		1.690	.002	1.69008 + .00012	.050	4
4	7446060		1.690	.004	1.69020 + .00016	.050	8
4	7446064		1.690	.008 AND UP	1.69040 + .00040	.050	8
5	7446068		1.691	MASTER	1.69100 + .00004	.050	2
5	7446070	7446071	1.691	.001	1.69100 + .00008	.050	4
5	7446072		1.691	.002	1.69108 + .00012	.050	4
5	7446074		1.691	.004	1.69120 + .00016	.050	8
5	7446078		1.691	.008 AND UP	1.69140 + .00040	.050	8
5	7446082		1.692	MASTER	1.69200 + .00004	.050	2
5	7446084	7446085	1.692	.001	1.69200 + .00008	.050	4
5	7446086		1.692	.002	1.69208 + .00012	.050	4
5	7446088		1.692	.004	1.69220 + .00016	.050	8
5	7446092		1.692	.008 AND UP	1.69240 + .00040	.050	8
5	7446096		1.693	MASTER	1.69300 + .00004	.050	2
5	7446098	7446099	1.693	.001	1.69300 + .00008	.050	4
5	7446100		1.693	.002	1.69308 + .00012	.050	4
5	7446102		1.693	.004	1.69320 + .00016	.050	8
5	7446106		1.693	.008 AND UP	1.69340 + .00040	.050	8
5	7446110		1.694	MASTER	1.69400 + .00004	.050	2
5	7446112	7446113	1.694	.001	1.69400 + .00008	.050	4
5	7446114		1.694	.002	1.69408 + .00012	.050	4
5	7446116		1.694	.004	1.69420 + .00016	.050	8
5	7446120		1.694	.008 AND UP	1.69440 + .00040	.050	8
6	7446124		1.695	MASTER	1.69500 + .00004	.050	2
6	7446126	7446127	1.695	.001	1.69500 + .00008	.050	4
6	7446128		1.695	.002	1.69508 + .00012	.050	4
6	7446130		1.695	.004	1.69520 + .00016	.050	8
6	7446134		1.695	.008 AND UP	1.69540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446138		1.696	MASTER	1.69600 + .00004	.050	2
4	7446140	7446141	1.696	.001	1.69600 + .00008	.050	4
4	7446142		1.696	.002	1.69608 + .00012	.050	4
4	7446144		1.696	.004	1.69620 + .00016	.050	8
4	7446148		1.696	.008 AND UP	1.69640 + .00040	.050	8
4	7446152		1.697	MASTER	1.69700 + .00004	.050	2
4	7446154	7446155	1.697	.001	1.69700 + .00008	.050	4
4	7446156		1.697	.002	1.69708 + .00012	.050	4
4	7446158		1.697	.004	1.69720 + .00016	.050	8
4	7446162		1.697	.008 AND UP	1.69740 + .00040	.050	8
4	7446166		1.698	MASTER	1.69800 + .00004	.050	2
4	7446168	7446169	1.698	.001	1.69800 + .00008	.050	4
4	7446170		1.698	.002	1.69808 + .00012	.050	4
4	7446172		1.698	.004	1.69820 + .00016	.050	8
4	7446176		1.698	.008 AND UP	1.69840 + .00040	.050	8
4	7446180		1.699	MASTER	1.69900 + .00004	.050	2
4	7446182	7446183	1.699	.001	1.69900 + .00008	.050	4
4	7446184		1.699	.002	1.69908 + .00012	.050	4
4	7446186		1.699	.004	1.69920 + .00016	.050	8
4	7446190		1.699	.008 AND UP	1.69940 + .00040	.050	8
4	7446194		1.700	MASTER	1.70000 + .00004	.050	2
4	7446196	7446197	1.700	.001	1.70000 + .00008	.050	4
4	7446198		1.700	.002	1.70008 + .00012	.050	4
4	7446200		1.700	.004	1.70020 + .00016	.050	8
4	7446204		1.700	.008 AND UP	1.70040 + .00040	.050	8
4	7446208		1.701	MASTER	1.70100 + .00004	.050	2
4	7446210	7446211	1.701	.001	1.70100 + .00008	.050	4
4	7446212		1.701	.002	1.70108 + .00012	.050	4
4	7446214		1.701	.004	1.70120 + .00016	.050	8
4	7446218		1.701	.008 AND UP	1.70140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7446222		1.702	MASTER	1.70200 + .00004	.050	2
4	7446224	7446225	1.702	.001	1.70200 + .00008	.050	4
4	7446226		1.702	.002	1.70208 + .00012	.050	4
4	7446228		1.702	.004	1.70220 + .00016	.050	8
4	7446232		1.702	.008 AND UP	1.70240 + .00040	.050	8
4	7446236		1.703	MASTER	1.70300 + .00004	.050	2
4	7446238	7446239	1.703	.001	1.70300 + .00008	.050	4
4	7446240		1.703	.002	1.70308 + .00012	.050	4
4	7446242		1.703	.004	1.70320 + .00016	.050	8
4	7446246		1.703	.008 AND UP	1.70340 + .00040	.050	8
4	7446250		1.704	MASTER	1.70400 + .00004	.050	2
4	7446252	7446253	1.704	.001	1.70400 + .00008	.050	4
4	7446254		1.704	.002	1.70408 + .00012	.050	4
4	7446256		1.704	.004	1.70420 + .00016	.050	8
4	7446260		1.704	.008 AND UP	1.70440 + .00040	.050	8
4	7446264		1.705	MASTER	1.70500 .00004	.050	2
4	7446266	7446267	1.705	.001	1.70500 .00008	.050	4
4	7446268		1.705	.002	1.70508 + 00012	.050	4
4	7446270		1.705	.004	1.70520 + 00016	.050	8
4	7446274		1.705	.008 AND UP	1.70540 + .00040	.050	8
4	7446278		1.706	MASTER	1.70600 + .00004	.050	2
4	7446280	7446281	1.706	.001	1.70600 + .00008	.050	4
4	7446282		1.706	.002	1.70608 + .00012	.050	4
4	7446284		1.706	.004	1.70620 + .00016	.050	8
4	7446288		1.706	.008 AND UP	1.70640 + .00040	.050	8
4	7446292		1.707	MASTER	1.70700 + .00004	.050	2
4	7446294	7446295	1.707	.001	1.70700 + .00008	.050	4
4	7446296		1.707	.002	1.70708 + .00012	.050	4
4	7446298		1.707	.004	1.70720 + .00016	.050	8
4	7446302		1.707	.008 AND UP	1.70740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7446306	7446309	1.708	MASTER	1.70800 .00004	.050	2
4	7446308		1.708	.001	1.70800 .00008	.050	4
4	7446310		1.708	.002	1.70808 + .00012	.050	4
4	7446312		1.708	.004	1.70820 + .00016	.050	8
4	7446316		1.708	.008 AND UP	1.70840 + .00040	.050	8
4	7446320	7446323	1.709	MASTER	1.70900 + .00004	.050	2
4	7446322		1.709	.001	1.70900 + .00008	.050	4
4	7446324		1.709	.002	1.70908 + .00012	.050	4
4	7446326		1.709	.004	1.70920 + .00016	.050	8
4	7446330		1.709	.008 AND UP	1.70940 + .00040	.050	8
4	7446334	7446337	1.710	MASTER	1.71000 + .00004	.050	2
4	7446336		1.710	.001	1.71000 + .00008	.050	4
4	7446338		1.710	.002	1.71008 + .00012	.050	4
4	7446340		1.710	.004	1.71020 + .00016	.050	8
4	7446344		1.710	.008 AND UP	1.71040 + .00040	.050	8
4	7446348	7446351	1.711	MASTER	1.71100 + .00004	.050	2
4	7446350		1.711	.001	1.71100 + .00008	.050	4
4	7446352		1.711	.002	1.71108 + .00012	.050	4
4	7446354		1.711	.004	1.71120 + .00016	.050	8
4	7446358		1.711	.008 AND UP	1.71140 + .00040	.050	8
4	7446362	7446365	1.712	MASTER	1.71200 + .00004	.050	2
4	7446364		1.712	.001	1.71200 + .00008	.050	4
4	7446366		1.712	.002	1.71208 + .00012	.050	4
4	7446368		1.712	.004	1.71220 + .00016	.050	8
4	7446372		1.712	.008 AND UP	1.71240 + .00040	.050	8
4	7446376	7446379	1.713	MASTER	1.71300 + .00004	.050	2
4	7446378		1.713	.001	1.71300 + .00008	.050	4
4	7446380		1.713	.002	1.71308 + .00012	.050	4
4	7446382		1.713	.004	1.71320 + .00016	.050	8
4	7446386		1.713	.008 AND UP	1.71340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446390		1.714	MASTER	1.71400 + .00004	.050	2
4	7446392	7446393	1.714	.001	1.71400 + .00008	.050	4
4	7446394		1.714	.002	1.71408 + .00012	.050	4
4	7446396		1.714	.004	1.71420 + .00016	.050	8
4	7446400		1.714	.008 AND UP	1.71440 + .00040	.050	8
4	7446404		1.715	MASTER	1.71500 + .00004	.050	2
4	7446406	7446407	1.715	.001	1.71500 + .00008	.050	4
4	7446408		1.715	.002	1.71508 + .00012	.050	4
4	7446410		1.715	.004	1.71520 + .00016	.050	8
4	7446414		1.715	.008 AND UP	1.71540 + .00040	.050	8
4	7446418		1.716	MASTER	1.71600 + .00004	.050	2
4	7446420	7446421	1.716	.001	1.71600 + .00008	.050	4
4	7446422		1.716	.002	1.71608 + .00012	.050	4
4	7446424		1.716	.004	1.71620 + .00016	.050	8
4	7446428		1.716	.008 AND UP	1.71640 + .00040	.050	8
4	7446432		1.717	MASTER	1.71700 + .00004	.050	2
4	7446434	7446435	1.717	.001	1.71700 + .00008	.050	4
4	7446436		1.717	.002	1.71708 + .00012	.050	4
4	7446438		1.717	.004	1.71720 + .00016	.050	8
4	7446442		1.717	.008 AND UP	1.71740 + .00040	.050	8
4	7446446		1.718	MASTER	1.71800 + .00004	.050	2
4	7446448	7446449	1.718	.001	1.71800 + .00008	.050	4
4	7446450		1.718	.002	1.71808 + .00012	.050	4
4	7446452		1.718	.004	1.71820 + .00016	.050	8
4	7446456		1.718	.008 AND UP	1.71840 + .00040	.050	8
4	7446460		1.71875	MASTER	1.71875 + .00004	.050	2
4	7497752	7497753	1.71875	.001	1.71875 + .00008	.050	4
4	7497754		1.71875	.002	1.71883 + .00012	.050	4
4	7497756		1.71875	.004	1.71895 + .00016	.050	8
4	7497760		1.71875	.008 AND UP	1.71915 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446462		1.719	MASTER	1.71900 + .00004	.050	2
4	7446464	7446465	1.719	.001	1.71900 + .00008	.050	4
4	7446466		1.719	.002	1.71908 + .00012	.050	4
4	7446468		1.719	.004	1.71920 + .00016	.050	8
4	7446472		1.719	.008 AND UP	1.71940 + .00040	.050	8
4	7446476		1.720	MASTER	1.72000 + .00004	.050	2
4	7446478	7446479	1.720	.001	1.72000 + .00008	.050	4
4	7446480		1.720	.002	1.72008 + .00012	.050	4
4	7446482		1.720	.004	1.72020 + .00016	.050	8
4	7446486		1.720	.008 AND UP	1.72040 + .00040	.050	8
4	7446490		1.721	MASTER	1.7210[illegible] + .00004	.050	2
4	7446492	7446493	1.721	.001	1.7210[illegible] + .00008	.050	4
4	7446494		1.721	.002	1.7210[illegible] + .00012	.050	4
4	7446496		1.721	.004	1.72120 + .00016	.050	8
4	7446500		1.721	.008 AND UP	1.72140 + .00040	.050	8
4	7446504		1.722	MASTER	1.72200 + .00004	.050	2
4	7446506	7446507	1.722	.001	1.72200 + .00008	.050	4
4	7446508		1.722	.002	1.72208 + .00012	.050	4
4	7446510		1.722	.004	1.72220 + .00016	.050	8
4	7446514		1.722	.008 AND UP	1.72240 + .00040	.050	8
4	7446518		1.723	MASTER	1.72300 + .00004	.050	2
4	7446520	7446521	1.723	.001	1.72300 + .00008	.050	4
4	7446522		1.723	.002	1.72308 + .00012	.050	4
4	7446524		1.723	.004	1.72320 + .00016	.050	8
4	7446528		1.723	.008 AND UP	1.72340 + .00040	.050	8
4	7446532		1.724	MASTER	1.72400 + .00004	.050	2
4	7446534	7446535	1.724	.001	1.72400 + .00008	.050	4
4	7446536		1.724	.002	1.72408 + .00012	.050	4
4	7446538		1.724	.004	1.72420 + .00016	.050	8
4	7446542		1.724	.008 AND UP	1.72440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
1	7446546		1.725	MASTER	1.72500 + .00004	.050	2
1	7446548	7446549	1.725	.001	1.72500 + .00008	.050	4
1	7446550		1.725	.002	1.72508 + .00012	.050	4
1	7446552		1.725	.004	1.72520 + .00016	.050	8
1	7446556		1.725	.008 AND UP	1.72540 + .00040	.050	8
1	7446560		1.726	MASTER	1.72600 + .00004	.050	2
1	7446562	7446563	1.726	.001	1.72600 + .00008	.050	4
1	7446564		1.726	.002	1.72608 + .00012	.050	4
1	7446566		1.726	.004	1.72620 + .00016	.050	8
1	7446570		1.726	.008 AND UP	1.72640 + .00040	.050	8
1	7446574		1.727	MASTER	1.72700 + .00004	.050	2
1	7446576	7446577	1.727	.001	1.72700 + .00008	.050	4
1	7446578		1.727	.002	1.72708 + .00012	.050	4
1	7446580		1.727	.004	1.72720 + .00016	.050	8
1	7446584		1.727	.008 AND UP	1.72740 + .00040	.050	8
1	7446588		1.728	MASTER	1.72800 + .00004	.050	2
1	7446590	7446591	1.728	.001	1.72800 + .00008	.050	4
1	7446592		1.728	.002	1.72808 + .00012	.050	4
1	7446594		1.728	.004	1.72820 + .00016	.050	8
1	7446598		1.728	.008 AND UP	1.72840 + .00040	.050	8
1	7446602		1.729	MASTER	1.72900 + .00004	.050	2
1	7446604	7446605	1.729	.001	1.72900 + .00008	.050	4
1	7446606		1.729	.002	1.72908 + .00012	.050	4
1	7446608		1.729	.004	1.72920 + .00016	.050	8
1	7446612		1.729	.008 AND UP	1.72940 + .00040	.050	8
1	7446616		1.730	MASTER	1.73000 + .00004	.050	2
1	7446618	7446619	1.730	.001	1.73000 + .00008	.050	4
1	7446620		1.730	.002	1.73008 + .00012	.050	4
1	7446622		1.730	.004	1.73020 + .00016	.050	8
1	7446626		1.730	.008 AND UP	1.73040 + .00040	.050	8

8 December 1955 MIL-STD-1004

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446630	7446633	1.731	MASTER	1.73100 + .00004	.050	2
4	7446632		1.731	.001	1.73100 + .00008	.050	4
4	7446634		1.731	.002	1.73108 + .00012	.050	4
4	7446636		1.731	.004	1.73120 + .00016	.050	8
4	7446640		1.731	.008 AND UP	1.73140 + .00040	.050	8
4	7446644	7446647	1.732	MASTER	1.73200 + .00004	.050	2
4	7446646		1.732	.001	1.73200 + .00008	.050	4
4	7446648		1.732	.002	1.73208 + .00012	.050	4
4	7446650		1.732	.004	1.73220 + .00016	.050	8
4	7446654		1.732	.008 AND UP	1.73240 + .00040	.050	8
4	7446658	7446661	1.733	MASTER	1.73300 + .00004	.050	2
4	7446660		1.733	.001	1.73300 + .00008	.050	4
4	7446662		1.733	.002	1.73308 + .00012	.050	4
4	7446664		1.733	.004	1.73320 + .00016	.050	8
4	7446668		1.733	.008 AND UP	1.73340 + .00040	.050	8
4	7446672	7446675	1.734	MASTER	1.73400 + .00004	.050	2
4	7446674		1.734	.001	1.73400 + .00008	.050	4
4	7446676		1.734	.002	1.73408 + .00012	.050	4
4	7446678		1.734	.004	1.73420 + .00016	.050	8
4	7446682		1.734	.008 AND UP	1.73440 + .00040	.050	8
4	7446686	7446689	1.735	MASTER	1.73500 + .00004	.050	2
4	7446688		1.735	.001	1.73500 + .00008	.050	4
4	7446690		1.735	.002	1.73508 + .00012	.050	4
4	7446692		1.735	.004	1.73520 + .00016	.050	8
4	7446696		1.735	.008 AND UP	1.73540 + .00040	.050	8
4	7446700	7446703	1.736	MASTER	1.73600 + .00004	.050	2
4	7446702		1.736	.001	1.73600 + .00008	.050	4
4	7446704		1.736	.002	1.73608 + .00012	.050	4
4	7446706		1.736	.004	1.73620 + .00016	.050	8
4	7446710		1.736	.008 AND UP	1.73640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446714		1.737	MASTER	1.73700 + .00004	.050	2
4	7446716	7446717	1.737	.001	1.73700 .00008	.050	4
4	7446718		1.737	.002	1.73708 + .00012	.050	4
4	7446720		1.737	.004	1.73720 + 00016	.050	8
4	7446724		1.737	.008 AND UP	1.73740 + 00040	.050	8
4	7446728		1.738	MASTER	1.73800 + .00004	.050	2
4	7446730	7446731	1.738	.001	1.73800 + .00008	.050	4
4	7446732		1.738	.002	1.73808 + .00012	.050	4
4	7446734		1.738	.004	1.73820 + .00016	.050	8
4	7446738		1.738	.008 AND UP	1.73840 + .00040	.050	8
4	7446742		1.739	MASTER	1.73900 + .00004	.050	2
4	7446744	7446745	1.739	.001	1.73900 + .00008	.050	4
4	7446746		1.739	.002	1.73908 + .00012	.050	4
4	7446748		1.739	.004	1.73920 + .00016	.050	8
4	7446752		1.739	.008 AND UP	1.73940 + .00040	.050	8
4	7446756		1.740	MASTER	1.74000 + .00004	.050	2
4	7446758	7446759	1.740	.001	1.74000 + .00008	.050	4
4	7446760		1.740	.002	1.74008 + .00012	.050	4
4	7446762		1.740	.004	1.74020 + .00016	.050	8
4	7446766		1.740	.008 AND UP	1.74040 + .00040	.050	8
4	7446770		1.741	MASTER	1.74100 + .00004	.050	2
4	7446772	7446773	1.741	.001	1.74100 + .00008	.050	4
4	7446774		1.741	.002	1.74108 + .00012	.050	4
4	7446776		1.741	.004	1.74120 + .00016	.050	8
4	7446780		1.741	.008 AND UP	1.74140 + .00040	.050	8
4	7446784		1.742	MASTER	1.74200 + .00004	.050	2
4	7446786	7446787	1.742	.001	1.74200 + .00008	.050	4
4	7446788		1.742	.002	1.74208 + .00012	.050	4
4	7446790		1.742	.004	1.74220 + .00016	.050	8
4	7446794		1.742	.008 AND UP	1.74240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446798		1.743	MASTER	1.74300 + .00004	.050	2
4	7446800	7446801	1.743	.001	1.74300 + .00008	.050	4
4	7446802		1.743	.002	1.74308 + .00012	.050	4
4	7446804		1.743	.004	1.74320 + .00016	.050	8
4	7446808		1.743	.008 AND UP	1.74340 + .00040	.050	8
4	7446812		1.744	MASTER	1.74400 + .00004	.050	2
4	7446814	7446815	1.744	.001	1.74400 + .00008	.050	4
4	7446816		1.744	.002	1.74408 + .00012	.050	4
4	7446818		1.744	.004	1.74420 + .00016	.050	8
4	7446822		1.744	.008 AND UP	1.74440 + .00040	.050	8
4	7446826		1.745	MASTER	1.74500 + .00004	.050	2
4	7446828	7446829	1.745	.001	1.74500 + .00008	.050	4
4	7446830		1.745	.002	1.74508 + .00012	.050	4
4	7446832		1.745	.004	1.74520 + .00016	.050	8
4	7446836		1.745	.008 AND UP	1.74540 + .00040	.050	8
4	7446840		1.746	MASTER	1.74600 + .00004	.050	2
4	7446842	7446843	1.746	.001	1.74600 + .00008	.050	4
4	7446844		1.746	.002	1.74608 + .00012	.050	4
4	7446848		1.746	.004	1.74620 + .00016	.050	8
4	7446850		1.746	.008 AND UP	1.74640 + .00040	.050	8
4	7446854		1.747	MASTER	1.74700 + .00004	.050	2
4	7446856	7446857	1.747	.001	1.74700 + .00008	.050	4
4	7446858		1.747	.002	1.74708 + .00012	.050	4
4	7446860		1.747	.004	1.74720 + .00016	.050	8
4	7446864		1.747	.008 AND UP	1.74740 + .00040	.050	8
4	7446868		1.748	MASTER	1.74800 + .00004	.050	2
4	7446870	7446871	1.748	.001	1.74800 + .00008	.050	4
4	7446872		1.748	.002	1.74808 + .00012	.050	4
4	7446874		1.748	.004	1.74820 + .00016	.050	8
4	7446878		1.748	.008 AND UP	1.74840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446882	7446885	1.749	MASTER	1.74900 + .00004	.050	2
4	7446884		1.749	.001	1.74900 + .00008	.050	4
4	7446886		1.749	.002	1.74908 + .00012	.050	4
4	7446888		1.749	.004	1.74920 + .00016	.050	8
4	7446892		1.749	.008 AND UP	1.74940 + .00040	.050	8
4	7446896	7446899	1.750	MASTER	1.75000 + .00004	.050	2
4	7446898		1.750	.001	1.75000 + .00008	.050	4
4	7446900		1.750	.002	1.75008 + .00012	.050	4
4	7446902		1.750	.004	1.75020 + .00016	.050	8
4	7446906		1.750	.008 AND UP	1.75040 + .00040	.050	8
4	7446910	7446913	1.751	MASTER	1.75100 + .00004	.050	2
4	7446912		1.751	.001	1.75100 + .00008	.050	4
4	7446914		1.751	.002	1.75108 .00012	.050	4
4	7446916		1.751	.004	1.75120 .00016	.050	8
4	7446920		1.751	.008 AND UP	1.75140 + .00040	.050	8
4	7446924	7446927	1.752	MASTER	1.75200 + .00004	.050	2
4	7446926		1.752	.001	1.75200 + .00008	.050	4
4	7446928		1.752	.002	1.75208 + .00012	.050	4
4	7446930		1.752	.004	1.75220 + .00016	.050	8
4	7446934		1.752	.008 AND UP	1.75240 + .00040	.050	8
4	7446938	7446941	1.753	MASTER	1.75300 + .00004	.050	2
4	7446940		1.753	.001	1.75300 + .00008	.050	4
4	7446942		1.753	.002	1.75308 + .00012	.050	4
4	7446944		1.753	.004	1.75320 + .00016	.050	8
4	7446948		1.753	.008 AND UP	1.75340 + .00040	.050	8
4	7446952	7446955	1.754	MASTER	1.75400 + .00004	.050	2
4	7446954		1.754	.001	1.75400 + .00008	.050	4
4	7446956		1.754	.002	1.75408 + .00012	.050	4
4	7446958		1.754	.004	1.75420 + .00016	.050	8
4	7446962		1.754	.008 AND UP	1.75440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446966		1.755	MASTER	1.75500 + .00004	.050	2
4	7446968	7446969	1.755	.001	1.75500 + .00008	.050	4
4	7446970		1.755	.002	1.75508 + .00012	.050	4
4	7446972		1.755	.004	1.75520 + .00016	.050	8
4	7446976		1.755	.008 AND UP	1.75540 + .00040	.050	8
4	7446980		1.756	MASTER	1.75600 + .00004	.050	2
4	7446982	7446983	1.756	.001	1.75600 + .00008	.050	4
4	7446984		1.756	.002	1.75608 + .00012	.050	4
4	7446986		1.756	.004	1.75620 + .00016	.050	8
4	7446990		1.756	.008 AND UP	1.75640 + .00040	.050	8
4	7446994		1.757	MASTER	1.75700 + .00004	.050	2
4	7446996	7446997	1.757	.001	1.75700 + .00008	.050	4
4	7446998		1.757	.002	1.75708 + .00012	.050	4
4	7447000		1.757	.004	1.75720 + .00016	.050	8
4	7447004		1.757	.008 AND UP	1.75740 + .00040	.050	8
4	7447008		1.758	MASTER	1.75800 + .00004	.050	2
4	7447010	7447011	1.758	.001	1.75800 + .00008	.050	4
4	7447012		1.758	.002	1.75808 + .00012	.050	4
4	7447014		1.758	.004	1.75820 + .00016	.050	8
4	7447018		1.758	.008 AND UP	1.75840 + .00040	.050	8
4	7447022		1.759	MASTER	1.75900 + .00004	.050	2
4	7447024	7447025	1.759	.001	1.75900 + .00008	.050	4
4	7447026		1.759	.002	1.75908 + .00012	.050	4
4	7447028		1.759	.004	1.75920 + .00016	.050	8
4	7447032		1.759	.008 AND UP	1.75940 + .00040	.050	8
4	7447036		1.760	MASTER	1.76000 + .00004	.050	2
4	7447038	7447039	1.760	.001	1.76000 + .00008	.050	4
4	7447040		1.760	.002	1.76008 + .00012	.050	4
4	7447042		1.760	.004	1.76020 + .00016	.050	8
4	7447046		1.760	.008 AND UP	1.76040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7447050		1.761	MASTER	1.76100 + .00004	.050	2
4	7447052	7447053	1.761	.001	1.76100 + .00008	.050	4
4	7447054		1.761	.002	1.76108 + .00012	.050	4
4	7447056		1.761	.004	1.76120 + .00016	.050	8
4	7447060		1.761	.008 AND UP	1.76140 + .00040	.050	8
4	7447064		1.762	MASTER	1.76200 + .00004	.050	2
4	7447066	7447067	1.762	.001	1.76200 + .00008	.050	4
4	7447068		1.762	.002	1.76208 + .00012	.050	4
4	7447070		1.762	.004	1.76220 + .00016	.050	8
4	7447074		1.762	.008 AND UP	1.76240 + .00040	.050	8
4	7447078		1.763	MASTER	1.76300 + .00004	.050	2
4	7447080	7447081	1.763	.001	1.76300 + .00008	.050	4
4	7447082		1.763	.002	1.76308 + .00012	.050	4
4	7447084		1.763	.004	1.76320 + .00016	.050	8
4	7447088		1.763	.008 AND UP	1.76340 + .00040	.050	8
4	7447092		1.764	MASTER	1.76400 + .00004	.050	2
4	7447094	7447095	1.764	.001	1.76400 + .00008	.050	4
4	7447096		1.764	.002	1.76408 + .00012	.050	4
4	7447098		1.764	.004	1.76420 + .00016	.050	8
4	7447102		1.764	.008 AND UP	1.76440 + .00040	.050	8
4	7447106		1.765	MASTER	1.76500 + .00004	.050	2
4	7447108	7447109	1.765	.001	1.76500 + .00008	.050	4
4	7447110		1.765	.002	1.76508 + .00012	.050	4
4	7447112		1.765	.004	1.76520 + .00016	.050	8
4	7447116		1.765	.008 AND UP	1.76540 + .00040	.050	8
4	7447120		1.766	MASTER	1.76600 + .00004	.050	2
4	7447122	7447123	1.766	.001	1.76600 + 00008	.050	4
4	7447124		1.766	.002	1.76608 + 00012	.050	4
4	7447126		1.766	.004	1.76620 + .00016	.050	8
4	7447130		1.766	.008 AND UP	1.76640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447134		1.767	MASTER	1.76700 + .00004	.050	2
4	7447136	7447137	1.767	.001	1.76700 + .00008	.050	4
4	7447138		1.767	.002	1.76708 + .00012	.050	4
4	7447140		1.767	.004	1.76720 + .00016	.050	8
4	7447144		1.767	.008 AND UP	1.76740 + .00040	.050	8
4	7447148		1.768	MASTER	1.76800 - .00004	.050	2
4	7447150	7447151	1.768	.001	1.76800 + .00008	.050	4
4	7447152		1.768	.002	1.76808 + .00012	.050	4
4	7447154		1.768	.004	1.76820 + .00016	.050	8
4	7447158		1.768	.008 AND UP	1.76840 + .00040	.050	8
4	7447162		1.769	MASTER	1.76900 + .00004	.050	2
4	7447164	7447165	1.769	.001	1.76900 + .00008	.050	4
4	7447156		1.769	.002	1.76908 + .00012	.050	4
4	7447168		1.769	.004	1.76920 + .00016	.050	8
4	7447172		1.769	.008 AND UP	1.76940 + .00040	.050	8
4	7447176		1.770	MASTER	1.77000 + .00004	.050	2
4	7447178	7447179	1.770	.001	1.77000 + .00008	.050	4
4	7447180		1.770	.002	1.77008 + .00012	.050	4
4	7447182		1.770	.004	1.77020 + .00016	.050	8
4	7447186		1.770	.008 AND UP	1.77040 + .00040	.050	8
4	7447190		1.771	MASTER	1.77100 + .00004	.050	2
4	7447192	7447193	1.771	.001	1.77100 + .00008	.050	4
4	7447194		1.771	.002	1.77108 + .00012	.050	4
4	7447196		1.771	.004	1.77120 + .00016	.050	8
4	7447200		1.771	.008 AND UP	1.77140 + .00040	.050	8
4	7447204		1.772	MASTER	1.77200 + .00004	.050	2
4	7447206	7447207	1.772	.001	1.77200 + .00008	.050	4
4	7447208		1.772	.002	1.77208 + .00012	.050	4
4	7447210		1.772	.004	1.77220 + .00016	.050	8
4	7447214		1.772	.008 AND UP	1.77240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN — GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447218		1.773	MASTER	1.77300 + .00004	.050	2
4	7447220	7447221	1.773	.001	1.77300 + .00008	.050	4
4	7447222		1.773	.002	1.77308 + .00012	.050	4
4	7447224		1.773	.004	1.77320 + .00016	.050	8
4	7447228		1.773	.008 AND UP	1.77340 + .00040	.050	8
4	7447232		1.774	MASTER	1.77400 + .00004	.050	2
4	7447234	7447235	1.774	.001	1.77400 + .00008	.050	4
4	7447236		1.774	.002	1.77408 + .00012	.050	4
4	7447238		1.774	.004	1.77420 + .00016	.050	8
4	7447242		1.774	.008 AND UP	1.77440 + .00040	.050	8
4	7447246		1.775	MASTER	1.77500 + .00004	.050	2
4	7447248	7447249	1.775	.001	1.77500 + .00008	.050	4
4	7447250		1.775	.002	1.77508 + .00012	.050	4
4	7447252		1.775	.004	1.77520 + .00016	.050	8
4	7447256		1.775	.008 AND UP	1.77540 + .00040	.050	8
4	7447260		1.776	MASTER	1.77600 + .00004	.050	2
4	7447262	7447263	1.776	.001	1.77600 + .00008	.050	4
4	7447264		1.776	.002	1.77608 + .00012	.050	4
4	7447266		1.776	.004	1.77620 + .00016	.050	8
4	7447270		1.776	.008 AND UP	1.77640 + .00040	.050	8
4	7447274		1.777	MASTER	1.77700 + .00004	.050	2
4	7447276	7447277	1.777	.001	1.77700 + .00008	.050	4
4	7447278		1.777	.002	1.77708 + .00012	.050	4
4	7447280		1.777	.004	1.77720 + .00016	.050	8
4	7447284		1.777	.008 AND UP	1.77740 + .00040	.050	8
4	7447288		1.778	MASTER	1.77800 + .00004	.050	2
4	7447290	7447291	1.778	.001	1.77800 + .00008	.050	4
4	7447292		1.778	.002	1.77808 + .00012	.050	4
4	7447294		1.778	.004	1.77820 + .00016	.050	8
4	7447298		1.778	.008 AND UP	1.77840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447302	7447305	1.779	MASTER	1.77900 + .00004	.050	2
4	7447304		1.779	.001	1.77900 + .00008	.050	4
4	7447306		1.779	.002	1.77908 + .00012	.050	4
4	7447308		1.779	.004	1.77920 + .00016	.050	8
4	7447312		1.779	.008 AND UP	1.77940 + .00040	.050	8
4	7447316	7447319	1.780	MASTER	1.78000 + .00004	.050	2
4	7447318		1.780	.001	1.78000 + .00008	.050	4
4	7447320		1.780	.002	1.78008 + .00012	.050	4
4	7447322		1.780	.004	1.78020 + .00016	.050	8
4	7447326		1.780	.008 AND UP	1.78040 + .00040	.050	8
4	7447330	7447333	1.781	MASTER	1.78100 + .00004	.050	2
4	7447332		1.781	.001	1.78100 + .00008	.050	4
4	7447334		1.781	.002	1.78108 + .00012	.050	4
4	7447336		1.781	.004	1.78120 + .00016	.050	8
4	7447340		1.781	.008 AND UP	1.78140 + .00040	.050	8
4	7447344	7497765	1.78125	MASTER	1.78125 + .00004	.050	2
4	7497764		1.78125	.001	1.78125 + .00008	.050	4
4	7497766		1.78125	.002	1.78133 + .00012	.050	4
4	7497768		1.78125	.004	1.78145 + .00016	.050	8
4	7497772		1.78125	.008 AND UP	1.78165 .00040	.050	8
4	7447346	7447349	1.782	MASTER	1.78200 - .00004	.050	2
4	7447348		1.782	.001	1.78200 + 00008	.050	4
4	7447350		1.782	.002	1.78208 + 00012	.050	4
4	7447352		1.782	.004	1.78220 + .00016	.050	8
4	7447356		1.782	.008 AND UP	1.78240 + .00040	.050	8
4	7447360	7447363	1.783	MASTER	1.78300 + .00004	.050	2
4	7447362		1.783	.001	1.78300 + .00008	.050	4
4	7447364		1.783	.002	1.78308 + .00012	.050	4
4	7447366		1.783	.004	1.78320 + .00016	.050	8
4	7447370		1.783	.008 AND UP	1.78340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-1[illegible]26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7447374		1.784	MASTER	1.78400 + .00004	.050	2
4	7447376	7447377	1.784	.001	1.78400 + .00008	.050	4
4	7447378		1.784	.002	1.78408 + .00012	.050	4
4	7447380		1.784	.004	1.78420 + .00016	.050	8
4	7447384		1.784	.008 AND UP	1.78440 + .00040	.050	8
4	7447388		1.785	MASTER	1.78500 + .00004	.050	2
4	7447390	7447391	1.785	.001	1.78500 + .00008	.050	4
4	7447392		1.785	.002	1.78508 + .00012	.050	4
4	7447394		1.785	.004	1.78520 + .00016	.050	8
4	7447398		1.785	.008 AND UP	1.78540 + .00040	.050	8
4	7447402		1.786	MASTER	1.78600 + .00004	.050	2
4	7447404	7447405	1.786	.001	1.78600 + .00008	.050	4
4	7447406		1.786	.002	1.78608 + .00012	.050	4
4	7447408		1.786	.004	1.78620 + .00016	.050	8
4	7447412		1.786	.008 AND UP	1.78640 + .00040	.050	8
4	7447416		1.787	MASTER	1.78700 + .00004	.050	2
4	7447418	7447419	1.787	.001	1.78700 + .00008	.050	4
4	7447420		1.787	.002	1.78708 + .00012	.050	4
4	7447422		1.787	.004	1.78720 + .00016	.050	8
4	7447426		1.787	.008 AND UP	1.78740 + .00040	.050	8
4	7447430		1.788	MASTER	1.78800 + .00004	.050	2
4	7447432	7447433	1.788	.001	1.78800 + .00008	.050	4
4	7447434		1.788	.002	1.78808 + .00012	.050	4
4	7447436		1.788	.004	1.78820 + .00016	.050	8
4	7447440		1.788	.008 AND UP	1.78840 + .00040	.050	8
4	7447444		1.789	MASTER	1.78900 + .00004	.050	2
4	7447446	7447447	1.789	.001	1.78900 + .00008	.050	4
4	7447448		1.789	.002	1.78908 + .00012	.050	4
4	7447450		1.789	.004	1.78920 + .00016	.050	8
4	7447454		1.789	.008 AND UP	1.78940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447458		1.790	MASTER	1.79000 + .00004	.050	2
4	7447460	7447461	1.790	.001	1.79000 + .00008	.050	4
4	7447462		1.790	.002	1.79008 + .00012	.050	4
4	7447464		1.790	.004	1.79020 + .00016	.050	8
4	7447468		1.790	.008 AND UP	1.79040 + .00040	.050	8
4	7447472		1.791	MASTER	1.79100 + .00004	.050	2
4	7447474	7447475	1.791	.001	1.79100 + .00008	.050	4
4	7447476		1.791	.002	1.79108 + .00012	.050	4
4	7447478		1.791	.004	1.79120 + .00016	.050	8
4	7447482		1.791	.008 AND UP	1.79140 + .00040	.050	8
4	7447486		1.792	MASTER	1.79200 + .00004	.050	2
4	7447488	7447489	1.792	.001	1.79200 + .00008	.050	4
4	7447490		1.792	.002	1.79208 + .00012	.050	4
4	7447492		1.792	.004	1.79220 + .00016	.050	8
4	7447496		1.792	.008 AND UP	1.79240 + .00040	.050	8
4	7447500		1.793	MASTER	1.79300 + .00004	.050	2
4	7447502	7447503	1.793	.001	1.79300 + .00008	.050	4
4	7447504		1.793	.002	1.79308 + .00012	.050	4
4	7447506		1.793	.004	1.79320 + .00016	.050	8
4	7447510		1.793	.008 AND UP	1.79340 + .00040	.050	8
4	7447514		1.794	MASTER	1.79400 + .00004	.050	2
4	7447516	7447517	1.794	.001	1.79400 + .00008	.050	4
4	7447518		1.794	.002	1.79408 + .00012	.050	4
4	7447520		1.794	.004	1.79420 + .00016	.050	8
4	7447524		1.794	.008 AND UP	1.79440 + .00040	.050	8
4	7447528		1.795	MASTER	1.79500 + .00004	.050	2
4	7447530	7447531	1.795	.001	1.79500 + .00008	.050	4
4	7447532		1.795	.002	1.79508 + .00012	.050	4
4	7447534		1.795	.004	1.79520 + .00016	.050	8
4	7447538		1.795	.008 AND UP	1.79540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447542		1.796	MASTER	1.79600 + .00004	.050	2
4	7447544	7447545	1.796	.001	1.79600 + .00008	.050	4
4	7447546		1.796	.002	1.79608 + .00012	.050	4
4	7447548		1.796	.004	1.79620 + .00016	.050	8
4	7447552		1.796	.008 AND UP	1.79640 + .00040	.050	8
4	7447556		1.797	MASTER	1.79700 + .00004	.050	2
4	7447558	7447559	1.797	.001	1.79700 + .00008	.050	4
4	7447560		1.797	.002	1.79708 .00012	.050	4
4	7447562		1.797	.004	1.79720 .00016	.050	8
4	7447566		1.797	.008 AND UP	1.79740 + .00040	.050	8
4	7447570		1.798	MASTER	1.79800 + .00004	.050	2
4	7447572	7447573	1.798	.001	1.79800 + .00008	.050	4
4	7447574		1.798	.002	1.79808 + .00012	.050	4
4	7447576		1.798	.004	1.79820 + .00016	.050	8
4	7447580		1.798	.008 AND UP	1.79840 + .00040	.050	8
4	7447584		1.799	MASTER	1.79900 + .00004	.050	2
4	7447586	7447587	1.799	.001	1.79900 + .00008	.050	4
4	7447588		1.799	.002	1.79908 + .00012	.050	4
4	7447590		1.799	.004	1.79920 + .00016	.050	8
4	7447594		1.799	.008 AND UP	1.79940 + .00040	.050	8
4	7447598		1.800	MASTER	1.80000 + .00004	.050	2
4	7447600	7447601	1.800	.001	1.80000 + .00008	.050	4
4	7447602		1.800	.002	1.80008 + .00012	.050	4
4	7447604		1.800	.004	1.80020 + .00016	.050	8
4	7447608		1.800	.008 AND UP	1.80040 + .00040	.050	8
4	7447612		1.801	MASTER	1.80100 + .00004	.050	2
4	7447614	7447615	1.801	.001	1.80100 + .00008	.050	4
4	7447616		1.801	.002	1.80108 + .00012	.050	4
4	7447618		1.801	.004	1.80120 + .00016	.050	8
4	7447622		1.801	.008 AND UP	1.80140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447626	7447629	1.802	MASTER	1.80200 + .00004	.050	2
4	7447628		1.802	.001	1.80200 + .00008	.050	4
4	7447630		1.802	.002	1.80208 + .00012	.050	4
4	7447632		1.802	.004	1.80220 + .00016	.050	8
4	7447636		1.802	.008 AND UP	1.80240 + .00040	.050	8
4	7447640	7447643	1.803	MASTER	1.80300 + .00004	.050	2
4	7447642		1.803	.001	1.80300 + .00008	.050	4
4	7447644		1.803	.002	1.80308 + .00012	.050	4
4	7447646		1.803	.004	1.80320 + .00016	.050	8
4	7447650		1.803	.008 AND UP	1.80340 + .00040	.050	8
4	7447654	7447657	1.804	MASTER	1.80400 + .00004	.050	2
4	7447656		1.804	.001	1.80400 + .00008	.050	4
4	7447658		1.804	.002	1.80408 + .00012	.050	4
4	7447660		1.804	.004	1.80420 + .00016	.050	8
4	7447664		1.804	.008 AND UP	1.80440 + .00040	.050	8
4	7447668	7447671	1.805	MASTER	1.80500 + .00004	.050	2
4	7447670		1.805	.001	1.80500 + .00008	.050	4
4	7447672		1.805	.002	1.80508 + .00012	.050	4
4	7447674		1.805	.004	1.80520 + .00016	.050	8
4	7447678		1.805	.008 AND UP	1.80540 + .00040	.050	8
4	7447682	7447685	1.806	MASTER	1.80600 + .00004	.050	2
4	7447684		1.806	.001	1.80600 + .00008	.050	4
4	7447686		1.806	.002	1.80608 + .00012	.050	4
4	7447688		1.806	.004	1.80620 + .00016	.050	8
4	7447692		1.806	.008 AND UP	1.80640 + .00040	.050	8
4	7447696	7447699	1.807	MASTER	1.80700 + .00004	.050	2
4	7447698		1.807	.001	1.80700 + .00008	.050	4
4	7447700		1.807	.002	1.80708 + .00012	.050	4
4	7447702		1.807	.004	1.80720 + .00016	.050	8
4	7447706		1.807	.008 AND UP	1.80740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447710		1.808	MASTER	1.80800 + .00004	.050	2
4	7447712	7447713	1.808	.001	1.80800 + .00008	.050	4
4	7447714		1.808	.002	1.80808 + .00012	.050	4
4	7447716		1.808	.004	1.80820 + .00016	.050	8
4	7447720		1.808	.008 AND UP	1.80840 + .00040	.050	8
4	7447724		1.809	MASTER	1.80900 + .00004	.050	2
4	7447726	7447727	1.809	.001	1.80900 + .00008	.050	4
4	7447728		1.809	.002	1.80908 + .00012	.050	4
4	7447730		1.809	.004	1.80920 + .00016	.050	8
4	7447734		1.809	.008 AND UP	1.80940 + .00040	.050	8
4	7447738		1.810	MASTER	1.81000 + .00004	.050	2
4	7447740	7447741	1.810	.001	1.81000 + .00008	.050	4
4	7447742		1.810	.002	1.81008 + .00012	.050	4
4	7447744		1.810	.004	1.81020 + .00016	.050	8
4	7447748		1.810	.008 AND UP	1.81040 + .00040	.050	8
4	7447752		1.811	MASTER	1.81100 + .00004	.050	2
4	7447754	7447755	1.811	.001	1.81100 + .00008	.050	4
4	7447756		1.811	.002	1.81108 + .00012	.050	4
4	7447758		1.811	.004	1.81120 .00016	.050	8
4	7447762		1.811	.008 AND UP	1.81140 + .00040	.050	8
4	7447766		1.812	MASTER	1.81200 + 00004	.050	2
4	7447768	7447769	1.812	.001	1.81200 + .00008	.050	4
4	7447770		1.812	.002	1.81208 + .00012	.050	4
4	7447772		1.812	.004	1.81220 + .00016	.050	8
4	7447776		1.812	.008 AND UP	1.81240 + .00040	.050	8
4	7447780		1.8125	MASTER	1.81250 + .00004	.050	2
4	7497776	7497777	1.8125	.001	1.81250 + .00008	.050	4
4	7497778		1.8125	.002	1.81258 + .00012	.050	4
4	7497780		1.8125	.004	1.81270 + .00016	.050	8
4	7497784		1.8125	.008 AND UP	1.81290 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN–GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN–GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7447782	7447785	1.813	MASTER	1.81300 + .00004	.050	2
4	7447784		1.813	.001	1.81300 + .00008	.050	4
4	7447786		1.813	.002	1.81300 + .00012	.050	4
4	7447788		1.813	.004	1.81320 + .00016	.050	8
4	7447792		1.813	.008 AND UP	1.81340 + .00040	.050	8
4	7447796	7447799	1.814	MASTER	1.81400 .00004	.050	2
4	7447798		1.814	.001	1.81400 + .00008	.050	4
4	7447800		1.814	.002	1.81408 + .00012	.050	4
4	7447802		1.814	.004	1.81420 + .00016	.050	8
4	7447806		1.814	.008 AND UP	1.81440 + .00040	.050	8
4	7447810	7447813	1.815	MASTER	1.81500 + .00004	.050	2
4	7447812		1.815	.001	1.81500 + .00008	.050	4
4	7447814		1.815	.002	1.81508 + .00012	.050	4
4	7447816		1.815	.004	1.81520 + .00016	.050	8
4	7447820		1.815	.008 AND UP	1.81540 + .00040	.050	8
4	7447824	7447827	1.816	MASTER	1.81600 + .00004	.050	2
4	7447826		1.816	.001	1.81600 + .00008	.050	4
4	7447828		1.816	.002	1.81608 + .00012	.050	4
4	7447830		1.816	.004	1.81620 + .00016	.050	8
4	7447834		1.816	.008 AND UP	1.81640 + .00040	.050	8
4	7447838	7447841	1.817	MASTER	1.81700 + .00004	.050	2
4	7447840		1.817	.001	1.81700 + .00008	.050	4
4	7447842		1.817	.002	1.81708 + .00012	.050	4
4	7447844		1.817	.004	1.81720 + .00016	.050	8
4	7447848		1.817	.008 AND UP	1.81740 + .00040	.050	8
4	7447852	7447855	1.818	MASTER	1.81800 + .00004	.050	2
4	7447854		1.818	.001	1.81800 + .00008	.050	4
4	7447856		1.818	.002	1.81808 + .00012	.050	4
4	7447858		1.818	.004	1.81820 + .00016	.050	8
4	7447862		1.818	.008 AND UP	1.81840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447866	7447869	1.819	MASTER	1.81900 + .00004	.050	2
4	7447868		1.819	.001	1.81900 + .00008	.050	4
4	7447870		1.819	.002	1.81908 + .00012	.050	4
4	7447872		1.819	.004	1.81920 + .00016	.050	8
4	7447876		1.819	.008 AND UP	1.81940 + .00040	.050	8
4	7447880	7447883	1.820	MASTER	1.82000 + .00004	.050	2
4	7447882		1.820	.001	1.82000 + .00008	.050	4
4	7447884		1.820	.002	1.82008 + .00012	.050	4
4	7447886		1.820	.004	1.82020 + .00016	.050	8
4	7447890		1.820	.008 AND UP	1.82040 + .00040	.050	8
4	7447894	7447897	1.821	MASTER	1.82100 + .00004	.050	2
4	7447896		1.821	.001	1.82100 + .00008	.050	4
4	7447898		1.821	.002	1.82108 + .00012	.050	4
4	7447900		1.821	.004	1.82120 + .00016	.050	8
4	7447904		1.821	.008 AND UP	1.82140 + .00040	.050	8
4	7447908	7447911	1.822	MASTER	1.82200 + .00004	.050	2
4	7447910		1.822	.001	1.82200 + .00008	.050	4
4	7447912		1.822	.002	1.82208 + .00012	.050	4
4	7447914		1.822	.004	1.82220 + .00016	.050	8
4	7447918		1.822	.008 AND UP	1.82240 + .00040	.050	8
4	7447922	7447925	1.823	MASTER	1.82300 + .00004	.050	2
4	7447924		1.823	.001	1.82300 + .00008	.050	4
4	7447926		1.823	.002	1.82308 + .00012	.050	4
4	7447928		1.823	.004	1.82320 + .00016	.050	8
4	7447932		1.823	.008 AND UP	1.82340 + .00040	.050	8
4	7447936	7447939	1.824	MASTER	1.82400 + .00004	.050	2
4	7447938		1.824	.001	1.82400 + .00008	.050	4
4	7447940		1.824	.002	1.82408 + .00012	.050	4
4	7447942		1.824	.004	1.82420 + .00016	.050	8
4	7447946		1.824	.008 AND UP	1.82440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447950		1.825	MASTER	1.82500 + .00004	.050	2
4	7447952	7447953	1.825	.001	1.82500 + .00008	.050	4
4	7447954		1.825	.002	1.82508 + .00012	.050	4
4	7447956		1.825	.004	1.82520 + .00016	.050	8
4	7447960		1.825	.008 AND UP	1.82540 + .00040	.050	8
4	7447964		1.826	MASTER	1.82600 + .00004	.050	2
4	7447966	7447967	1.826	.001	1.82600 + .00008	.050	4
4	7447968		1.826	.002	1.82608 + .00012	.050	4
4	7447970		1.826	.004	1.82620 + .00016	.050	8
4	7447974		1.826	.008 AND UP	1.82640 + .00040	.050	8
4	7447978		1.827	MASTER	1.82700 + .00004	.050	2
4	7447980	7447981	1.827	.001	1.82700 + .00008	.050	4
4	7447982		1.827	.002	1.82708 + .00012	.050	4
4	7447984		1.827	.004	1.82720 + .00016	.050	8
4	7447988		1.827	.008 AND UP	1.82740 + .00040	.050	8
4	7447992		1.828	MASTER	1.828[illegible] + .00004	.050	2
4	7447994	7447995	1.828	.001	1.828[illegible] + .00008	.050	4
4	7447996		1.828	.002	1.8280[illegible] + .00012	.050	4
4	7447998		1.828	.004	1.8282[illegible] + .00016	.050	8
4	7448002		1.828	.008 AND UP	1.82840 + .00040	.050	8
4	7448006		1.829	MASTER	1.82900 + .00004	.050	2
4	7448008	7448009	1.829	.001	1.82900 + .00008	.050	4
4	7448010		1.829	.002	1.82908 + .00012	.050	4
4	7448012		1.829	.004	1.82920 + .00016	.050	8
4	7448016		1.829	.008 AND UP	1.82940 + .00040	.050	8
4	7448020		1.830	MASTER	1.83000 + .00004	.050	2
4	7448022	7448023	1.830	.001	1.83000 + .00008	.050	4
4	7448024		1.830	.002	1.83008 + .00012	.050	4
4	7448026		1.830	.004	1.83020 + .00016	.050	8
4	7448030		1.830	.008 AND UP	1.83040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448034		1.831	MASTER	1.83100 + .00004	.050	2
4	7448036	7448037	1.831	.001	1.83100 + .00008	.050	4
4	7448038		1.831	.002	1.83108 + .00012	.050	4
4	7448040		1.831	.004	1.83120 + .00016	.050	8
4	7448044		1.831	.008 AND UP	1.83140 + .00040	.050	8
4	7448048		1.832	MASTER	1.83200 + .00004	.050	2
4	7448050	7448051	1.832	.001	1.83200 + .00008	.050	4
4	7448052		1.832	.002	1.83208 + .00012	.050	4
4	7448054		1.832	.004	1.83220 + .00016	.050	8
4	7448058		1.832	.008 AND UP	1.83240 + .00040	.050	8
4	7448062		1.833	MASTER	1.83300 + .00004	.050	2
4	7448064	7448065	1.833	.001	1.83300 + .00008	.050	4
4	7448066		1.833	.002	1.83308 + .00012	.050	4
4	7448068		1.833	.004	1.83320 + .00016	.050	8
4	7448072		1.833	.008 AND UP	1.83340 + .00040	.050	8
4	7448076		1.834	MASTER	1.83400 + .00004	.050	2
4	7448078	7448079	1.834	.001	1.83400 + .00008	.050	4
4	7448080		1.834	.002	1.83408 + .00012	.050	4
4	7448082		1.834	.004	1.83420 + .00016	.050	8
4	7448086		1.834	.008 AND UP	1.83440 + .00040	.050	8
4	7448090		1.835	MASTER	1.83500 + .00004	.050	2
4	7448092	7448093	1.835	.001	1.83500 + .00008	.050	4
4	7448094		1.835	.002	1.83508 + .00012	.050	4
4	7448096		1.835	.004	1.83520 + .00016	.050	8
4	7448100		1.835	.008 AND UP	1.83540 + .00040	.050	8
4	7448104		1.836	MASTER	1.83600 + .00004	.050	2
4	7448106	7448107	1.836	.001	1.83600 + .00008	.050	4
4	7448108		1.836	.002	1.83608 + .00012	.050	4
4	7448110		1.836	.004	1.83620 + .00016	.050	8
4	7448114		1.836	.008 AND UP	1.83640 + .00040	.050	8

MIL-HDBK-115A
8 December 1955

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448118		1.837	MASTER	1.83700 + .00004	.050	2
4	7448120	7448121	1.837	.001	1.83700 + .00008	.050	4
4	7448122		1.837	.002	1.83708 + .00012	.050	4
4	7448124		1.837	.004	1.83720 + .00016	.050	8
4	7448128		1.837	.008 AND UP	1.83740 + .00040	.050	8
4	7448132		1.838	MASTER	1.83800 + .00004	.050	2
4	7448134	7448135	1.838	.001	1.83800 + .00008	.050	4
4	7448136		1.838	.002	1.83808 + .00012	.050	4
4	7448138		1.838	.004	1.83820 + .00016	.050	8
4	7448142		1.838	.008 AND UP	1.83840 + .00040	.050	8
4	7448146		1.839	MASTER	1.83900 + .00004	.050	2
4	7448148	7448149	1.839	.001	1.83900 + .00008	.050	4
4	7448150		1.839	.002	1.83908 + .00012	.050	4
4	7448152		1.839	.004	1.83920 + .00016	.050	8
4	7448156		1.839	.008 AND UP	1.83940 + .00040	.050	8
4	7448160		1.840	MASTER	1.84000 + .00004	.050	2
4	7448162	7448163	1.840	.001	1.84000 + .00008	.050	4
4	7448164		1.840	.002	1.84008 + .00012	.050	4
4	7448166		1.840	.004	1.84020 + .00016	.050	8
4	7448170		1.840	.008 AND UP	1.84040 + .00040	.050	8
4	7448174		1.841	MASTER	1.84100 + .00004	.050	2
4	7448176	7448177	1.841	.001	1.84100 + .00008	.050	4
4	7448178		1.841	.002	1.84108 + .00012	.050	4
4	7448180		1.841	.004	1.84120 + .00016	.050	8
4	7448184		1.841	.008 AND UP	1.84140 + .00040	.050	8
4	7448188		1.842	MASTER	1.84200 + .00004	.050	2
4	7448190	7448191	1.842	.001	1.84200 + .00008	.050	4
4	7448192		1.842	.002	1.84208 + .00012	.050	4
4	7448194		1.842	.004	1.84220 + .00016	.050	8
4	7448198		1.842	.008 AND UP	1.84240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN – GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN – GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7448202	7448205	1.843	MASTER	1.84300 + .00004	.050	2
4	7448204		1.843	.001	1.84300 + .00008	.050	4
4	7448206		1.843	.002	1.84308 .00012	.050	4
4	7448208		1.843	.004	1.84320 .00016	.050	8
4	7448212		1.843	.008 AND UP	1.84340 .00040	.050	8
4	7448216	7497789	1.84375	MASTER	1.84375 + .00004	.050	2
4	7497788		1.84375	.001	1.84375 + .00008	.050	4
4	7497790		1.84375	.002	1.84383 + .00012	.050	4
4	7497792		1.84375	.004	1.84395 + .00016	.050	8
4	7497796		1.84375	.008 AND UP	1.84415 + .00040	.050	8
4	7448218	7448221	1.844	MASTER	1.84400 + .00004	.050	2
4	7448220		1.844	.001	1.84400 + .00008	.050	4
4	7448222		1.844	.002	1.84408 + .00012	.050	4
4	7448224		1.844	.004	1.84420 + .00016	.050	8
4	7448228		1.844	.008 AND UP	1.84440 + .00040	.050	8
4	7448232	7448235	1.845	MASTER	1.84500 + .00004	.050	2
4	7448234		1.845	.001	1.84500 + .00008	.050	4
4	7448236		1.845	.002	1.84508 + .00012	.050	4
4	7448238		1.845	.004	1.84520 + .00016	.050	8
4	7448242		1.845	.008 AND UP	1.84540 + .00040	.050	8
4	7448246	7448249	1.846	MASTER	1.84600 + .00004	.050	2
4	7448248		1.846	.001	1.84600 + .00008	.050	4
4	7448250		1.846	.002	1.84608 + .00012	.050	4
4	7448252		1.846	.004	1.84620 + .00016	.050	8
4	7448256		1.846	.008 AND UP	1.84640 + .00040	.050	8
4	7448260	7448263	1.847	MASTER	1.84700 + .00004	.050	2
4	7448262		1.847	.001	1.84700 + .00008	.050	4
4	7448264		1.847	.002	1.84708 + .00012	.050	4
4	7448266		1.847	.004	1.84720 + .00016	.050	8
4	7448270		1.847	.008 AND UP	1.84740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448274		1.848	MASTER	1.84800 + .00004	.050	2
4	7448276	7448277	1.848	.001	1.84800 + .00008	.050	4
4	7448278		1.848	.002	1.84808 + .00012	.050	4
4	7448280		1.848	.004	1.84820 + .00016	.050	8
4	7448284		1.848	.008 AND UP	1.84840 + .00040	.050	8
4	7448288		1.849	MASTER	1.84900 + .00004	.050	2
4	7448290	7448291	1.849	.001	1.84900 + .00008	.050	4
4	7448292		1.849	.002	1.84908 + .00012	.050	4
4	7448294		1.849	.004	1.84920 + .00016	.050	8
4	7448298		1.849	.008 AND UP	1.84940 + .00040	.050	8
4	7448302		1.850	MASTER	1.85000 + .00004	.050	2
4	7448304	7448305	1.850	.001	1.85000 + .00008	.050	4
4	7448306		1.850	.002	1.85008 + .00012	.050	4
4	7448308		1.850	.004	1.85020 + .00016	.050	8
4	7448312		1.850	.008 AND UP	1.85040 + .00040	.050	8
4	7448316		1.851	MASTER	1.85100 + .00004	.050	2
4	7448318	7448319	1.851	.001	1.85100 + .00008	.050	4
4	7448320		1.851	.002	1.85108 + .00012	.050	4
4	7448322		1.851	.004	1.85120 + .00016	.050	8
4	7448326		1.851	.008 AND UP	1.85140 + .00040	.050	8
4	7448330		1.852	MASTER	1.85200 + .00004	.050	2
4	7448332	7448333	1.852	.001	1.85200 + .00008	.050	4
4	7448334		1.852	.002	1.85208 + .00012	.050	4
4	7448336		1.852	.004	1.85220 + .00016	.050	8
4	7448340		1.852	.008 AND UP	1.85240 + .00040	.050	8
4	7448344		1.853	MASTER	1.85300 + .00004	.050	2
4	7448346	7448347	1.853	.001	1.85300 + .00008	.050	4
4	7448348		1.853	.002	1.85308 + .00012	.050	4
4	7448350		1.853	.004	1.85320 + .00016	.050	8
4	7448354		1.853	.008 AND UP	1.85340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448358		1.854	MASTER	1.85400 + .00004	.050	2
4	7448360	7448361	1.854	.001	1.85400 + .00008	.050	4
4	7448362		1.854	.002	1.85408 + .00012	.050	4
4	7448364		1.854	.004	1.85420 + .00016	.050	8
4	7448368		1.854	.008 AND UP	1.85440 + .00040	.050	8
4	7448372		1.855	MASTER	1.85500 + .00004	.050	2
4	7448374	7448375	1.855	.001	1.85500 + .00008	.050	4
4	7448376		1.855	.002	1.85508 + .00012	.050	4
4	7448378		1.855	.004	1.85520 + .00016	.050	8
4	7448382		1.855	.008 AND UP	1.85540 + .00040	.050	8
4	7448386		1.856	MASTER	1.85600 + .00004	.050	2
4	7448388	7448389	1.856	.001	1.85600 + .00008	.050	4
4	7448390		1.856	.002	1.85608 + .00012	.050	4
4	7448392		1.856	.004	1.85620 + .00016	.050	8
4	7448396		1.856	.008 AND UP	1.85640 + .00040	.050	8
4	7448400		1.857	MASTER	1.85700 + .00004	.050	2
4	7448402	7448403	1.857	.001	1.85700 + .00008	.050	4
4	7448404		1.857	.002	1.85708 + .00012	.050	4
4	7448406		1.857	.004	1.85720 + 00016	.050	8
4	7448410		1.857	.008 AND UP	1.85740 +)0040	.050	8
4	7448414		1.858	MASTER	1.85800 + .00004	.050	2
4	7448416	7448417	1.858	.001	1.85800 + .00008	.050	4
4	7448418		1.858	.002	1.85808 + .00012	.050	4
4	7448420		1.858	.004	1.85820 + .00016	.050	8
4	7448424		1.858	.008 AND UP	1.85840 + .00040	.050	8
4	7448428		1.859	MASTER	1.85900 + .00004	.050	2
4	7448430	7448431	1.859	.001	1.85900 + .00008	.050	4
4	7448432		1.859	.002	1.85908 + .00012	.050	4
4	7448434		1.859	.004	1.85920 + .00016	.050	8
4	7448438		1.859	.008 AND UP	1.85940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448442		1.860	MASTER	1.86000 .00004	.050	2
4	7448444	7448445	1.860	.001	1.86000 .00008	.050	4
4	7448446		1.860	.002	1.86008 ± .00012	.050	4
4	7448448		1.860	.004	1.86020 ± .00016	.050	8
4	7448452		1.860	.008 AND UP	1.86040 ± .00040	.050	8
4	7448456		1.861	MASTER	1.86100 ± .00004	.050	2
4	7448458	7448459	1.861	.001	1.86100 ± .00008	.050	4
4	7448460		1.861	.002	1.86108 ± .00012	.050	4
4	7448462		1.861	.004	1.86120 ± .00016	.050	8
4	7448466		1.861	.008 AND UP	1.86140 ± .00040	.050	8
4	7448470		1.862	MASTER	1.86200 ± .00004	.050	2
4	7448472	7448473	1.862	.001	1.86200 ± .00008	.050	4
4	7448474		1.862	.002	1.86208 ± .00012	.050	4
4	7448476		1.862	.004	1.86220 ± .00016	.050	8
4	7448480		1.862	.008 AND UP	1.86240 ± .00040	.050	8
4	7448484		1.863	MASTER	1.86300 ± .00004	.050	2
4	7448486	7448487	1.863	.001	1.86300 ± .00008	.050	4
4	7448488		1.863	.002	1.86308 ± .00012	.050	4
4	7448490		1.863	.004	1.86320 ± .00016	.050	8
4	7448492		1.863	.008 AND UP	1.86340 ± .00040	.050	8
4	7448498		1.864	MASTER	1.86400 ± .00004	.050	2
4	7448500	7448501	1.864	.001	1.86400 ± .00008	.050	4
4	7448502		1.864	.002	1.86408 ± .00012	.050	4
4	7448504		1.864	.004	1.86420 ± .00016	.050	8
4	7448508		1.864	.008 AND UP	1.86440 ± .00040	.050	8
4	7448512		1.865	MASTER	1.86500 ± .00004	.050	2
4	7448514	7448515	1.865	.001	1.86500 ± .00008	.050	4
4	7448516		1.865	.002	1.86508 ± .00012	.050	4
4	7448518		1.865	.004	1.86520 ± .00016	.050	8
4	7448522		1.865	.008 AND UP	1.86540 ± .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448526		1.866	MASTER	1.86600 + .00004	.050	2
4	7448528	7448529	1.866	.001	1.86600 + .00008	.050	4
4	7448530		1.866	.002	1.86608 + .00012	.050	4
4	7448532		1.866	.004	1.86620 + .00016	.050	8
4	7448536		1.866	.008 AND UP	1.86640 + .00040	.050	8
4	7448540		1.867	MASTER	1.86700 + .00004	.050	2
4	7448542	7448543	1.867	.001	1.86700 + .00008	.050	4
4	7448544		1.867	.002	1.86708 + .00012	.050	4
4	7448546		1.867	.004	1.86720 + .00016	.050	8
4	7448550		1.867	.008 AND UP	1.86740 + 00040	.050	8
4	7448554		1.868	MASTER	1.86800 + .0004	.050	2
4	7448556	7448557	1.868	.001	1.86800 + .00008	.050	4
4	7448558		1.868	.002	1.86808 + .00012	.050	4
4	7448560		1.868	.004	1.86820 + .00016	.050	8
4	7448564		1.868	.008 AND UP	1.86840 + .00040	.050	8
4	7448568		1.869	MASTER	1.86900 + .00004	.050	2
4	7448570	7448571	1.869	.001	1.86900 + .00008	.050	4
4	7448572		1.869	.002	1.86908 + .00012	.050	4
4	7448574		1.869	.004	1.86920 + .00016	.050	8
4	7448578		1.869	.008 AND UP	1.86940 + .00040	.050	8
4	7448582		1.870	MASTER	1.87000 + .00004	.050	2
4	7448584	7448585	1.870	.001	1.87000 + .00008	.050	4
4	7448586		1.870	.002	1.87008 + .00012	.050	4
4	7448588		1.870	.004	1.87020 + .00016	.050	8
4	7448592		1.870	.008 AND UP	1.87040 + .00040	.050	8
4	7448596		1.871	MASTER	1.87100 + .00004	.050	2
4	7448598	7448599	1.871	.001	1.87100 + .00008	.050	4
4	7448600		1.871	.002	1.87108 + .00012	.050	4
4	7448602		1.871	.004	1.87120 + .00016	.050	8
4	7448606		1.871	.008 AND UP	1.87140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448610	7448613	1.872	MASTER	1.87200 + .00004	.050	2
4	7448612		1.872	.001	1.87200 + .00008	.050	4
4	7448614		1.872	.002	1.87208 + .00012	.050	4
4	7448616		1.872	.004	1.87220 + .00016	.050	8
4	7448620		1.872	.008 AND UP	1.87240 + .00040	.050	8
4	7448624	7448627	1.873	MASTER	1.87300 + .00004	.050	2
4	7448626		1.873	.001	1.87300 + .00008	.050	4
4	7448628		1.873	.002	1.87308 + .00012	.050	4
4	7448630		1.873	.004	1.87320 + .00016	.050	8
4	7448634		1.873	.008 AND UP	1.87340 + .00040	.050	8
4	7448638	7448641	1.874	MASTER	1.87400 + .00004	.050	2
4	7448640		1.874	.001	1.87400 + .00008	.050	4
4	7448642		1.874	.002	1.87408 + .00012	.050	4
4	7448644		1.874	.004	1.87420 + .00016	.050	8
4	7448648		1.874	.008 AND UP	1.87440 + .00040	.050	8
4	7448652	7448655	1.875	MASTER	1.87500 + .00004	.050	2
4	7448654		1.875	.001	1.87500 + .00008	.050	4
4	7448656		1.875	.002	1.87508 + .00012	.050	4
4	7448658		1.875	.004	1.87520 + .00016	.050	8
4	7448660		1.875	.008 AND UP	1.87540 + .00040	.050	8
4	7448666	7448669	1.876	MASTER	1.87600 + .00004	.050	2
4	7448668		1.876	.001	1.87600 + .00008	.050	4
4	7448670		1.876	.002	1.87608 + .00012	.050	4
4	7448672		1.876	.004	1.87620 + .00016	.050	8
4	7448676		1.876	.008 AND UP	1.87640 + .00040	.050	8
4	7448680	7448683	1.877	MASTER	1.87700 + .00004	.050	2
4	7448682		1.877	.001	1.87700 + .00008	.050	4
4	7448684		1.877	.002	1.87708 + .00012	.050	4
4	7448686		1.877	.004	1.87720 + .00016	.050	8
4	7448690		1.877	.008 AND UP	1.87740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448694		1.878	MASTER	1.87800 + .00004	.050	2
4	7448696	7448697	1.878	.001	1.87800 + .00008	.050	4
4	7448698		1.878	.002	1.87808 + .00012	.050	4
4	7448700		1.878	.004	1.87820 + .00016	.050	8
4	7448704		1.878	.008 AND UP	1.87840 + .00040	.050	8
4	7448708		1.879	MASTER	1.87900 + .00004	.050	2
4	7448710	7448711	1.879	.001	1.87900 + .00008	.050	4
4	7448712		1.879	.002	1.87908 + .00012	.050	4
4	7448714		1.879	.004	1.87920 + .00016	.050	8
4	7448718		1.879	.008 AND UP	1.87940 + .00040	.050	8
4	7448722		1.880	MASTER	1.88000 + .00004	.050	2
4	7448724	7448725	1.880	.001	1.88000 + .00008	.050	4
4	7448726		1.880	.002	1.88008 + .00012	.050	4
4	7448728		1.880	.004	1.88020 + .00016	.050	8
4	7448732		1.880	.008 AND UP	1.88040 + .00040	.050	8
4	7448736		1.881	MASTER	1.88100 + .00004	.050	2
4	7448738	7448739	1.881	.001	1.88100 + .00008	.050	4
4	7448740		1.881	.002	1.88108 + .00012	.050	4
4	7448742		1.881	.004	1.88120 + .00016	.050	8
4	7448746		1.881	.008 AND UP	1.88140 + .00040	.050	8
4	7448750		1.882	MASTER	1.88200 + .00004	.050	2
4	7448752	7448753	1.882	.001	1.88200 + .00008	.050	4
4	7448754		1.882	.002	1.88208 + .00012	.050	4
4	7448756		1.882	.004	1.88220 .00016	.050	8
4	7448760		1.882	.008 AND UP	1.88240 .00040	.050	8
4	7448764		1.883	MASTER	1.88300 + .00004	.050	2
4	7448766	7448767	1.883	.001	1.88300 + .00008	.050	4
4	7448768		1.883	.002	1.88308 + .00012	.050	4
4	7448770		1.883	.004	1.88320 + .00016	.050	8
4	7448774		1.883	.008 AND UP	1.88340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448778		1.884	MASTER	1.88400 + .00004	.050	2
4	7448780	7448781	1.884	.001	1.88400 + .00008	.050	4
4	7448782		1.884	.002	1.88408 + .00012	.050	4
4	7448784		1.884	.004	1.8842 + .00016	.050	8
4	7448788		1.884	.008 AND UP	1.8844 + .00040	.050	8
4	7448792		1.885	MASTER	1.88500 + .00004	.050	2
4	7448794	7448795	1.885	.001	1.88500 + .00008	.050	4
4	7448796		1.885	.002	1.88508 + .00012	.050	4
4	7448798		1.885	.004	1.88520 + .00016	.050	8
4	7448802		1.885	.008 AND UP	1.88540 + .00040	.050	8
4	7448806		1.886	MASTER	1.88600 + .00004	.050	2
4	7448808	7448809	1.886	.001	1.88600 + .00008	.050	4
4	7448810		1.886	.002	1.88608 + .00012	.050	4
4	7448812		1.886	.004	1.88620 + .00016	.050	8
4	7448816		1.886	.008 AND UP	1.88640 + .00040	.050	8
4	7448820		1.887	MASTER	1.88700 + .00004	.050	2
4	7448822	7448823	1.887	.001	1.88700 + .00008	.050	4
4	7448824		1.887	.002	1.88708 + .00012	.050	4
4	7448826		1.887	.004	1.88720 + .00016	.050	8
4	7448832		1.887	.008 AND UP	1.88740 + .00040	.050	8
4	7448834		1.888	MASTER	1.88800 + .00004	.050	2
4	7448836	7448837	1.888	.001	1.88800 + .00008	.050	4
4	7448838		1.888	.002	1.88808 + .00012	.050	4
4	7448840		1.888	.004	1.88820 + .00016	.050	8
4	7448844		1.888	.008 AND UP	1.88840 + .00040	.050	8
4	7448848		1.889	MASTER	1.88900 + .00004	.050	2
4	7448850	7448851	1.889	.001	1.88900 + .00008	.050	4
4	7448852		1.889	.002	1.88908 + .00012	.050	4
4	7448854		1.889	.004	1.88920 + .00016	.050	8
4	7448858		1.889	.008 AND UP	1.88940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7448862	7448865	1.890	MASTER	1.89000 + .00004	.050	2
4	7448864		1.890	.001	1.89000 + .00008	.050	4
4	7448866		1.890	.002	1.89008 + .00012	.050	4
4	7448868		1.890	.004	1.89020 + .00016	.050	8
4	7448872		1.890	.008 AND UP	1.89040 + .00040	.050	8
4	7448876	7448879	1.891	MASTER	1.89100 + .00004	.050	2
4	7448878		1.891	.001	1.89100 + .00008	.050	4
4	7448880		1.891	.002	1.89108 + .00012	.050	4
4	7448882		1.891	.004	1.89120 + .00016	.050	8
4	7448886		1.891	.008 AND UP	1.89140 + .00040	.050	8
4	7448890	7448893	1.892	MASTER	1.89200 + .00004	.050	2
4	7448892		1.892	.001	1.89200 + .00008	.050	4
4	7448894		1.892	.002	1.89208 + .00012	.050	4
4	7448896		1.892	.004	1.89220 + .00016	.050	8
4	7448900		1.892	.008 AND UP	1.89240 + .00040	.050	8
4	7448904	7448907	1.893	MASTER	1.89300 + .00004	.050	2
4	7448906		1.893	.001	1.89300 + .00008	.050	4
4	7448908		1.893	.002	1.89308 + .00012	.050	4
4	7448910		1.893	.004	1.89320 + .00016	.050	8
4	7448914		1.893	.008 AND UP	1.89340 + .00040	.050	8
4	7448918	7448921	1.894	MASTER	1.89400 + .00004	.050	2
4	7448920		1.894	.001	1.89400 + .00008	.050	4
4	7448922		1.894	.002	1.89408 + .00012	.050	4
4	7448924		1.894	.004	1.89420 + .00016	.050	8
4	7448928		1.894	.008 AND UP	1.89440 + .00040	.050	8
4	7448932	7448935	1.895	MASTER	1.89500 + .00004	.050	2
4	7448934		1.895	.001	1.89500 + .00008	.050	4
4	7448936		1.895	.002	1.89508 + .00012	.050	4
4	7448938		1.895	.004	1.89520 + .00016	.050	8
4	7448942		1.895	.008 AND UP	1.89540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448946		1.896	MASTER	1.89600 + .00004	.050	2
4	7448948	7448949	1.896	.001	1.89600 + .00008	.050	4
4	7448950		1.896	.002	1.89608 + .00012	.050	4
4	7448952		1.896	.004	1.89620 + .00016	.050	8
4	7448956		1.896	.008 AND UP	1.89640 + .00040	.050	8
4	7448960		1.897	MASTER	1.89700 + .00004	.050	2
4	7448962	7448963	1.897	.001	1.89700 + .00008	.050	4
4	7448964		1.897	.002	1.89708 + .00012	.050	4
4	7448966		1.897	.004	1.89720 + .00016	.050	8
4	7448970		1.897	.008 AND UP	1.89740 + .00040	.050	8
4	7448974		1.898	MASTER	1.89800 + .00004	.050	2
4	7448976	7448977	1.898	.001	1.89800 + .00008	.050	4
4	7448978		1.898	.002	1.89808 + .00012	.050	4
4	7448980		1.898	.004	1.89820 + .00016	.050	8
	7448984		1.898	.008 AND UP	1.89840 + .00040	.050	8
4	7448988		1.899	MASTER	1.89900 + .00004	.050	2
4	7448990	7448991	1.899	.001	1.899[illegible] + .00008	.050	4
4	7448992		1.899	.002	1.899[illegible] + .00012	.050	4
4	7448994		1.899	.004	1.8992[illegible] + .00016	.050	8
4	7448996		1.899	.008 AND UP	1.8994[illegible] + .00040	.050	8
4	7449002		1.900	MASTER	1.90000 + .00004	.050	2
4	7449004	7449005	1.900	.001	1.90000 + .00008	.050	4
4	7449006		1.900	.002	1.90008 + .00012	.050	4
4	7449008		1.900	.004	1.90020 + .00016	.050	8
4	7449012		1.900	.008 AND UP	1.90040 + .00040	.050	8
4	7449016		1.901	MASTER	1.90100 + .00004	.050	2
4	7449018	7449019	1.901	.001	1.90100 + .00008	.050	4
4	7449020		1.901	.002	1.90108 + .00012	.050	4
4	7449022		1.901	.004	1.90120 + .00016	.050	8
4	7449026		1.901	.008 AND UP	1.90140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449030	7449033	1.902	MASTER	1.90200 + .00004	.050	2
"	7449032		1.902	.001	1.90200 + .00008	.050	4
"	7449034		1.902	.002	1.90208 + .00012	.050	4
"	7449036		1.902	.004	1.90220 + .00016	.050	8
"	7449040		1.902	.008 AND UP	1.90240 + .00040	.050	8
4	7449044	7449047	1.903	MASTER	1.90300 + .00004	.050	2
"	7449046		1.903	.001	1.90300 + .00008	.050	4
"	7449048		1.903	.002	1.90308 + .00012	.050	4
"	7449050		1.903	.004	1.90320 + .00016	.050	8
"	7449054		1.903	.008 AND UP	1.90340 + .00040	.050	8
4	7449058	7449061	1.904	MASTER	1.90400 + .00004	.050	2
"	7449060		1.904	.001	1.90400 + .00008	.050	4
"	7449062		1.904	.002	1.90408 + .00012	.050	4
"	7449064		1.904	.004	1.90420 + .00016	.050	8
"	7449068		1.904	.008 AND UP	1.90440 + .00040	.050	8
4	7449072	7449075	1.905	MASTER	1.90500 + .00004	.050	2
"	7449074		1.905	.001	1.90500 + .00008	.050	4
"	7449076		1.905	.002	1.90508 + .00012	.050	4
"	7449078		1.905	.004	1.90520 + .00016	.050	8
"	7449082		1.905	.008 AND UP	1.90540 + .00040	.050	8
4	7449086	7449089	1.906	MASTER	1.90600 + .00004	.050	2
"	7449088		1.906	.001	1.90600 + .00008	.050	4
"	7449090		1.906	.002	1.90608 + .00012	.050	4
"	7449092		1.906	.004	1.90620 + .00016	.050	8
"	7449096		1.906	.008 AND UP	1.90640 + .00040	.050	8
4	7449100	7497801	1.90625	MASTER	1.90625 + .00004	.050	2
"	7497800		1.90625	.001	1.90625 + .00008	.050	4
"	7497802		1.90625	.002	1.90633 + .00012	.050	4
"	7497804		1.90625	.004	1.90645 + .00016	.050	8
"	7497808		1.90625	.008 AND UP	1.90665 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449102		1.907	MASTER	1.90700 + .00004	.050	2
4	7449104	7449105	1.907	.001	1.90700 + .00008	.050	4
4	7449106		1.907	.002	1.90708 + .00012	.050	4
4	7449108		1.907	.004	1.90720 + .00016	.050	8
4	7449112		1.907	.008 AND UP	1.90740 + .00040	.050	8
4	7449116		1.908	MASTER	1.90800 + .00004	.050	2
4	7449118	7449119	1.908	.001	1.90800 + .00008	.050	4
4	7449120		1.908	.002	1.90808 + .00012	.050	4
4	7449122		1.908	.004	1.90820 + .00016	.050	8
4	7449126		1.908	.008 AND UP	1.90840 + .00040	.050	8
4	7449130		1.909	MASTER	1.90900 + .00004	.050	2
4	7449132	7449133	1.909	.001	1.90900 + .00008	.050	4
4	7449134		1.909	.002	1.90908 + .00012	.050	4
4	7449136		1.909	.004	1.90920 + .00016	.050	8
4	7449140		1.909	.008 AND UP	1.90940 + .00040	.050	8
4	7449144		1.910	MASTER	1.91000 + .00004	.050	2
4	7449146	7449147	1.910	.001	1.91000 + .00008	.050	4
4	7449148		1.910	.002	1.91008 + .00012	.050	4
4	7449150		1.910	.004	1.91020 + .00016	.050	8
4	7449154		1.910	.008 AND UP	1.91040 + .00040	.050	8
4	7449158		1.911	MASTER	1.91100 + .00004	.050	2
4	7449160	7449161	1.911	.001	1.91100 + .00008	.050	4
4	7449162		1.911	.002	1.91108 + .00012	.050	4
4	7449164		1.911	.004	1.91120 + .00016	.050	8
4	7449168		1.911	.008 AND UP	1.91140 + .00040	.050	8
4	7449172		1.912	MASTER	1.91200 + .00004	.050	2
4	7449174	7449175	1.912	.001	1.91200 + .00008	.050	4
4	7449176		1.912	.002	1.91208 + .00012	.050	4
4	7449178		1.912	.004	1.91220 + .00016	.050	8
4	7449182		1.912	.008 AND UP	1.912) + 00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7449186		1.913	MASTER	1.91300 + .00004	.050	2
4	7449188	7449189	1.913	.001	1.91300 + .00008	.050	4
4	7449190		1.913	.002	1.91308 + .00012	.050	4
4	7449192		1.913	.004	1.91320 + .00016	.050	8
4	7449196		1.913	.008 AND UP	1.91340 + .00040	.050	8
4	7449200		1.914	MASTER	1.91400 + .00004	.050	2
4	7449202	7449203	1.914	.001	1.91400 + .00008	.050	4
4	7449204		1.914	.002	1.91408 + .00012	.050	4
4	7449206		1.914	.004	1.91420 + .00016	.050	8
4	7449210		1.914	.008 AND UP	1.91440 + .00040	.050	8
4	7449214		1.915	MASTER	1.91500 + .00004	.050	2
4	7449216	7449217	1.915	.001	1.91500 + .00008	.050	4
4	7449218		1.915	.002	1.91508 + .00012	.050	4
4	7449220		1.915	.004	1.91520 + .00016	.050	8
4	7449224		1.915	.008 AND UP	1.91540 + .00040	.050	8
4	7449228		1.916	MASTER	1.91600 + .00004	.050	2
4	7449230	7449231	1.916	.001	1.91600 + .00008	.050	4
4	7449232		1.916	.002	1.91608 + .00012	.050	4
4	7449234		1.916	.004	1.91620 + .00016	.050	8
4	7449238		1.916	.008 AND UP	1.91640 + .00040	.050	8
4	7449242		1.917	MASTER	1.91700 + .00004	.050	2
4	7449244	7449245	1.917	.001	1.91700 + .00008	.050	4
4	7449246		1.917	.002	1.91708 + .00012	.050	4
4	7449248		1.917	.004	1.91720 + .00016	.050	8
4	7449252		1.917	.008 AND UP	1.91740 + .00040	.050	8
4	7449256		1.918	MASTER	1.91800 + .00004	.050	2
4	7449258	7449259	1.918	.001	1.91800 + .00008	.050	4
4	7449260		1.918	.002	1.91808 + .00012	.050	4
4	7449262		1.918	.004	1.91820 + .00016	.050	8
4	7449266		1.918	.008 AND UP	1.91840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7449270	7449273	1.919	MASTER	1.91900 + .00004	.050	2
4	7449272		1.919	.001	1.91900 + .00008	.050	4
4	7449274		1.919	.002	1.91908 + .00012	.050	4
4	7449276		1.919	.004	1.91920 + .00016	.050	8
4	7449280		1.919	.008 AND UP	1.91940 + .00040	.050	8
4	7449284	7449287	1.920	MASTER	1.92000 + .00004	.050	2
4	7449286		1.920	.001	1.92000 + .00008	.050	4
4	7449288		1.920	.002	1.92008 + .00012	.050	4
4	7449290		1.920	.004	1.92020 + .00016	.050	8
4	7449294		1.920	.008 AND UP	1.92040 + .00040	.050	8
4	7449298	7449301	1.921	MASTER	1.92100 + .00004	.050	2
4	7449300		1.921	.001	1.92100 + .00008	.050	4
4	7449302		1.921	.002	1.92108 + .00012	.050	4
4	7449304		1.921	.004	1.92120 + .00016	.050	8
4	7449308		1.921	.008 AND UP	1.92140 + .00040	.050	8
4	7449312	7449315	1.922	MASTER	1.92200 + .00004	.050	2
4	7449314		1.922	.001	1.92200 + .00008	.050	4
4	7449316		1.922	.002	1.92208 + .00012	.050	4
4	7449318		1.922	.004	1.92220 + .00016	.050	8
4	7449322		1.922	.008 AND UP	1.92240 + .00040	.050	8
4	7449326	7449329	1.923	MASTER	1.92300 + .00004	.050	2
4	7449328		1.923	.001	1.92300 + .00008	.050	4
4	7449330		1.923	.002	1.92308 + .00012	.050	4
4	7449332		1.923	.004	1.92320 + .00016	.050	8
4	7449336		1.923	.008 AND UP	1.92340 + .00040	.050	8
4	7449340	7449343	1.924	MASTER	1.92400 + .00004	.050	2
4	7449342		1.924	.001	1.92400 + .00008	.050	4
4	7449344		1.924	.002	1.92408 + .00012	.050	4
4	7449346		1.924	.004	1.92420 + .00016	.050	8
4	7449350		1.924	.008 AND UP	1.92440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7449354		1.925	MASTER	1.92500 + .00004	.050	2
11	7449356	7449357	1.925	.001	1.92500 + .00008	.050	4
11	7449358		1.925	.002	1.92508 + .00012	.050	4
11	7449360		1.925	.004	1.92520 + .00016	.050	8
11	7449361		1.925	.008 AND UP	1.92540 + .00040	.050	8
11	7449368		1.926	MASTER	1.92600 + .00004	.050	2
11	7449370	7449371	1.926	.001	1.92600 + .00008	.050	4
11	7449372		1.926	.002	1.92608 + .00012	.050	4
11	7449374		1.926	.004	1.92620 + .00016	.050	8
11	7449378		1.926	.008 AND UP	1.92640 + .00040	.050	8
11	7449382		1.927	MASTER	1.92700 + .00004	.050	2
11	7449384	7449385	1.927	.001	1.92700 + .00008	.050	4
11	7449386		1.927	.002	1.92708 + .00012	.050	4
11	7449388		1.927	.004	1.92720 + .00016	.050	8
11	7449392		1.927	.008 AND UP	1.92740 + .00040	.050	8
11	7449396		1.928	MASTER	1.92800 + .00004	.050	2
11	7449398	7449399	1.928	.001	1.92800 + .00008	.050	4
11	7449400		1.928	.002	1.92808 + .00012	.050	4
11	7449402		1.928	.004	1.92820 + .00016	.050	8
11	7449406		1.928	.008 AND UP	1.92840 + .00040	.050	8
11	7449410		1.929	MASTER	1.92900 + .00004	.050	2
11	7449412	7449413	1.929	.001	1.92900 + .00008	.050	4
11	7449414		1.929	.002	1.92908 + .00012	.050	4
11	7449416		1.929	.004	1.92920 + .00016	.050	8
11	7449420		1.929	.008 AND UP	1.92940 + .00040	.050	8
11	7449424		1.930	MASTER	1.93000 + .00004	.050	2
11	7449426	7449427	1.930	.001	1.93000 + .00008	.050	4
11	7449428		1.930	.002	1.93008 + .00012	.050	4
11	7449430		1.930	.004	1.93020 + .00016	.050	8
11	7449434		1.930	.008 AND UP	1.93040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7449438		1.931	MASTER	1.93100 + .00004	.050	2
4	7449440	7449441	1.931	.001	1.93100 + .00008	.050	4
4	7449442		1.931	.002	1.93108 + .00012	.050	4
4	7449444		1.931	.004	1.93120 + .00016	.050	8
4	7449448		1.931	.008 AND UP	1.93140 + .00040	.050	8
4	7449452		1.932	MASTER	1.93200 + .00004	.050	2
4	7449454	7449455	1.932	.001	1.93200 + .00008	.050	4
4	7449456		1.932	.002	1.93208 + .00012	.050	4
4	7449458		1.932	.004	1.93220 + .00016	.050	8
4	7449462		1.932	.008 AND UP	1.93240 + .00040	.050	8
4	7449466		1.933	MASTER	1.93300 + .00004	.050	2
4	7449468	7449469	1.933	.001	1.93300 + .00008	.050	4
4	7449470		1.933	.002	1.93308 + .00012	.050	4
4	7449472		1.933	.004	1.93320 + .00016	.050	8
4	7449476		1.933	.008 AND UP	1.93340 + .00040	.050	8
4	7449480		1.934	MASTER	1.93400 + .00004	.050	2
4	7449482	7449483	1.934	.001	1.93400 + .00008	.050	4
4	7449484		1.934	.002	1.93408 + .00012	.050	4
4	7449488		1.934	.004	1.93420 + .00016	.050	8
4	7449496		1.934	.008 AND UP	1.93440 + .00040	.050	8
4	7449494		1.935	MASTER	1.93500 + .00004	.050	2
4	7449496	7449497	1.935	.001	1.93500 + .00008	.050	4
4	7449498		1.935	.002	1.93508 + .00012	.050	4
4	7449500		1.935	.004	1.93520 + .00016	.050	8
4	7449504		1.935	.008 AND UP	1.93540 + .00040	.050	8
4	7449508		1.936	MASTER	1.93600 + .00004	.050	2
4	7449510	7449511	1.936	.001	1.93600 + .00008	.050	4
4	7449512		1.936	.002	1.93608 + .00012	.050	4
4	7449514		1.936	.004	1.93620 + .00016	.050	8
4	7449518		1.936	.008 AND UP	1.93640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7449522	7449525	1.937	MASTER	1.93700 + .00004	.050	2
4	7449524		1.937	.001	1.93700 + .00008	.050	4
4	7449526		1.937	.002	1.93708 + .00012	.050	4
4	7449528		1.937	.004	1.93720 + .00016	.050	8
4	7449532		1.937	.008 AND UP	1.93740 + .00040	.050	8
4	7449536	7497813	1.9375	MASTER	1.93750 + .00004	.050	2
4	7497812		1.9375	.001	1.93750 + .00008	.050	4
4	7497814		1.9375	.002	1.93758 + .00012	.050	4
4	7497816		1.9375	.004	1.93770 + .00016	.050	8
4	7497820		1.9375	.008 AND UP	1.93790 + .00040	.050	8
4	7449538	7449541	1.938	MASTER	1.93800 + .00004	.050	2
4	7449540		1.938	.001	1.93800 + .00008	.050	4
4	7449542		1.938	.002	1.93808 + .00012	.050	4
4	7449544		1.938	.004	1.93820 + .00016	.050	8
4	7449548		1.938	.008 AND UP	1.93840 + .00040	.050	8
4	7449552	7449555	1.939	MASTER	1.93900 + .00004	.050	2
4	7449554		1.939	.001	1.93900 + .00008	.050	4
4	7449556		1.939	.002	1.93908 + .00012	.050	4
4	7449558		1.939	.004	1.93920 + .00016	.050	8
4	7449562		1.939	.008 AND UP	1.93940 + .00040	.050	8
4	7449566	7449569	1.940	MASTER	1.94000 + .00004	.050	2
4	7449568		1.940	.001	1.94000 + .00008	.050	4
4	7449570		1.940	.002	1.94008 + .00012	.050	4
4	7449572		1.940	.004	1.94020 + .00016	.050	8
4	7449576		1.940	.008 AND UP	1.94040 + .00040	.050	8
4	7449580	7449583	1.941	MASTER	1.94100 + .00004	.050	2
4	7449582		1.941	.001	1.94100 + .00008	.050	4
4	7449584		1.941	.002	1.94108 + .00012	.050	4
4	7449586		1.941	.004	1.94120 + .00016	.050	8
4	7449590		1.941	.008 AND UP	1.94140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449594		1.942	MASTER	1.94200 + .00004	.050	2
4	7449596	7449597	1.942	.001	1.94200 + .00008	.050	4
4	7449598		1.942	.002	1.94208 + .00012	.050	4
4	7449600		1.942	.004	1.94220 + .00016	.050	8
4	7449604		1.942	.008 AND UP	1.94240 + .00040	.050	8
4	7449608		1.943	MASTER	1.94300 + .00004	.050	2
4	7449610	7449611	1.943	.001	1.94300 + .00008	.050	4
4	7449612		1.943	.002	1.94308 + .00012	.050	4
4	7449614		1.943	.004	1.94320 + .00016	.050	8
4	7449618		1.943	.008 AND UP	1.94340 + .00040	.050	8
4	7449622		1.944	MASTER	1.94400 + .00004	.050	2
4	7449624	7449625	1.944	.001	1.94400 + .00008	.050	4
4	7449626		1.944	.002	1.94408 + .00012	.050	4
4	7449628		1.944	.004	1.94420 .00016	.050	8
4	7449632		1.944	.008 AND UP	1.94440 .00040	.050	8
4	7449636		1.945	MASTER	1.94500 + .00004	.050	2
4	7449638	7449639	1.945	.001	1.94500 + .00008	.050	4
4	7449640		1.945	.002	1.94508 + .00012	.050	4
4	7449642		1.945	.004	1.94520 + .00016	.050	8
4	7449646		1.945	.008 AND UP	1.94540 + .00040	.050	8
4	7449650		1.946	MASTER	1.94600 + .00004	.050	2
4	7449652	7449653	1.946	.001	1.94600 + .00008	.050	4
4	7449654		1.946	.002	1.94608 + .00012	.050	4
4	7449656		1.946	.004	1.94620 + .00016	.050	8
4	7449660		1.946	.008 AND UP	1.94640 + .00040	.050	8
4	7449664		1.947	MASTER	1.94700 + .00004	.050	2
4	7449666	7449667	1.947	.001	1.94700 + .00008	.050	4
4	7449668		1.947	.002	1.94708 + .00012	.050	4
4	7449670		1.947	.004	1.94720 + .00016	.050	8
4	7449674		1.947	.008 AND UP	1.94740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7449678		1.948	MASTER	1.94800 + .00004	.050	2
4	7449680	7449681	1.948	.001	1.94800 + .00008	.050	4
4	7449682		1.948	.002	1.94808 + .00012	.050	4
4	7449684		1.948	.004	1.94820 + .00016	.050	8
4	7449688		1.948	.008 AND UP	1.94840 + .00040	.050	8
4	7449692		1.949	MASTER	1.94900 + .00004	.050	2
4	7449694	7449695	1.949	.001	1.94900 + .00008	.050	4
4	7449696		1.949	.002	1.94908 + .00012	.050	4
4	7449698		1.949	.004	1.94920 + .00016	.050	8
4	7449702		1.949	.008 AND UP	1.94940 + .00040	.050	8
4	7449706		1.950	MASTER	1.95000 + .00004	.050	2
4	7449708	7449709	1.950	.001	1.95000 + .00008	.050	4
4	7449710		1.950	.002	1.95008 + .00012	.050	4
4	7449712		1.950	.004	1.95020 + .00016	.050	8
4	7449716		1.950	.008 AND UP	1.95040 + .00040	.050	8
4	7449720		1.951	MASTER	1.95100 + .00004	.050	2
4	7449722	7449723	1.951	.001	1.95100 + .00008	.050	4
4	7449724		1.951	.002	1.95108 + .00012	.050	4
4	7449726		1.951	.004	1.95120 + .00016	.050	8
4	7449730		1.951	.008 AND UP	1.95140 + .00040	.050	8
4	7449734		1.952	MASTER	1.95200 + .00004	.050	2
4	7449736	7449737	1.952	.001	1.95200 + .00008	.050	4
4	7449738		1.952	.002	1.95208 + .00012	.050	4
4	7449740		1.952	.004	1.95220 + .00016	.050	8
4	7449744		1.952	.008 AND UP	1.95240 + .00040	.050	8
4	7449748		1.953	MASTER	1.95300 + .00004	.050	2
4	7449750	7449751	1.953	.001	1.95300 + .00008	.050	4
4	7449752		1.953	.002	1.95308 + .00012	.050	4
4	7449754		1.953	.004	1.95320 + .00016	.050	8
4	7449758		1.953	.008 AND UP	1.95340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449762		1.954	MASTER	1.95400 + .00004	.050	2
4	7449764	7449765	1.954	.001	1.95400 + .00008	.050	4
4	7449766		1.954	.002	1.95408 + .00012	.050	4
4	7449768		1.954	.004	1.95420 + .00016	.050	8
4	7449772		1.954	.008 AND UP	1.95440 + .00040	.050	8
4	7449776		1.955	MASTER	1.95500 + .00004	.050	2
4	7449778	7449779	1.955	.001	1.95500 + .00008	.050	4
4	7449780		1.955	.002	1.95508 + .00012	.050	4
4	7449782		1.955	.004	1.95520 + .00016	.050	8
4	7449786		1.955	.008 AND UP	1.95540 + .00040	.050	8
4	7449790		1.956	MASTER	1.95600 + .00004	.050	2
4	7449792	7449793	1.956	.001	1.95600 + .00008	.050	4
4	7449794		1.956	.002	1.95608 + .00012	.050	4
4	7449796		1.956	.004	1.95620 + .00016	.050	8
4	7449800		1.956	.008 AND UP	1.95640 + .00040	.050	8
4	7449804		1.957	MASTER	1.95700 + .00004	.050	2
4	7449806	7449807	1.957	.001	1.95700 + .00008	.050	4
4	7449808		1.957	.002	1.95708 + .00012	.050	4
4	7449810		1.957	.004	1.95720 + .00016	.050	8
4	7449814		1.957	.008 AND UP	1.95740 + .00040	.050	8
4	7449818		1.958	MASTER	1.95800 + .00004	.050	2
4	7449820	7449821	1.958	.001	1.95800 + .00008	.050	4
4	7449822		1.958	.002	1.95808 + .00012	.050	4
4	7449824		1.958	.004	1.95820 + .00016	.050	8
4	7449828		1.958	.008 AND UP	1.95840 + .00040	.050	8
4	7449832		1.959	MASTER	1.9590[illegible] + .00004	.050	2
4	7449834	7449835	1.959	.001	1.9590[illegible] + .00008	.050	4
4	7449836		1.959	.002	1.9590[illegible] + .00012	.050	4
4	7449838		1.959	.004	1.95920 + .00016	.050	8
4	7449842		1.959	.008 AND UP	1.95940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7449846	7449849	1.960	MASTER	1.96000 + .00004	.050	2
4	7449848		1.960	.001	1.96000 + .00008	.050	4
4	7449850		1.960	.002	1.96008 + .00012	.050	4
4	7449852		1.960	.004	1.96020 + .00016	.050	8
4	7449856		1.960	.008 AND UP	1.96040 + .00040	.050	8
4	7449860	7449863	1.961	MASTER	1.96100 + .00004	.050	2
4	7449862		1.961	.001	1.96100 + .00008	.050	4
4	7449864		1.961	.002	1.96108 + .00012	.050	4
4	7449866		1.961	.004	1.96120 + .00016	.050	8
4	7449870		1.961	.008 AND UP	1.96140 + .00040	.050	8
4	7449874	7449877	1.962	MASTER	1.96200 + .00004	.050	2
4	7449876		1.962	.001	1.96200 + .00008	.050	4
4	7449878		1.962	.002	1.96208 + .00012	.050	4
4	7449880		1.962	.004	1.96220 + .00016	.050	8
4	7449884		1.962	.008 AND UP	1.96240 + .00040	.050	8
4	7449888	7449891	1.963	MASTER	1.96300 + .00004	.050	2
4	7449890		1.963	.001	1.96300 + .00008	.050	4
4	7449892		1.963	.002	1.96308 + .00012	.050	4
4	7449894		1.963	.004	1.96320 + .00016	.050	8
4	7449898		1.963	.008 AND UP	1.96340 + .00040	.050	8
4	7449902	7449905	1.964	MASTER	1.96400 + .00004	.050	2
4	7449904		1.964	.001	1.96400 + .00008	.050	4
4	7449906		1.964	.002	1.96408 + .00012	.050	4
4	7449908		1.964	.004	1.96420 + .00016	.050	8
4	7449912		1.964	.008 AND UP	1.96440 + .00040	.050	8
4	7449916	7449919	1.965	MASTER	1.96500 + .00004	.050	2
4	7449918		1.965	.001	1.96500 + .00008	.050	4
4	7449920		1.965	.002	1.96508 + .00012	.050	4
4	7449922		1.965	.004	1.96520 + .00016	.050	8
4	7449926		1.965	.008 AND UP	1.96540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449930	7449933	1.966	MASTER	1.96600 + .00004	.050	2
4	7449932		1.966	.001	1.96600 + .00008	.050	4
4	7449934		1.966	.002	1.96608 + .00012	.050	4
4	7449936		1.966	.004	1.96620 + .00016	.050	8
4	7449940		1.966	.008 AND UP	1.96640 + .00040	.050	8
4	7449944	7449947	1.967	MASTER	1.96700 + .00004	.050	2
4	7449946		1.967	.001	1.96700 + .00008	.050	4
4	7449948		1.967	.002	1.96708 + .00012	.050	4
4	7449950		1.967	.004	1.96720 + .00016	.050	8
4	7449954		1.967	.008 AND UP	1.96740 + .00040	.050	8
4	7449958	7449961	1.968	MASTER	1.96800 + .00004	.050	2
4	7449960		1.968	.001	1.96800 + .00008	.050	4
4	7449962		1.968	.002	1.96808 + .00012	.050	4
4	7449964		1.968	.004	1.96820 + .00016	.050	8
4	7449968		1.968	.008 AND UP	1.96840 + .00040	.050	8
4	7449972	7497825	1.96875	MASTER	1.96875 + .00004	.050	2
4	7497824		1.96875	.001	1.96875 + .00008	.050	4
4	7497826		1.96875	.002	1.96883 + .00012	.050	4
4	7497828		1.96875	.004	1.96895 + .00016	.050	8
4	7497832		1.96875	.008 AND UP	1.96915 + .00040	.050	8
4	7449974	7449977	1.969	MASTER	1.96900 + .00004	.050	2
4	7449976		1.969	.001	1.96900 + .00008	.050	4
4	7449978		1.969	.002	1.96908 + .00012	.050	4
4	7449980		1.969	.004	1.96920 + .00016	.050	8
4	7449984		1.969	.008 AND UP	1.96940 + .00040	.050	8
4	7449988	7449991	1.970	MASTER	1.97000 + .00004	.050	2
4	7449990		1.970	.001	1.97000 + .00008	.050	4
4	7449992		1.970	.002	1.97008 + .00012	.050	4
4	7449994		1.970	.004	1.97020 + .00016	.050	8
4	7449998		1.970	.008 AND UP	1.97040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7450002		1.971	MASTER	1.97100 + .00004	.050	2
4	7450004	7450005	1.971	.001	1.97100 + .00008	.050	4
4	7450006		1.971	.002	1.97108 + .00012	.050	4
4	7450008		1.971	.004	1.97120 + .00016	.050	8
4	7450012		1.971	.008 AND UP	1.97140 + .00040	.050	8
4	7450016		1.972	MASTER	1.97200 + .00004	.050	2
4	7450018	7450019	1.972	.001	1.97200 + .00008	.050	4
4	7450020		1.972	.002	1.97208 + .00012	.050	4
4	7450022		1.972	.004	1.97220 + .00016	.050	8
4	7450026		1.972	.008 AND UP	1.97240 + .00040	.050	8
4	7450030		1.973	MASTER	1.97300 .00004	.050	2
4	7450032	7450033	1.973	.001	1.97300 .00008	.050	4
4	7450034		1.973	.002	1.97308 .00012	.050	4
4	7450036		1.973	.004	1.97320 + .00016	.050	8
4	7450040		1.973	.008 AND UP	1.97340 + 00040	.050	8
4	7450044		1.974	MASTER	1.97400 + .00004	.050	2
4	7450046	7450047	1.974	.001	1.97400 + .00008	.050	4
4	7450048		1.974	.002	1.97408 + .00012	.050	4
4	7450050		1.974	.004	1.97420 + .00016	.050	8
4	7450054		1.974	.008 AND UP	1.97440 + .00040	.050	8
4	7450058		1.975	MASTER	1.97500 + .00004	.050	2
4	7450060	7450061	1.975	.001	1.97500 + .00008	.050	4
4	7450062		1.975	.002	1.97508 + .00012	.050	4
4	7450064		1.975	.004	1.97520 + .00016	.050	8
4	7450068		1.975	.008 AND UP	1.97540 + .00040	.050	8
4	7450072		1.976	MASTER	1.97600 + .00004	.050	2
4	7450074	7450075	1.976	.001	1.97600 + .00008	.050	4
4	7450076		1.976	.002	1.97608 + .00012	.050	4
4	7450078		1.976	.004	1.97620 + .00016	.050	8
4	7450082		1.976	.008 AND UP	1.97640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450086		1.977	MASTER	1.97700 + .00004	.050	2
4	7450088	7450089	1.977	.001	1.97700 + .00008	.050	4
4	7450090		1.977	.002	1.97708 + .00012	.050	4
4	7450092		1.977	.004	1.97720 + .00016	.050	8
4	7450096		1.977	.008 AND UP	1.97740 + .00040	.050	8
4	7450100		1.978	MASTER	1.97800 + .00004	.050	2
4	7450102	7450103	1.978	.001	1.97800 + .00008	.050	4
4	7450104		1.978	.002	1.97808 + .00012	.050	4
4	7450106		1.978	.004	1.97820 + .00016	.050	8
4	7450110		1.978	.008 AND UP	1.97840 + .00040	.050	8
4	7450114		1.979	MASTER	1.97900 + .00004	.050	2
4	7450116	7450117	1.979	.001	1.97900 + .00008	.050	4
4	7450118		1.979	.002	1.97908 + .00012	.050	4
4	7450120		1.979	.004	1.97920 + .00016	.050	8
4	7450124		1.979	.008 AND UP	1.97940 + .00040	.050	8
4	7450128		1.980	MASTER	1.98000 + .00004	.050	2
4	7450130	7450131	1.980	.001	1.98000 + .00008	.050	4
4	7450132		1.980	.002	1.98008 + .00012	.050	4
4	7450134		1.980	.004	1.98020 + .00016	.050	8
4	7450138		1.980	.008 AND UP	1.98040 + .00040	.050	8
4	7450142		1.981	MASTER	1.98100 + .00004	.050	2
4	7450144	7450145	1.981	.001	1.98100 + .00008	.050	4
4	7450146		1.981	.002	1.98108 + .00012	.050	4
4	7450148		1.981	.004	1.98120 + .00016	.050	8
4	7450152		1.981	.008 AND UP	1.98140 + .00040	.050	8
4	7450156		1.982	MASTER	1.98200 + .00004	.050	2
4	7450158	7450159	1.982	.001	1.98200 + .00008	.050	4
4	7450160		1.982	.002	1.98208 + .00012	.050	4
4	7450162		1.982	.004	1.98220 + .00016	.050	8
4	7450166		1.982	.008 AND UP	1.98240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450170	7450173	1.983	MASTER	1.98300 + .00004	.050	2
4	7450172		1.983	.001	1.98300 + .00008	.050	4
4	7450174		1.983	.002	1.98308 + .00012	.050	4
4	7450176		1.983	.004	1.98320 + .00016	.050	8
4	7450180		1.983	.008 AND UP	1.98340 + .00040	.050	8
4	7450184	7450187	1.984	MASTER	1.98400 + .00004	.050	2
4	7450186		1.984	.001	1.98400 + .00008	.050	4
4	7450188		1.984	.002	1.98408 + .00012	.050	4
4	7450190		1.984	.004	1.98420 + .00016	.050	8
4	7450194		1.984	.008 AND UP	1.98440 + .00040	.050	8
4	7450198	7450201	1.985	MASTER	1.98500 + .00004	.050	2
4	7450200		1.985	.001	1.98500 + .00008	.050	4
4	7450202		1.985	.002	1.98508 + .00012	.050	4
4	7450204		1.985	.004	1.98520 + .00016	.050	8
4	7450208		1.985	.008 AND UP	1.98540 + .00040	.050	8
4	7450212	7450215	1.986	MASTER	1.98600 + .00004	.050	2
4	7450214		1.986	.001	1.98600 + .00008	.050	4
4	7450216		1.986	.002	1.98608 + .00012	.050	4
4	7450218		1.986	.004	1.98620 + .00016	.050	8
4	7450222		1.986	.008 AND UP	1.98640 + .00040	.050	8
4	7450226	7450229	1.987	MASTER	1.98700 + .00004	.050	2
4	7450228		1.987	.001	1.98700 + .00008	.050	4
4	7450230		1.987	.002	1.98708 + .00012	.050	4
4	7450232		1.987	.004	1.98720 + .00016	.050	8
4	7450236		1.987	.008 AND UP	1.98740 + .00040	.050	8
4	7457572	7457575	1.988	MASTER	1.98800 + .00004	.050	2
4	7457574		1.988	.001	1.98800 .00008	.050	4
4	7457576		1.988	.002	1.98808 .00012	.050	4
4	7457578		1.988	.004	1.98820 + .00016	.050	8
4	7457582		1.988	.008 AND UP	1.98840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7450240		1.989	MASTER	1.98900 + .00004	.050	2
4	7450242	7450243	1.989	.001	1.98900 + .00008	.050	4
4	7450244		1.989	.002	1.98908 + .00012	.050	4
4	7450246		1.989	.004	1.98920 + .00016	.050	8
4	7450250		1.989	.008 AND UP	1.98940 + .00040	.050	8
4	7450254		1.990	MASTER	1.990[illegible]0 + .00004	.050	2
4	7450256	7450257	1.990	.001	1.990[illegible]0 + .00008	.050	4
4	7450258		1.990	.002	1.9900[illegible] + .00012	.050	4
4	7450260		1.990	.004	1.9902[illegible] + .00016	.050	8
4	7450264		1.990	.008 AND UP	1.99040 + .00040	.050	8
4	7450268		1.991	MASTER	1.99100 + .00004	.050	2
4	7450270	7450271	1.991	.001	1.99100 + .00008	.050	4
4	7450272		1.991	.002	1.99108 + .00012	.050	4
4	7450274		1.991	.004	1.99120 + .00016	.050	8
4	7450278		1.991	.008 AND UP	1.99140 + .00040	.050	8
4	7450282		1.992	MASTER	1.99200 + .00004	.050	2
4	7450284	7450285	1.992	.001	1.99200 + .00008	.050	4
4	7450286		1.992	.002	1.99208 + .00012	.050	4
4	7450288		1.992	.004	1.99220 + .00016	.050	8
4	7450292		1.992	.008 AND UP	1.99240 + .00040	.050	8
4	7450296		1.993	MASTER	1.99300 + .00004	.050	2
4	7450298	7450299	1.993	.001	1.99300 + .00008	.050	4
4	7450300		1.993	.002	1.99308 + .00012	.050	4
4	7450302		1.993	.004	1.99320 + .00016	.050	8
4	7450306		1.993	.008 AND UP	1.99340 + .00040	.050	8
4	7450310		1.994	MASTER	1.99400 + .00004	.050	2
4	7450312	7450313	1.994	.001	1.99400 + .00008	.050	4
4	7450314		1.994	.002	1.99408 + .00012	.050	4
4	7450316		1.994	.004	1.99420 + .00016	.050	8
4	7450320		1.994	.008 AND UP	1.99440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7450324		1.995	MASTER	1.99500 + .00004	.050	2
4	7450326	7450327	1.995	.001	1.99500 + .00008	.050	4
4	7450328		1.995	.002	1.99508 + .00012	.050	4
4	7450330		1.995	.004	1.99520 + .00016	.050	8
4	7450334		1.995	.008 AND UP	1.99540 + .00040	.050	8
4	7450338		1.996	MASTER	1.99600 + .00004	.050	2
4	7450340	7450341	1.996	.001	1.99600 + .00008	.050	4
4	7450342		1.996	.002	1.99608 + .00012	.050	4
4	7450344		1.996	.004	1.99620 + .00016	.050	8
4	7450348		1.996	.008 AND UP	1.99640 + .00040	.050	8
4	7450352		1.997	MASTER	1.99700 + .00004	.050	2
4	7450354	7450355	1.997	.001	1.99700 + .00008	.050	4
4	7450356		1.997	.002	1.99708 + .00012	.050	4
4	7450358		1.997	.004	1.99720 + .00016	.050	8
4	7450362		1.997	.008 AND UP	1.99740 + .00040	.050	8
4	7450366		1.998	MASTER	1.99800 + .00004	.050	2
4	7450368	7450369	1.998	.001	1.99800 + .00008	.050	4
4	7450370		1.998	.002	1.99808 + .00012	.050	4
4	7450372		1.998	.004	1.99820 + .00016	.050	8
4	7450376		1.998	.008 AND UP	1.99840 + .00040	.050	8
4	7450380		1.999	MASTER	1.99900 + .00004	.050	2
4	7450382	7450383	1.999	.001	1.99900 + .00008	.050	4
4	7450384		1.999	.002	1.99908 + .00012	.050	4
4	7450386		1.999	.004	1.99920 + .00016	.050	8
4	7450390		1.999	.008 AND UP	1.99940 + .00040	.050	8
4	7450394		2.000	MASTER	2.00000 + .00004	.050	2
4	7450396	7450397	2.000	.001	2.00000 + .00008	.050	4
4	7450398		2.000	.002	2.00008 + .00012	.050	4
4	7450400		2.000	.004	2.00020 + .00016	.050	8
4	7450404		2.000	.008 AND UP	2.00040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450408		2.001	MASTER	2.00100 + .00004	.050	2
4	7450410	7450411	2.001	.001	2.00100 + .00008	.050	4
4	7450412		2.001	.002	2.00108 + .00012	.050	4
4	7450414		2.001	.004	2.00120 + .00016	.050	8
4	7450418		2.001	.008 AND UP	2.00140 + .00040	.050	8
4	7450422		2.002	MASTER	2.00200 + .00004	.050	2
4	7450424	7450425	2.002	.001	2.00200 + .00008	.050	4
4	7450426		2.002	.002	2.00208 + .00012	.050	4
4	7450428		2.002	.004	2.00220 + .00016	.050	8
4	7450432		2.002	.008 AND UP	2.00240 + .00040	.050	8
4	7450436		2.003	MASTER	2.00300 + .00004	.050	2
4	7450438	7450439	2.003	.001	2.00300 + .00008	.050	4
4	7450440		2.003	.002	2.00308 + .00012	.050	4
4	7450442		2.003	.004	2.00320 + .00016	.050	8
4	7450446		2.003	.008 AND UP	2.00340 + .00040	.050	8
4	7450450		2.004	MASTER	2.00400 + .00004	.050	2
4	7450452	7450453	2.004	.001	2.00400 + .00008	.050	4
4	7450454		2.004	.002	2.00408 + .00012	.050	4
4	7450456		2.004	.004	2.00420 + .00016	.050	8
4	7450460		2.004	.008 AND UP	2.00440 + .00040	.050	8
4	7450464		2.005	MASTER	2.00500 + .00004	.050	2
4	7450466	7450467	2.005	.001	2.00500 .00008	.050	4
4	7450468		2.005	.002	2.00508 .00012	.050	4
4	7450470		2.005	.004	2.00520 + .00016	.050	8
4	7450474		2.005	.008 AND UP	2.00540 + .00040	.050	8
4	7450478		2.006	MASTER	2.00600 + .00004	.050	2
4	7450480	7450481	2.006	.001	2.00600 + .00008	.050	4
4	7450482		2.006	.002	2.00608 + .00012	.050	4
4	7450484		2.006	.004	2.00620 + .00016	.050	8
4	7450488		2.006	.008 AND UP	2.00640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLU GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450492		2.007	MASTER	2.00700 + .00004	.050	2
4	7450494	7450495	2.007	.001	2.00700 + .00008	.050	4
4	7450496		2.007	.002	2.00708 + .00012	.050	4
4	7450498		2.007	.004	2.00720 + .00016	.050	8
4	7450502		2.007	.008 AND UP	2.00740 + .00040	.050	8
4	7450506		2.008	MASTER	2.00800 + .00004	.050	2
4	7450508	7450509	2.008	.001	2.00800 + .00008	.050	4
4	7450510		2.008	.002	2.00808 + .00012	.050	4
4	7450512		2.008	.004	2.00820 + .00016	.050	8
4	7450516		2.008	.008 AND UP	2.00840 + .00040	.050	8
4	7450520		2.009	MASTER	2.00900 + .00004	.050	2
4	7450522	7450523	2.009	.001	2.00900 + .00008	.050	4
4	7450524		2.009	.002	2.00908 + .00012	.050	4
4	7450526		2.009	.004	2.00920 + .00016	.050	8
4	7450530		2.009	.008 AND UP	2.00940 + .00040	.050	8
4	7450534		2.010	MASTER	2.01000 + .00004	.050	2
4	7450536	7450537	2.010	.001	2.01000 + .00008	.050	4
4	7450538		2.010	.002	2.01008 + .00012	.050	4
4	7450540		2.010	.004	2.01020 + .00016	.050	8
4	7450544		2.010	.008 AND UP	2.01040 + .00040	.050	8
4	7450548		2.011	MASTER	2.01100 + .00004	.050	2
4	7450550	7450551	2.011	.001	2.01100 + .00008	.050	4
4	7450552		2.011	.002	2.01108 + .00012	.050	4
4	7450554		2.011	.004	2.01120 + .00016	.050	8
4	7450558		2.011	.008 AND UP	2.01140 + .00040	.050	8
4	7450562		2.012	MASTER	2.01200 + .00004	.050	2
4	7450564	7450565	2.012	.001	2.01200 + .00008	.050	4
4	7450566		2.012	.002	2.01208 + .00012	.050	4
4	7450568		2.012	.004	2.01220 + .00016	.050	8
4	7450572		2.012	.008 AND UP	2.01240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450576		2.013	MASTER	2.01300 + .00004	.050	2
4	7450578	7450579	2.013	.001	2.01300 + .00008	.050	4
4	7450580		2.013	.002	2.01308 + .00012	.050	4
4	7450582		2.013	.004	2.01320 + .00016	.050	8
4	7450586		2.013	.008 AND UP	2.01340 + .00040	.050	8
4	7450590		2.014	MASTER	2.01400 + .00004	.050	2
4	7450592	7450593	2.014	.001	2.01400 + .00008	.050	4
4	7450594		2.014	.002	2.01408 + .00012	.050	4
4	7450596		2.014	.004	2.01420 + .00016	.050	8
4	7450600		2.014	.008 AND UP	2.01440 + .00040	.050	8
4	7450604		2.015	MASTER	2.01500 + .00004	.050	2
4	7450606	7450607	2.015	.001	2.01500 + .00008	.050	4
4	7450608		2.015	.002	2.01508 + .00012	.050	4
4	7450610		2.015	.004	2.01520 + .00016	.050	8
4	7450614		2.015	.008 AND UP	2.01540 + .00040	.050	8
4	7450618		2.016	MASTER	2.01600 + .00004	.050	2
4	7450620	7450621	2.016	.001	2.01600 + .00008	.050	4
4	7450622		2.016	.002	2.01608 + .00012	.050	4
4	7450624		2.016	.004	2.01620 + .00016	.050	8
4	7450628		2.016	.008 AND UP	2.01640 + .00040	.050	8
4	7450632		2.017	MASTER	2.01700 + .00004	.050	2
4	7450634	7450635	2.017	.001	2.01700 + .00008	.050	4
4	7450636		2.017	.002	2.01708 + .00012	.050	4
4	7450638		2.017	.004	2.01720 + .00016	.050	8
4	7450642		2.017	.008 AND UP	2.01740 + .00040	.050	8
4	7450646		2.018	MASTER	2.01800 + .00004	.050	2
4	7450648	7450649	2.018	.001	2.01800 + .00008	.050	4
4	7450650		2.018	.002	2.01808 + .00012	.050	4
4	7450652		2.018	.004	2.01820 + .00016	.050	8
4	7450656		2.018	.008 AND UP	2.01840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450660		2.019	MASTER	2.01900 + .00004	.050	2
"	7450662	7450663	2.019	.001	2.01900 + .00008	.050	4
"	7450664		2.019	.002	2.01908 + .00012	.050	4
"	7450666		2.019	.004	2.01920 + .00016	.050	8
"	7450670		2.019	.008 AND UP	2.01940 + .00040	.050	8
"	7450674		2.020	MASTER	2.02000 + .00004	.050	2
"	7450676	7450677	2.020	.001	2.02000 + .00008	.050	4
"	7450678		2.020	.002	2.02008 + .00012	.050	4
"	7450680		2.020	.004	2.02020 + .00016	.050	8
"	7450684		2.020	.008 AND UP	2.02040 + .00040	.050	8
"	7450688		2.021	MASTER	2.02100 + .00004	.050	2
"	7450690	7450691	2.021	.001	2.02100 + .00008	.050	4
"	7450692		2.021	.002	2.02108 + .00012	.050	4
"	7450694		2.021	.004	2.02120 + .00016	.050	8
"	7450698		2.021	.008 AND UP	2.02140 + .00040	.050	8
"	7450702		2.022	MASTER	2.02200 + .00004	.050	2
"	7450704	7450705	2.022	.001	2.02200 + .00008	.050	4
"	7450706		2.022	.002	2.02208 + .00012	.050	4
"	7450708		2.022	.004	2.02220 + .00016	.050	8
"	7450712		2.022	.008 AND UP	2.02240 + .00040	.050	8
"	7450716		2.023	MASTER	2.02300 + .00004	.050	2
"	7450718	7450719	2.023	.001	2.02300 + .00008	.050	4
"	7450720		2.023	.002	2.02308 + .00012	.050	4
"	7450722		2.023	.004	2.02320 + .00016	.050	8
"	7450726		2.023	.008 AND UP	2.02340 + .00040	.050	8
"	7450730		2.024	MASTER	2.02400 + .00004	.050	2
"	7450732	7450733	2.024	.001	2.02400 + .00008	.050	4
"	7450734		2.024	.002	2.02408 + .00012	.050	4
"	7450736		2.024	.004	2.02420 + .00016	.050	8
"	7450740		2.024	.008 AND UP	2.02440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450744		2.025	MASTER	2.02500 + .00004	.050	2
4	7450746	7450747	2.025	.001	2.02500 + .00008	.050	4
4	7450748		2.025	.002	2.02508 + .00012	.050	4
4	7450750		2.025	.004	2.02520 + .00016	.050	8
4	7450754		2.025	.008 AND UP	2.02540 + .00040	.050	8
4	7450758		2.026	MASTER	2.02600 + .00004	.050	2
4	7450760	7450761	2.026	.001	2.02600 + .00008	.050	4
4	7450762		2.026	.002	2.02608 + .00012	.050	4
4	7450764		2.026	.004	2.02620 + .00016	.050	8
4	7450768		2.026	.008 AND UP	2.02640 + .00040	.050	8
4	7450772		2.027	MASTER	2.02700 + .00004	.050	2
4	7450774	7450775	2.027	.001	2.02700 + .00008	.050	4
4	7450776		2.027	.002	2.02708 + .00012	.050	4
4	7450778		2.027	.004	2.02720 + .00016	.050	8
4	7450782		2.027	.008 AND UP	2.02740 + .00040	.050	8
4	7450786		2.028	MASTER	2.02800 + .00004	.050	2
4	7450788	7450789	2.028	.001	2.02800 + .00008	.050	4
4	7450790		2.028	.002	2.02808 + .00012	.050	4
4	7450794		2.028	.004	2.02820 + .00016	.050	8
4	7450796		2.028	.008 AND UP	2.02840 + .00040	.050	8
4	7450800		2.029	MASTER	2.02900 + .00004	.050	2
4	7450802	7450803	2.029	.001	2.02900 + .00008	.050	4
4	7450804		2.029	.002	2.02908 + .00012	.050	4
4	7450806		2.029	.004	2.02920 + .00016	.050	8
4	7450810		2.029	.008 AND UP	2.02940 + .00040	.050	8
4	7450814		2.030	MASTER	2.03000 + .00004	.050	2
4	7450816	7450817	2.030	.001	2.03000 + .00008	.050	4
4	7450818		2.030	.002	2.03008 + .00012	.050	4
4	7450820		2.030	.004	2.03020 + .00016	.050	8
4	7450824		2.030	.008 AND UP	2.03040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
1	7450828	7450831	2.031	MASTER	2.03100 + .00004	.050	2
1	7450830		2.031	.001	2.03100 + .00008	.050	4
1	7450832		2.031	.002	2.03108 + .00012	.050	4
1	7450834		2.031	.004	2.03120 + .00016	.050	8
1	7450838		2.031	.008 AND UP	2.03140 + .00040	.050	8
2	7450842	7497837	2.03125	MASTER	2.03125 + .00004	.050	2
2	7497836		2.03125	.001	2.03125 + .00008	.050	4
2	7497838		2.03125	.002	2.03133 + .00012	.050	4
2	7497840		2.03125	.004	2.03145 + .00016	.050	8
2	7497844		2.03125	.008 AND UP	2.03165 + .00040	.050	8
3	7450844	7450847	2.032	MASTER	2.03200 + .00004	.050	2
3	7450846		2.032	.001	2.03200 + .00008	.050	4
3	7450848		2.032	.002	2.03208 + .00012	.050	4
3	7450850		2.032	.004	2.03220 + .00016	.050	8
3	7450854		2.032	.008 AND UP	2.03240 + .00040	.050	8
4	7450858	7450861	2.033	MASTER	2.03300 + .00004	.050	2
4	7450860		2.033	.001	2.03300 + .00008	.050	4
4	7450862		2.033	.002	2.03308 + .00012	.050	4
4	7450864		2.033	.004	2.03320 + .00016	.050	8
4	7450868		2.033	.008 AND UP	2.03340 + .00040	.050	8
5	7450872	7450875	2.034	MASTER	2.03400 .00004	.050	2
5	7450874		2.034	.001	2.03400 + .00008	.050	4
5	7450876		2.034	.002	2.03408 + .00012	.050	4
5	7450878		2.034	.004	2.03420 + .00016	.050	8
5	7450882		2.034	.008 AND UP	2.03440 + .00040	.050	8
6	7450886	7450889	2.035	MASTER	2.03500 + .00004	.050	2
6	7450888		2.035	.001	2.03500 + .00008	.050	4
6	7450890		2.035	.002	2.03508 + .00012	.050	4
6	7450892		2.035	.004	2.03520 + .00016	.050	8
6	7450896		2.035	.008 AND UP	2.03540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450900		2.036	MASTER	2.03600 + .00004	.050	2
4	7450902	7450903	2.036	.001	2.03600 + .00008	.050	4
4	7450904		2.036	.002	2.03608 + .00012	.050	4
4	7450906		2.036	.004	2.03620 + .00016	.050	8
4	7450910		2.036	.008 AND UP	2.0364 + .00040	.050	8
4	7450914		2.037	MASTER	2.03700 + .00004	.050	2
4	7450916	7450917	2.037	.001	2.03700 .00008	.050	4
4	7450918		2.037	.002	2.03708 .00012	.050	4
4	7450920		2.037	.004	2.03720 + .00016	.050	8
4	7450924		2.037	.008 AND UP	2.03740 + .00040	.050	8
4	7450928		2.038	MASTER	2.03800 + .00004	.050	2
4	7450930	7450931	2.038	.001	2.03800 + .00008	.050	4
4	7450932		2.038	.002	2.03808 + .00012	.050	4
4	7450934		2.038	.004	2.03820 + .00016	.050	8
4	7450938		2.038	.008 AND UP	2.03840 + .00040	.050	8
4	7450942		2.039	MASTER	2.03900 + .00004	.050	2
4	7450944	7450945	2.039	.001	2.03900 + .00008	.050	4
4	7450946		2.039	.002	2.03908 + .00012	.050	4
4	7450948		2.039	.004	2.03920 + .00016	.050	8
4	7450952		2.039	.008 AND UP	2.03940 + .00040	.050	8
4	7450956		2.040	MASTER	2.04000 + .00004	.050	2
4	7450958	7450959	2.040	.001	2.04000 + .00008	.050	4
4	7450960		2.040	.002	2.04008 + .00012	.050	4
4	7450962		2.040	.004	2.04020 + .00016	.050	8
4	7450966		2.040	.008 AND UP	2.04040 + .00040	.050	8
4	7450970		2.041	MASTER	2.04100 + .00004	.050	2
4	7450972	7450973	2.041	.001	2.04100 + .00008	.050	4
4	7450974		2.041	.002	2.04108 + .00012	.050	4
4	7450976		2.041	.004	2.04120 + .00016	.050	8
4	7450980		2.041	.008 AND UP	2.04140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450984	7450987	2.042	MASTER	2.04200 + .00004	.050	2
4	7450986		2.042	.001	2.04200 + .00008	.050	4
4	7450988		2.042	.002	2.04208 + .00012	.050	4
4	7450990		2.042	.004	2.04220 + .00016	.050	8
4	7450994		2.042	.008 AND UP	2.04240 + .00040	.050	8
4	7450998	7451001	2.043	MASTER	2.04300 + .00004	.050	2
4	7451000		2.043	.001	2.04300 + .00008	.050	4
4	7451002		2.043	.002	2.04308 + .00012	.050	4
4	7451004		2.043	.004	2.04320 + .00016	.050	8
4	7451008		2.043	.008 AND UP	2.04340 + .00040	.050	8
4	7451012	7451015	2.044	MASTER	2.04400 + .00004	.050	2
4	7451014		2.044	.001	2.04400 + .00008	.050	4
4	7451016		2.044	.002	2.04408 + .00012	.050	4
4	7451018		2.044	.004	2.04420 + .00016	.050	8
4	7451022		2.044	.008 AND UP	2.04440 + .00040	.050	8
4	7451026	7451029	2.045	MASTER	2.04500 + .00004	.050	2
4	7451028		2.045	.001	2.04500 + .00008	.050	4
4	7451030		2.045	.002	2.04508 + .00012	.050	4
4	7451032		2.045	.004	2.04520 + .00016	.050	8
4	7451036		2.045	.008 AND UP	2.04540 + .00040	.050	8
4	7451040	7451043	2.046	MASTER	2.04600 + .00004	.050	2
4	7451042		2.046	.001	2.04600 + .00008	.050	4
4	7451044		2.046	.002	2.04608 + .00012	.050	4
4	7451046		2.046	.004	2.04620 + .00016	.050	8
4	7451050		2.046	.008 AND UP	2.04640 + .00040	.050	8
4	7451054	7451057	2.047	MASTER	2.04700 + .00004	.050	2
4	7451056		2.047	.001	2.04700 + .00008	.050	4
4	7451058		2.047	.002	2.04708 + .00012	.050	4
4	7451060		2.047	.004	2.04720 + .00016	.050	8
4	7451064		2.047	.008 AND UP	2.04740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451068		2.048	MASTER	2.04800 + .00004	.050	2
4	7451070	7451071	2.048	.001	2.04800 + .00008	.050	4
4	7451072		2.048	.002	2.04808 + .00012	.050	4
4	7451074		2.048	.004	2.04820 + .00016	.050	8
4	7451078		2.048	.008 AND UP	2.04840 + .00040	.050	8
4	7451082		2.049	MASTER	2.04900 + .00004	.050	2
4	7451084	7451085	2.049	.001	2.04900 + .00008	.050	4
4	7451086		2.049	.002	2.04908 + .00012	.050	4
4	7451088		2.049	.004	2.04920 + .00016	.050	8
4	7451092		2.049	.008 AND UP	2.04940 + .00040	.050	8
4	7451096		2.050	MASTER	2.05000 + .00004	.050	2
4	7451098	7451099	2.050	.001	2.05000 + .00008	.050	4
4	7451100		2.050	.002	2.05008 + .00012	.050	4
4	7451102		2.050	.004	2.05020 + .00016	.050	8
4	7451106		2.050	.008 AND UP	2.05040 + .00040	.050	8
4	7451110		2.051	MASTER	2.05100 + .00004	.050	2
4	7451112	7451113	2.051	.001	2.0510[illegible] + .00008	.050	4
4	7451114		2.051	.002	2.0510[illegible] + .00012	.050	4
4	7451116		2.051	.004	2.05120 + .00016	.050	8
4	7451120		2.051	.008 AND UP	2.05140 .00040	.050	8
4	7451124		2.052	MASTER	2.05200 + .00004	.050	2
4	7451126	7451127	2.052	.001	2.05200 + .00008	.050	4
4	7451128		2.052	.002	2.05208 + .00012	.050	4
4	7451130		2.052	.004	2.05220 + .00016	.050	8
4	7451134		2.052	.008 AND UP	2.05240 + .00040	.050	8
4	7451138		2.053	MASTER	2.05300 + .00004	.050	2
4	7451140	7451141	2.053	.001	2.05300 + .00008	.050	4
4	7451142		2.053	.002	2.05308 + .00012	.050	4
4	7451144		2.053	.004	2.05320 + .00016	.050	8
4	7451148		2.053	.008 AND UP	2.05340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7451152	7451155	2.054	MASTER	2.05400 + .00004	.050	2
4	7451154		2.054	.001	2.05400 + .00008	.050	4
4	7451156		2.054	.002	2.05408 + .00012	.050	4
4	7451158		2.054	.004	2.05420 + .00016	.050	8
4	7451162		2.054	.008 AND UP	2.05440 + .00040	.050	8
4	7451166	7451169	2.055	MASTER	2.05500 + .00004	.050	2
4	7451168		2.055	.001	2.05500 + .00008	.050	4
4	7451170		2.055	.002	2.05508 + .00012	.050	4
4	7451172		2.055	.004	2.05520 + .00016	.050	8
4	7451176		2.055	.008 AND UP	2.05540 + .00040	.050	8
4	7451180	7451183	2.056	MASTER	2.05600 + .00004	.050	2
4	7451182		2.056	.001	2.05600 + .00008	.050	4
4	7451184		2.056	.002	2.05608 + .00012	.050	4
4	7451186		2.056	.004	2.05620 + .00016	.050	8
4	7451190		2.056	.008 AND UP	2.05640 + .00040	.050	8
4	7451194	7451197	2.057	MASTER	2.05700 + .00004	.050	2
4	7451196		2.057	.001	2.05700 + .00008	.050	4
4	7451198		2.057	.002	2.05708 + .00012	.050	4
4	7451200		2.057	.004	2.05720 + .00016	.050	8
4	7451204		2.057	.008 AND UP	2.05740 + .00040	.050	8
4	7451208	7451211	2.058	MASTER	2.05800 + .00004	.050	2
4	7451210		2.058	.001	2.05800 + .00008	.050	4
4	7451212		2.058	.002	2.05808 + .00012	.050	4
4	7451214		2.058	.004	2.05820 + .00016	.050	8
4	7451218		2.058	.008 AND UP	2.05840 + .00040	.050	8
4	7451222	7451225	2.059	MASTER	2.05900 + .00004	.050	2
4	7451224		2.059	.001	2.05900 + .00008	.050	4
4	7451226		2.059	.002	2.05908 + .00012	.050	4
4	7451228		2.059	.004	2.05920 + .00016	.050	8
4	7451232		2.059	.008 AND UP	2.05940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451236		2.060	MASTER	2.06000 + .00004	.050	2
4	7451238	7451239	2.060	.001	2.06000 + .00008	.050	4
4	7451240		2.060	.002	2.06008 + .00012	.050	4
4	7451242		2.060	.004	2.06020 + .00016	.050	8
4	7451246		2.060	.008 AND UP	2.06040 + .00040	.050	8
4	7451250		2.061	MASTER	2.06100 + .00004	.050	2
4	7451252	7451253	2.061	.001	2.06100 + .00008	.050	4
4	7451254		2.061	.002	2.06108 + .00012	.050	4
4	7451256		2.061	.004	2.06120 + .00016	.050	8
4	7451260		2.061	.008 AND UP	2.06140 + .00040	.050	8
4	7451264		2.062	MASTER	2.06200 + .00004	.050	2
4	7451266	7451267	2.062	.001	2.06200 + .00008	.050	4
4	7451268		2.062	.002	2.06208 + .00012	.050	4
4	7451270		2.062	.004	2.06220 + .00016	.050	8
4	7451274		2.062	.008 AND UP	2.06240 + .00040	.050	8
4	7451278		2.0625	MASTER	2.06250 + .00004	.050	2
4	7497848	7497849	2.0625	.001	2.06250 + .00008	.050	4
4	7497850		2.0625	.002	2.06258 + .00012	.050	4
4	7497852		2.0625	.004	2.06270 + .00016	.050	8
4	7497856		2.0625	.008 AND UP	2.06290 + .00040	.050	8
4	7451280		2.063	MASTER	2.06300 + .00004	.050	2
4	7451282	7451283	2.063	.001	2.06300 + .00008	.050	4
4	7451284		2.063	.002	2.06308 + .00012	.050	4
4	7451286		2.063	.004	2.06320 + .00016	.050	8
4	7451290		2.063	.008 AND UP	2.06340 + .00040	.050	8
4	7451294		2.064	MASTER	2.06400 + .00004	.050	2
4	7451296	7451297	2.064	.001	2.06400 + .00008	.050	4
4	7451298		2.064	.002	2.06408 + .00012	.050	4
4	7451300		2.064	.004	2.06420 + .00016	.050	8
4	7451304		2.064	.008 AND UP	2.06440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7451308		2.065	MASTER	2.06500 + .00004	.050	2
4	7451310	7451311	2.065	.001	2.06500 + .00008	.050	4
4	7451312		2.065	.002	2.06508 + .00012	.050	4
8	7451314		2.065	.004	2.06520 + .00016	.050	8
8	7451318		2.065	.008 AND UP	2.06540 + .00040	.050	8
2	7451322		2.066	MASTER	2.06600 .00004	.050	2
4	7451324	7451325	2.066	.001	2.06600 + .00008	.050	4
4	7451326		2.066	.002	2.06608 + .00012	.050	4
8	7451328		2.066	.004	2.06620 + .00016	.050	8
8	7451332		2.066	.008 AND UP	2.06640 + .00040	.050	8
2	7451336		2.067	MASTER	2.06700 + .00004	.050	2
4	7451338	7451339	2.067	.001	2.06700 + .00008	.050	4
4	7451340		2.067	.002	2.06708 + .00012	.050	4
8	7451342		2.067	.004	2.06720 + .00016	.050	8
8	7451346		2.067	.008 AND UP	2.06740 + .00040	.050	8
2	7451350		2.068	MASTER	2.06800 + .00004	.050	2
4	7451352	7451353	2.068	.001	2.06800 + .00008	.050	4
4	7451354		2.068	.002	2.06808 + .00012	.050	4
8	7451356		2.068	.004	2.06820 + .00016	.050	8
8	7451360		2.068	.008 AND UP	2.06840 + .00040	.050	8
2	7451364		2.069	MASTER	2.06900 + .00004	.050	2
4	7451366	7451367	2.069	.001	2.06900 + .00008	.050	4
4	7451368		2.069	.002	2.06908 + .00012	.050	4
8	7451370		2.069	.004	2.06920 + .00016	.050	8
8	7451374		2.069	.008 AND UP	2.06940 + .00040	.050	8
2	7451378		2.070	MASTER	2.07000 + .00004	.050	2
4	7451380	7451381	2.070	.001	2.07000 + .00008	.050	4
4	7451382		2.070	.002	2.07008 + .00012	.050	4
8	7451384		2.070	.004	2.07020 + .00016	.050	8
8	7451388		2.070	.008 AND UP	2.07040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451392		2.071	MASTER	2.07100 + .00004	.050	2
4	7451394	7451395	2.071	.001	2.07100 + .00008	.050	4
4	7451396		2.071	.002	2.07108 + .00012	.050	4
4	7451398		2.071	.004	2.07120 + .00016	.050	8
4	7451402		2.071	.008 AND UP	2.07140 + .00040	.050	8
4	7451406		2.072	MASTER	2.07200 + .00004	.050	2
4	7451408	7451409	2.072	.001	2.07200 + .00008	.050	4
4	7451410		2.072	.002	2.07208 + .00012	.050	4
4	7451412		2.072	.004	2.07220 + .00016	.050	8
4	7451416		2.072	.008 AND UP	2.07240 + .00040	.050	8
4	7451420		2.073	MASTER	2.07300 + .00004	.050	2
4	7451422	7451423	2.073	.001	2.07300 + .00008	.050	4
4	7451424		2.073	.002	2.07308 + .00012	.050	4
4	7451426		2.073	.004	2.07320 + .00016	.050	8
4	7451430		2.073	.008 AND UP	2.07340 + .00040	.050	8
4	7451434		2.074	MASTER	2.07400 + .00004	.050	2
4	7451436	7451437	2.074	.001	2.07400 + .00008	.050	4
4	7451438		2.074	.002	2.07408 + .00012	.050	4
4	7451440		2.074	.004	2.07420 + .00016	.050	8
4	7451444		2.074	.008 AND UP	2.07440 + .00040	.050	8
4	7451448		2.075	MASTER	2.07500 + .00004	.050	2
4	7451450	7451451	2.075	.001	2.07500 + .00008	.050	4
4	7451452		2.075	.002	2.07508 + .00012	.050	4
4	7451454		2.075	.004	2.07520 + .00016	.050	8
4	7451458		2.075	.008 AND UP	2.07540 + .00040	.050	8
4	7451462		2.076	MASTER	2.07600 + .00004	.050	2
4	7451464	7451465	2.076	.001	2.07600 + .00008	.050	4
4	7451466		2.076	.002	2.07608 + .00012	.050	4
4	7451468		2.076	.004	2.07620 + .00016	.050	8
4	7451472		2.076	.008 AND UP	2.07640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7451476	7451479	2.077	MASTER	2.07700 + .00004	.050	2
4	7451478		2.077	.001	2.07700 + .00008	.050	4
4	7451480		2.077	.002	2.07708 + .00012	.050	4
4	7451482		2.077	.004	2.07720 + .00016	.050	8
4	7451486		2.077	.008 AND UP	2.07740 + .00040	.050	8
4	7451490	7451493	2.078	MASTER	2.07800 + .00004	.050	2
4	7451492		2.078	.001	2.07800 + .00008	.050	4
4	7451494		2.078	.002	2.07808 + .00012	.050	4
4	7451496		2.078	.004	2.07820 + .00016	.050	8
4	7451500		2.078	.008 AND UP	2.07840 + .00040	.050	8
4	7451504	7451507	2.079	MASTER	2.07900 + .00004	.050	2
4	7451506		2.079	.001	2.07900 + .00008	.050	4
4	7451508		2.079	.002	2.07908 + .00012	.050	4
4	7451510		2.079	.004	2.07920 + .00016	.050	8
4	7451514		2.079	.008 AND UP	2.07940 + .00040	.050	8
4	7451518	7451521	2.080	MASTER	2.08000 .00004	.050	2
4	7451520		2.080	.001	2.08000 .00008	.050	4
4	7451522		2.080	.002	2.08008 + .00012	.050	4
4	7451524		2.080	.004	2.08020 + .00016	.050	8
4	7451528		2.080	.008 AND UP	2.08040 + .00040	.050	8
4	7451532	7451535	2.081	MASTER	2.08100 + .00004	.050	2
4	7451534		2.081	.001	2.08100 + .00008	.050	4
4	7451536		2.081	.002	2.08108 + .00012	.050	4
4	7451538		2.081	.004	2.08120 + .00016	.050	8
4	7451542		2.081	.008 AND UP	2.08140 + .00040	.050	8
4	7451546	7451549	2.082	MASTER	2.08200 + .00004	.050	2
4	7451548		2.082	.001	2.08200 + .00008	.050	4
4	7451550		2.082	.002	2.08208 + .00012	.050	4
4	7451552		2.082	.004	2.08220 + .00016	.050	8
4	7451556		2.082	.008 AND UP	2.08240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451560		2.083	MASTER	2.0830 + .00004	.050	2
4	7451562	7451563	2.083	.001	2.08300 + .00008	.050	4
4	7451564		2.083	.002	2.08308 + .00012	.050	4
4	7451566		2.083	.004	2.08320 + .00016	.050	8
4	7451570		2.083	.008 AND UP	2.08340 + .00040	.050	8
4	7451574		2.084	MASTER	2.08400 + .00004	.050	2
4	7451576	7451577	2.084	.001	2.08400 + .00008	.050	4
4	7451578		2.084	.002	2.08408 + .00012	.050	4
4	7451580		2.084	.004	2.08420 + .00016	.050	8
4	7451584		2.084	.008 AND UP	2.08440 + .00040	.050	8
4	7451588		2.085	MASTER	2.08500 + .00004	.050	2
4	7451590	7451591	2.085	.001	2.08500 + .00008	.050	4
4	7451592		2.085	.002	2.08508 + .00012	.050	4
4	7451594		2.085	.004	2.08520 + .00016	.050	8
4	7451598		2.085	.008 AND UP	2.08540 + .00040	.050	8
4	7451602		2.086	MASTER	2.08600 + .00004	.050	2
4	7451604	7451605	2.086	.001	2.08600 + .00008	.050	4
4	7451606		2.086	.002	2.08608 + .00012	.050	4
4	7451608		2.086	.004	2.08620 + .00016	.050	8
4	7451[illegible]		2.086	.008 AND UP	2.08640 + .00040	.050	8
4	7451616		2.087	MASTER	2.08700 + .00004	.050	2
4	7451618	7451619	2.087	.001	2.08700 + .00008	.050	4
4	7451620		2.087	.002	2.08708 + .00012	.050	4
4	7451622		2.087	.004	2.08720 + .00016	.050	8
4	7451626		2.087	.008 AND UP	2.08740 + .00040	.050	8
4	7451630		2.088	MASTER	2.08800 + .00004	.050	2
4	7451632	7451633	2.088	.001	2.08800 + .00008	.050	4
4	7451634		2.088	.002	2.08808 + .00012	.050	4
4	7451636		2.088	.004	2.08820 + .00016	.050	8
4	7451640		2.088	.008 AND UP	2.08840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7451644	7451647	2.089	MASTER	2.08900 + .00004	.050	2
4	7451646		2.089	.001	2.08900 + .00008	.050	4
4	7451648		2.089	.002	2.08908 + .00012	.050	4
4	7451650		2.089	.004	2.08920 + .00016	.050	8
4	7451654		2.089	.008 AND UP	2.08940 + .00040	.050	8
4	7451658	7451661	2.090	MASTER	2.09000 + .00004	.050	2
4	7451660		2.090	.001	2.09000 + .00008	.050	4
4	7451662		2.090	.002	2.09008 + .00012	.050	4
4	7451664		2.090	.004	2.09020 + .00016	.050	8
4	7451668		2.090	.008 AND UP	2.09040 + .00040	.050	8
4	7451672	7451675	2.091	MASTER	2.09100 + .00004	.050	2
4	7451674		2.091	.001	2.09100 + .00008	.050	4
4	7451676		2.091	.002	2.09108 + .00012	.050	4
4	7451678		2.091	.004	2.09120 + .00016	.050	8
4	7451682		2.091	.008 AND UP	2.09140 + .00040	.050	8
4	7451686	7451689	2.092	MASTER	2.09200 + .00004	.050	2
4	7451688		2.092	.001	2.09200 + .00008	.050	4
4	7451690		2.092	.002	2.09208 + .00012	.050	4
4	7451692		2.092	.004	2.09220 + .00016	.050	8
4	7451696		2.092	.008 AND UP	2.09240 + .00040	.050	8
4	7451700	7451703	2.093	MASTER	2.09300 + .00004	.050	2
4	7451702		2.093	.001	2.09300 + .00008	.050	4
4	7451704		2.093	.002	2.09308 + .00012	.050	4
4	7451706		2.093	.004	2.09320 + .00016	.050	8
4	7451710		2.093	.008 AND UP	2.09340 + .00040	.050	8
4	7451714	7497861	2.09375	MASTER	2.09375 + .00004	.050	2
4	7497860		2.09375	.001	2.09375 + .00008	.050	4
4	7497862		2.09375	.002	2.09383 + .00012	.050	4
4	7497864		2.09375	.004	2.09395 + .00016	.050	8
4	7497868		2.09375	.008 AND UP	2.09415 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN–GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451716		2.094	MASTER	2.09400 + .00004	.050	2
4	7451718	7451719	2.094	.001	2.09400 + .00008	.050	4
4	7451720		2.094	.002	2.09408 + .00012	.050	4
4	7451722		2.094	.004	2.09420 + .00016	.050	8
4	7451726		2.094	.008 AND UP	2.09440 + .00040	.050	8
4	7451730		2.095	MASTER	2.09500 + .00004	.050	2
4	7451732	7451733	2.095	.001	2.09500 + .00008	.050	4
4	7451734		2.095	.002	2.09508 + .00012	.050	4
4	7451736		2.095	.004	2.09520 + .00016	.050	8
4	7451740		2.095	.008 AND UP	2.09540 + .00040	.050	8
4	7451744		2.096	MASTER	2.09600 + .00004	.050	2
4	7451746	7451747	2.096	.001	2.09600 + .00008	.050	4
4	7451748		2.096	.002	2.09608 .00012	.050	4
4	7451750		2.096	.004	2.09620 .00016	.050	8
4	7451754		2.096	.008 AND UP	2.09640 + .00040	.050	8
4	7451758		2.097	MASTER	2.09700 + .00004	.050	2
4	7451760	7451761	2.097	.001	2.09700 + .00008	.050	4
4	7451762		2.097	.002	2.09708 + .00012	.050	4
4	7451764		2.097	.004	2.09720 + .00016	.050	8
4	7451768		2.097	.008 AND UP	2.09740 + .00040	.050	8
4	7451772		2.098	MASTER	2.09800 + .00004	.050	2
4	7451774	7451775	2.098	.001	2.09800 + .00008	.050	4
4	7451776		2.098	.002	2.09808 + .00012	.050	4
4	7451778		2.098	.004	2.09820 + .00016	.050	8
4	7451782		2.098	.008 AND UP	2.09840 + .00040	.050	8
4	7451786		2.099	MASTER	2.09900 + .00004	.050	2
4	7451788	7451789	2.099	.001	2.09900 + .00008	.050	4
4	7451790		2.099	.002	2.09908 + .00012	.050	4
4	7451792		2.099	.004	2.09920 + .00016	.050	8
4	7451796		2.099	.008 AND UP	2.09940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451800		2.100	MASTER	2.10000 + .00004	.050	2
4	7451802	7451803	2.100	.001	2.10000 + .00008	.050	4
4	7451804		2.100	.002	2.10008 + .00012	.050	4
4	7451806		2.100	.004	2.10020 + .00016	.050	8
4	7451810		2.100	.008 AND UP	2.10040 + .00040	.050	8
4	7451814		2.101	MASTER	2.10100 + .00004	.050	2
4	7451816	7451817	2.101	.001	2.10100 + .00008	.050	4
4	7451818		2.101	.002	2.10108 + .00012	.050	4
4	7451820		2.101	.004	2.10120 + .00016	.050	8
4	7451824		2.101	.008 AND UP	2.10140 + .00040	.050	8
4	7451828		2.102	MASTER	2.10200 + .00004	.050	2
4	7451830	7451831	2.102	.001	2.10200 + .00008	.050	4
4	7451832		2.102	.002	2.10208 + .00012	.050	4
4	7451834		2.102	.004	2.10220 + .00016	.050	8
4	7451838		2.102	.008 AND UP	2.10240 + .00040	.050	8
4	7451842		2.103	MASTER	2.10300 + .00004	.050	2
4	7451844	7451845	2.103	.001	2.10300 + .00008	.050	4
4	7451846		2.103	.002	2.10308 + .00012	.050	4
4	7451848		2.103	.004	2.10320 + .00016	.050	8
4	7451852		2.103	.008 AND UP	2.10340 + .00040	.050	8
4	7451856		2.104	MASTER	2.10400 + .00004	.050	2
4	7451858	7451859	2.104	.001	2.10400 + .00008	.050	4
4	7451860		2.104	.002	2.10408 + .00012	.050	4
4	7451862		2.104	.004	2.10420 + .00016	.050	8
4	7451866		2.104	.008 AND UP	2.10440 + .00040	.050	8
4	7451870		2.105	MASTER	2.10500 + .00004	.050	2
4	7451872	7451873	2.105	.001	2.10500 + .00008	.050	4
4	7451874		2.105	.002	2.10508 + .00012	.050	4
4	7451876		2.105	.004	2.10520 + .00016	.050	8
4	7451880		2.105	.008 AND UP	2.10540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451884		2.106	MASTER	2.10600 + .00004	.050	2
4	7451886	7451887	2.106	.001	2.10600 + .00008	.050	4
4	7451888		2.106	.002	2.10608 + .00012	.050	4
	7451890		2.106	.004	2.10620 + .00016	.050	8
4	7451894		2.106	.008 AND UP	2.10640 + .00040	.050	8
4	7451898		2.107	MASTER	2.10700 + .00004	.050	2
4	7451900	7451901	2.107	.001	2.10700 + .00008	.050	4
4	7451902		2.107	.002	2.10708 .00012	.050	4
4	7451904		2.107	.004	2.10720 .00016	.050	8
4	7451908		2.107	.008 AND UP	2.10740 + .00040	.050	8
4	7451912		2.108	MASTER	2.10800 + .00004	.050	2
4	7451914	7451915	2.108	.001	2.10800 + .00008	.050	4
4	7451916		2.108	.002	2.10808 + .00012	.050	4
4	7451918		2.108	.004	2.10820 + .00016	.050	8
4	7451922		2.108	.008 AND UP	2.10840 + .00040	.050	8
4	7451926		2.109	MASTER	2.10900 + .00004	.050	2
4	7451928	7451929	2.109	.001	2.10900 + .00008	.050	4
4	7451930		2.109	.002	2.10908 + .00012	.050	4
4	7451932		2.109	.004	2.10920 + .00016	.050	8
4	7451936		2.109	.008 AND UP	2.10940 + .00040	.050	8
4	7451940		2.110	MASTER	2.11000 + .00004	.050	2
4	7451942	7451943	2.110	.001	2.11000 + .00008	.050	4
4	7451944		2.110	.002	2.11008 + .00012	.050	4
4	7451946		2.110	.004	2.11020 + .00016	.050	8
4	7451950		2.110	.008 AND UP	2.11040 + .00040	.050	8
4	7451954		2.111	MASTER	2.11100 + .00004	.050	2
4	7451956	7451957	2.111	.001	2.11100 + .00008	.050	4
4	7451958		2.111	.002	2.11108 + .00012	.050	4
4	7451960		2.111	.004	2.11120 + .00016	.050	8
4	7451964		2.111	.008 AND UP	2.11140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451968		2.112	MASTER	2.11200 + .00004	.050	2
4	7451970	7451971	2.112	.001	2.11200 + .00008	.050	4
4	7451972		2.112	.002	2.11208 + .00012	.050	4
4	7451974		2.112	.004	2.11220 + .00016	.050	8
4	7451978		2.112	.008 AND UP	2.11240 + .00040	.050	8
4	7451982		2.113	MASTER	2.11300 + .00004	.050	2
4	7451984	7451985	2.113	.001	2.11300 + .00008	.050	4
4	7451986		2.113	.002	2.11308 + .00012	.050	4
4	7451988		2.113	.004	2.11320 + .00016	.050	8
4	7451992		2.113	.008 AND UP	2.11340 + .00040	.050	8
4	7451996		2.114	MASTER	2.11400 + .00004	.050	2
4	7451998	7451999	2.114	.001	2.11400 + .00008	.050	4
4	7452000		2.114	.002	2.11408 + .00012	.050	4
4	7452002		2.114	.004	2.11420 + .00016	.050	8
4	7452006		2.114	.008 AND UP	2.11440 + .00040	.050	8
4	7452010		2.115	MASTER	2.11500 + .00004	.050	2
4	7452012	7452013	2.115	.001	2.11500 + .00008	.050	4
4	7452014		2.115	.002	2.11508 + .00012	.050	4
4	7452016		2.115	.004	2.11520 + .00016	.050	8
4	7452020		2.115	.008 AND UP	2.11540 + .00040	.050	8
4	7452024		2.116	MASTER	2.11600 + .00004	.050	2
4	7452026	7452027	2.116	.001	2.11600 + .00008	.050	4
4	7452028		2.116	.002	2.11608 + .00012	.050	4
4	7452030		2.116	.004	2.11620 + .00016	.050	8
4	7452034		2.116	.008 AND UP	2.11640 + .00040	.050	8
4	7452038		2.117	MASTER	2.11700 + .00004	.050	2
4	7452040	7452041	2.117	.001	2.11700 + .00008	.050	4
4	7452042		2.117	.002	2.11708 + .00012	.050	4
4	7452044		2.117	.004	2.11720 + .00016	.050	8
4	7452048		2.117	.008 AND UP	2.11740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452052		2.118	MASTER	2.11800 + .00004	.050	2
4	7452054	7452055	2.118	.001	2.11800 + .00008	.050	4
4	7452056		2.118	.002	2.11808 + .00012	.050	4
4	7452058		2.118	.004	2.11820 + .00016	.050	8
4	7452062		2.118	.008 AND UP	2.11840 + .00040	.050	8
4	7452066		2.119	MASTER	2.11900 + .00004	.050	2
4	7452068	7452069	2.119	.001	2.11900 + .00008	.050	4
4	7452070		2.119	.002	2.11908 + .00012	.050	4
4	7452072		2.119	.004	2.11920 + .00016	.050	8
4	7452076		2.119	.008 AND UP	2.11940 + .00040	.050	8
4	7452080		2.120	MASTER	2.12000 + .00004	.050	2
4	7452082	7452083	2.120	.001	2.12000 + .00008	.050	4
4	7452084		2.120	.002	2.12008 + .00012	.050	4
4	7452086		2.120	.004	2.12020 + .00016	.050	8
4	7452090		2.120	.008 AND UP	2.12040 + .00040	.050	8
4	7452094		2.121	MASTER	2.12100 + .00004	.050	2
4	7452096	7452097	2.121	.001	2.12100 + .00008	.050	4
4	7452098		2.121	.002	2.12108 + .00012	.050	4
4	7452100		2.121	.004	2.12120 + .00016	.050	8
4	7452104		2.121	.008 AND UP	2.12140 + .00040	.050	8
4	7452108		2.122	MASTER	2.12200 + .00004	.050	2
4	7452110	7452111	2.122	.001	2.12200 + .00008	.050	4
4	7452112		2.122	.002	2.12208 + .00012	.050	4
4	7452114		2.122	.004	2.12220 + .00016	.050	8
4	7452118		2.122	.008 AND UP	2.12240 + .00040	.050	8
4	7452122		2.123	MASTER	2.12300 + .00004	.050	2
4	7452124	7452125	2.123	.001	2.12300 + .00008	.050	4
4	7452126		2.123	.002	2.12308 + .00012	.050	4
4	7452128		2.123	.004	2.12320 + .00016	.050	8
4	7452132		2.123	.008 AND UP	2.12340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452136		2.124	MASTER	2.12400 + .00004	.050	2
4	7452138	7452139	2.124	.001	2.12400 + .00008	.050	4
4	7452140		2.124	.002	2.12408 + .00012	.050	4
4	7452142		2.124	.004	2.12420 + .00016	.050	8
4	7452146		2.124	.008 AND UP	2.12440 + .00040	.050	8
4	7452150		2.125	MASTER	2.12500 + .00004	.050	2
4	7452152	7452153	2.125	.001	2.12500 + .00008	.050	4
4	7452154		2.125	.002	2.12508 + .00012	.050	4
4	7452156		2.125	.004	2.12520 + .00016	.050	8
4	7452160		2.125	.008 AND UP	2.12540 + .00040	.050	8
4	7452164		2.126	MASTER	2.12600 + .00004	.050	2
4	7452166	7452167	2.126	.001	2.12600 + .00008	.050	4
4	7452168		2.126	.002	2.12608 + .00012	.050	4
4	7452170		2.126	.004	2.12620 + .00016	.050	8
4	7452174		2.126	.008 AND UP	2.12640 + .00040	.050	8
4	7452178		2.127	MASTER	2.12700 + .00004	.050	2
4	7452180	7452181	2.127	.001	2.12700 + .00008	.050	4
4	7452182		2.127	.002	2.12708 + .00012	.050	4
4	7452184		2.127	.004	2.12720 + .00016	.050	8
4	7452188		2.127	.008 AND UP	2.12740 + .00040	.050	8
4	7452192		2.128	MASTER	2.12800 + .00004	.050	2
4	7452194	7452195	2.128	.001	2.12800 + .00008	.050	4
4	7452196		2.128	.002	2.12808 + .00012	.050	4
4	7452198		2.128	.004	2.12820 + .00016	.050	8
4	7452202		2.128	.008 AND UP	2.12840 + .00040	.050	8
4	7452206		2.129	MASTER	2.12900 + .00004	.050	2
4	7452208	7452209	2.129	.001	2.12900 + .00008	.050	4
4	7452210		2.129	.002	2.12908 + .00012	.050	4
4	7452212		2.129	.004	2.12920 + .00016	.050	8
4	7452216		2.129	.008 AND UP	2.12940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452220		2.130	MASTER	2.13000 + .00004	.050	2
4	7452222	7452223	2.130	.001	2.13000 + .00008	.050	4
4	7452224		2.130	.002	2.13008 + .00012	.050	4
4	7452226		2.130	.004	2.13020 + .00016	.050	8
4	7452230		2.130	.008 AND UP	2.13040 + .00040	.050	8
4	7452234		2.131	MASTER	2.13100 + .00004	.050	2
4	7452236	7452237	2.131	.001	2.13100 + .00008	.050	4
4	7452238		2.131	.002	2.13108 + .00012	.050	4
4	7452240		2.131	.004	2.13120 + .00016	.050	8
4	7452244		2.131	.008 AND UP	2.13140 + .00040	.050	8
4	7452248		2.132	MASTER	2.13200 + .00004	.050	2
4	7452250	7452251	2.132	.001	2.13200 + .00008	.050	4
4	7452252		2.132	.002	2.13208 + .00012	.050	4
4	7452254		2.132	.004	2.13220 + .00016	.050	8
4	7452258		2.132	.008 AND UP	2.13240 + .00040	.050	8
4	7452262		2.133	MASTER	2.13300 + .00004	.050	2
4	7452264	7452265	2.133	.001	2.13300 + .00008	.050	4
4	7452266		2.133	.002	2.13308 + .00012	.050	4
4	7452268		2.133	.004	2.13320 + .00016	.050	8
4	7452272		2.133	.008 AND UP	2.13340 + .00040	.050	8
4	7452276		2.134	MASTER	2.13400 + .00004	.050	2
4	7452278	7452279	2.134	.001	2.13400 + .00008	.050	4
4	7452280		2.134	.002	2.13408 + .00012	.050	4
4	7452282		2.134	.004	2.13420 + .00016	.050	8
4	7452286		2.134	.008 AND UP	2.13440 + .00040	.050	8
4	7452290		2.135	MASTER	2.13500 + .00004	.050	2
4	7452292	7452293	2.135	.001	2.13500 + .00008	.050	4
4	7452294		2.135	.002	2.13508 + .00012	.050	4
4	7452296		2.135	.004	2.1352 + .00016	.050	8
4	7452300		2.135	.008 AND UP	2.1354 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452304		2.136	MASTER	2.13600 .00004	.050	2
4	7452306	7452307	2.136	.001	2.13600 .00008	.050	4
4	7452308		2.136	.002	2.13608 ± .00012	.050	4
4	7452310		2.136	.004	2.13620 ± 00016	.050	8
4	7452314		2.136	.008 AND UP	2.13640 ± 00040	.050	8
4	7452318		2.137	MASTER	2.13700 ± .00004	.050	2
4	7452320	7452321	2.137	.001	2.13700 ± .00008	.050	4
4	7452322		2.137	.002	2.13708 ± .00012	.050	4
4	7452324		2.137	.004	2.13720 ± .00016	.050	8
4	7452328		2.137	.008 AND UP	2.13740 ± .00040	.050	8
4	7452332		2.138	MASTER	2.13800 ± .00004	.050	2
4	7452334	7452335	2.138	.001	2.13800 ± .00008	.050	4
4	7452336		2.138	.002	2.13808 ± .00012	.050	4
4	7452338		2.138	.004	2.13820 ± .00016	.050	8
4	7452342		2.138	.008 AND UP	2.13840 ± .00040	.050	8
4	7452346		2.139	MASTER	2.13900 ± .00004	.050	2
4	7452348	7452349	2.139	.001	2.13900 ± .00008	.050	4
4	7452350		2.139	.002	2.13908 ± .00012	.050	4
4	7452352		2.139	.004	2.13920 ± .00016	.050	8
4	7452356		2.139	.008 AND UP	2.13940 ± .00040	.050	8
4	7452360		2.140	MASTER	2.14000 ± .00004	.050	2
4	7452362	7452363	2.140	.001	2.14000 ± .00008	.050	4
4	7452364		2.140	.002	2.14008 ± .00012	.050	4
4	7452366		2.140	.004	2.14020 ± .00016	.050	8
4	7452370		2.140	.008 AND UP	2.14040 ± .00040	.050	8
4	7452374		2.141	MASTER	2.14100 ± .00004	.050	2
4	7452376	7452377	2.141	.001	2.14100 ± .00008	.050	4
4	7452378		2.141	.002	2.14108 ± .00012	.050	4
4	7452380		2.141	.004	2.14120 ± .00016	.050	8
4	7452384		2.141	.008 AND UP	2.14140 ± 00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452388		2.142	MASTER	2.14200 + .00004	.050	2
4	7452390	7452391	2.142	.001	2.14200 + .00008	.050	4
4	7452392		2.142	.002	2.14208 + .00012	.050	4
4	7452394		2.142	.004	2.14220 + .00016	.050	8
4	7452398		2.142	.008 AND UP	2.14240 + .00040	.050	8
4	7452402		2.143	MASTER	2.14300 + .00004	.050	2
4	7452404	7452405	2.143	.001	2.14300 + .00008	.050	4
4	7452406		2.143	.002	2.14308 + .00012	.050	4
4	7452408		2.143	.004	2.14320 + .00016	.050	8
4	7452412		2.143	.008 AND UP	2.14340 + .00040	.050	8
4	7452416		2.144	MASTER	2.14400 + .00004	.050	2
4	7452418	7452419	2.144	.001	2.14400 + .00008	.050	4
4	7452420		2.144	.002	2.14408 + .00012	.050	4
4	7452422		2.144	.004	2.14420 + .00016	.050	8
4	7452426		2.144	.008 AND UP	2.14440 + .00040	.050	8
4	7452430		2.145	MASTER	2.14500 + .00004	.050	2
4	7452432	7452433	2.145	.001	2.14500 + .00008	.050	4
4	7452434		2.145	.002	2.14508 + .00012	.050	4
4	7452436		2.145	.004	2.14520 + .00016	.050	8
4	7452440		2.145	.008 AND UP	2.14540 + .00040	.050	8
4	7452444		2.146	MASTER	2.14600 + .00004	.050	2
4	7452446	7452447	2.146	.001	2.14600 + .00008	.050	4
4	7452448		2.146	.002	2.14608 + .00012	.050	4
4	7452450		2.146	.004	2.14620 + .00016	.050	8
4	7452454		2.146	.008 AND UP	2.14640 + .00040	.050	8
4	7452458		2.147	MASTER	2.14700 + .00004	.050	2
4	7452460	7452461	2.147	.001	2.14700 + .00008	.050	4
4	7452462		2.147	.002	2.14708 + .00012	.050	4
4	7452464		2.147	.004	2.14720 + .00016	.050	8
4	7452468		2.147	.008 AND UP	2.14740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and . atification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452472		2.148	MASTER	2.14800 + .00004	.050	2
4	7452474	7452475	2.148	.001	2.14800 + .00008	.050	4
4	7452476		2.148	.002	2.14808 + .00012	.050	4
4	7452478		2.148	.004	2.14820 + .00016	.050	8
4	7452482		2.148	.008 AND UP	2.14840 + .00040	.050	8
4	7452486		2.149	MASTER	2.14900 + .00004	.050	2
4	7452488	7452489	2.149	.001	2.14900 + .00008	.050	4
4	7452490		2.149	.002	2.14908 + .00012	.050	4
4	7452492		2.149	.004	2.14920 + .00016	.050	8
4	7452496		2.149	.008 AND UP	2.14940 + .00040	.050	8
4	7452500		2.150	MASTER	2.15000 + .00004	.050	2
4	7452502	7452503	2.150	.001	2.15000 + .00008	.050	4
4	7452504		2.150	.002	2.15008 + .00012	.050	4
4	7452506		2.150	.004	2.15020 + .00016	.050	8
4	7452510		2.150	.008 AND UP	2.15040 + .00040	.050	8
4	7452514		2.151	MASTER	2.15100 + .00004	.050	2
4	7452516	7452517	2.151	.001	2.15100 + .00008	.050	4
4	7452518		2.151	.002	2.15108 + .00012	.050	4
4	7452520		2.151	.004	2.15120 + .00016	.050	8
4	7452524		2.151	.008 AND UP	2.15140 + .00040	.050	8
4	7452528		2.152	MASTER	2.15200 + .00004	.050	2
4	7452530	7452531	2.152	.001	2.15200 + .00008	.050	4
4	7452532		2.152	.002	2.15208 + .00012	.050	4
4	7452534		2.152	.004	2.15220 + .00016	.050	8
4	7452538		2.152	.008 AND UP	2.15240 + .00040	.050	8
4	7452542		2.153	MASTER	2.15300 + .00004	.050	2
4	7452544	7452545	2.153	.001	2.15300 + .00008	.050	4
4	7452546		2.153	.002	2.15308 + .00012	.050	4
4	7452548		2.153	.004	2.15320 + .00016	.050	8
4	7452552		2.153	.008 AND UP	2.15340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452556		2.154	MASTER	2.15400 ± .00004	.050	2
4	7452558	7452559	2.154	.001	2.15400 + .00008	.050	4
4	7452560		2.154	.002	2.15408 + .00012	.050	4
4	7452562		2.154	.004	2.15420 + .00016	.050	8
4	7452566		2.154	.005 AND UP	2.15440 + .00040	.050	8
4	7452570		2.155	MASTER	2.15500 ± .00004	.050	2
4	7452572	7452573	2.155	.001	2.15500 + .00008	.050	4
4	7452574		2.155	.002	2.15508 + .00012	.050	4
4	7452576		2.155	.004	2.15520 + .00016	.050	8
4	7452580		2.155	.008 AND UP	2.15540 + .00040	.050	8
4	7452584		2.156	MASTER	2.15600 ± .00004	.050	2
4	7452586	7452587	2.156	.001	2.15600 + .00008	.050	4
4	7452588		2.156	.002	2.15608 + .00012	.050	4
4	7452590		2.156	.004	2.15620 + .00016	.050	8
4	7452594		2.156	.008 AND UP	2.15640 + .00040	.050	8
4	7452598		2.15625	MASTER	2.15625 ± .00004	.050	2
4	7497872	7497873	2.15625	.001	2.15625 + .00008	.050	4
4	7497874		2.15625	.002	2.15633 + .00012	.050	4
4	7497876		2.15625	.004	2.15645 + .00016	.050	8
4	7497880		2.15625	.008 AND UP	2.15665 + .00040	.050	8
4	7452600		2.157	MASTER	2.15700 ± .00004	.050	2
4	7452602	7452603	2.157	.001	2.15700 + .00008	.050	4
4	7452604		2.157	.002	2.15708 + .00012	.050	4
4	7452606		2.157	.004	2.15720 + .00016	.050	8
4	7452610		2.157	.008 AND UP	2.15740 + .00040	.050	8
4	7452614		2.158	MASTER	2.15800 ± .00004	.050	2
4	7452616	7452617	2.158	.001	2.15800 + .00008	.050	4
4	7452618		2.158	.002	2.15808 + .00012	.050	4
4	7452620		2.158	.004	2.15820 + .00016	.050	8
4	7452624		2.158	.008 AND UP	2.15840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7452628		2.159	MASTER	2.15900 + .00004	.050	2
4	7452630	7452631	2.159	.001	2.15900 + .00008	.050	4
4	7452632		2.159	.002	2.15908 + .00012	.050	4
4	7452634		2.159	.004	2.15920 + .00016	.050	8
4	7452638		2.159	.008 AND UP	2.15940 + .00040	.050	8
4	7452642		2.160	MASTER	2.16000 + .00004	.050	2
4	7452644	7452645	2.160	.001	2.16000 + .00008	.050	4
4	7452646		2.160	.002	2.16008 + .00012	.050	4
4	7452648		2.160	.004	2.16020 + .00016	.050	8
4	7452652		2.160	.008 AND UP	2.16040 + .00040	.050	8
4	7452656		2.161	MASTER	2.16100 + .00004	.050	2
4	7452658	7452659	2.161	.001	2.16100 + .00008	.050	4
4	7452660		2.161	.002	2.16108 + .00012	.050	4
4	7452662		2.161	.004	2.16120 + .00016	.050	8
4	7452666		2.161	.008 AND UP	2.16140 + .00040	.050	8
4	7452670		2.162	MASTER	2.16200 + .00004	.050	2
4	7452672	7452673	2.162	.001	2.16200 + .00008	.050	4
4	7452674		2.162	.002	2.16208 + .00012	.050	4
4	7452676		2.162	.004	2.16220 + .00016	.050	8
4	7452680		2.162	.008 AND UP	2.16240 + .00040	.050	8
4	7452684		2.163	MASTER	2.16300 + 00004	.050	2
4	7452686	7452687	2.163	.001	2.16300 + .0008	.050	4
4	7452688		2.163	.002	2.16308 + ..0012	.050	4
4	7452690		2.163	.004	2.16320 + .00016	.050	8
4	7452694		2.163	.008 AND UP	2.16340 + .00040	.050	8
4	7452698		2.164	MASTER	2.16400 + .00004	.050	2
4	7452700	7452701	2.164	.001	2.16400 + .00008	.050	4
4	7452702		2.164	.002	2.16408 + .00012	.050	4
4	7452704		2.164	.004	2.16420 + .00016	.050	8
4	7452708		2.164	.008 AND UP	2.16440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452712		2.165	MASTER	2.16500 + .00004	.050	2
4	7452714	7452715	2.165	.001	2.16500 + .00008	.050	4
4	7452716		2.165	.002	2.16508 + .00012	.050	4
4	7452718		2.165	.004	2.16520 + .00016	.050	8
4	7452722		2.165	.008 AND UP	2.16540 + .00040	.050	8
4	7452726		2.166	MASTER	2.16600 + .00004	.050	2
4	7452728	7452729	2.166	.001	2.16600 + .00008	.050	4
4	7452730		2.166	.002	2.16608 + .00012	.050	4
4	7452732		2.166	.004	2.16620 + .00016	.050	8
4	7452736		2.166	.008 AND UP	2.16640 + .00040	.050	8
4	7452740		2.167	MASTER	2.16700 + .00004	.050	2
4	7452742	7452743	2.167	.001	2.16700 + .00008	.050	4
4	7452744		2.167	.002	2.16708 + .00012	.050	4
4	7452746		2.167	.004	2.16720 + .00016	.050	8
4	7452750		2.167	.008 AND UP	2.16740 + .00040	.050	8
4	7452754		2.168	MASTER	2.16800 + .00004	.050	2
4	7452756	7452757	2.168	.001	2.16800 + .00008	.050	4
4	7452758		2.168	.002	2.16808 + .00012	.050	4
4	7452760		2.168	.004	2.16820 + .00016	.050	8
4	7452764		2.168	.008 AND UP	2.16840 + .00040	.050	8
4	7452768		2.169	MASTER	2.16900 + .00004	.050	2
4	7452770	7452771	2.169	.001	2.16900 + .00008	.050	4
4	7452772		2.169	.002	2.16908 + .00012	.050	4
4	7452774		2.169	.004	2.16920 + .00016	.050	8
4	7452778		2.169	.008 AND UP	2.16940 + .00040	.050	8
4	7452782		2.170	MASTER	2.17000 + .00004	.050	2
4	7452784	7452785	2.170	.001	2.17000 + .00008	.050	4
4	7452786		2.170	.002	2.17008 + .00012	.050	4
4	7452788		2.170	.004	2.17020 + .00016	.050	8
4	7452792		2.170	.008 AND UP	2.17040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452796		2.171	MASTER	2.17100 + .00004	.050	2
4	7452798	7452799	2.171	.001	2.17100 + .00008	.050	4
4	7452800		2.171	.002	2.17108 + .00012	.050	4
4	7452802		2.171	.004	2.17120 + .00016	.050	8
4	7452806		2.171	.008 AND UP	2.17140 + .00040	.050	8
4	7452810		2.172	MASTER	2.17200 + .00004	.050	2
4	7452812	7452813	2.172	.001	2.17200 + .00008	.050	4
4	7452814		2.172	.002	2.17208 + .00012	.050	4
4	7452816		2.172	.004	2.17220 + .00016	.050	8
4	7452820		2.172	.008 AND UP	2.17240 + .00040	.050	8
4	7452824		2.173	MASTER	2.17300 + .00004	.050	2
4	7452826	7452827	2.173	.001	2.17300 + .00008	.050	4
4	7452828		2.173	.002	2.17308 + .00012	.050	4
4	7452830		2.173	.004	2.17320 + .00016	.050	8
4	7452834		2.173	.008 AND UP	2.17340 + .00040	.050	8
4	7452838		2.174	MASTER	2.17400 + .00004	.050	2
4	7452840	7452841	2.174	.001	2.17400 + .00008	.050	4
4	7452842		2.174	.002	2.17408 + .00012	.050	4
4	7452844		2.174	.004	2.17420 + .00016	.050	8
4	7452848		2.174	.008 AND UP	2.17440 + .00040	.050	8
4	7452852		2.175	MASTER	2.17500 + .00004	.050	2
4	7452854	7452855	2.175	.001	2.17500 + .00008	.050	4
4	7452856		2.175	.002	2.17508 + .00012	.050	4
4	7452858		2.175	.004	2.17520 + .00016	.050	8
4	7452862		2.175	.008 AND UP	2.17540 + .00040	.050	8
4	7452866		2.176	MASTER	2.17600 + .00004	.050	2
4	7452868	7452869	2.176	.001	2.17600 + .00008	.050	4
4	7452870		2.176	.002	2.17608 + .00012	.050	4
4	7452872		2.176	.004	2.17620 + .00016	.050	8
4	7452876		2.176	.008 AND UP	2.17640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452880		2.177	MASTER	2.17700 + .00004	.050	2
4	7452882	7452883	2.177	.001	2.17700 + .00008	.050	4
4	7452884		2.177	.002	2.17708 + .00012	.050	4
4	7452886		2.177	.004	2.17720 + .00016	.050	8
4	7452890		2.177	.008 AND UP	2.17740 + .00040	.050	8
4	7452894		2.178	MASTER	2.17800 + .00004	.050	2
4	7452896	7452897	2.178	.001	2.17800 + .00008	.050	4
4	7452898		2.178	.002	2.17808 + .00012	.050	4
4	7452900		2.178	.004	2.17820 + .00016	.050	8
4	7452904		2.178	.008 AND UP	2.17840 + .00040	.050	8
4	7452908		2.179	MASTER	2.17900 + .00004	.050	2
4	7452910	7452911	2.179	.001	2.17900 + .00008	.050	4
4	7452912		2.179	.002	2.17908 + .00012	.050	4
4	7452914		2.179	.004	2.17920 + .00016	.050	8
4	7452918		2.179	.008 AND UP	2.17940 + .00040	.050	8
4	7452922		2.180	MASTER	2.18000 .00004	.050	2
4	7452924	7452925	2.180	.001	2.18000 + .00008	.050	4
4	7452926		2.180	.002	2.18008 + .00012	.050	4
4	7452928		2.180	.004	2.18020 + .00016	.050	8
4	7452932		2.180	.008 AND UP	2.18040 + .00040	.050	8
4	7452936		2.181	MASTER	2.18100 + .00004	.050	2
4	7452938	7452939	2.181	.001	2.18100 + .00008	.050	4
4	7452940		2.181	.002	2.18108 + .00012	.050	4
4	7452942		2.181	.004	2.18120 + .00016	.050	8
4	7452946		2.181	.008 AND UP	2.18140 + .00040	.050	8
4	7452950		2.182	MASTER	2.18200 + .00004	.050	2
4	7452952	7452953	2.182	.001	2.18200 + .00008	.050	4
4	7452954		2.182	.002	2.18208 + .00012	.050	4
4	7452956		2.182	.004	2.18220 + .00016	.050	8
4	7452960		2.182	.008 AND UP	2.18240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN–GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN–GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7452964	7452967	2.183	MASTER	2.18300 + .00004	.050	2
	7452966		2.183	.001	2.18300 + .00008	.050	4
	7452968		2.183	.002	2.18308 + .00012	.050	4
	7452970		2.183	.004	2.18320 + .00016	.050	8
	7452974		2.183	.008 AND UP	2.18340 + .00040	.050	8
4	7452978	7452981	2.184	MASTER	2.18400 + .00004	.050	2
	7452980		2.184	.001	2.18400 + .00008	.050	4
	7452982		2.184	.002	2.18408 + .00012	.050	4
	7452984		2.184	.004	2.18420 + .00016	.050	8
	7452988		2.184	.008 AND UP	2.18440 + .00040	.050	8
4	7452992	7452995	2.185	MASTER	2.18500 + .00004	.050	2
	7452994		2.185	.001	2.18500 + .00008	.050	4
	7452996		2.185	.002	2.18508 + .00012	.050	4
	7452998		2.185	.004	2.18520 + .00016	.050	8
	7453002		2.185	.008 AND UP	2.18540 + .00040	.050	8
4	7453006	7453009	2.186	MASTER	2.18600 + .00004	.050	2
	7453008		2.186	.001	2.18600 + .00008	.050	4
	7453010		2.186	.002	2.18608 + .00012	.050	4
	7453012		2.186	.004	2.18620 + .00016	.050	8
	7453016		2.186	.008 AND UP	2.18640 + .00040	.050	8
4	7453020	7453023	2.187	MASTER	2.18700 + .00004	.050	2
	7453022		2.187	.001	2.18700 + .00008	.050	4
	7453024		2.187	.002	2.18708 + .00012	.050	4
	7453026		2.187	.004	2.18720 + .00016	.050	8
	7453030		2.187	.008 AND UP	2.18740 + .00040	.050	8
4	7453034	7497885	2.1875	MASTER	2.18750 + .00004	.050	2
	7497884		2.1875	.001	2.18750 + .00008	.050	4
	7497886		2.1875	.002	2.18758 + .00012	.050	4
	7497888		2.1875	.004	2.18770 + .00016	.050	8
	7497892		2.1875	.008 AND UP	2.18790 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453036		2.188	MASTER	2.18800 + .00004	.050	2
4	7453038	7453039	2.188	.001	2.18800 + .00008	.050	4
4	7453040		2.188	.002	2.18808 + .00012	.050	4
4	7453042		2.188	.004	2.18820 + .00016	.050	8
4	7453046		2.188	.008 AND UP	2.18840 + .00040	.050	8
4	7453050		2.189	MASTER	2.18900 + .00004	.050	2
4	7453052	7453053	2.189	.001	2.18900 + .00008	.050	4
4	7453054		2.189	.002	2.18908 + .00012	.050	4
4	7453056		2.189	.004	2.18920 + .00016	.050	8
4	7453060		2.189	.008 AND UP	2.18940 + .00040	.050	8
4	7453064		2.190	MASTER	2.19000 + .00004	.050	2
4	7453066	7453067	2.190	.001	2.19000 + .00008	.050	4
4	7453068		2.190	.002	2.19008 + .00012	.050	4
4	7453070		2.190	.004	2.19020 + .00016	.050	8
4	7453074		2.190	.008 AND UP	2.19040 + .00040	.050	8
4	7453078		2.191	MASTER	2.19100 + .00004	.050	2
4	7453080	7453081	2.191	.001	2.19100 + .00008	.050	4
4	7453082		2.191	.002	2.19108 + .00012	.050	4
4	745308[illegible]		2.191	.004	2.19120 + .00016	.050	8
4	745308[illegible]		2.191	.008 AND UP	2.19140 + .00040	.050	8
4	7453092		2.192	MASTER	2.19200 + .00004	.050	2
4	7453094	7453095	2.192	.001	2.19200 + .00008	.050	4
4	7453096		2.192	.002	2.19208 + .00012	.050	4
4	7453098		2.192	.004	2.19220 + .00016	.050	8
4	7453102		2.192	.008 AND UP	2.19240 + .00040	.050	8
4	7453106		2.193	MASTER	2.193[illegible]0 + .00004	.050	2
4	7453108	7453109	2.193	.001	2.193[illegible] + .00008	.050	4
4	7453110		2.193	.002	2.193[illegible] + .00012	.050	4
4	7453112		2.193	.004	2.1932[illegible] + .00016	.050	8
4	7453116		2.193	.008 AND UP	2.19340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7453120		2.194	MASTER	2.19400 ± .00004	.050	2
4	7453122	7453123	2.194	.001	2.19400 ± .00008	.050	4
4	7453124		2.194	.002	2.19408 ± .00012	.050	4
4	7453126		2.194	.004	2.19420 ± .00016	.050	8
4	7453130		2.194	.008 AND UP	2.19440 ± .00040	.050	8
4	7453134		2.195	MASTER	2.19500 ± .00004	.050	2
4	7453136	7453137	2.195	.001	2.19500 ± .00008	.050	4
4	7453138		2.195	.002	2.19508 ± .00012	.050	4
4	7453140		2.195	.004	2.19520 ± .00016	.050	8
4	7453144		2.195	.008 AND UP	2.19540 ± .00040	.050	8
4	7453148		2.196	MASTER	2.19600 ± .00004	.050	2
4	7453150	7453151	2.196	.001	2.19600 ± .00008	.050	4
4	7453152		2.196	.002	2.19608 ± .00012	.050	4
4	7453154		2.196	.004	2.19620 ± .00016	.050	8
4	7453158		2.196	.008 AND UP	2.19640 ± .00040	.050	8
4	7453162		2.197	MASTER	2.19700 ± .00004	.050	2
4	7453164	7453165	2.197	.001	2.19700 ± .00008	.050	4
4	7453166		2.197	.002	2.19708 ± .00012	.050	4
4	7453168		2.197	.004	2.19720 ± .00016	.050	8
4	7453172		2.197	.008 AND UP	2.19740 ± .00040	.050	8
4	7453176		2.198	MASTER	2.19800 ± .00004	.050	2
4	7453178	7453179	2.198	.001	2.19800 ± .00008	.050	4
4	7453180		2.198	.002	2.19808 ± .00012	.050	4
4	7453182		2.198	.004	2.19820 ± .00016	.050	8
4	7453186		2.198	.008 AND UP	2.19840 ± .00040	.050	8
4	7453190		2.199	MASTER	2.19900 ± .00004	.050	2
4	7453192	7453193	2.199	.001	2.19900 ± .00008	.050	4
4	7453194		2.199	.002	2.19908 ± .00012	.050	4
4	7453196		2.199	.004	2.19920 ± .00016	.050	8
4	7453200		2.199	.008 AND UP	2.19940 ± .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7453204		2.200	MASTER	2.20000 + .00004	.050	2
4	7453206	7453207	2.200	.001	2.20000 + .00008	.050	4
4	7453208		2.200	.002	2.20008 + .00012	.050	4
4	7453210		2.200	.004	2.20020 + .00016	.050	8
4	7453214		2.200	.008 AND UP	2.20040 + .00040	.050	8
4	7453218		2.201	MASTER	2.20100 + .00004	.050	2
4	7453220	7453221	2.201	.001	2.20100 + .00008	.050	4
4	7453222		2.201	.002	2.20108 + .00012	.050	4
4	7453224		2.201	.004	2.20120 + .00016	.050	8
4	7453228		2.201	.008 AND UP	2.20140 + .00040	.050	8
4	7453232		2.202	MASTER	2.20200 + .00004	.050	2
4	7453234	7453235	2.202	.001	2.20200 + .00008	.050	4
4	7453236		2.202	.002	2.20208 + .00012	.050	4
4	7453238		2.202	.004	2.20220 + .00016	.050	8
4	7453242		2.202	.008 AND UP	2.20240 + .00040	.050	8
4	7453246		2.203	MASTER	2.20300 + .00004	.050	2
4	7453248	7453249	2.203	.001	2.20300 + .00008	.050	4
4	7453250		2.203	.002	2.20308 + .00012	.050	4
4	745325[illegible]		2.203	.004	2.20320 + .00016	.050	8
4	7453256		2.203	.008 AND UP	2.20340 + .00040	.050	8
4	7453260		2.204	MASTER	2.20400 + .00004	.050	2
4	7453262	7453263	2.204	.001	2.20400 + .00008	.050	4
4	7453264		2.204	.002	2.20408 + .00012	.050	4
4	7453266		2.204	.004	2.20420 + .00016	.050	8
4	7453270		2.204	.008 AND UP	2.20440 + .00040	.050	8
4	7453274		2.205	MASTER	2.20500 + .00004	.050	2
4	7453276	7453277	2.205	.001	2.20500 + .00008	.050	4
4	7453278		2.205	.002	2.20508 + .00012	.050	4
4	7453280		2.205	.004	2.20520 + .00016	.050	8
4	7453284		2.205	.008 AND UP	2.20540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453288		2.206	MASTER	2.20600 + .00004	.050	2
4	7453290	7453291	2.206	.001	2.20600 + .00008	.050	4
4	7453292		2.206	.002	2.20608 + .00012	.050	4
4	7453294		2.206	.004	2.20620 + .00016	.050	8
4	7453298		2.206	.008 AND UP	2.20640 + .00040	.050	8
4	7453302		2.207	MASTER	2.20700 + .00004	.050	2
4	7453304	7453305	2.207	.001	2.20700 + .00008	.050	4
4	7453306		2.207	.002	2.20708 + .00012	.050	4
4	7453308		2.207	.004	2.20720 + .00016	.050	8
4	7453312		2.207	.008 AND UP	2.20740 + .00040	.050	8
4	7453316		2.208	MASTER	2.20800 + .00004	.050	2
4	7453318	7453319	2.208	.001	2.20800 + .00008	.050	4
4	7453320		2.208	.002	2.20808 + .00012	.050	4
4	7453322		2.208	.004	2.20820 + .00016	.050	8
4	7453326		2.208	.008 AND UP	2.20840 + .00040	.050	8
4	7453330		2.209	MASTER	2.20900 + .00004	.050	2
4	7453332	7453333	2.209	.001	2.20900 + .00008	.050	4
4	7453334		2.209	.002	2.20908 + .00012	.050	4
4	7453336		2.209	.004	2.20920 + .00016	.050	8
4	7453340		2.209	.008 AND UP	2.20940 + .00040	.050	8
4	7453344		2.210	MASTER	2.21000 + .00004	.050	2
4	7453346	7453347	2.210	.001	2.21000 + .00008	.050	4
4	7453348		2.210	.002	2.21008 + .00012	.050	4
4	7453350		2.210	.004	2.21020 + .00016	.050	8
4	7453354		2.210	.008 AND UP	2.21040 + .00040	.050	8
4	7453358		2.211	MASTER	2.21100 + .00004	.050	2
4	7453360	7453361	2.211	.001	2.21100 + .00008	.050	4
4	7453362		2.211	.002	2.21108 + .00012	.050	4
4	7453364		2.211	.004	2.21120 + .00016	.050	8
4	7453368		2.211	.008 AND UP	2.21140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453372		2.212	MASTER	2.21200 + .00004	.050	2
4	7453374	7453375	2.212	.001	2.21200 + .00008	.050	4
4	7453376		2.212	.002	2.21208 + .00012	.050	4
4	7453378		2.212	.004	2.21220 + .00016	.050	8
4	7453382		2.212	.008 AND UP	2.21240 + .00040	.050	8
4	7453386		2.213	MASTER	2.21300 + .00004	.050	2
4	7453388	7453389	2.213	.001	2.21300 + .00008	.050	4
4	7453390		2.213	.002	2.21308 + .00012	.050	4
4	7453392		2.213	.004	2.21320 + .00016	.050	8
4	7453396		2.213	.008 AND UP	2.21340 + .00040	.050	8
4	7453400		2.214	MASTER	2.21400 + .00004	.050	2
4	7453402	7453403	2.214	.001	2.21400 + .00008	.050	4
4	7453404		2.214	.002	2.21408 + .00012	.050	4
4	7453406		2.214	.004	2.21420 + .00016	.050	8
4	7453410		2.214	.008 AND UP	2.21440 + .00040	.050	8
4	7453414		2.215	MASTER	2.21500 + .00004	.050	2
4	7453416	7453417	2.215	.001	2.21500 + .00008	.050	4
4	7453418		2.215	.002	2.21508 + .00012	.050	4
4	7453420		2.215	.004	2.21520 + .00016	.050	8
4	7453424		2.215	.008 AND UP	2.21540 + .00040	.050	8
4	7453428		2.216	MASTER	2.21600 + .00004	.050	2
4	7453430	7453431	2.216	.001	2.21600 + .00008	.050	4
4	7453432		2.216	.002	2.21608 + .00012	.050	4
4	7453434		2.216	.004	2.21620 + .00016	.050	8
4	7453438		2.216	.008 AND UP	2.21640 + .00040	.050	8
4	7453442		2.217	MASTER	2.21700 + .00004	.050	2
4	7453444	7453445	2.217	.001	2.21700 + .00008	.050	4
4	7453446		2.217	.002	2.21708 + .00012	.050	4
4	7453448		2.217	.004	2.21720 + .00016	.050	8
4	7453452		2.217	.008 AND UP	2.21740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453456		2.218	MASTER	2.21800 + .00004	.050	2
4	7453458	7453459	2.218	.001	2.21800 + .00008	.050	4
4	7453460		2.218	.002	2.21808 + .00012	.050	4
4	7453462		2.218	.004	2.21820 + .00016	.050	8
4	7453466		2.218	.008 AND UP	2.21840 + .00040	.050	8
4	7453470		2.21875	MASTER	2.21875 + .00004	.050	2
4	7497896	7497897	2.21875	.001	2.21875 + .00008	.050	4
4	7497898		2.21875	.002	2.21883 + .00012	.050	4
4	7497900		2.21875	.004	2.21895 + .00016	.050	8
4	7497904		2.21875	.008 AND UP	2.21915 + .00040	.050	8
4	7453472		2.219	MASTER	2.21900 + .00004	.050	2
4	7453474	7453475	2.219	.001	2.21900 + .00008	.050	4
4	7453476		2.219	.002	2.21908 + .00012	.050	4
4	7453478		2.219	.004	2.21920 + .00016	.050	8
4	7453482		2.219	.008 AND UP	2.21940 + .00040	.050	8
4	7453486		2.220	MASTER	2.22000 + .00004	.050	2
4	7453488	7453489	2.220	.001	2.22000 + .00008	.050	4
4	7453490		2.220	.002	2.22008 + .00012	.050	4
4	7453492		2.220	.004	2.22020 + .00016	.050	8
4	7453496		2.220	.008 AND UP	2.22040 + .00040	.050	8
4	7453500		2.221	MASTER	2.22100 + .00004	.050	2
4	7453502	7453503	2.221	.001	2.22100 + .00008	.050	4
4	7453504		2.221	.002	2.22108 + .00012	.050	4
4	7453506		2.221	.004	2.22120 + .00016	.050	8
4	7453510		2.221	.008 AND UP	2.22140 + .00040	.050	8
4	7453514		2.222	MASTER	2.22200 + .00004	.050	2
4	7453516	7453517	2.222	.001	2.22200 + .00008	.050	4
4	7453518		2.222	.002	2.22208 + .00012	.050	4
4	7453520		2.222	.004	2.22220 + .00016	.050	8
4	7453524		2.222	.008 AND UP	2.22240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453528		2.223	MASTER	2.22300 ± .00004	.050	2
4	7453530	7453531	2.223	.001	2.22300 + .00008	.050	4
4	7453532		2.223	.002	2.22308 + .00012	.050	4
4	7453534		2.223	.004	2.22320 + .00016	.050	8
4	7453538		2.223	.008 AND UP	2.22340 + .00040	.050	8
4	7453542		2.224	MASTER	2.22400 + .00004	.050	2
4	7453544	7453545	2.224	.001	2.22400 + .00008	.050	4
4	7453546		2.224	.002	2.22408 + .00012	.050	4
4	7453548		2.224	.004	2.22420 + .00016	.050	8
4	7453552		2.224	.008 AND UP	2.22440 + .00040	.050	8
4	7453556		2.225	MASTER	2.22500 + .00004	.050	2
4	7453558	7453559	2.225	.001	2.2250 + .00008	.050	4
4	7453560		2.225	.002	2.2250 + .00012	.050	4
4	7453562		2.225	.004	2.22520 + .00016	.050	8
4	7453566		2.225	.008 AND UP	2.22540 .00040	.050	8
4	7453570		2.226	MASTER	2.22600 + .00004	.050	2
4	7453572	7453573	2.226	.001	2.22600 + .00008	.050	4
4	7453574		2.226	.002	2.22608 + .00012	.050	4
4	7453576		2.226	.004	2.22620 + .00016	.050	8
4	7453580		2.226	.008 AND UP	2.22640 + .00040	.050	8
4	7453584		2.227	MASTER	2.22700 + .00004	.050	2
4	7453586	7453587	2.227	.001	2.22700 + .00008	.050	4
4	7453588		2.227	.002	2.22708 + .00012	.050	4
4	7453590		2.227	.004	2.22720 + .00016	.050	8
4	7453594		2.227	.008 AND UP	2.22740 + .00040	.050	8
4	7453598		2.228	MASTER	2.22800 + .00004	.050	2
4	7453600	7453601	2.228	.001	2.22800 + .00008	.050	4
4	7453602		2.228	.002	2.22808 + .00012	.050	4
4	7453604		2.228	.004	2.22820 + .00016	.050	8
4	7453608		2.228	.008 AND UP	2.22840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7453612		2.229	MASTER	2.22900 + .00004	.050	2
4	7453614	7453615	2.229	.001	2.22900 + .00008	.050	4
4	7453616		2.229	.002	2.22908 + .00012	.050	4
4	7453618		2.229	.004	2.22920 + .00016	.050	8
4	7453622		2.229	.008 AND UP	2.22940 + .00040	.050	8
4	7453626		2.230	MASTER	2.23000 + .00004	.050	2
4	7453628	7453629	2.230	.001	2.23000 + .00008	.050	4
4	7453630		2.230	.002	2.23008 + .00012	.050	4
4	7453632		2.230	.004	2.23020 + .00016	.050	8
4	7453636		2.230	.008 AND UP	2.23040 + .00040	.050	8
4	7453640		2.231	MASTER	2.23100 + .00004	.050	2
4	7453642	7453643	2.231	.001	2.23100 + .00008	.050	4
4	7453644		2.231	.002	2.23108 + .00012	.050	4
4	7453646		2.231	.004	2.23120 + .00016	.050	8
4	7453650		2.231	.008 AND UP	2.23140 + .00040	.050	8
4	7453654		2.232	MASTER	2.23200 + .00004	.050	2
4	7453656	7453657	2.232	.001	2.23200 + .00008	.050	4
4	7453658		2.232	.002	2.23208 + .00012	.050	4
4	7453660		2.232	.004	2.23220 + .00016	.050	8
4	7453664		2.232	.008 AND UP	2.23240 + .00040	.050	8
4	7453668		2.233	MASTER	2.23300 + .00004	.050	2
4	7453670	7453671	2.233	.001	2.23300 + .00008	.050	4
4	7453672		2.233	.002	2.23308 + .00012	.050	4
4	7453674		2.233	.004	2.23320 + .00016	.050	8
4	7453678		2.233	.008 AND UP	2.23340 + .00040	.050	8
4	7453682		2.234	MASTER	2.23400 + .00004	.050	2
4	7453684	7453685	2.234	.001	2.23400 + .00008	.050	4
4	7453686		2.234	.002	2.23408 + .00012	.050	4
4	7453688		2.234	.004	2.23420 + .00016	.050	8
4	7453692		2.234	.008 AND UP	2.23440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453696		2.235	MASTER	2.23500 + .00004	.050	2
4	7453698	7453699	2.235	.001	2.23500 + .00008	.050	4
4	7453700		2.235	.002	2.23508 + .00012	.050	4
4	7453702		2.235	.004	2.23520 + .00016	.050	8
4	7453706		2.235	.008 AND UP	2.23540 + .00040	.050	8
4	7453710		2.236	MASTER	2.23600 + .00004	.050	2
4	7453712	7453713	2.236	.001	2.23600 + .00008	.050	4
4	7453714		2.236	.002	2.23608 + .00012	.050	4
4	7453716		2.236	.004	2.23620 + .00016	.050	8
4	7453720		2.236	.008 AND UP	2.23640 + .00040	.050	8
4	7453724		2.237	MASTER	2.23700 + .00004	.050	2
4	7453726	7453727	2.237	.001	2.23700 + .00008	.050	4
4	7453728		2.237	.002	2.23708 + .00012	.050	4
4	7453730		2.237	.004	2.23720 + .00016	.050	8
4	7453734		2.237	.008 AND UP	2.23740 + .00040	.050	8
4	7453738		2.238	MASTER	2.23800 + .00004	.050	2
4	7453740	7453741	2.238	.001	2.23800 + .00008	.050	4
4	7453742		2.238	.002	2.23808 + .00012	.050	4
4	7453744		2.238	.004	2.23820 + .00016	.050	8
4	7453748		2.238	.008 AND UP	2.23840 + .00040	.050	8
4	7453752		2.239	MASTER	2.23900 + .00004	.050	2
4	7453754	7453755	2.239	.001	2.23900 + .00008	.050	4
4	7453756		2.239	.002	2.23908 + .00012	.050	4
4	7453758		2.239	.004	2.23920 + .00016	.050	8
4	7453762		2.239	.008 AND UP	2.23940 + .00040	.050	8
4	7453766		2.240	MASTER	2.24000 + .00004	.050	2
4	7453768	7453769	2.240	.001	2.24000 + .00008	.050	4
4	7453770		2.240	.002	2.24008 + .00012	.050	4
4	7453772		2.240	.004	2.24020 + .00016	.050	8
4	7453776		2.240	.008 AND UP	2.24040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7453780		2.241	MASTER	2.24100 + .00004	.050	2
4	7453782	7453783	2.241	.001	2.24100 + .00008	.050	4
4	7453784		2.241	.002	2.24108 + .00012	.050	4
4	7453786		2.241	.004	2.24120 + .00016	.050	8
4	7453790		2.241	.008 AND UP	2.24140 + .00040	.050	8
4	7453794		2.242	MASTER	2.24200 + .00004	.050	2
4	7453796	7453797	2.242	.001	2.24200 + .00008	.050	4
4	7453798		2.242	.002	2.24208 + .00012	.050	4
4	7453800		2.242	.004	2.24220 + .00016	.050	8
4	7453804		2.242	.008 AND UP	2.24240 + .00040	.050	8
4	7453808		2.243	MASTER	2.24300 + .00004	.050	2
4	7453810	7453811	2.243	.001	2.24300 + .00008	.050	4
4	7453812		2.243	.002	2.24308 + .00012	.050	4
4	7453814		2.243	.004	2.24320 + .00016	.050	8
4	7453818		2.243	.008 AND UP	2.24340 + .00040	.050	8
4	7453822		2.244	MASTER	2.24400 + .00004	.050	2
4	7453824	7453825	2.244	.001	2.24400 + .00008	.050	4
4	7453826		2.244	.002	2.24408 + .00012	.050	4
4	7453828		2.244	.004	2.24420 + .00016	.050	8
4	7453832		2.244	.008 AND UP	2.24440 + .00040	.050	8
4	7453836		2.245	MASTER	2.24500 + .00004	.050	2
4	7453838	7453839	2.245	.001	2.24500 + .00008	.050	4
4	7453840		2.245	.002	2.24508 + .00012	.050	4
4	7453842		2.245	.004	2.24520 + .00016	.050	8
4	7453846		2.245	.008 AND UP	2.24540 + .00040	.050	8
4	7453850		2.246	MASTER	2.24600 + .00004	.050	2
4	7453852	7453853	2.246	.001	2.24600 + .00008	.050	4
4	7453854		2.246	.002	2.24608 + .00012	.050	4
4	7453856		2.246	.004	2.24620 + .00016	.050	8
4	7453860		2.246	.008 AND UP	2.24640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453864		2.247	MASTER	2.24700 + .00004	.050	2
4	7453866	7453867	2.247	.001	2.24700 + .00008	.050	4
4	7453868		2.247	.002	2.24708 + .00012	.050	4
4	7453870		2.247	.004	2.24720 + .00016	.050	8
4	7453874		2.247	.008 AND UP	2.24740 + .00040	.050	8
4	7453878		2.248	MASTER	2.24800 + .00004	.050	2
4	7453880	7453881	2.248	.001	2.24800 + .00008	.050	4
4	7453882		2.248	.002	2.24808 + .00012	.050	4
4	7453884		2.248	.004	2.24820 + .00016	.050	8
4	7453888		2.248	.008 AND UP	2.24840 + .00040	.050	8
4	7453892		2.249	MASTER	2.24900 + .00004	.050	2
4	7453894	7453895	2.249	.001	2.24900 + .00008	.050	4
4	7453896		2.249	.002	2.24908 + .00012	.050	4
4	7453898		2.249	.004	2.24920 + .00016	.050	8
4	7453902		2.249	.008 AND UP	2.24940 + .00040	.050	8
4	7453906		2.250	MASTER	2.25000 + .00004	.050	2
4	7453908	7453909	2.250	.001	2.25000 + .00008	.050	4
4	7453910		2.250	.002	2.25008 + .00012	.050	4
4	7453912		2.250	.004	2.25020 + .00016	.050	8
4	7453916		2.250	.008 AND UP	2.25040 + .00040	.050	8
4	7453920		2.251	MASTER	2.25100 + .00004	.050	2
4	7453922	7453923	2.251	.001	2.25100 + .00008	.050	4
4	7453924		2.251	.002	2.25108 + .00012	.050	4
4	7453926		2.251	.004	2.25120 + .00016	.050	8
4	7453930		2.251	.008 AND UP	2.25140 + .00040	.050	8
4	7453934		2.252	MASTER	2.25200 + .00004	.050	2
4	7453936	7453937	2.252	.001	2.25200 + .00008	.050	4
4	7453938		2.252	.002	2.25208 + .00012	.050	4
4	7453940		2.252	.004	2.25220 + .00016	.050	8
4	7453944		2.252	.008 AND UP	2.25240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and tification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7453948	7453951	2.253	MASTER	2.25300 + .00004	.050	2
	7453950		2.253	.001	2.25300 + .00008	.050	4
	7453952		2.253	.002	2.25308 + .00012	.050	4
	7453954		2.253	.004	2.25320 + .00016	.050	8
	7453958		2.253	.008 AND UP	2.25340 + .00040	.050	8
4	7453962	7453965	2.254	MASTER	2.25400 + .00004	.050	2
	7453964		2.254	.001	2.25400 + .00008	.050	4
	7453966		2.254	.002	2.25408 + .00012	.050	4
	7453968		2.254	.004	2.25420 + .00016	.050	8
	7453972		2.254	.008 AND UP	2.25440 + .00040	.050	8
4	7453976	7453979	2.255	MASTER	2.25500 + .00004	.050	2
	7453978		2.255	.001	2.25500 + .00008	.050	4
	7453980		2.255	.002	2.25508 + .00012	.050	4
	7453982		2.255	.004	2.25520 .00016	.050	8
	7453986		2.255	.008 AND UP	2.25540 .00040	.050	8
4	7453990	7453993	2.256	MASTER	2.25600 + .00004	.050	2
	7453992		2.256	.001	2.25600 + .00008	.050	4
	7453994		2.256	.002	2.25608 + .00012	.050	4
	7453996		2.256	.004	2.25620 + .00016	.050	8
	7454000		2.256	.008 AND UP	2.25640 + .00040	.050	8
4	7454004	7454007	2.257	MASTER	2.25700 + .00004	.050	2
	7454006		2.257	.001	2.25700 + .00008	.050	4
	7454008		2.257	.002	2.25708 + .00012	.050	4
	7454010		2.257	.004	2.25720 + .00016	.050	8
	7454014		2.257	.008 AND UP	2.25740 + .00040	.050	8
4	7454018	7454021	2.258	MASTER	2.25800 + .00004	.050	2
	7454020		2.258	.001	2.25800 + .00008	.050	4
	7454022		2.258	.002	2.25808 + .00012	.050	4
	7454024		2.258	.004	2.25820 + .00016	.050	8
	7454028		2.258	.008 AND UP	2.25840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E		G	H
4	7454032	7454035	2.259	MASTER	2.25900 + .00004	.050	2
	7454034		2.259	.001	2.25900 + .00008	.050	4
	7454036		2.259	.002	2.25908 + .00012	.050	4
	7454038		2.259	.004	2.25920 + .00016	.050	8
	7454042		2.259	.008 AND UP	2.25940 + .00040	.050	8
4	7454046	7454049	2.260	MASTER	2.26000 + .00004	.050	2
	7454048		2.260	.001	2.26000 + .00008	.050	4
	7454050		2.260	.002	2.26008 + .00012	.050	4
	7454052		2.260	.004	2.26020 + .00016	.050	8
	7454056		2.260	.008 AND UP	2.26040 + .00040	.050	8
4	7454060	7454063	2.261	MASTER	2.26100 + .00004	.050	2
	7454062		2.261	.001	2.26100 + .00008	.050	4
	7454064		2.261	.002	2.26108 + .00012	.050	4
	7454066		2.261	.004	2.26120 + .00016	.050	8
	7454070		2.261	.008 AND UP	2.26140 + .00040	.050	8
4	7454074	7454077	2.262	MASTER	2.26200 + .00004	.050	2
	7454076		2.262	.001	2.26200 + .00008	.050	4
	7454078		2.262	.002	2.26208 + .00012	.050	4
	7454080		2.262	.004	2.26220 + .00016	.050	8
	7454084		2.262	.008 AND UP	2.26240 + .00040	.050	8
4	7454088	7454091	2.263	MASTER	2.26300 + .00004	.050	2
	7454090		2.263	.001	2.26300 + .00008	.050	4
	7454092		2.263	.002	2.26308 + .00012	.050	4
	7454094		2.263	.004	2.26320 + .00016	.050	8
	7454098		2.263	.008 AND UP	2.26340 + .00040	.050	8
4	7454102	7454105	2.264	MASTER	2.26400 + .00004	.050	2
	7454104		2.264	.001	2.26400 + .00008	.050	4
	7454106		2.264	.002	2.26408 + .00012	.050	4
	7454108		2.264	.004	2.26420 + .00016	.050	8
	7454112		2.264	.008 AND UP	2.26440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS — DIAMETER	PLUG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7454116		2.265	MASTER	2.26500 + .00004	.050	2
4	7454118	7454119	2.265	.001	2.26500 + .00008	.050	4
4	7454120		2.265	.002	2.26508 + .00012	.050	4
4	7454122		2.265	.004	2.26520 + .00016	.050	8
4	7454126		2.265	.008 AND UP	2.26540 + .00040	.050	8
4	7454130		2.266	MASTER	2.26600 + .00004	.050	2
4	7454132	7454133	2.266	.001	2.26600 + .00008	.050	4
4	7454134		2.266	.002	2.26608 + .00012	.050	4
4	7454136		2.266	.004	2.26620 + .00016	.050	8
4	7454140		2.266	.008 AND UP	2.26640 + .00040	.050	8
4	7454144		2.267	MASTER	2.26700 + .00004	.050	2
4	7454146	7454147	2.267	.001	2.26700 + .00008	.050	4
4	7454148		2.267	.002	2.26708 + .00012	.050	4
4	7454150		2.267	.004	2.26720 + .00016	.050	8
4	7454154		2.267	.008 AND UP	2.26740 + .00040	.050	8
4	7454158		2.268	MASTER	2.26800 + .00004	.050	2
4	7454160	7454161	2.268	.001	2.26800 + .00008	.050	4
4	7454162		2.268	.002	2.26808 + .00012	.050	4
4	7454164		2.268	.004	2.26820 + .00016	.050	8
4	7454168		2.268	.008 AND UP	2.26840 + .00040	.050	8
4	7454172		2.269	MASTER	2.26900 + .00004	.050	2
4	7454174	7454175	2.269	.001	2.26900 + .00008	.050	4
4	7454176		2.269	.002	2.26908 + .00012	.050	4
4	7454178		2.269	.004	2.26920 + .00016	.050	8
4	7454182		2.269	.008 AND UP	2.26940 + .00040	.050	8
4	7454186		2.270	MASTER	2.27000 + .00004	.050	2
4	7454188	7454189	2.270	.001	2.27000 + .00008	.050	4
4	7454190		2.270	.002	2.27008 + .00012	.050	4
4	7454192		2.270	.004	2.27020 + .00016	.050	8
4	7454196		2.270	.008 AND UP	2.27040 + .00040	.050	8

MIL-STD-120A
8 December 1955

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454200	7454203	2.271	MASTER	2.27100 + .00004	.050	2
4	7454202		2.271	.001	2.27100 + .00008	.050	4
4	7454204		2.271	.002	2.27108 + .00012	.050	4
4	7454206		2.271	.004	2.27120 + .00016	.050	8
4	7454210		2.271	.008 AND UP	2.27140 + .00040	.050	8
4	7454214	7454217	2.272	MASTER	2.27200 + .00004	.050	2
4	7454216		2.272	.001	2.27200 + .00008	.050	4
4	7454218		2.272	.002	2.27208 + .00012	.050	4
4	7454220		2.272	.004	2.27220 + .00016	.050	8
4	7454224		2.272	.008 AND UP	2.27240 + .00040	.050	8
4	7454228	7454231	2.273	MASTER	2.27300 + .00004	.050	2
4	7454230		2.273	.001	2.27300 + .00008	.050	4
4	7454232		2.273	.002	2.27308 + .00012	.050	4
4	7454234		2.273	.004	2.27320 + .00016	.050	8
4	7454238		2.273	.008 AND UP	2.27340 + .00040	.050	8
4	7454242	7454245	2.274	MASTER	2.27400 + .00004	.050	2
4	7454244		2.274	.001	2.27400 + .00008	.050	4
4	7454246		2.274	.002	2.27408 + .00012	.050	4
4	7454248		2.274	.004	2.27420 + .00016	.050	8
4	7454250		2.274	.008 AND UP	2.27440 + .00040	.050	8
4	7454256	7454259	2.275	MASTER	2.27500 + .00004	.050	2
4	7454258		2.275	.001	2.27500 + .00008	.050	4
4	7454260		2.275	.002	2.27508 + .00012	.050	4
4	7454262		2.275	.004	2.27520 + .00016	.050	8
4	7454266		2.275	.008 AND UP	2.27540 + .00040	.050	8
4	7454270	7454273	2.276	MASTER	2.27600 + .00004	.050	2
4	7454272		2.276	.001	2.27600 + .00008	.050	4
4	7454274		2.276	.002	2.27608 + .00012	.050	4
4	7454276		2.276	.004	2.27620 + .00016	.050	8
4	7454280		2.276	.008 AND UP	2.27640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7454284		2.277	MASTER	2.27700 + .00004	.050	2
4	7454286	7454287	2.277	.001	2.27700 + .00008	.050	4
4	7454288		2.277	.002	2.27708 + .00012	.050	4
4	7454290		2.277	.004	2.27720 + .00016	.050	8
4	7454294		2.277	.008 AND UP	2.27740 + .00040	.050	8
4	7454298		2.278	MASTER	2.27800 + .00004	.050	2
4	7454300	7454301	2.278	.001	2.27800 + .00008	.050	4
4	7454302		2.278	.002	2.27808 + .00012	.050	4
4	7454304		2.278	.004	2.27820 + .00016	.050	8
4	7454308		2.278	.008 AND UP	2.27840 + .00040	.050	8
4	7454312		2.279	MASTER	2.27900 + .00004	.050	2
4	7454314	7454315	2.279	.001	2.27900 + .00008	.050	4
4	7454316		2.279	.002	2.27908 + .00012	.050	4
4	7454318		2.279	.004	2.27920 + .0016	.050	8
4	7454322		2.279	.008 AND UP	2.27940 + .0040	.050	8
4	7454326		2.280	MASTER	2.28000 + .0004	.050	2
4	7454328	7454329	2.280	.001	2.28000 + .00008	.050	4
4	7454330		2.280	.002	2.28008 + .00012	.050	4
4	7454332		2.280	.004	2.28020 + .00016	.050	8
4	7454336		2.280	.008 AND UP	2.28040 + .00040	.050	8
4	7454340		2.281	MASTER	2.28100 + .00004	.050	2
4	7454342	7454343	2.281	.001	2.28100 + .00008	.050	4
4	7454344		2.281	.002	2.28108 + .00012	.050	4
4	7454346		2.281	.004	2.28120 + .00016	.050	8
4	7454350		2.281	.008 AND UP	2.28140 + .00040	.050	8
4	7454354		2.28125	MASTER	2.28125 + .00004	.050	2
4	7497908	7497909	2.28125	.001	2.28125 + .00008	.050	4
4	7497910		2.28125	.002	2.28133 + .00012	.050	4
4	7497912		2.28125	.004	2.28145 + .00016	.050	8
4	7497916		2.28125	.008 AND UP	2.28165 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454356		2.282	MASTER	2.28200 + .00004	.050	2
4	7454358	7454359	2.282	.001	2.28200 + .00008	.050	4
4	7454360		2.282	.002	2.28208 + .00012	.050	4
4	7454362		2.282	.004	2.28220 + .00016	.050	8
4	7454366		2.282	.008 AND UP	2.28240 + .00040	.050	8
4	7454370		2.283	MASTER	2.28300 + .00004	.050	2
4	7454372	7454373	2.283	.001	2.28300 + .00008	.050	4
4	7454374		2.283	.002	2.28308 + .00012	.050	4
4	7454376		2.283	.004	2.28320 + .00016	.050	8
4	7454380		2.283	.008 AND UP	2.28340 + .00040	.050	8
4	7454384		2.284	MASTER	2.28400 + .00004	.050	2
4	7454386	7454387	2.284	.001	2.28400 + .00008	.050	4
4	7454388		2.284	.002	2.28408 + .00012	.050	4
4	7454390		2.284	.004	2.28420 + .00016	.050	8
4	7454394		2.284	.008 AND UP	2.28440 + .00040	.050	8
4	7454398		2.285	MASTER	2.28500 + .00004	.050	2
4	7454400	7454401	2.285	.001	2.28500 + .00008	.050	4
4	7454402		2.285	.002	2.28508 + .00012	.050	4
4	7454404		2.285	.004	2.28520 + .00016	.050	8
4	7454409		2.285	.008 AND UP	2.28540 + .00040	.050	8
4	7454412		2.286	MASTER	2.28600 + .00004	.050	2
4	7454414	7454415	2.286	.001	2.28600 + .00008	.050	4
4	7454416		2.286	.002	2.28608 + .00012	.050	4
4	7454418		2.286	.004	2.28620 + .00016	.050	8
4	7454422		2.286	.008 AND UP	2.28640 + .00040	.050	8
4	7454426		2.287	MASTER	2.28700 + .00004	.050	2
4	7454428	7454429	2.287	.001	2.28700 + .00008	.050	4
4	7454430		2.287	.002	2.28708 + .00012	.050	4
4	7454432		2.287	.004	2.28720 + .00016	.050	8
4	7454436		2.287	.008 AND UP	2.28740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454440	7454443	2.288	MASTER	2.28800 + .00004	.050	2
4	7454442		2.288	.001	2.28800 + .00008	.050	4
4	7454444		2.288	.002	2.28808 + .00012	.050	4
4	7454446		2.288	.004	2.28820 + .00016	.050	8
4	7454450		2.288	.008 AND UP	2.28840 + .00040	.050	8
4	7454454	7454457	2.289	MASTER	2.28900 + .00004	.050	2
4	7454456		2.289	.001	2.28900 + .00008	.050	4
4	7454458		2.289	.002	2.28908 + .00012	.050	4
4	7454460		2.289	.004	2.28920 + .00016	.050	8
4	7454464		2.289	.008 AND UP	2.28940 + .00040	.050	8
4	7454468	7454471	2.290	MASTER	2.29000 + .00004	.050	2
4	7454470		2.290	.001	2.29000 + .00008	.050	4
4	7454472		2.290	.002	2.29008 + .00012	.050	4
4	7454474		2.290	.004	2.29020 + .00016	.050	8
4	7454478		2.290	.008 AND UP	2.29040 + .00040	.050	8
4	7454482	7454485	2.291	MASTER	2.29100 + .00004	.050	2
4	7454484		2.291	.001	2.29100 + .00008	.050	4
4	7454486		2.291	.002	2.29108 + .00012	.050	4
4	7454488		2.291	.004	2.29120 + .00016	.050	8
4	7454492		2.291	.008 AND UP	2.29140 + .00040	.050	8
4	7454496	7454499	2.292	MASTER	2.29200 + .00004	.050	2
4	7454498		2.292	.001	2.29200 + .00008	.050	4
4	7454500		2.292	.002	2.29208 + .00012	.050	4
4	7454502		2.292	.004	2.29220 + .00016	.050	8
4	7454506		2.292	.008 AND UP	2.29240 + .00040	.050	8
4	7454510	7454513	2.293	MASTER	2.29300 + .00004	.050	2
4	7454512		2.293	.001	2.29300 + .00008	.050	4
4	7454514		2.293	.002	2.29308 + .00012	.050	4
4	7454516		2.293	.004	2.29320 + .00016	.050	8
4	7454520		2.293	.008 AND UP	2.29340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7454524		2.294	MASTER	2.29400 + .00004	.050	2
4	7454526	7454527	2.294	.001	2.29400 + .00008	.050	4
4	7454528		2.294	.002	2.29408 + .00012	.050	4
4	7454530		2.294	.004	2.29420 + .00016	.050	8
4	7454534		2.294	.008 AND UP	2.29440 + .00040	.050	8
4	7454538		2.295	MASTER	2.29500 + .00004	.050	2
4	7454540	7454541	2.295	.001	2.29500 + .00008	.050	4
	7454542		2.295	.002	2.29508 + .00012	.050	4
	7454544		2.295	.004	2.29520 + .00016	.050	8
4	7454548		2.295	.008 AND UP	2.29540 + .00040	.050	8
4	7454552		2.296	MASTER	2.29600 + .00004	.050	2
4	7454554	7454555	2.296	.001	2.29600 + .00008	.050	4
4	7454556		2.296	.002	2.29608 + .00012	.050	4
4	7454558		2.296	.004	2.29620 + .00016	.050	8
4	7454562		2.296	.008 AND UP	2.29640 + .00040	.050	8
4	7454566		2.297	MASTER	2.29700 + .00004	.050	2
4	7454568	7454569	2.297	.001	2.29700 + .00008	.050	4
4	7454570		2.297	.002	2.29708 + .00012	.050	4
4	7454572		2.297	.004	2.29720 + .00016	.050	8
4	7454576		2.297	.008 AND UP	2.29740 + .00040	.050	8
4	7454580		2.298	MASTER	2.29800 + .00004	.050	2
4	7454582	7454583	2.298	.001	2.29800 + .00008	.050	4
4	7454584		2.298	.002	2.29808 + .00012	.050	4
4	7454586		2.298	.004	2.29820 + .00016	.050	8
4	7454590		2.298	.008 AND UP	2.29840 + .00040	.050	8
4	7454594		2.299	MASTER	2.29900 + .00004	.050	2
4	7454596	7454597	2.299	.001	2.29900 + .00008	.050	4
4	7454598		2.299	.002	2.29908 + .00012	.050	4
4	7454600		2.299	.004	2.29920 + .00016	.050	8
4	7454604		2.299	.008 AND UP	2.29940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454608	7454611	2.300	MASTER	2.30000 + .00004	.050	2
4	7454610		2.300	.001	2.30000 + .00008	.050	4
4	7454612		2.300	.002	2.30008 + .00012	.050	4
4	7454614		2.300	.004	2.30020 + .00016	.050	8
4	7454618		2.300	.008 AND UP	2.30040 + .00040	.050	8
4	7454622	7454625	2.301	MASTER	2.30100 + .00004	.050	2
4	7454624		2.301	.001	2.30100 + .00008	.050	4
4	7454626		2.301	.002	2.30108 + .00012	.050	4
4	7454628		2.301	.004	2.30120 + .00016	.050	8
4	7454632		2.301	.008 AND UP	2.30140 + .00040	.050	8
4	7454636	7454639	2.302	MASTER	2.30200 + .00004	.050	2
4	7454638		2.302	.001	2.30200 + .00008	.050	4
4	7454640		2.302	.002	2.30208 + .00012	.050	4
4	7454642		2.302	.004	2.30220 + .00016	.050	8
4	7454646		2.302	.008 AND UP	2.30240 + .00040	.050	8
4	7454650	7454653	2.303	MASTER	2.30300 + .00004	.050	2
4	7454652		2.303	.001	2.30300 + .00008	.050	4
4	7454654		2.303	.002	2.30308 + .00012	.050	4
4	7454656		2.303	.004	2.20320 + .00016	.050	8
4	7454660		2.303	.008 AND UP	2.30340 + .00040	.050	8
4	7454664	7454667	2.304	MASTER	2.30400 + .00004	.050	2
4	7454666		2.304	.001	2.30400 + .00008	.050	4
4	7454668		2.304	.002	2.30408 + .00012	.050	4
4	7454670		2.304	.004	2.30420 + .00016	.050	8
4	7454674		2.304	.008 AND UP	2.30440 + .00040	.050	8
4	7454678	7454681	2.305	MASTER	2.30500 + .00004	.050	2
4	7454680		2.305	.001	2.30500 + .00008	.050	4
4	7454682		2.305	.002	2.30508 + .00012	.050	4
4	7454684		2.305	.004	2.30520 + .00016	.050	8
4	7454688		2.305	.008 AND UP	2.30540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454692		2.306	MASTER	2.30600 + .00004	.050	2
4	7454694	7454695	2.306	.001	2.30600 + .00008	.050	4
4	7454696		2.306	.002	2.30608 + .00012	.050	4
4	7454698		2.306	.004	2.30620 + .00016	.050	8
4	7454702		2.306	.008 AND UP	2.30640 + .00040	.050	8
4	7454706		2.307	MASTER	2.30700 + .00004	.050	2
4	7454708	7454709	2.307	.001	2.30700 + .00008	.050	4
4	7454710		2.307	.002	2.30708 + .00012	.050	4
4	7454712		2.307	.004	2.30720 + .00016	.050	8
4	7454716		2.307	.008 AND UP	2.30740 + .00040	.050	8
4	7454720		2.308	MASTER	2.30800 + .00004	.050	2
4	7454722	7454723	2.308	.001	2.30800 + .00008	.050	4
4	7454724		2.308	.002	2.30808 + .00012	.050	4
4	7454726		2.308	.004	2.30820 + .00016	.050	8
4	7454730		2.308	.008 AND UP	2.30840 + .00040	.050	8
4	7454734		2.309	MASTER	2.30900 + .00004	.050	2
4	7454736	7454737	2.309	.001	2.30900 + .00008	.050	4
4	7454738		2.309	.002	2.30908 + .00012	.050	4
4	7454740		2.309	.004	2.30920 + .00016	.050	8
4	7454744		2.309	.008 AND UP	2.30940 + .00040	.050	8
4	7454748		2.310	MASTER	2.31000 + .00004	.050	2
4	7454750	7454751	2.310	.001	2.31000 + .00008	.050	4
4	7454752		2.310	.002	2.31008 + .00012	.050	4
4	7454754		2.310	.004	2.31020 + .00016	.050	8
4	7454758		2.310	.008 AND UP	2.31040 + .00040	.050	8
4	7454762		2.311	MASTER	2.31100 + .00004	.050	2
4	7454764	7454765	2.311	.001	2.31100 + .00008	.050	4
4	7454766		2.311	.002	2.31108 + .00012	.050	4
4	7454768		2.311	.004	2.31120 + .00016	.050	8
4	7454772		2.311	.008 AND UP	2.31140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454776		2.312	MASTER	2.31200 + .00004	.050	2
4	7454778	7454779	2.312	.001	2.31200 + .00008	.050	4
4	7454780		2.312	.002	2.31208 + .00012	.050	4
4	7454782		2.312	.004	2.31220 + .00016	.050	8
4	7454786		2.312	.008 AND UP	2.31240 + .00040	.050	8
4	7454790		2.3125	MASTER	2.31250 + .00004	.050	2
4	7497920	7497921	2.3125	.001	2.31250 + .00008	.050	4
4	7497922		2.3125	.002	2.31258 + .00012	.050	4
4	7497924		2.3125	.004	2.31270 + .00016	.050	8
4	7497928		2.3125	.008 AND UP	2.31290 + .00040	.050	8
4	7454792		2.313	MASTER	2.31300 + .00004	.050	2
4	7454794	7454795	2.313	.001	2.31300 + .00008	.050	4
4	7454796		2.313	.002	2.31308 + .00012	.050	4
4	7454798		2.313	.004	2.31320 + .00016	.050	8
4	7454802		2.313	.008 AND UP	2.31340 + .00040	.050	8
4	7454806		2.314	MASTER	2.31400 + .00004	.050	2
4	7454808	7454809	2.314	.001	2.31400 + .00008	.050	4
4	7454810		2.314	.002	2.31408 + .00012	.050	4
4	7454812		2.314	.004	2.31420 + .00016	.050	8
4	7454816		2.314	.008 AND UP	2.31440 + .00040	.050	8
4	7454820		2.315	MASTER	2.31500 + .00004	.050	2
4	7454822	7454823	2.315	.001	2.31500 + .00008	.050	4
4	7454824		2.315	.002	2.31508 + .00012	.050	4
4	7454826		2.315	.004	2.31520 + .00016	.050	8
4	7454830		2.315	.008 AND UP	2.31540 + .00040	.050	8
4	7454834		2.316	MASTER	2.31600 + .00004	.050	2
4	7454836	7454837	2.316	.001	2.31600 + .00008	.050	4
4	7454838		2.316	.002	2.31608 + .00012	.050	4
4	7454840		2.316	.004	2.31620 + .00016	.050	8
4	7454844		2.316	.008 AND UP	2.31640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454848		2.317	MASTER	2.31700 + .00004	.050	2
4	7454850	7454851	2.317	.001	2.31700 + .00008	.050	4
4	7454852		2.317	.002	2.31708 + .00012	.050	4
4	7454854		2.317	.004	2.31720 + .00016	.050	8
4	7454858		2.317	.008 AND UP	2.31740 + .00040	.050	8
4	7454862		2.318	MASTER	2.31800 + .00004	.050	2
4	7454864	7454865	2.318	.001	2.31800 + .00008	.050	4
4	7454866		2.318	.002	2.31808 + .00012	.050	4
4	7454868		2.318	.004	2.31820 + .00016	.050	8
4	7454872		2.318	.008 AND UP	2.31840 + .00040	.050	8
4	7454876		2.319	MASTER	2.31900 + .00004	.050	2
4	7454878	7454879	2.319	.001	2.31900 + .00008	.050	4
4	7454880		2.319	.002	2.31908 + .00012	.050	4
4	7454882		2.319	.004	2.31920 + .00016	.050	8
4	7454886		2.319	.008 AND UP	2.31940 + .00040	.050	8
4	7454890		2.320	MASTER	2.32000 + .00004	.050	2
4	7454892	7454893	2.320	.001	2.32000 + .00008	.050	4
4	7454894		2.320	.002	2.32008 + .00012	.050	4
4	7454896		2.320	.004	2.32020 + .00016	.050	8
4	7454900		2.320	.008 AND UP	2.32040 + .00040	.050	8
4	7454904		2.321	MASTER	2.32100 + .00004	.050	2
4	7454906	7454907	2.321	.001	2.32100 + .00008	.050	4
4	7454908		2.321	.002	2.32108 + .00012	.050	4
4	7454910		2.321	.004	2.32120 + .00016	.050	8
4	7454914		2.321	.008 AND UP	2.32140 + .00040	.050	8
4	7454918		2.322	MASTER	2.32200 + .00004	.050	2
4	7454920	7454921	2.322	.001	2.32200 + .00008	.050	4
4	7454922		2.322	.002	2.32208 + .00012	.050	4
4	7454924		2.322	.004	2.32220 + .00016	.050	8
4	7454928		2.322	.008 AND UP	2.32240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7454932	7454935	2.323	MASTER	2.32300 + .00004	.050	2
4	7454934		2.323	.001	2.32300 + .00008	.050	4
4	7454936		2.323	.002	2.32308 + .00012	.050	4
4	7454938		2.323	.004	2.32320 + .00016	.050	8
4	7454942		2.323	.008 AND UP	2.32340 + .00040	.050	8
4	7454946	7454949	2.324	MASTER	2.32400 + .00004	.050	2
4	7454948		2.324	.001	2.32400 + .00008	.050	4
4	7454950		2.324	.002	2.32408 + .00012	.050	4
4	7454952		2.324	.004	2.32420 + .00016	.050	8
4	7454956		2.324	.008 AND UP	2.32440 + .00040	.050	8
4	7454960	7454963	2.325	MASTER	2.32500 + .00004	.050	2
4	7454962		2.325	.001	2.32500 + .00008	.050	4
4	7454964		2.325	.002	2.32508 + .00012	.050	4
4	7454966		2.325	.004	2.32520 + .00016	.050	8
4	7454970		2.325	.008 AND UP	2.32540 + .00040	.050	8
4	7454974	7454977	2.326	MASTER	2.32600 + .00004	.050	2
4	7454976		2.326	.001	2.32600 + .00008	.050	4
4	7454978		2.326	.002	2.32608 + .00012	.050	4
4	7454980		2.326	.004	2.32620 + .00016	.050	8
4	7454984		2.326	.008 AND UP	2.32640 + .00040	.050	8
4	7454988	7454991	2.327	MASTER	2.32700 + .00004	.050	2
4	7454990		2.327	.001	2.32700 + .00008	.050	4
4	7454992		2.327	.002	2.32708 + .00012	.050	4
4	7454994		2.327	.004	2.32720 + .00016	.050	8
4	7454998		2.327	.008 AND UP	2.32740 + .00040	.050	8
4	7455002	7455005	2.328	MASTER	2.32800 + .00004	.050	2
4	7455004		2.328	.001	2.32800 + .00008	.050	4
4	7455006		2.328	.002	2.32808 + .00012	.050	4
4	7455008		2.328	.004	2.32820 + .00016	.050	8
4	7455012		2.328	.008 AND UP	2.32840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7455016		2.329	MASTER	2.32900 + .00004	.050	2
4	7455018	7455019	2.329	.001	2.32900 + .00008	.050	4
4	7455020		2.329	.002	2.32908 + .00012	.050	4
4	7455022		2.329	.004	2.32920 + .00016	.050	8
4	7455026		2.329	.008 AND UP	2.32940 + .00040	.050	8
4	7455030		2.330	MASTER	2.33000 + .00004	.050	2
4	7455032	7455033	2.330	.001	2.33000 + .00008	.050	4
4	7455034		2.330	.002	2.33008 + .00012	.050	4
4	7455036		2.330	.004	2.33020 + .00016	.050	8
4	7455040		2.330	.008 AND UP	2.33040 + .00040	.050	8
4	7455044		2.331	MASTER	2.33100 + .00004	.050	2
4	7455046	7455047	2.331	.001	2.33100 + .00008	.050	4
4	7455048		2.331	.002	2.33108 + .00012	.050	4
4	7455050		2.331	.004	2.33120 + .00016	.050	8
4	7455054		2.331	.008 AND UP	2.33140 + .00040	.050	8
4	7455056		2.332	MASTER	2.33200 + .00004	.050	2
4	7455060	7455061	2.332	.001	2.33200 + .00008	.050	4
4	7455062		2.332	.002	2.33208 + .00012	.050	4
4	7455064		2.332	.004	2.33220 + .00016	.050	8
4	7455068		2.332	.008 AND UP	2.33240 + .00040	.050	8
4	7455072		2.333	MASTER	2.33300 + .00004	.050	2
4	7455074	7455075	2.333	.001	2.33300 + .00008	.050	4
4	7455076		2.333	.002	2.33308 + .00012	.050	4
4	7455078		2.333	.004	2.33320 + .00016	.050	8
4	7455082		2.333	.008 AND UP	2.33340 + .00040	.050	8
4	7455086		2.334	MASTER	2.33400 + .00004	.050	2
4	7455088	7455089	2.334	.001	2.33400 + .00008	.050	4
4	7455090		2.334	.002	2.33408 + .00012	.050	4
4	7455092		2.334	.004	2.33420 + .00016	.050	8
4	7455096		2.334	.008 AND UP	2.33440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455100		2.335	MASTER	2.33500 + .00004	.050	2
4	7455102	7455103	2.335	.001	2.33500 + .00008	.050	4
4	7455104		2.335	.002	2.33508 + .00012	.050	4
4	7455106		2.335	.004	2.33520 + .00016	.050	8
4	7455110		2.335	.008 AND UP	2.33540 + .00040	.050	8
4	7455114		2.336	MASTER	2.33600 + .00004	.050	2
4	7455116	7455117	2.336	.001	2.33600 + .00008	.050	4
4	7455118		2.336	.002	2.33608 + .00012	.050	4
4	7455120		2.336	.004	2.33620 + .00016	.050	8
4	7455124		2.336	.008 AND UP	2.33640 + .00040	.050	8
4	7455128		2.337	MASTER	2.33700 + .00004	.050	2
4	7455130	7455131	2.337	.001	2.33700 + .00008	.050	4
4	7455132		2.337	.002	2.33708 + .00012	.050	4
4	7455134		2.337	.004	2.33720 + .00016	.050	8
4	7455138		2.337	.008 AND UP	2.33740 + .00040	.050	8
4	7455142		2.338	MASTER	2.33800 + .00004	.050	2
4	7455144	7455145	2.338	.001	2.33800 + .00008	.050	4
4	7455146		2.338	.002	2.33808 + .00012	.050	4
4	7455148		2.338	.004	2.33820 + .00016	.050	8
4	7455152		2.338	.008 AND UP	2.33840 + .00040	.050	8
4	7455156		2.339	MASTER	2.33900 + .00004	.050	2
4	7455158	7455159	2.339	.001	2.33900 + .00008	.050	4
4	7455160		2.339	.002	2.33908 + .00012	.050	4
4	7455162		2.339	.004	2.33920 + .00016	.050	8
4	7455166		2.339	.008 AND UP	2.33940 + .00040	.050	8
4	7455170		2.340	MASTER	2.34000 + .00004	.050	2
4	7455172	7455173	2.340	.001	2.34000 + .00008	.050	4
4	7455174		2.340	.002	2.34008 + .00012	.050	4
4	7455176		2.340	.004	2.34020 + .00016	.050	8
4	7455180		2.340	.008 AND UP	2.34040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN–GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN–GAGE STOCK NO. WITH AIR GROOVE	MARKING ON GAGE HANDLE: MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
1	B	C	D	E	F	G	H
4	7455184		2.341	MASTER	2.34100 + .00004	.050	2
4	7455186	7455187	2.341	.001	2.34100 + .00008	.050	4
4	7455188		2.341	.002	2.34108 + .00012	.050	4
4	7455190		2.341	.004	2.34120 + .00016	.050	8
4	7455194		2.341	.006 AND UP	2.34140 .00040	.050	8
4	7455198		2.342	MASTER	2.34200 + .00004	.050	2
4	7455200	7455201	2.342	.001	2.34200 + .00008	.050	4
4	7455202		2.342	.002	2.34208 + .00012	.050	4
4	7455204		2.342	.004	2.34220 + .00016	.050	8
4	7455208		2.342	.008 AND UP	2.34240 + .00040	.050	8
4	7455212		2.343	MASTER	2.34300 + .00004	.050	2
4	7455214	7455215	2.343	.001	2.34300 + .00008	.050	4
4	7455216		2.343	.002	2.34308 + .00012	.050	4
4	7455218		2.343	.004	2.34320 + .00016	.050	8
4	7455222		2.343	.008 AND UP	2.34340 + .00040	.050	8
4	7455226		2.34375	MASTER	2.34375 + .00004	.050	2
4	7497932	7497933	2.34375	.001	2.34375 + .00008	.050	4
4	7497934		2.34375	.002	2.34383 + .00012	.050	4
4	7497936		2.34375	.004	2.34395 + .00016	.050	8
4	7497940		2.34375	.008 AND UP	2.34415 + .00040	.050	8
4	7455228		2.344	MASTER	2.34400 + .00004	.050	2
4	7455230	7455231	2.344	.001	2.34400 + .00008	.050	4
4	7455232		2.344	.002	2.34408 + .00012	.050	4
4	7455234		2.344	.004	2.34420 + .00016	.050	8
4	7455238		2.344	.008 AND UP	2.34440 + .00040	.050	8
4	7455242		2.345	MASTER	2.34500 + .00004	.050	2
4	7455244	7455245	2.345	.001	2.34500 + .00008	.050	4
4	7455246		2.345	.002	2.34508 + .00012	.050	4
4	7455248		2.345	.004	2.34520 + .00016	.050	8
4	7455252		2.345	.008 AND UP	2.34540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455256		2.346	MASTER	2.34600 + .00004	.050	2
4	7455258	7455259	2.346	.001	2.34600 + .00008	.050	4
4	7455260		2.346	.002	2.34608 + .00012	.050	4
4	7455262		2.346	.004	2.34620 + .00016	.050	8
4	7455266		2.346	.008 AND UP	2.34640 + .00040	.050	8
4	7455270		2.347	MASTER	2.34700 + .00004	.050	2
4	7455272	7455273	2.347	.001	2.34700 + .00008	.050	4
4	7455274		2.347	.002	2.34708 + .00012	.050	4
4	7455276		2.347	.004	2.34720 + .00016	.050	8
4	7455280		2.347	.008 AND UP	2.34740 + .00040	.050	8
4	7455284		2.348	MASTER	2.34800 + .00004	.050	2
4	7455286	7455287	2.348	.001	2.34800 + .00008	.050	4
4	7455288		2.348	.002	2.34808 + .00012	.050	4
4	7455290		2.348	.004	2.34820 + .00016	.050	8
4	7455294		2.348	.008 AND UP	2.34840 + .00040	.050	8
4	7455298		2.349	MASTER	2.34900 + .00004	.050	2
4	7455300	7455301	2.349	.001	2.34900 + .00008	.050	4
4	7455302		2.349	.002	2.34908 + .00012	.050	4
4	7455304		2.349	.004	2.34920 + .00016	.050	8
4	7455308		2.349	.008 AND UP	2.34940 + .00040	.050	8
4	7455312		2.350	MASTER	2.35000 + .00004	.050	2
4	7455314	7455315	2.350	.001	2.35000 + .00008	.050	4
4	7455316		2.350	.002	2.35008 + .00012	.050	4
4	7455318		2.350	.004	2.35020 + .00016	.050	8
4	7455322		2.350	.008 AND UP	2.35040 + .00040	.050	8
4	7455326		2.351	MASTER	2.35100 + .00004	.050	2
4	7455328	7455329	2.351	.001	2.35100 + .00008	.050	4
4	7455330		2.351	.002	2.35108 + .00012	.050	4
4	7455332		2.351	.004	2.35120 + .00016	.050	8
4	7455336		2.351	.008 AND UP	2.35140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455340		2.352	MASTER	2.35200 + .00004	.050	2
4	7455342	7455343	2.352	.001	2.35200 + .00008	.050	4
4	7455344		2.352	.002	2.35208 + .00012	.050	4
4	7455346		2.352	.004	2.35220 + .00016	.050	8
4	7455350		2.352	.008 AND UP	2.35240 + .00040	.050	8
4	7455354		2.353	MASTER	2.35300 + .00004	.050	2
4	7455356	7455357	2.353	.001	2.35300 + .00008	.050	4
4	7455358		2.353	.002	2.35308 + .00012	.050	4
4	7455360		2.353	.004	2.35320 + .00016	.050	8
4	7455364		2.353	.008 AND UP	2.35340 + .00040	.050	8
4	7455368		2.354	MASTER	2.35400 + .00004	.050	2
4	7455370	7455371	2.354	.001	2.35400 + .00008	.050	4
4	7455372		2.354	.002	2.35408 + .00012	.050	4
4	7455374		2.354	.004	2.35420 + .00016	.050	8
4	7455378		2.354	.008 AND UP	2.35440 + .00040	.050	8
4	7455382		2.355	MASTER	2.35500 + .00004	.050	2
4	7455384	7455385	2.355	.001	2.35500 + .00008	.050	4
4	7455388		2.355	.002	2.35508 .00012	.050	4
4	7455392		2.355	.004	2.35520 + .00016	.050	8
4	7455396		2.356	MASTER	2.35600 + .00004	.050	2
4	7455398	7455399	2.356	.001	2.35600 + .00008	.050	4
4	7455400		2.356	.002	2.35608 + .00012	.050	4
4	7455402		2.356	.004	2.35620 + .00016	.050	8
4	7455406		2.356	.008 AND UP	2.35640 + .00040	.050	8
4	7455410		2.357	MASTER	2.35700 + .00004	.050	2
4	7455412	7455413	2.357	.001	2.35700 + .00008	.050	4
4	7455414		2.357	.002	2.35708 + .00012	.050	4
4	7455416		2.357	.004	2.35720 + .00016	.050	8
4	7455420		2.357	.008 AND UP	2.35740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7455424		2.358	MASTER	2.35800 + .00004	.050	2
4	7455426	7455427	2.358	.001	2.35800 + .00008	.050	4
4	7455428		2.358	.002	2.35808 + .00012	.050	4
4	7455430		2.358	.004	2.35820 + .00016	.050	8
4	7455434		2.358	.008 AND UP	2.35840 + .00040	.050	8
4	7455438		2.359	MASTER	2.35900 + .00004	.050	2
4	7455440	7455441	2.359	.001	2.35900 + .00008	.050	4
4	7455442		2.359	.002	2.35908 + .00012	.050	4
4	7455444		2.359	.004	2.35920 + .00016	.050	8
4	7455448		2.359	.008 AND UP	2.35940 + .00040	.050	8
4	7455452		2.360	MASTER	2.36000 + .00004	.050	2
4	7455454	7455455	2.360	.001	2.36000 + .00008	.050	4
4	7455456		2.360	.002	2.36008 + .00012	.050	4
4	7455458		2.360	.004	2.36020 + .00016	.050	8
4	7455462		2.360	.008 AND UP	2.36040 + .00040	.050	8
4	7455466		2.361	MASTER	2.36100 + .00004	.050	2
4	7455468	7455469	2.361	.001	2.36100 + .00008	.050	4
4	7455470		2.361	.002	2.36108 + .00012	.050	4
4	7455472		2.361	.004	2.36120 + .00016	.050	8
4	7455476		2.361	.008 AND UP	2.36140 + .00040	.050	8
4	7455480		2.362	MASTER	2.36200 + .00004	.050	2
4	7455482	7455483	2.362	.001	2.36200 + .00008	.050	4
4	7455484		2.362	.002	2.36208 + .00012	.050	4
4	7455486		2.362	.004	2.36220 + .00016	.050	8
4	7455490		2.362	.008 AND UP	2.36240 + .00040	.050	8
4	7455494		2.363	MASTER	2.36300 + .00004	.050	2
4	7455496	7455497	2.363	.001	2.36300 + .00008	.050	4
4	7455498		2.363	.002	2.36308 + .00012	.050	4
4	7455500		2.363	.004	2.36320 + .00016	.050	8
4	7455504		2.363	.008 AND UP	2.36340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455508		2.364	MASTER	2.36400 + .00004	.050	2
4	7455510	7455511	2.364	.001	2.36400 + .00008	.050	4
4	7455512		2.364	.002	2.36408 + .00012	.050	4
4	7455514		2.364	.004	2.36420 + .00016	.050	8
4	7455518		2.364	.008 AND UP	2.36440 + .00040	.050	8
4	7455522		2.365	MASTER	2.36500 + .00004	.050	2
4	7455524	7455525	2.365	.001	2.36500 + .00008	.050	4
4	7455526		2.365	.002	2.36508 + .00012	.050	4
4	7455528		2.365	.004	2.36520 + .00016	.050	8
4	7455532		2.365	.008 AND UP	2.36540 + .00040	.050	8
4	7455536		2.366	MASTER	2.36600 + .00004	.050	2
4	7455538	7455539	2.366	.001	2.36600 + .00008	.050	4
4	7455540		2.366	.002	2.36608 + .00012	.050	4
4	7455542		2.366	.004	2.36620 + .00016	.050	8
4	7455546		2.366	.008 AND UP	2.36640 + .00040	.050	8
4	7455550		2.367	MASTER	2.36700 + .00004	.050	2
4	7455552	7455553	2.367	.001	2.36700 + .00008	.050	4
4	7455554		2.367	.002	2.36708 + .00012	.050	4
4	7455556		2.367	.004	2.36720 + .00016	.050	8
4	7455560		2.367	.008 AND UP	2.36740 + .00040	.050	8
4	7455564		2.368	MASTER	2.36800 + .00004	.050	2
4	7455566	7455567	2.368	.001	2.36800 + .00008	.050	4
4	7455568		2.368	.002	2.36808 + .00012	.050	4
4	7455570		2.368	.004	2.36820 + .00016	.050	8
4	7455574		2.368	.008 AND UP	2.36840 + .00040	.050	8
4	7455578		2.369	MASTER	2.36900 + .00004	.050	2
4	7455580	7455581	2.369	.001	2.36900 + .00008	.050	4
4	7455582		2.369	.002	2.36908 + .00012	.050	4
4	7455584		2.369	.004	2.36920 + .00016	.050	8
4	7455588		2.369	.008 AND UP	2.36940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455592		2.370	MASTER	2.37000 + .00004	.050	2
4	7455594	7455595	2.370	.001	2.37000 + .00008	.050	4
4	7455596		2.370	.002	2.37008 + .00012	.050	4
4	7455598		2.370	.004	2.37020 + .00016	.050	8
4	7455602		2.370	.008 AND UP	2.37040 + .00040	.050	8
4	7455606		2.371	MASTER	2.37100 + .00004	.050	2
4	7455608	7455609	2.371	.001	2.37100 + .00008	.050	4
4	7455610		2.371	.002	2.37108 + .00012	.050	4
4	7455612		2.371	.004	2.37120 + .00016	.050	8
4	7455616		2.371	.008 AND UP	2.37140 + .00040	.050	8
4	7455620		2.372	MASTER	2.37200 + .00004	.050	2
4	7455622	7455623	2.372	.001	2.37200 + .00008	.050	4
4	7455624		2.372	.002	2.37208 + .00012	.050	4
4	7455626		2.372	.004	2.37220 + .00016	.050	8
4	7455630		2.372	.008 AND UP	2.37240 + .00040	.050	8
4	7455634		2.373	MASTER	2.37300 + .00004	.050	2
4	7455636	7455637	2.373	.001	2.37300 + .00008	.050	4
4	7455638		2.373	.002	2.37308 + .00012	.050	4
4	7455640		2.373	.004	2.37320 + .00016	.050	8
4	7455644		2.373	.008 AND UP	2.37340 + .00040	.050	8
4	7455648		2.374	MASTER	2.37400 + .00004	.050	2
4	7455650	7455651	2.374	.001	2.37400 + .00008	.050	4
4	7455652		2.374	.002	2.37408 + .00012	.050	4
4	7455654		2.374	.004	2.37420 + .00016	.050	8
4	7455658		2.374	.008 AND UP	2.37440 + .00040	.050	8
4	7455662		2.375	MASTER	2.37500 + .00004	.050	2
4	7455664	7455665	2.375	.001	2.37500 + .00008	.050	4
4	7455666		2.375	.002	2.37508 + .00012	.050	4
4	7455668		2.375	.004	2.37520 + .00016	.050	8
4	7455672		2.375	.008 AND UP	2.37540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455676	7455679	2.376	MASTER	2.37600 + .00004	.050	2
	7455678		2.376	.001	2.37600 + .00008	.050	4
	7455680		2.376	.002	2.37608 + .00012	.050	4
	7455682		2.376	.004	2.37620 + .00016	.050	8
	7455686		2.376	.008 AND UP	2.37640 + .00040	.050	8
4	7455690	7455693	2.377	MASTER	2.37700 + .00004	.050	2
	7455692		2.377	.001	2.37700 + .00008	.050	4
	7455694		2.377	.002	2.37708 + .00012	.050	4
	7455696		2.377	.004	2.37720 + .00016	.050	8
	7455700		2.377	.008 AND UP	2.37740 + .00040	.050	8
4	7455704	7455707	2.378	MASTER	2.37800 + .00004	.050	2
	7455706		2.378	.001	2.37800 + .00008	.050	4
	7455708		2.378	.002	2.37808 + .00012	.050	4
	7455710		2.378	.004	2.37820 + .00016	.050	8
	7455714		2.378	.008 AND UP	2.37840 + .00040	.050	8
4	7455718	7455721	2.379	MASTER	2.37900 + .00004	.050	2
	7455720		2.379	.001	2.37900 + .00008	.050	4
	7455722		2.379	.002	2.37908 + .00012	.050	4
	7455724		2.379	.004	2.37920 + .00016	.050	8
	7455728		2.379	.008 AND UP	2.37940 + .00040	.050	8
4	7455732	7455735	2.380	MASTER	2.38000 + .00004	.050	2
	7455734		2.380	.001	2.38000 + .00008	.050	4
	7455736		2.380	.002	2.38008 + .00012	.050	4
	7455738		2.380	.004	2.38020 + .00016	.050	8
	7455742		2.380	.008 AND UP	2.38040 + .00040	.050	8
4	7455746	7455749	2.381	MASTER	2.38100 + .00004	.050	2
	7455748		2.381	.001	2.38100 + .00008	.050	4
	7455750		2.381	.002	2.38108 + .00012	.050	4
	7455752		2.381	.004	2.38120 + .00016	.050	8
	7455756		2.381	.008 AND UP	2.38140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455760		2.382	MASTER	2.38200 + .00004	.050	2
4	7455762	7455763	2.382	.001	2.38200 + .00008	.050	4
4	7455764		2.382	.002	2.38208 + .00012	.050	4
4	7455766		2.382	.004	2.38220 + .0016	.050	8
4	7455770		2.382	.008 AND UP	2.38240 + .0040	.050	8
4	7455774		2.383	MASTER	2.38300 + .00004	.050	2
4	7455776	7455777	2.383	.001	2.38300 + .00008	.050	4
4	7455778		2.383	.002	2.38308 + .00012	.050	4
4	7455780		2.383	.004	2.38320 + .00016	.050	8
4	7455784		2.383	.008 AND UP	2.38340 + .00040	.050	8
4	7455788		2.384	MASTER	2.38400 + .00004	.050	2
4	7455790	7455791	2.384	.001	2.38400 + .00008	.050	4
4	7455792		2.384	.002	2.38408 + .00012	.050	4
4	7455794		2.384	.004	2.38420 + .00016	.050	8
4	7455798		2.384	.008 AND UP	2.38440 + .00040	.050	8
4	7455802		2.385	MASTER	2.38500 + .00004	.050	2
4	7455804	7455805	2.385	.001	2.38500 + .00008	.050	4
4	7455806		2.385	.002	2.38508 + .00012	.050	4
4	7455808		2.385	.004	2.38520 + .00016	.050	8
4	7455812		2.385	.008 AND UP	2.38540 + .00040	.050	8
4	7455816		2.386	MASTER	2.38600 + .00004	.050	2
4	7455818	7455819	2.386	.001	2.38600 + .00008	.050	4
4	7455820		2.386	.002	2.38608 + .00012	.050	4
4	7455822		2.386	.004	2.38620 + .00016	.050	8
4	7455826		2.386	.008 AND UP	2.38640 + .00040	.050	8
4	7455830		2.387	MASTER	2.38700 + .00004	.050	2
4	7455832	7455833	2.387	.001	2.38700 + .00008	.050	4
4	7455834		2.387	.002	2.38708 + .00012	.050	4
4	7455836		2.387	.004	2.38720 + .00016	.050	8
4	7455840		2.387	.008 AND UP	2.38740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455844		2.388	MASTER	2.38800 + .00004	.050	2
4	7455846	7455847	2.388	.001	2.38800 + .00008	.050	4
4	7455848		2.388	.002	2.38808 + .00012	.050	4
4	7455850		2.388	.004	2.38820 + .00016	.050	8
4	7455854		2.388	.008 AND UP	2.38840 + .00040	.050	8
4	7455858		2.389	MASTER	2.38900 + .00004	.050	2
4	7455860	7455861	2.389	.001	2.38900 + .00008	.050	4
4	7455862		2.389	.002	2.38908 + .00012	.050	4
4	7455864		2.389	.004	2.38920 + .00016	.050	8
4	7455868		2.389	.008 AND UP	2.38940 + .00040	.050	8
4	7455872		2.390	MASTER	2.39000 + .00004	.050	2
4	7455874	7455875	2.390	.001	2.39000 + .00008	.050	4
4	7455876		2.390	.002	2.39008 + .00012	.050	4
4	7455878		2.390	.004	2.39020 + .00016	.050	8
4	7455882		2.390	.008 AND UP	2.39040 + .00040	.050	8
4	7455886		2.391	MASTER	2.39100 + .00004	.050	2
4	7455888	7455889	2.391	.001	2.39100 + .00008	.050	4
4	7455890		2.391	.002	2.39108 + .00012	.050	4
4	7455892		2.391	.004	2.39120 + .00016	.050	8
4	7455896		2.391	.008 AND UP	2.39140 + .00040	.050	8
4	7455900		2.392	MASTER	2.39200 + .00004	.050	2
4	7455902	7455903	2.392	.001	2.39200 + .00008	.050	4
4	7455904		2.392	.002	2.39208 + .00012	.050	4
4	7455906		2.392	.004	2.39220 + .00016	.050	8
4	7455910		2.392	.008 AND UP	2.39240 + .00040	.050	8
4	7455914		2.393	MASTER	2.39300 + .00004	.050	2
4	7455916	7455917	2.393	.001	2.39300 + .00008	.050	4
4	7455918		2.393	.002	2.39308 + .00012	.050	4
4	7455920		2.393	.004	2.39320 + .00016	.050	8
4	7455924		2.393	.008 AND UP	2.39340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
	7455928		2.394	MASTER	2.39400 + .00004	.050	2
	7455930	7455931	2.394	.001	2.39400 + .00008	.050	4
	7455932		2.394	.002	2.39408 + .00012	.050	4
	7455934		2.394	.004	2.39420 + .00016	.050	8
	7455938		2.394	.008 AND UP	2.39440 + .00040	.050	8
	7455942		2.395	MASTER	2.39500 + .00004	.050	2
	7455944	7455945	2.395	.001	2.39500 + .00008	.050	4
	7455946		2.395	.002	2.39508 + .00012	.050	4
	7455948		2.395	.004	2.39520 + .00016	.050	8
	7455952		2.395	.008 AND UP	2.39540 + .00040	.050	8
	7455956		2.396	MASTER	2.39600 + .00004	.050	2
	7455958	7455959	2.396	.001	2.39600 + .00008	.050	4
	7455960		2.396	.002	2.39608 + .00012	.050	4
	7455962		2.396	.004	2.39620 + .00016	.050	8
	7455966		2.396	.008 AND UP	2.39640 + .00040	.050	8
	7455970		2.397	MASTER	2.39700 + .00004	.050	2
	7455972	7455973	2.397	.001	2.39700 + 00008	.050	4
	7455974		2.397	.002	2.39708 + 00012	.050	4
	7455976		2.397	.004	2.39720 + . 0016	.050	8
	7455980		2.397	.008 AND UP	2.39740 + .0040	.050	8
	7455984		2.398	MASTER	2.39800 + .00004	.050	2
	7455986	7455987	2.398	.001	2.39800 + .00008	.050	4
	7455988		2.398	.002	2.39808 + .00012	.050	4
	7455990		2.398	.004	2.39820 + .00016	.050	8
	7455994		2.398	.008 AND UP	2.39840 + .00040	.050	8
	7455998		2.399	MASTER	2.39900 + .00004	.050	2
	7456000	7456001	2.399	.001	2.39900 + .00008	.050	4
	7456002		2.399	.002	2.39908 + .00012	.050	4
	7456004		2.399	.004	2.39920 + .00016	.050	8
	7456008		2.399	.008 AND UP	2.39940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456012		2.400	MASTER	2.40000 + .00004	.050	2
4	7456014	7456015	2.400	.001	2.40000 + .00008	.050	4
4	7456016		2.400	.002	2.40008 + .00012	.050	4
4	7456018		2.400	.004	2.40020 + .00016	.050	8
4	7456022		2.400	.008 AND UP	2.40040 + .00040	.050	8
4	7456026		2.401	MASTER	2.40100 + .00004	.050	2
4	7456028	7456029	2.401	.001	2.40100 + .00008	.050	4
4	7456030		2.401	.002	2.40108 + .00012	.050	4
4	7456032		2.401	.004	2.40120 + .00016	.050	8
4	7456036		2.401	.008 AND UP	2.40140 + .00040	.050	8
4	7456040		2.402	MASTER	2.40200 + .00004	.050	2
4	7456042	7456043	2.402	.001	2.40200 + .00008	.050	4
4	7456044		2.402	.002	2.40208 + .00012	.050	4
4	7456046		2.402	.004	2.40220 + .00016	.050	8
4	7456050		2.402	.008 AND UP	2.40240 + .00040	.050	8
4	7456054		2.403	MASTER	2.40300 + .00004	.050	2
4	7456056	7456057	2.403	.001	2.40300 + .00008	.050	4
4	7456058		2.403	.002	2.40308 + .00012	.050	4
4	7456060		2.403	.004	2.40320 + .00016	.050	8
4	7456064		2.403	.008 AND UP	2.40340 + .00040	.050	8
4	7456068		2.404	MASTER	2.40400 + .00004	.050	2
4	7456070	7456071	2.404	.001	2.40400 + .00008	.050	4
4	7456072		2.404	.002	2.40408 + .00012	.050	4
4	7456074		2.404	.004	2.40420 + .00016	.050	8
4	7456078		2.404	.008 AND UP	2.40440 + .00040	.050	8
4	7456082		2.405	MASTER	2.40500 + .00004	.050	2
4	7456084	7456085	2.405	.001	2.40500 + .00008	.050	4
4	7456086		2.405	.002	2.40508 + .00012	.050	4
4	7456088		2.405	.004	2.40520 + .00016	.050	8
4	7456092		2.405	.008 AND UP	2.40540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
	7456096		2.406	MASTER	2.40600 + .00004	.050	2
	7456098	7456099	2.406	.001	2.40600 + .00008	.050	4
	7456100		2.406	.002	2.40608 + .00012	.050	4
	7456102		2.406	.004	2.40620 + .00016	.050	8
	7456106		2.406	.008 AND UP	2.40640 + .00040	.050	8
	7456110		2.40625	MASTER	2.40625 + .00004	.050	2
	7497944	7497945	2.40625	.001	2.40625 + .00008	.050	4
	7497946		2.40625	.002	2.40633 + .00012	.050	4
	7497948		2.40625	.004	2.40645 + .00016	.050	8
	7497952		2.40625	.008 AND UP	2.40665 + .00040	.050	8
	7456112		2.407	MASTER	2.40700 + .00004	.050	2
	7456114	7456115	2.407	.001	2.40700 + .00008	.050	4
	7456116		2.407	.002	2.40708 + .00012	.050	4
	7456118		2.407	.004	2.40720 + .00016	.050	8
	7456122		2.407	.008 AND UP	2.40740 + .00040	.050	8
	7456126		2.408	MASTER	2.40800 + .00004	.050	2
	7456128	7456129	2.408	.001	2.40800 + .00008	.050	4
	7456130		2.408	.002	2.40808 + .00012	.050	4
	7456132		2.408	.004	2.40820 + .00016	.050	8
	7456136		2.408	.008 AND UP	2.40840 + .00040	.050	8
	7456140		2.409	MASTER	2.40900 + .00004	.050	2
	7456142	7456143	2.409	.001	2.40900 + .00008	.050	4
	7456144		2.409	.002	2.40908 + .00012	.050	4
	7456146		2.409	.004	2.40920 + .00016	.050	8
	7456150		2.409	.008 AND UP	2.40940 + .00040	.050	8
	7456154		2.410	MASTER	2.41000 + .00004	.050	2
	7456156	7456157	2.410	.001	2.41000 + .00008	.050	4
	7456158		2.410	.002	2.41008 + .00012	.050	4
	7456160		2.410	.004	2.41020 + .00016	.050	8
	7456164		2.410	.008 AND UP	2.41040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456168		2.411	MASTER	2.41100 + .00004	.050	2
4	7456170	7456171	2.411	.001	2.41100 + .00008	.050	4
4	7456172		2.411	.002	2.41108 + .00012	.050	4
4	7456174		2.411	.004	2.41120 + .00016	.050	8
4	7456178		2.411	.008 AND UP	2.41140 + .00040	.050	8
4	7456182		2.412	MASTER	2.41200 + .00004	.050	2
4	7456184	7456185	2.412	.001	2.41200 + .00008	.050	4
4	7456186		2.412	.002	2.41208 + .00012	.050	4
4	7456188		2.412	.004	2.41220 + .00016	.050	8
4	7456192		2.412	.008 AND UP	2.41240 + .00040	.050	8
4	7456196		2.413	MASTER	2.41300 + .00004	.050	2
4	7456198	7456199	2.413	.001	2.41300 + .00008	.050	4
4	7456200		2.413	.002	2.41308 + .00012	.050	4
4	7456202		2.413	.004	2.41320 .00016	.050	8
4	7456206		2.413	.008 AND UP	2.41340 .00040	.050	8
4	7456210		2.414	MASTER	2.41400 + .00004	.050	2
4	7456212	7456213	2.414	.001	2.41400 + .00008	.050	4
4	7456214		2.414	.002	2.41408 + .00012	.050	4
4	7456216		2.414	.004	2.41420 + .00016	.050	8
4	7456220		2.414	.008 AND UP	2.41440 + .00040	.050	8
4	7456224		2.415	MASTER	2.41500 + .00004	.050	2
4	7456226	7456227	2.415	.001	2.41500 + .00008	.050	4
4	7456228		2.415	.002	2.41508 + .00012	.050	4
4	7456230		2.415	.004	2.41520 + .00016	.050	8
4	7456234		2.415	.008 AND UP	2.41540 + .00040	.050	8
4	7456238		2.416	MASTER	2.41600 + .00004	.050	2
4	7456240	7456241	2.416	.001	2.41600 + .00008	.050	4
4	7456242		2.416	.002	2.41608 + .00012	.050	4
4	7456244		2.416	.004	2.41620 + .00016	.050	8
4	7456248		2.416	.008 AND UP	2.41640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7456252		2.417	MASTER	2.41700 + .00004	.050	2
11	7456254	7456255	2.417	.001	2.41700 + .00008	.050	4
11	7456256		2.417	.002	2.41708 + .00012	.050	4
11	7456258		2.417	.004	2.41720 + .00016	.050	8
11	7456262		2.417	.008 AND UP	2.41740 + .00040	.050	8
11	7456266		2.418	MASTER	2.41800 + .00004	.050	2
11	7456268	7456269	2.418	.001	2.41800 + .00008	.050	4
11	7456270		2.418	.002	2.41808 + .00012	.050	4
11	7456272		2.418	.004	2.41820 + .00016	.050	8
11	7456276		2.418	.008 AND UP	2.41840 + .00040	.050	8
11	7456280		2.419	MASTER	2.41900 + .00004	.050	2
11	7456282	7456283	2.419	.001	2.41900 + .00008	.050	4
11	7456284		2.419	.002	2.41908 + .00012	.050	4
11	7456286		2.419	.004	2.41920 + .00016	.050	8
11	7456290		2.419	.008 AND UP	2.41940 + .00040	.050	8
11	7456294		2.420	MASTER	2.42000 + .00004	.050	2
11	7456296	7456297	2.420	.001	2.42000 + .00008	.050	4
11	7456298		2.420	.002	2.42008 + .00012	.050	4
11	7456300		2.420	.004	2.42020 + .00016	.050	8
11	7456304		2.420	.008 AND UP	2.42040 + .00040	.050	8
11	7456308		2.421	MASTER	2.42100 + .00004	.050	2
11	7456310	7456311	2.421	.001	2.42100 + .00008	.050	4
11	7456312		2.421	.002	2.42108 + .00012	.050	4
11	7456314		2.421	.004	2.42120 + .00016	.050	8
11	7456318		2.421	.008 AND UP	2.42140 + .00040	.050	8
11	7456322		2.422	MASTER	2.42200 + .00004	.050	2
11	7456324	7456325	2.422	.001	2.42200 + .00008	.050	4
11	7456326		2.422	.002	2.42208 + .00012	.050	4
11	7456328		2.422	.004	2.42220 + .00016	.050	8
11	7456332		2.422	.008 AND UP	2.42240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456336		2.423	MASTER	2.42300 + .00004	.050	2
4	7456338	7456339	2.423	.001	2.42300 + .00008	.050	4
4	7456340		2.423	.002	2.42308 + .00012	.050	4
4	7456342		2.423	.004	2.42320 + .00016	.050	8
4	7456346		2.423	.008 AND UP	2.42340 + .00040	.050	8
4	7456350		2.424	MASTER	2.42400 + .00004	.050	2
4	7456352	7456353	2.424	.001	2.42400 + .00008	.050	4
4	7456354		2.424	.002	2.42408 + .00012	.050	4
4	7456356		2.424	.004	2.42420 + .00016	.050	8
4	7456360		2.424	.008 AND UP	2.42440 + .00040	.050	8
4	7456364		2.425	MASTER	2.42500 + .00004	.050	2
4	7456366	7456367	2.425	.001	2.42500 + .00008	.050	4
4	7456368		2.425	.002	2.42508 + .00012	.050	4
4	7456370		2.425	.004	2.42520 + .00016	.050	8
4	7456374		2.425	.008 AND UP	2.42540 + .00040	.050	8
4	7456378		2.426	MASTER	2.42600 + .00004	.050	2
4	7456380	7456381	2.426	.001	2.42600 + .00008	.050	4
4	7456382		2.426	.002	2.42608 + .00012	.050	4
4	7456384		2.426	.004	2.42620 + .00016	.050	8
4	7456388		2.426	.008 AND UP	2.42640 + .00040	.050	8
4	7456392		2.427	MASTER	2.42700 + .00004	.050	2
4	7456394	7456395	2.427	.001	2.42700 + .00008	.050	4
4	7456396		2.427	.002	2.42708 + .00012	.050	4
4	7456398		2.427	.004	2.42720 + .00016	.050	8
4	7456402		2.427	.008 AND UP	2.42740 + .00040	.050	8
4	7456406		2.428	MASTER	2.42800 .00004	.050	2
4	7456408	7456409	2.428	.001	2.42800 .00008	.050	4
4	7456410		2.428	.002	2.42808 + .00012	.050	4
4	7456412		2.428	.004	2.42820 + .00016	.050	8
4	7456416		2.428	.008 AND UP	2.42840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456420		2.429	MASTER	2.42900 + .00004	.050	2
4	7456422	7456423	2.429	.001	2.42900 + .00008	.050	4
4	7456424		2.429	.002	2.42908 + .00012	.050	4
4	7456426		2.429	.004	2.42920 + .00016	.050	8
4	7456430		2.429	.008 AND UP	2.42940 + .00040	.050	8
4	7456434		2.430	MASTER	2.43000 + .00004	.050	2
4	7456436	7456437	2.430	.001	2.43000 + .00008	.050	4
4	7456438		2.430	.002	2.43008 + .00012	.050	4
4	7456440		2.430	.004	2.43020 + .00016	.050	8
4	7456444		2.430	.008 AND UP	2.43040 + .00040	.050	8
4	7456448		2.431	MASTER	2.43100 + .00004	.050	2
4	7456450	7456451	2.431	.001	2.43100 + .00008	.050	4
4	7456452		2.431	.002	2.43108 + .00012	.050	4
4	7456454		2.431	.004	2.43120 + .00016	.050	8
4	7456458		2.431	.008 AND UP	2.43140 + .00040	.050	8
4	7456462		2.432	MASTER	2.43200 + .00004	.050	2
4	7456464	7456465	2.432	.001	2.43200 + .00008	.050	4
4	7456466		2.432	.002	2.43208 + .00012	.050	4
4	7456468		2.432	.004	2.43220 + .00016	.050	8
4	7456472		2.432	.008 AND UP	2.43240 + .00040	.050	8
4	7456476		2.433	MASTER	2.43300 + .00004	.050	2
4	7456478	7456479	2.433	.001	2.43300 + .00008	.050	4
4	7456480		2.433	.002	2.43308 + .00012	.050	4
4	7456482		2.433	.004	2.43320 + .00016	.050	8
4	7456486		2.433	.008 AND UP	2.43340 + .00040	.050	8
4	7456490		2.434	MASTER	2.43400 + .00004	.050	2
4	7456492	7456493	2.434	.001	2.43400 + .00008	.050	4
4	7456494		2.434	.002	2.43408 + .00012	.050	4
4	7456496		2.434	.004	2.43420 + .00016	.050	8
4	7456500		2.434	.008 AND UP	2.43440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE: FIIN-GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS: DIAMETER	PLUG GAGE DIMENSIONS: CHAMFER	FINISH
A	B	C	D	E	F	G	H
4	7456504		2.435	MASTER	2.43500 + .00004	.050	2
4	7456506	7456507	2.435	.001	2.43500 + .00008	.050	4
4	7456508		2.435	.002	2.43508 + .00012	.050	4
4	7456510		2.435	.004	2.43520 + .00016	.050	8
4	7456514		2.435	.008 AND UP	2.43540 + .00040	.050	8
4	7456518		2.436	MASTER	2.43600 + .00004	.050	2
4	7456520	7456521	2.436	.001	2.43600 + .00008	.050	4
4	7456522		2.436	.002	2.43608 + .00012	.050	4
4	7456524		2.436	.004	2.43620 + .00016	.050	8
4	7456528		2.436	.008 AND UP	2.43640 + .00040	.050	8
4	7456532		2.437	MASTER	2.43700 + .00004	.050	2
4	7456534	7456535	2.437	.001	2.43700 + .00008	.050	4
4	7456536		2.437	.002	2.43708 + .00012	.050	4
4	7456538		2.437	.004	2.43720 + .00016	.050	8
4	7456542		2.437	.008 AND UP	2.43740 + .00040	.050	8
4	7456546		2.4375	MASTER	2.43750 + .00004	.050	2
4	7497956	7497957	2.4375	.001	2.43750 + .00008	.050	4
4	7497958		2.4375	.002	2.43758 + .00012	.050	4
4	7497960		2.4375	.004	2.43770 + .00016	.050	8
4	7497964		2.4375	.008 AND UP	2.43790 + .00040	.050	8
4	7456548		2.438	MASTER	2.43800 + .00004	.050	2
4	7456550	7456551	2.438	.001	2.43800 + .00008	.050	4
4	7456552		2.438	.002	2.43808 + .00012	.050	4
4	7456554		2.438	.004	2.43820 + .00016	.050	8
4	7456558		2.438	.008 AND UP	2.43840 + .00040	.050	8
4	7456562		2.439	MASTER	2.43900 + .00004	.050	2
4	7456564	7456565	2.439	.001	2.43900 + .00008	.050	4
4	7456566		2.439	.002	2.43908 + .00012	.050	4
4	7456568		2.439	.004	2.43920 + .00016	.050	8
4	7456572		2.439	.008 AND UP	2.43940 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456576		2.440	MASTER	2.44000 + .00004	.050	2
4	7456578	7456579	2.440	.001	2.44000 + .00008	.050	4
4	7456580		2.440	.002	2.44008 + .00012	.050	4
4	7456582		2.440	.004	2.44020 + .00016	.050	8
4	7456586		2.440	.008 AND UP	2.44040 + .00040	.050	8
4	7456590		2.441	MASTER	2.44100 + .00004	.050	2
4	7456592	7456593	2.441	.001	2.44100 + .00008	.050	4
4	7456594		2.441	.002	2.44108 + .00012	.050	4
4	7456596		2.441	.004	2.44120 + .00016	.050	8
4	7456600		2.441	.008 AND UP	2.44140 + .00040	.050	8
4	7456604		2.442	MASTER	2.44200 + .00004	.050	2
4	7456606	7456607	2.442	.001	2.44200 + .00008	.050	4
4	7456608		2.442	.002	2.44208 .00012	.050	4
4	7456610		2.442	.004	2.44220 .00016	.050	8
4	7456614		2.442	.008 AND UP	2.44240 + .00040	.050	8
4	7456618		2.443	MASTER	2.44300 + .00004	.050	2
4	7456620	7456621	2.443	.001	2.44300 + .00008	.050	4
4	7456622		2.443	.002	2.44308 + .00012	.050	4
4	7456624		2.443	.004	2.44320 + .00016	.050	8
4	7456628		2.443	.008 AND UP	2.44340 + .00040	.050	8
4	7456632		2.444	MASTER	2.44400 + .00004	.050	2
4	7456634	7456635	2.444	.001	2.44400 + .00008	.050	4
4	7456636		2.444	.002	2.44408 + .00012	.050	4
4	7456638		2.444	.004	2.44420 + .00016	.050	8
4	7456642		2.444	.008 AND UP	2.44440 + .00040	.050	8
4	7456646		2.445	MASTER	2.44500 + .00004	.050	2
4	7456648	7456649	2.445	.001	2.44500 + .00008	.050	4
4	7456650		2.445	.002	2.44508 + .00012	.050	4
4	7456652		2.445	.004	2.44520 + .00016	.050	8
4	7456656		2.445	.008 AND UP	2.44540 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456660		2.446	MASTER	2.44600 + .00004	.050	2
4	7456662	7456663	2.446	.001	2.44600 + .00008	.050	4
4	7456664		2.446	.002	2.44608 + .00012	.050	4
4	7456666		2.446	.004	2.44620 + .00016	.050	8
4	7456670		2.446	.008 AND UP	2.44640 + .00040	.050	8
4	7456674		2.447	MASTER	2.44700 + .00004	.050	2
4	7456676	7456677	2.447	.001	2.44700 + .00008	.050	4
4	7456678		2.447	.002	2.44708 + .00012	.050	4
4	7456680		2.447	.004	2.44720 + .00016	.050	8
4	7456684		2.447	.008 AND UP	2.44740 + .00040	.050	8
4	7456688		2.448	MASTER	2.44800 + .00004	.050	2
4	7456690	7456691	2.448	.001	2.44800 + .00008	.050	4
4	7456692		2.448	.002	2.44808 + .00012	.050	4
4	7456694		2.448	.004	2.44820 + .00016	.050	8
4	7456698		2.448	.008 AND UP	2.44840 + .00040	.050	8
4	7456702		2.449	MASTER	2.44900 + .00004	.050	2
4	7456704	7456705	2.449	.001	2.44900 + .00008	.050	4
4	7456706		2.449	.002	2.44908 + .00012	.050	4
4	7456708		2.449	.004	2.44920 + .00016	.050	8
4	745671[illegible]		2.449	.008 AND UP	2.44940 + .00040	.050	8
4	7456716		2.450	MASTER	2.45000 + .00004	.050	2
4	7456718	7456719	2.450	.001	2.45000 + .00008	.050	4
4	7456720		2.450	.002	2.45008 + .00012	.050	4
4	7456722		2.450	.004	2.45020 + .00016	.050	8
4	7456726		2.450	.008 AND UP	2.45040 + .00040	.050	8
4	7456730		2.451	MASTER	2.45100 + .00004	.050	2
4	7456732	7456733	2.451	.001	2.45100 + .00008	.050	4
4	7456734		2.451	.002	2.45108 + .00012	.050	4
4	7456736		2.451	.004	2.45120 + .00016	.050	8
4	7456740		2.451	.008 AND UP	2.45140 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	MIL-STD PART NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456744		2.452	MASTER	2.45200 + .00004	.050	2
4	7456746	7456747	2.452	.001	2.45200 + .00008	.050	4
4	7456748		2.452	.002	2.45208 + .00012	.050	4
4	7456750		2.452	.004	2.45220 + .00016	.050	8
4	7456754		2.452	.008 AND UP	2.45240 + .00040	.050	8
4	7456758		2.453	MASTER	2.45300 + .00004	.050	2
4	7456760	7456761	2.453	.001	2.45300 + .00008	.050	4
4	7456762		2.453	.002	2.45308 + .00012	.050	4
4	7456764		2.453	.004	2.45320 + .00016	.050	8
4	7456768		2.453	.008 AND UP	2.45340 + .00040	.050	8
4	7456772		2.454	MASTER	2.45400 + .00004	.050	2
4	7456774	7456775	2.454	.001	2.45400 + .00008	.050	4
4	7456776		2.454	.002	2.45408 + .00012	.050	4
4	7456778		2.454	.004	2.45420 + .00016	.050	8
4	7456782		2.454	.008 AND UP	2.45440 + .00040	.050	8
4	7456786		2.455	MASTER	2.45500 + .00004	.050	2
4	7456788	7456789	2.455	.001	2.45500 + .00008	.050	4
4	7456790		2.455	.002	2.45508 + .00012	.050	4
4	7456792		2.455	.004	2.45520 + .00016	.050	8
4	7456796		2.455	.008 AND UP	2.45540 + .00040	.050	8
4	7456800		2.456	MASTER	2.45600 + .00004	.050	2
4	7456802	7456803	2.456	.001	2.45600 + .00008	.050	4
4	7456804		2.456	.002	2.45608 + .00012	.050	4
4	7456806		2.456	.004	2.45620 + .00016	.050	8
4	7456810		2.456	.008 AND UP	2.45640 + .00040	.050	8
4	7456814		2.457	MASTER	2.45700 .00004	.050	2
4	7456816	7456817	2.457	.001	2.45700 .00008	.050	4
4	7456818		2.457	.002	2.45708 .00012	.050	4
4	7456820		2.457	.004	2.45720 + 00016	.050	8
4	7456824		2.457	.008 AND UP	2.45740 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tubulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456828		2.458	MASTER	2.45800 + .00004	.050	2
4	7456830	7456831	2.458	.001	2.45800 + .00008	.050	4
4	7456832		2.458	.002	2.45808 + .00012	.050	4
4	7456834		2.458	.004	2.45820 + .00016	.050	8
4	7456838		2.458	.008 AND UP	2.45840 + .00040	.050	8
4	7456842		2.459	MASTER	2.45900 + .00004	.050	2
4	7456844	7456845	2.459	.001	2.45900 + .00008	.050	4
4	7456846		2.459	.002	2.45908 + .00012	.050	4
4	7456848		2.459	.004	2.4592 + .00016	.050	8
4	7456852		2.459	.008 AND UP	2.45940 + .00040	.050	8
4	7456856		2.460	MASTER	2.46000 .00004	.050	2
4	7456858	7456859	2.460	.001	2.46000 .00008	.050	4
4	7456860		2.460	.002	2.46008 + .00012	.050	4
4	7456862		2.460	.004	2.46020 + .00016	.050	8
4	7456866		2.460	.008 AND UP	2.46040 + .00040	.050	8
4	7456870		2.461	MASTER	2.46100 + .00004	.050	2
4	7456872	7456873	2.461	.001	2.46100 + .00008	.050	4
4	7456874		2.461	.002	2.46108 + .00012	.050	4
4	7456876		2.461	.004	2.46120 + .00016	.050	8
4	7456880		2.461	.008 AND UP	2.46140 + .00040	.050	8
4	7456884		2.462	MASTER	2.46200 + .00004	.050	2
4	7456886	7456887	2.462	.001	2.46200 + .00008	.050	4
4	7456888		2.462	.002	2.46208 + .00012	.050	4
4	7456890		2.462	.004	2.46220 + .00016	.050	8
4	7456894		2.462	.008 AND UP	2.46240 + .00040	.050	8
4	7456898		2.463	MASTER	2.46300 + .00004	.050	2
4	7456900	7456901	2.463	.001	2.46300 + .00008	.050	4
4	7456902		2.463	.002	2.46308 + .00012	.050	4
4	7456904		2.463	.004	2.46320 + .00016	.050	8
4	7456908		2.463	.008 AND UP	2.46340 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456912	7456915	2.464	MASTER	2.46400 + .00004	.050	2
4	7456914		2.464	.001	2.46400 + .00008	.050	4
4	7456916		2.464	.002	2.46408 + .00012	.050	4
4	7456918		2.464	.004	2.46420 + .00016	.050	8
4	7456922		2.464	.008 AND UP	2.46440 + .00040	.050	8
4	7456926	7456929	2.465	MASTER	2.46500 + .00004	.050	2
4	7456928		2.465	.001	2.46500 + .00008	.050	4
4	7456930		2.465	.002	2.46508 + .00012	.050	4
4	7456932		2.465	.004	2.46520 + .00016	.050	8
4	7456936		2.465	.008 AND UP	2.46540 + .00040	.050	8
4	7456940	7456943	2.466	MASTER	2.46600 + .00004	.050	2
4	7456942		2.466	.001	2.46600 + .00008	.050	4
4	7456944		2.466	.002	2.46608 + .00012	.050	4
4	7456946		2.466	.004	2.46620 + .00016	.050	8
4	7456950		2.466	.008 AND UP	2.46640 + .00040	.050	8
4	7456954	7456957	2.467	MASTER	2.46700 + .00004	.050	2
4	7456956		2.467	.001	2.46700 + .00008	.050	4
4	7456958		2.467	.002	2.46708 + .00012	.050	4
4	7456960		2.467	.004	2.46720 + .00016	.050	8
4	7456964		2.467	.008 AND UP	2.46740 + .00040	.050	8
4	7456968	7456971	2.468	MASTER	2.46800 + .00004	.050	2
4	7456970		2.468	.001	2.46800 + .00008	.050	4
4	7456972		2.468	.002	2.46808 + .00012	.050	4
4	7456974		2.468	.004	2.46820 + .00016	.050	8
4	7456978		2.468	.008 AND UP	2.46840 + .00040	.050	8
4	7456982	7497969	2.46875	MASTER	2.46875 + .00004	.050	2
4	7497968		2.46875	.001	2.46875 + .00008	.050	4
4	7497970		2.46875	.002	2.46883 + .00012	.050	4
4	7497972		2.46875	.004	2.46895 + .00016	.050	8
4	7497976		2.46875	.008 AND UP	2.46915 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456984		2.469	MASTER	2.46900 + .00004	.050	2
4	7456986	7456987	2.469	.001	2.46900 + .00008	.050	4
4	7456988		2.469	.002	2.46908 + .00012	.050	4
4	7456990		2.469	.004	2.46920 + .00016	.050	8
4	7456994		2.469	.008 AND UP	2.46940 + .00040	.050	8
4	7456998		2.470	MASTER	2.47000 + .00004	.050	2
4	7457000	7457001	2.470	.001	2.47000 + .00008	.050	4
4	7457002		2.470	.002	2.47008 + .00012	.050	4
4	7457004		2.470	.004	2.47020 + .00016	.050	8
4	7457008		2.470	.008 AND UP	2.47040 + .00040	.050	8
4	7457012		2.471	MASTER	2.47100 + .00004	.050	2
4	7457014	7457015	2.471	.001	2.47100 + .00008	.050	4
4	7457016		2.471	.002	2.47108 + .00012	.050	4
4	7457018		2.471	.004	2.47120 + .00016	.050	8
4	7457022		2.471	.008 AND UP	2.47140 + .00040	.050	8
4	7457026		2.472	MASTER	2.47200 + .00004	.050	2
4	7457028	7457029	2.472	.001	2.47200 + .00008	.050	4
4	7457030		2.472	.002	2.47208 + .00012	.050	4
4	7457032		2.472	.004	2.47220 + .00016	.050	8
4	7457036		2.472	.008 AND UP	2.47240 + .00040	.050	8
4	7457040		2.473	MASTER	2.47300 + .00004	.050	2
4	7457042	7457043	2.473	.001	2.47300 .00008	.050	4
4	7457044		2.473	.002	2.47308 .00012	.050	4
4	7457046		2.473	.004	2.47320 + .00016	.050	8
4	7457050		2.473	.008 AND UP	2.47340 + 00040	.050	8
4	7457054		2.474	MASTER	2.47400 + .00004	.050	2
4	7457056	7457057	2.474	.001	2.47400 + .00008	.050	4
4	7457058		2.474	.002	2.47408 + .00012	.050	4
4	7457060		2.474	.004	2.47420 + .00016	.050	8
4	7457064		2.474	.008 AND UP	2.47440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7457068	7457071	2.475	MASTER	2.47500 + .00004	.050	2
4	7457070		2.475	.001	2.47500 + .00008	.050	4
4	7457072		2.475	.002	2.47508 + .00012	.050	4
4	7457074		2.475	.004	2.47520 + .00016	.050	8
4	7457078		2.475	.008 AND UP	2.47540 + .00040	.050	8
4	7457082	7457085	2.476	MASTER	2.47600 + .00004	.050	2
4	7457084		2.476	.001	2.47600 + .00008	.050	4
4	7457086		2.476	.002	2.47608 + .00012	.050	4
4	7457088		2.476	.004	2.47620 + .00016	.050	8
4	7457092		2.476	.008 AND UP	2.47640 + .00040	.050	8
4	7457096	7457099	2.477	MASTER	2.47700 + .00004	.050	2
4	7457098		2.477	.001	2.47700 + .00008	.050	4
4	7457100		2.477	.002	2.47708 + .00012	.050	4
4	7457102		2.477	.004	2.47720 + .00016	.050	8
4	7457106		2.477	.008 AND UP	2.47740 + .00040	.050	8
4	7457110	7457113	2.478	MASTER	2.47800 + .00004	.050	2
4	7457112		2.478	.001	2.47800 + .00008	.050	4
4	7457114		2.478	.002	2.47808 + .00012	.050	4
4	7457116		2.478	.004	2.47820 + .00016	.050	8
4	7457120		2.478	.008 AND UP	2.47840 + .00040	.050	8
4	7457124	7457127	2.479	MASTER	2.47900 + .00004	.050	2
4	7457126		2.479	.001	2.47900 + .00008	.050	4
4	7457128		2.479	.002	2.47908 + .00012	.050	4
4	7457130		2.479	.004	2.47920 + .00016	.050	8
4	7457134		2.479	.008 AND UP	2.47940 + .00040	.050	8
4	7457138	7457141	2.480	MASTER	2.48000 + .00004	.050	2
4	7457140		2.480	.001	2.48000 + .00008	.050	4
4	7457142		2.480	.002	2.48008 + .00012	.050	4
4	7457144		2.480	.004	2.48020 + .00016	.050	8
4	7457148		2.480	.008 AND UP	2.48040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7457152	7457155	2.481	MASTER	2.48100 + .00004	.050	2
4	7457154		2.481	.001	2.48100 + .00008	.050	4
4	7457156		2.481	.002	2.48108 + .00012	.050	4
4	7457158		2.481	.004	2.48120 + .00016	.050	8
4	7457160		2.481	.008 AND UP	2.48140 + .00040	.050	8
4	7457166	7457169	2.482	MASTER	2.48200 + .00004	.050	2
4	7457168		2.482	.001	2.48200 + .00008	.050	4
4	7457170		2.482	.002	2.48208 + .00012	.050	4
4	7457172		2.482	.004	2.48220 + .00016	.050	8
4	7457176		2.482	.008 AND UP	2.48240 + .00040	.050	8
4	7457180	7457183	2.483	MASTER	2.48300 + .00004	.050	2
4	7457182		2.483	.001	2.48300 + .00008	.050	4
4	7457184		2.483	.002	2.48308 + .00012	.050	4
4	7457186		2.483	.004	2.48320 + .00016	.050	8
4	7457190		2.483	.008 AND UP	2.48340 + .00040	.050	8
4	7457194	7457197	2.484	MASTER	2.48400 + .00004	.050	2
4	7457196		2.484	.001	2.48400 + .00008	.050	4
4	7457198		2.484	.002	2.48408 + .00012	.050	4
4	7457200		2.484	.004	2.48420 + .00016	.050	8
4	7457204		2.484	.008 AND UP	2.48440 + .00040	.050	8
4	7457208	7457211	2.485	MASTER	2.48500 + .00004	.050	2
4	7457210		2.485	.001	2.48500 + .00008	.050	4
4	7457212		2.485	.002	2.48508 + .00012	.050	4
4	7457214		2.485	.004	2.48520 + .00016	.050	8
4	7457218		2.485	.008 AND UP	2.48540 + .00040	.050	8
4	7457222	7457225	2.486	MASTER	2.48600 + .00004	.050	2
4	7457224		2.486	.001	2.48600 + .00008	.050	4
4	7457226		2.486	.002	2.48608 + .00012	.050	4
4	7457228		2.486	.004	2.48620 + .00016	.050	8
4	7457232		2.486	.008 AND UP	2.48640 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and ification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7457236		2.487	MASTER	2.48700 + .00004	.050	2
4	7457238	7457239	2.487	.001	2.48700 + .00008	.050	4
4	7457240		2.487	.002	2.48708 + .00012	.050	4
4	7457242		2.487	.004	2.48720 + .00016	.050	8
4	7457246		2.487	.008 AND UP	2.48740 + .00040	.050	8
4	7457250		2.488	MASTER	2.48800 + .00004	.050	2
4	7457252	7457253	2.488	.001	2.48800 + .00008	.050	4
4	7457254		2.488	.002	2.48808 + .00012	.050	4
4	7457256		2.488	.004	2.48820 + .00016	.050	8
4	7457260		2.488	.008 AND UP	2.48840 + .00040	.050	8
4	7457264		2.489	MASTER	2.48900 + .00004	.050	2
4	7457266	7457267	2.489	.001	2.48900 + .00008	.050	4
4	7457268		2.489	.002	2.48908 + .00012	.050	4
4	7457270		2.489	.004	2.48920 + .00016	.050	8
4	7457274		2.489	.008 AND UP	2.48940 + .00040	.050	8
4	7457278		2.490	MASTER	2.49000 + .00004	.050	2
4	7457280	7457281	2.490	.001	2.49000 + .00008	.050	4
4	7457282		2.490	.002	2.49008 + .00012	.050	4
4	7457284		2.490	.004	2.49020 + .00016	.050	8
4	7457288		2.490	.008 AND UP	2.49040 + .00040	.050	8
4	7457292		2.491	MASTER	2.49100 + .00004	.050	2
4	7457294	7457295	2.491	.001	2.49100 + .00008	.050	4
4	7457296		2.491	.002	2.49108 + .00012	.050	4
4	7457298		2.491	.004	2.49120 + .00016	.050	8
4	7457302		2.491	.008 AND UP	2.49140 + .00040	.050	8
4	7457306		2.492	MASTER	2.49200 + .00004	.050	2
4	7457308	7457309	2.492	.001	2.49200 + .00008	.050	4
4	7457310		2.492	.002	2.49208 + .00012	.050	4
4	7457312		2.492	.004	2.49220 + .00016	.050	8
4	7457316		2.492	.008 AND UP	2.49240 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Da : (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN – GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7457320		2.493	MASTER	2.49300 + .00004	.050	2
4	7457322	7457323	2.493	.001	2.49300 + .00008	.050	4
4	7457324		2.493	.002	2.49308 + .00012	.050	4
4	7457326		2.493	.004	2.49320 + .00016	.050	8
4	7457330		2.493	.008 AND UP	2.49340 + .00040	.050	8
4	7457334		2.494	MASTER	2.49400 + .00004	.050	2
4	7457336	7457337	2.494	.001	2.49400 + .00008	.050	4
4	7457338		2.494	.002	2.49408 + .00012	.050	4
4	7457340		2.494	.004	2.49420 + .00016	.050	8
4	7457344		2.494	.008 AND UP	2.49440 + .00040	.050	8
4	7457348		2.495	MASTER	2.49500 + .00004	.050	2
4	7457350	7457351	2.495	.001	2.49500 + .00008	.050	4
4	7457352		2.495	.002	2.49508 + .00012	.050	4
4	7457354		2.495	.004	2.49520 + .00016	.050	8
4	7457358		2.495	.008 AND UP	2.49540 + .00040	.050	8
4	7457362		2.496	MASTER	2.49600 + .00004	.050	2
4	7457364	7457365	2.496	.001	2.49600 + .00008	.050	4
4	7457366		2.496	.002	2.49608 + .00012	.050	4
4	7457368		2.496	.004	2.49620 + .00016	.050	8
4	7457[illegible]		2.496	.008 AND UP	2.49640 + .00040	.050	8
4	7457376		2.497	MASTER	2.49700 + .00004	.050	2
4	7457378	7457379	2.497	.001	2.49700 + .00008	.050	4
4	7457380		2.497	.002	2.49708 + .00012	.050	4
4	7457382		2.497	.004	2.49720 + .00016	.050	8
4	7457386		2.497	.008 AND UP	2.49740 + .00040	.050	8
4	7457390		2.498	MASTER	2.49800 + .00004	.050	2
4	7457392	7457393	2.498	.001	2.49800 + .00008	.050	4
4	7457394		2.498	.002	2.49808 + .00012	.050	4
4	7457396		2.498	.004	2.49820 + .00016	.050	8
4	7457400		2.498	.008 AND UP	2.49840 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7457401		2.499	MASTER	2.49900 + .00004	.050	2
4	7457406	7457407	2.499	.001	2.49900 + .00008	.050	4
4	7457408		2.499	.002	2.49908 + .00012	.050	4
4	7457410		2.499	.004	2.49920 + .00016	.050	8
4	7457414		2.499	.008 AND UP	2.49940 + .00040	.050	8
4	7457418		2.500	MASTER	2.50000 + .00004	.050	2
4	7457420	7457421	2.500	.001	2.50000 + .00008	.050	4
4	7457422		2.500	.002	2.50008 + .00012	.050	4
4	7457424		2.500	.004	2.50020 + .00016	.050	8
4	7457428		2.500	.008 AND UP	2.50040 + .00040	.050	8
4	7457432		2.501	MASTER	2.50100 + .00004	.050	2
4	7457434	7457435	2.501	.001	2.50100 + .00008	.050	4
4	7457436		2.501	.002	2.50108 + .00012	.050	4
4	7457438		2.501	.004	2.50120 + .00016	.050	8
4	7457442		2.501	.008 AND UP	2.50140 + .00040	.050	8
4	7457446		2.502	MASTER	2.50200 + .00004	.050	2
4	7457448	7457449	2.502	.001	2.50200 + .00008	.050	4
4	7457450		2.502	.002	2.50208 + .00012	.050	4
4	7457452		2.502	.004	2.50220 + .00016	.050	8
4	7457456		2.502	.008 AND UP	2.50240 + .00040	.050	8
4	7457460		2.503	MASTER	2.50300 + .00004	.050	2
4	7457462	7457463	2.503	.001	2.50300 + .00008	.050	4
4	7457464		2.503	.002	2.50308 + .00012	.050	4
4	7457466		2.503	.004	2.50320 + .00016	.050	8
4	7457470		2.503	.008 AND UP	2.50340 + .00040	.050	8
4	7457474		2.504	MASTER	2.50400 + .00004	.050	2
4	7457476	7457477	2.504	.001	2.50400 + .00008	.050	4
4	7457478		2.504	.002	2.50408 + .00012	.050	4
4	7457480		2.504	.004	2.50420 + .00016	.050	8
4	7457484		2.504	.008 AND UP	2.50440 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table I. Tabulation of Design and Identification Da s (Continued)

FIG. NO.	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITHOUT AIR GROOVE	MARKING ON GAGE HANDLE — FIIN—GAGE STOCK NO. WITH AIR GROOVE	MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PL IG GAGE DIMENSIONS — DIAMETER	PL IG GAGE DIMENSIONS — CHAMFER	FINISH
A	B	C	D	E	F	G	H
	7457488		2.505	MASTER	2.50500 + .00004	.050	2
	7457490	7457491	2.505	.001	2.50500 + .00008	.050	4
	7457492		2.505	.002	2.50508 + .00012	.050	4
	7457494		2.505	.004	2.50520 + .00016	.050	8
	7457498		2.505	.008 AND UP	2.50540 + .00040	.050	8
	7457502		2.506	MASTER	2.50600 + .00004	.050	2
	7457504	7457505	2.506	.001	2.50600 + .00008	.050	4
	7457506		2.506	.002	2.50608 + .00012	.050	4
	7457508		2.506	.004	2.50620 + .00016	.050	8
	7457512		2.506	.008 AND UP	2.50640 + .00040	.050	8
	7457516		2.507	MASTER	2.50700 + .00004	.050	2
	7457518	7457519	2.507	.001	2.50700 + .00008	.050	4
	7457520		2.507	.002	2.50708 + .00012	.050	4
	7457522		2.507	.004	2.50720 + .00016	.050	8
	7457526		2.507	.008 AND UP	2.50740 + .00040	.050	8
	7457530		2.508	MASTER	2.50800 + .00004	.050	2
	7457532	7457553	2.508	.001	2.50800 + .00008	.050	4
	7457534		2.508	.002	2.50808 + .00012	.050	4
	7457538		2.508	.004	2.50820 + .00016	.050	8
	7457540		2.508	.008 AND UP	2.50840 + .00040	.050	8
	7457544		2.509	MASTER	2.50900 + .00004	.050	2
	7457546	7457547	2.509	.001	2.50900 + .00008	.050	4
	7457548		2.509	.002	2.50908 + .00012	.050	4
	7457550		2.509	.004	2.50920 + .00016	.050	8
	7457554		2.509	.008 AND UP	2.50940 + .00040	.050	8
	7457558		2.510	MASTER	2.51000 + .00004	.050	2
	7457560	7457561	2.510	.001	2.51000 + .00008	.050	4
	7457562		2.510	.002	2.51008 + .00012	.050	4
	7457564		2.510	.004	2.51020 + .00016	.050	8
	7457568		2.510	.008 AND UP	2.51040 + .00040	.050	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table II. Listing of Gage Stock Numbers in Numerical Sequence

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7457572	1.988	339		7497258	.21875	37		7497334	.4375	75
7457574	1.988	339		7497259	.21875	37		7497338	.4375	75
7457575	1.988	339		7497262	.21875	37		7497342	.46875	80
7457576	1.988	339		7497264	.21875	37		7497343	.46875	80
7457578	1.988	339		7497268	.21875	37		7497346	.46875	80
7457582	1.988	339		7497272	.28125	48		7497348	.46875	80
7497198	.03125	8		7497273	.28125	48		7497352	.46875	80
7497199	.03125	8		7497276	.28125	48		7497356	.53125	91
7497202	.03125	8		7497278	.28125	48		7497357	.53125	91
7497204	.03125	8		7497282	.28125	48		7497360	.53125	91
7497206	.0625	12		7497286	.3125	53		7497362	.53125	91
7497207	.0625	12		7497287	.3125	53		7497366	.53125	91
7497210	.0625	12		7497290	.3125	53		7497370	.5625	96
7497212	.0625	12		7497292	.3125	53		7497371	.5625	96
7497218	.09375	17		7497296	.3125	53		7497374	.5625	96
7497219	.09375	17		7497300	.34375	59		7497376	.5625	96
7497222	.09375	17		7497301	.34375	59		7497380	.5625	96
7497224	.09375	17		7497304	.34375	59		7497384	.59375	101
7497230	.15625	27		7497306	.34375	59		7497385	.59375	101
7497231	.15625	27		7497310	.34375	59		7497388	.59375	101
7497234	.15625	27		7497314	.40625	69		7497390	.59375	101
7497236	.15625	27		7497315	.40625	69		7497394	.59375	101
7497240	.15625	27		7497318	.40625	69		7497398	.65625	112
7497244	.187	32		7497320	.40625	69		7497399	.65625	112
7497245	.1875	32		7497324	.40625	69		7497402	.65625	112
7497248	.1875	32		7497328	.4375	75		7497404	.65625	112
7497250	.1875	32		7497329	.4375	75		7497408	.65625	112
7497254	.1875	32		7497332	.4375	75		7497412	.6875	117

* Applicable Page No. in Table I for Design and Identification Data

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table II. Listing of Gage Stock Numbers in Numerical Sequence (Continued)

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7497413	.6875	117		7497492	.90625	155		7497570	1.15625	197
7497416	.6875	117		7497496	.9375	160		7497572	1.15625	197
7497418	.6875	117		7497497	.9375	160		7497576	1.15625	197
7497422	.6875	117		7497500	.9375	160		7497580	1.1875	203
7497426	.71875	123		7497502	.9375	160		7497581	1.1875	203
7497427	.71875	123		7497506	.9375	160		7497584	1.1875	203
7497430	.71875	123		7497510	.96875	165		7497586	1.1875	203
7497432	.71875	123		7497511	.96875	165		7497590	1.1875	203
7497436	.71875	123		7497514	.96875	165		7497594	1.21875	208
7497440	.78125	133		7497516	.96875	165		7497595	1.21875	208
7497441	.78125	133		7497520	.96875	165		7497598	1.21875	208
7497444	.78125	133		7497524	1.03125	176		7497600	1.21875	208
7497446	.78125	133		7497525	1.03125	176		7497604	1.21875	208
7497450	.78125	133		7497528	1.03125	176		7497608	1.28125	219
7497454	.8125	139		7497530	1.03125	176		7497609	1.28125	219
7497455	.8125	139		7497534	1.03125	176		7497612	1.28125	219
7497458	.8125	139		7497538	1.0625	181		7497614	1.28125	219
7497460	.8125	139		7497539	1.0625	181		7497618	1.28125	219
7497464	.8125	139		7497542	1.0625	181		7497622	1.3125	224
7497468	.84375	144		7497544	1.0625	181		7497623	1.3125	224
7497469	.84375	144		7497548	1.0625	181		7497626	1.3125	224
7497472	.84375	144		7497552	1.09375	187		7497628	1.3125	224
7497474	.84375	144		7497553	1.09375	187		7497632	1.3125	224
7497478	.84375	144		7497556	1.09375	187		7497636	1.34375	229
7497482	.90625	155		7497558	1.09375	187		7497637	1.34375	229
7497483	.90625	155		7497562	1.09375	187		7497640	1.34375	229
7497486	.90625	155		7497566	1.15625	197		7497642	1.34375	229
7497488	.90625	155		7497567	1.15625	197		7497646	1.34375	229

* Applicable Page No. in Table I for Design and Identification Data

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table II. Listing of Gage Stock Numbers in Numerical Sequence (Continued)

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7497650	1.40625	240		7497720	1.59375	272		7497789	1.84375	315
7497651	1.40625	240		7497724	1.59375	272		7497790	1.84375	315
7497654	1.40625	240		7497728	1.65625	283		7497792	1.84375	315
7497656	1.40625	240		7497729	1.65625	283		7497796	1.84375	315
7497660	1.40625	240		7497730	1.65625	283		7497800	1.90625	325
7497664	1.4375	245		7497732	1.65625	283		7497801	1.90625	325
7497665	1.4375	245		7497736	1.65625	283		7497802	1.90625	325
7497668	1.4375	245		7497740	1.6875	288		7497804	1.90625	325
7497670	1.4375	245		7497741	1.6875	288		7497808	1.90625	325
7497674	1.4375	245		7497742	1.6875	288		7497812	1.9375	331
7497678	1.46875	251		7497744	1.6875	288		7497813	1.9375	331
7497679	1.46875	251		7497748	1.6875	288		7497814	1.9375	331
7497682	1.46875	251		7497752	1.71875	293		7497816	1.9375	331
7497684	1.46875	251		7497753	1.71875	293		7497820	1.9375	331
7497688	1.46875	251		7497754	1.71875	293		7497824	1.96875	336
7497692	1.53125	261		7497756	1.71875	293		7497825	1.96875	336
7497693	1.53125	261		7497760	1.71875	293		7497826	1.96875	336
7497694	1.53125	261		7497764	1.78125	304		7497828	1.96875	336
7497696	1.53125	261		7497765	1.78125	304		7497832	1.96875	336
7497700	1.53125	261		7497766	1.78125	304		7497836	2.03125	347
7497704	1.5625	267		7497768	1.78125	304		7497837	2.03125	347
7497705	1.5625	267		7497772	1.78125	304		7497838	2.03125	347
7497706	1.5625	267		7497776	1.8125	309		7497840	2.03125	347
7497708	1.5625	267		7497777	1.8125	309		7497844	2.03125	347
7497712	1.5625	267		7497778	1.8125	309		7497848	2.0625	352
7497716	1.59375	272		7497780	1.8125	309		7497849	2.0625	352
7497717	1.59375	272		7497784	1.8125	309		7497850	2.0625	352
7497718	1.59375	272		7497788	1.84375	315		7497852	2.0625	352

* Applicable Page No. in Table I for Design and Identification Data

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Table II. Listing of Gage Stock Numbers in Numerical Sequence (Continued)

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7497856	2.0625	352		7497897	2.21875	379		7497936	2.34375	400
7497860	2.09375	357		7497898	2.21875	379		7497940	2.34375	400
7497861	2.09375	357		7497900	2.21875	379		7497944	2.40625	411
7497862	2.09375	357		7497904	2.21875	379		7497945	2.40625	411
7497864	2.09375	357		7497908	2.28125	389		7497946	2.40625	411
7497868	2.09375	357		7497909	2.28125	389		7497948	2.40625	411
7497872	2.15625	368		7497910	2.28125	389		7497952	2.40625	411
7497873	2.15625	368		7497912	2.28125	389		7497956	2.4375	416
7497874	2.15625	368		7497916	2.28125	389		7497957	2.4375	416
7497876	2.15625	368		7497920	2.3125	395		7497958	2.4375	416
7497880	2.15625	368		7497921	2.3125	395		7497960	2.4375	416
7497834	2.1875	373		7497922	2.3125	395		7497964	2.4375	416
7497885	2.1875	373		7497924	2.3125	395		7497968	2.46875	421
7497886	2.1875	373		7497928	2.3125	395		7497969	2.46875	421
7497888	2.1875	373		7497932	2.34375	400		7497970	2.46875	421
7497892	2.18[illegible]5	373		7497933	2.34375	400		7497972	2.46875	421
7497896	2.21875	379		7497934	2.34375	400		7497976	2.46875	421

* Applicable Page No. in Table I for Design and Identification Data

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.

Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.

Copies of this standard for military use may be obtained as indicated in the foreword to the Index of Military Specifications and Standards.

Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.

Both the title and the identifying symbol number should be stipulated when requesting copies of military standards.

Custodians:
Army-Ordnance Corps
Navy-Bureau of Ordnance
Air Force

Other interests:
Army-CMEQSig
Navy-ShMdSYMCACG.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:25Z
Check the source to verify that this is the current version before use.