METRIC

DOD−A−10825A
AMENDMENT 1
25 October 1994

MILITARY SPECIFICATION

ALUMINUM OXIDE, ANHYDROUS, ANALYZED REAGENT (METRIC)

This amendment forms a part of DOD−A−10825A, dated 22 October 1979, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Para 2.1: Under "STANDARDS, MILITARY", delete "MIL−STD−1188 − Commercial Packaging of Supplies and Equipment"

Para 2.2: Under "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM) STANDARDS", add "D 3951 − Commercial Packaging"

PAGE 7

Para 5.1.1.1: Delete in its entirety

PAGE 8

Para 5.1.2.1: Delete in its entirety

Para 5.1.3, line 2: Delete "MIL−STD−1188" and substitute "ASTM D 3951"

Para 5.2: Renumber as "5.3" and insert new paras 5.2, 5.2.1, 5.2.2, and 5.2.3 as follows:

"**5.2 Intermediate packing.** Aluminum oxide shall be intermediate packed level A, B, or

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:27Z
Check the source to verify that this is the current version before use.

commercial as specified (see 6.2).

5.2.1 Level A. Twelve bottles of aluminum oxide unit packed as specified in 5.1 shall be intermediate packed upright in a close fitting fiberboard box furnished with full bottle height partitions. The box shall conform to PPP−B−636, style RSC−L, grade W5c or W6c. The partitions shall form a close fitting cell for each unit pack, and their flutes shall be parallel to the vertical dimension of the box. Motion of the contents of the box shall be prevented by the insertion, as needed, of fiberboard filler pads and partitions formed from the same material as that of the box. The box shall be closed as specified in PPP−B−636 for closure of interior containers.

5.2.2 Level B. Twelve bottles of aluminum oxide shall be intermediate packed as specified in 5.2.1, except that the box shall conform to PPP−B−636, style RSC−L, class domestic, variety SW, grade 125.

5.2.3 Commercial. Twelve bottles of aluminum oxide unit packed as specified in 5.1.3 shall be intermediately packed in accordance with ASTM D 3951."

Para 5.2.1, line 1: Renumber as "5.3.1"
line 2: Delete "level A"

Para 5.2.2, line 1: Renumber as "5.3.2"
line 2: Delete "level B"
line 4: Delete "not be required" and substitute "be in accordance with PPP−B−636"

Para 5.2.3, line 1: Renumber as "5.3.3"
line 2: Delete "MIL−STD−1188" and substitute "ASTM D 3951"

Para 5.3: Renumber as "5.4"

Para 5.4, lines 1 through 5: Delete and substitute the following:

"**5.5 Marking.** Unit packs, intermediate packs, packs, and palletized loads shall be marked in accordance with MIL−STD−129. In addition, each unit pack, intermediate pack, and pack shall be labeled or marked to show the following information:"

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:27Z
Check the source to verify that this is the current version before use.

PAGE 9

Para 6.2(b): Delete in its entirety and substitute the following:

"(b) Level of unit packing, intermediate packing, and packing required (see 5.1, 5.2, and 5.3)"

Custodian:

Army − EA
Air Force − 68

Preparing activity:

Army − EA

Project No. 6810−1326

Review activities:

Army − MD
DLA − GS

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:27Z
Check the source to verify that this is the current version before use.