MIL-S-10742B
9 March 1984
SUPERSEDING
MIL-S-10742A
1 May 1952

MILITARY SPECIFICATION

SHROUD, BALLOON ML-424( )/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers one type of meteorological balloon shroud designated as Shroud, Balloon ML-424( )/U (see 6.4).

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified, the following specifications, and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein:

SPECIFICATIONS

MILITARY

MIL-P-116	- Preservation, Methods Of.
MIL-E-55585	- Electronic Equipment And Parts, Packaging Of.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures And Tables For Inspection By Attributes.
MIL-STD-130	- Identification Marking of US Military Property.
MIL-STD-726	- Packaging Requirements Code.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Electronics Research and Development Command, ATTN: DELCS-PE, Fort Monmouth, NJ 07703 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6660

Source: https://assist.dla.mil -- Downloaded: 202640-17T14:22Z
Check the source to verify that this is the current version before use.

2.1.2 Government drawings. The following Government drawings form a part of this specification to the extent specified herein:

DRAWINGS

ELECTRONICS COMMAND

SC-DL-30381 - Shroud, Balloon ML-424( )/U, Drawings And Data List.

(Copies of specifications, standards and drawings required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Description. The shroud shall be in accordance with Drawing SC-DL-30381 and as specified herein.

3.2 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 4.3 and 6.3).

3.3. Material. The material shall be as specified on the drawing. However, when a definite material is not specified, a material shall be used which will enable the shroud to meet the requirements of this specification. Acceptance or approval of any constituent material shall not be construed as a guaranty of the acceptance of the finished product.

3.3.1 Recycled, virgin and reclaimed material. It is encouraged that recycled or reclaimed material, in lieu of virgin material be used when practical provided it meets the requirements of this specification.

3.4 Marking. Marking shall be in accordance with MIL-STD-130.

3.5 Workmanship. The shroud shall be manufactured and fabricated in a careful workmanlike manner in accordance with good practice for this type of design to conform to the drawings.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 202640-17T14:22Z
Check the source to verify that this is the currentversion before use.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).
c. Packaging inspection (see 4.7).

4.3 First article.

4.3.1 First article units. When required, and as specified in the contract, the contractor shall furnish first article units of the complete shroud.

4.3.2 First article inspection. The first article inspection shall consist of the inspection specified for group A (see 4.5.1). Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Sampling. Sampling shall be in accordance with MIL-STD-105, inspection level II.

4.5.1 Group A inspection. Samples selected in accordance with 4.4.1. shall be inspected for the major defects as specified in 4.6.1. AQL shall be 1.0 percent defective.

4.6 Methods of inspection.

.1 Visual and mechanical inspection. The shroud shall be examined for defects in accordance with requirements of Drawing SC-DL-30381, in addition to the following:

a. Sharp edges and corners not rounded on equipment proper.
b. Imperfections in general construction (stitching, seams, etc.).
c. Incorrect, illegible, improper size and improper position of markings.

4.7 Packaging inspection. Packaging inspection requirements specified herein are classified as follows:

a. First article inspection of packaging.
b. Quality conformance inspection of packaging.

4.7.1 First article inspection of packaging. Unless otherwise specified in the contract, first article inspection of packaging shall be in accordance with the unit pack design validation requirements of MIL-P-116.

4.7.2 Quality conformance inspection of packaging.

4.7.2.1 Materials inspection. All materials to be used in packaging shall be inspected in accordance with the applicable material specification.

4.7.2.2 Preservation inspection. Inspection of preservation and interior markings shall be in accordance with group A and B quality conformance inspection requirements of MIL-P-116. Lot formation and sampling procedures shall be as specified therein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:22Z
Check the source to verify that this is the current version before use.

4.7.2.3 Packing inspection. Inspection of packing and the marking for shipment and storage shall consist of the examinations specified in table I, "Packing inspection provisions." Lot formation shall consist of all packs made of the same materials during an identifiable period and submitted at one time for acceptance. Sampling procedures shall be in accordance with MIL-STD-105, using a single sampling plan and acceptable quality level of 4.0 percent defective.

TABLE I. Packing inspection provisions.

No.	Characteristic	Method of inspection
101	Intermediate container not as specified.	Visual
102	Improper closure of intermediate container.	Visual
103	Shipping containers not in accordance with specification.	Visual
104	Excessive cube.	Visual
105	Improper blocking and bracing.	Visual
106	Closure not in accordance with specification.	Visual
107	Weight and size exceed container limitations.	Weight & measure
108	Strapping not in accordance with specification, incorrectly applied or omitted.	Visual
109	Marking omitted, incorrect or illegible.	Visual

5. PACKAGING

5.1 Preservation. Preservation shall be as specified in MIL-STD-726, coded as follows:

5.1. Level A. 1Ø-1-1-ØØ-00-AA-X-ED-Ø-00-A.

5.1.2 Level B. 1Ø-1-1-ØØ-00-AA-X-ED-Ø-00-B.

5.2 Packing and marking. Packing and marking shall be in accordance with MIL-E-55585.

6. NOTES

6.1 Intended use. The Shroud, Balloon ML-424( )/U is used to facilitate the inflating, transporting to release point, and launching of Balloon ML-391/AM.

6.2 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. When a first article is required for inspection and approval (see 3.2).
c. Level A or B preservation and packing (see section 5).
d. When first article inspection rough handling tests are not required.
e. When first article packaging inspection test reports require acquistion activity approval prior to production unit packing.

Source: https://assist.dla.mil -- Downloaded: 202610-17T14:22Z
Check the source to verify that this is the current version before use.

6.3 First article. When a first article inspection is required, the item will be tested a hould be a preproduction sample. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examination and approval and the number of first article units.

6.4 Nomenclature. The parentheses in the nomenclature will be deleted or replaced by a letter identifying the particular design, for example: -424W/U. The contractor should apply for nomenclature in accordance with the applicable clause in the contract (see 1.1).

6.5 Level B preservation. When level B preservation is specified, this level of protection will only be used under known favorable conditions during transportation, storage and handling.

6.6 Environmental. Environmental pollution prevention measures are contained in the packaging material specifications referenced herein. Refer to material specifications or preparing activity for recommended disposability methods.

6.7 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodians:
Army - ER
Navy - AS
Air Force - 99

Review activity:
ir Force - 80

Preparing activity:
Army - ER

(Project 6660-0066)

Source: https://assist.dla.mil -- Downloaded: 202610-17T14:22Z
Check the source to verify that this is the currenversion before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:22Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-S-10742B	SHROUD, BALLOON ML-424( )/U

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 EDITION OF 1 OCT 75 IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 202610-17T14:22Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and m In block 6, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D.C

POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY

COMMANDER
US ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND
COMBAT SURVEILLANCE AND TARGET ACQUISITION LABORATORY
ATTN: DELCS-PE
FORT MONMOUTH, NEW JERSEY 07703

Source: https://assist.dla.mil -- Downloaded: 202640-17T14:22Z
Check the source to verify that this is the current version before use.