QUALIFICATION CERTIFIED
OCTOBER 2000

QPL-5809-44
20 October 2000
SUPERSEDING
QPL-5809-43
30 June 1998

QUALIFIED PRODUCTS LIST

OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-5809

CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification or adopted non-Government standard. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST AND QUALIFICATION APPROVAL IS THE NAVAL AIR SYSTEMS COMMAND (CODE 4.4.4) 48298 SHAW ROAD, BLDG 1461, UNIT 4, PATUXENT RIVER, MD 20670-5304.

MANUFACTURER'S FULL NAME, CAGE NUMBER, OFFICE AND PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

For the sake of brevity, part numbers are displayed in matrix format as shown in the following example:

MS26574	|	- 5	|-		XXX	|-000|	- 5
	|	-10	|A			|-111|	-10
	|	-15	|			|	-15

The matrices generate the following fictitious part numbers:

MS26574-5	XXX-000-5
MS26574-10	XXX-000-10
MS26574-15	XXX-000-15
MS26574-5A	XXX-111-5
MS26574-10A	XXX-111-10
MS26574-15A	XXX-111-15

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
MS22073 CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I		
MS22073 -1, -1 1/2, -2, -2 1/2, -3, -4, -5, -7 1/2, -10, -15, -20	-V	4001 -001, -008 -1, -105, -2, -205, -3, -4, -5, -705, -10, -15, -20	Mechanical Products Inc. 03515101.AC/12-30-97
MS22073- D 1, 1 1/2, 2, 2 1/2, 3, 4, 5, 7 1/2, 10, 15, 20		4001 -011 -1, -105, -2, -205, -3, -4, -5, -705, -10, -15, -20	Mechanical Products Inc. 03515101.AC/12-30-97
MS22073 -1/2, -3/4, -1, -1 1/2, -2, -2 1/2, -3, -4, -5, -7 1/2, -10	-V	7274-11 -69 -1/2, -3/4, -1, -1 1/2, -2, -2 1/2, -3, -4, -5, -7 1/2, -10	Texas Instruments, Inc. 03524101.AA/12-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
MS25244 CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 5 THRU 50 AMP, TYPE I		
MS25244 -P- -PT- (-; 5; 7 1/2; 10; 15; 20; 25; 30; 35)	700 (-001-5; -089-705; -092-10; 15; 20; 25; 30; 35)	Mechanical Products, Inc. 03515102.AA/7-30-97
MS25244-15 MS25244-20 MS25244-25 MS25244-30 MS25344-35	3TC7-15 3TC7-20 3TC7-25 3TC7-30 3TC7-35	Texas Instruments, Inc. 03524102.AC/8-27-99
MS25361 CIRCUIT BREAKER AIRCRAFT, TRIP-FREE, PUSH-PULL, 50 THRU 100 AMPS, TYPE I		
MS25361 -50 -60 -70 -75 -80 -90 -100 (-; V)	160 (-012-50; -086-60; 70; 75; 80; 90; 100)	Mechanical Products, Inc. 03515102.AA/7-30-97
MS25361 -50 thru -100 (-; V)	6752 (-100 thru -102)	Texas Instruments, Inc. 03524102.AA/7-30-97
MS26574 CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I		
MS26574 - (3/4; 1; 1 1/2; 2) (-; L; A)	4200 (-001-075; -003-1; -004-105; 2)	Mechanical Products, Inc. 03515101.AC/12-30-97
MS26574 D (2 1/2; 3)	-006-205; 3	
MS26574 D (4; 5) L	-007-4; 5	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
MS26574	D	7 1/2	4200	-007-	705	Mechanical Products, Inc. (Continued)
		10			10	
		15			15	
		20			20	
MS26574	-1/2	-	7274	-2	-1/2	Texas Instruments, Inc. 03524101.AA/12-30-97
	-3/4	A		-4	-3/4	
	-1	L		-70	-1	
	-1 1/2				-1 1/2	
	-2				-2	
	-2 1/2				-2 1/2	
	-3				-3	
	-4				-4	
	-5				-5	
	-7 1/2				-7 1/2	
	-10				-10	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
SAE-AS5809/1 CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, PUSH-PULL, TYPE I, DUAL SAFETY, 2 1/2 THRU 10 AMP, –55 THRU +121 °C		
M5809/1 -2 1/2 -3 -5 -7 1/2 -10	2TC49 -2 1/2 -3 -5 -7 1/2 -10	Texas Instruments, Inc. 03524101.AA/12-30-97
SAE-AS33201 CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMPS, TYPE I –55 THRU +121 °C		
MS3320 -C -1 -2 -2 1/2 -3 -4 -5 -7 1/2 -10 -15 -20	-84 400 -048 -1 V -049 -2 -050 -2 1/2 -051 -3 -061 -4A -052 -5 -053 -7 1/2 -054 -10 -055 -15 -056 -20	Crouzet Automatismes S.A. 03528601.AA/3-31-97 03528601.AB/6-29-99
MS3320 -1 -2 -2 1/2 -3 -5 -7 1/2 -10 -15 -20	4120-G214-J1M1-B2OZ-1A -2A -2 1/2A –3A -5A -7 1/2A -10 -15 -20	ETA ELEKTROTECHNISCHE APPARATE GMBH 03509201.AB/6-19-00
MS3320 -1 -2 -2 1/2 -3 -4 -5 -7 1/2 -10 -15 -20	- 483- G 533-J1M1-B2SOZ-1A V VL W -2A -2 1/2A -3A -4A -5A -7 1/2A -10A -15A -20A	ETA ELEKTROTECHNISCHE APPARATE GMBH 03509202.AC/7-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
MS3320 -1, -2, -2 1/2, -3, -4, -5, -7 1/2, -10, -15, -20 / - , L, V, VL	4310 -001 -1, -005 -2, -019 -205, -024 -3, -4, -5, -705, -10, -15, -20	Mechanical Products Inc. 03515101.AC/12-30-97
MS3320 -1, -2 1/2, -3, -4, -5, -7 1/2, -10, -15, -20 / - , L	2TC2 -1, 2TC27 -2 1/2, -3, -4, -5, -7 1/2, -10, -15, -20	Texas Instruments, Inc. 03524101.AA/12-30-97
MS3320 - 2, - 2 1/2, - 3, - 4, - 5, - 7 1/2, -10, -15, -20 / V	2TC63 -2, -2 1/2, -3, -4, -5, -7 1/2, -10, -15, -20	Texas Instruments, Inc. 03524101.AA/12-30-97
SAE-AS14105 CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 25 THRU 35 AMPS, TYPE I –55 THRU +121 °C		
MS14105 -25, -30, -35 / - , L	3TC2 - 25, 3TC27 - 30, - 35	Texas Instruments, Inc. 03524102.AA/7-30-97
SAE-AS14153 CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 35 AMP, TYPE I		
MS14153 -1, -15, -20	9TC2 -1, -15, -20	Texas Instruments, Inc. 03524102.AA/7-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
MS14153 |-25 | |-30 | |-35 |	9TC2|-25 | |-30 | |-35 |	Texas Instruments, Inc. (continued) 03524102.AA/7-30-97
SAE-AS14154 CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 20 AMP, TYPE I		
MS14154 |-1 |V |-2 | |-2 1/2| |-3 | |-4 | |-5 | |-7 1/2| |-10 | |-15 | |-20 |	84414|001| |002| |012| |003| |004| |005| |007| |010| |015| |020|	Crouzet Corporation 03528602.AA/10-7-99
MS14154 |-1 | |-2 | |-2 1/2| |-3 | |-4 | |-5 | |-7 1/2| |-10 | |-15 | |-20 |	583-G533-JIM1-B2S0X |-1 |A |-2 | |-2 1/2| |-3 | |-4 | |-5 | |-7 1/2| |-10 | |-15 | |-20 |	ETA-ELEKTROTECHNISCHE 03509202.AC/7-31-99
MS14154|-1 |- |-2 |L |-2 1/2|V |-3 |VL |-4 | |-5 | |-7 1/2| |-10 | |-15 | |-20 |	4330|-001|-1 | |-007|-2 | |-008|-205| |-009|-3 | |-4 | |-5 | |-705| |-10 | |-15 | |-20 |	Mechanical Products Inc. 03515102.AA/7-30-97 03515102.AD/2-27-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL. TEST REFERENCE
MS14154|-2 |-	6TC2 |-2	Texas Instruments,
|-2 1/2|L	6TC37|-2 1/2|	Inc.
|-3 |	|-3 |	03524102.AA/7-30-97
|-4 |	|-4 |	03524102.AG/2-2-99
|-5 |	|-5 |	
|-7 1/2|	|-7 1/2|	
|-10 |	|-10 |	
MS14154|-15 |	6TC37|-15 |	
|-20 |	|-20 |	
MS14154 |-2 |V	6TC63|-2 |	Texas Instruments,
|-2 1/2|	|-2 1/2|	Inc.
|-3 |	|-3 |	30524102.AA/7-30-97
|-4 |	|-4 |	
|-5 |	|-5 |	
|-7 1/2|	|-7 1/2|	
|-10 |	|-10 |	
|-15 |	|-15 |	
|-20 |	|-20 |	
SAE-AS24509 CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, TOGGLE, 5 THRU 15 AMP, TYPE I		
MS24509|-A|-5 |	7270|-1|-5 |	Texas Instruments,
|-B|-7 1/2|	|-7|-7 1/2|	Inc.
|-10 |	|-10 |	03524102.AA/7-30-97
|-15 |	|-15 |	
SAE-AS24510 CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 5 THRU 15 AMP, TYPE I		
MS24510|-A|-5 |	7271|-8|-5 |	Texas Instruments,
|-B|-7 1/2|	|-3|-7 1/2|	Inc.
|-10 |	|-10 |	03524102.AA/7-30-97
|-15 |	|-15 |	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
OFFICE:	
Crouzet Corporation 3237 Commander Carrollton, TX 75006	FAOX2
PLANT:	
Crouzet Automatismes S.A. Usine de la Plaine 10 rue du Docteurs Abel 26502 Valence BP29 Cedex 9, France	
OFFICE:	
ETA ELEKTROTECHNISCHE APPARATE GMBH Industriestrabe 2-8 D-90518 Altdorf Germany	D8885
PLANT:	
Same as above	
OFFICE:	
Mechanical Products, Inc. 1824 River Street Jackson, MI 49202	76374
PLANT:	
Same as above	
OFFICE:	
Texas Instruments, Inc. Control Products Division Precision Controls Depart. 34 Forest Street Attleboro, MA 02703-0964	82647
PLANT:	
Same as above	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.