QUALIFICATIONS CERTIFIED
MAY 2002

QPL-5809-45
6 May 2002
SUPERSEDING
QPL-5809-44
20 October 2000

QUALIFIED PRODUCTS LIST

OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-5809

CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release or otherwise affect the obligation of the manufacturer to comply with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND (COMMANDER, NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION, HIGHWAY 547, CODE 414100B120-3, LAKEHURST, NJ 08733-5100).

For the sake of brevity, part numbers are displayed in matrix format as shown in the following example:

MS26574	-5		XXX	-000	-5
	-10	A		-111	-10
	-15				-15

The matrices generate the following fictitious part numbers:

MS26574-5	XXX-000-5
MS26574-10	XXX-000-10
MS26574-15	XXX-000-15
MS26574-5A	XXX-111-5
MS26574-10A	XXX-111-10
MS26574-15A	XXX-111-15

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MS22073, CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMPS, TYPE I.						
MS22073	-1		4001	-001	-1	Mechanical Products, Inc.
	-1 1/2	V		-008	-105	
	-2				-2	
	-2 1/2				-205	03515101.AC/12-30-97
	-3				-3	
	-4				-4	
	-5				-5	
	-7 1/2				-705	
	-10				-10	
	-15				-15	
	-20				-20	
MS22073-D	1		4001	-011	-1	Mechanical Products, Inc.
	1 1/2				-105	
	2				-2	
	2 1/2				-205	03515101.AC/12-30-97
	3				-3	
	4				-4	
	5				-5	
	7 1/2				-705	
	10				-10	
	15				-15	
	20				-20	
MS22073	-1/2		7274	-11	-1/2	Texas Instruments, Inc.
	-3/4	V		-69	-3/4	
	-1				-1	
	-1 1/2				-1 1/2	03524101.AA/12-30-97
	-2				-2	
	-2 1/2				-2 1/2	
	-3				-3	
	-4				-4	
	-5				-5	
	-7 1/2				-7 1/2	
	-10				-10	
MS25244, CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 5 THRU 50 AMPS, TYPE I.						
MS25244		-5	700	-001	-5	Mechanical Products, Inc.
	-P	-7 1/2		-089	-705	
	-PT	-10		-092	-10	
		-15			-15	03515102.AC/2-27-99
		-20			-20	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MS25244|-P|-PT|-25|-30|-35	700|-001|-089|-092|-25|-30|-35	Mechanical Products, Inc. (Continued) 03515102.AC/2-27-99
MS25244-5 MS25244-7.5 MS25244-10 MS25244-15 MS25244-20 MS25244-25 MS25244-30 MS25244-35	3TC7-5 3TC7-7.5 3TC7-10 3TC7-15 3TC7-20 3TC7-25 3TC7-30 3TC7-35	Texas Instruments, Inc. 03524102.AC/9-7-01
MS25361, CIRCUIT BREAKER AIRCRAFT, TRIP-FREE, PUSH-PULL, 50 THRU 100 AMPS, TYPE I.		
MS25361|-50|-60|-70|-75|-80|-90|-100|V	160|-012|-086|-50|-60|-70|-75|-80|-90|-100|	Mechanical Products, Inc. 03515102.AC/2-27-99
MS25361|-50|thru|-100|V	6752|-100|-102|50|thru|100	Texas Instruments, Inc. 03524102.AA/7-30-97
MS26574, CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I.		
MS26574|-|3/4 1 1 1/2 2 MS26574|D|2 1/2 3 MS26574|D|4 5 MS26574|D|7 1/2 10 15 20	4200|-001|-075| -003|-1 -004|-105| -2 -006|-205| -3 -007|-4 -5 -705| -10 -15 -20	Mechanical Products, Inc. 03515101.AC/12-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MS26574	-1/2		7274	-2	-1/2	Texas Instruments,
	-3/4	A		-4	-3/4	Inc.
	-1	L		-70	-1	
	-1 1/2				-1 1/2	03524101.AA/12-30-97
	-2				-2	
	-2 1/2				-2 1/2	
	-3				-3	
	-4				-4	
	-5				-5	
	-7 1/2				-7 1/2	
	-10				-10	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION							MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
SAE-AS58091/1, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, TYPE I, DUAL SAFETY, -55 °C THRU +121 °C.							
M5809/1	-2 1/2 -3 -5 -7 1/2 -10		2TC49	-2 1/2 -3 -5 -7 1/2 -10			Texas Instruments, Inc. 03524101.AA/12-30-97
SAE-AS33201, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMPS, TYPE I, -55 °C THRU +121 °C.							
MS3320	-C	-1 -2 -2 1/2 -3 -4 -5 -7 1/2 -10 -15 -20	V	84 400	-048 -049 -050 -051 -061 -052 -053 -054 -055 -056	-1 -2 -2 1/2 -3 -4 -5 -7 1/2 -10 -15 -20	A	Crouzet Corporation 03528601.AC/12-31-99
MS3320		-1 -2 -2 1/2 -3 -5 -7 1/2 -10 -15 -20		4120-G214-J1M1-B2SOZN		-1 -2 -2 1/2 -3 -5 -7 1/2 -10 -15 -20	A	E-T-A Circuit Breakers 03509201.AB/ 6-19-00
MS3320		-1 -2 -2 1/2 -3 -5 -7 1/2 -10 -15 -20	V VL	483-	G V W	533-J1M1-B2SOZN	-1 -2 -2 1/2 -3 -5 -7 1/2 -10 -15 -20	A	E-T-A Circuit Breakers 03509201.AC/ 12-21-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MS3320	-1	4310	-001 -1	Mechanical Products, Inc.
	-2 L		-005 -2	
	-2 1/2 V		-019 -205	
	-3 VL		-024 -3	03515101.AC/12-30-97
	-4		-4	
	-5		-5	
	-7 1/2		-705	
	-10		-10	
	-15		-15	
	-20		-20	
MS3320	-1	2TC2	-1	Texas Instruments, Inc.
	-2 1/2 L	2TC27	-2 1/2	
	-3		-3	
	-4		-4	03524101.AA/12-30-97
	-5		-5	
	-7 1/2		-7 1/2	
	-10		-10	
	-15		-15	
	-20		-20	
MS3320	-2 V	2TC63	-2	
	-2 1/2		-2 1/2	
	-3		-3	
	-4		-4	
	-5		-5	
	-7 1/2		-7 1/2	
	-10		-10	
	-15		-15	
	-20		-20	
SAE-AS14105, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 25 THRU 35 AMPS, TYPE I, -55 °C THRU +121 °C.				
MS14105	-25 -	3TC2	-25	Texas Instruments, Inc.
	-30 L	3TC27	-30	
	-35		-35	03524102.AA/7-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION		MANUFACTURER'S DESIGNATION		MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
SAE-AS14153, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 35 AMP, TYPE I.				
MS14153	-1	9TC2	-1	Texas Instruments, Inc.
	-15		-15	
	-20		-20	
	-25		-25	03524102.AA/7-30-97
	-30		-30	
	-35		-35	
SAE-AS14154, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 20 AMP, TYPE I.				
MS14154	-1	V 84 414	001	Crouzet Corporation
	-2		002	
	-2 1/2		012	03528602.AA/10-7-99
	-3		003	
	-4		004	
	-5		005	
	-7 1/2		007	
	-10		010	
	-15		015	
	-20		020	
MS14154	-1	583-G533-J1M1-B2S0XN	-1	A E-T-A Circuit Breakers
	-2		-2	
	-2 1/2		-2 1/2	
	-3		-3	03509202.AC/7-31-99
	-5		-5	
	-7 1/2		-7 1/2	
	-10		-10	
	-15		-15	
	-20		-20	
MS14154	-1	4330 -001	-1	Mechanical Products, Inc.
	-2	L -007	-2	
	-2 1/2	V -008	-205	
	-3	VL -009	-3	03515102.AA/7-30-97
	-4		-4	03515102.AD/2-27-99
	-5		-5	
	-7 1/2		-705	
	-10		-10	
	-15		-15	
	-20		-20	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

PREVIOUS GOVERNMENT DESIGNATION AND NON-GOVERNMENT STANDARD BODY'S DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MS14154	-2		6TC2	-2		Texas Instruments,
	-2 1/2	L	6TC37	-2 1/2		Inc.
	-3			-3		
	-4			-4		03524102.AA/7-30-97
	-5			-5		03524102.AG/2-2-99
	-7 1/2			-7 1/2		
	-10			-10		
	-15			-15		
	-20			-20		
MS14154	-2	V	6TC63	-2		Texas Instruments,
	-2 1/2			-2 1/2		Inc.
	-3			-3		
	-4			-4		30524102.AA/7-30-97
	-5			-5		
	-7 1/2			-7 1/2		
	-10			-10		
	-15			-15		
	-20			-20		
SAE-AS24509, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, TOGGLE, 5 THRU 15 AMP, TYPE I.						
MS24509	-A	-5	7270	-1	-5	Texas Instruments,
	-B	-7 1/2		-7	-7 1/2	Inc.
		-10			-10	
		-15			-15	03524102.AA/7-30-97
SAE-AS24510, CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE, PUSH-PULL, 5 THRU 15 AMP, TYPE I.						
MS24510	-A	-5	7271	-8	-5	Texas Instruments,
	-B	-7 1/2		-3	-7 1/2	Inc.
		-10			-10	
		-15			-15	03524102.AA/7-30-97

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Crouzet Corporation 3237 Commander Carrollton, TX 75006 Plant: Crouzet Automatismes 10 Rue Du Docteur Abel 26902 Valence BP59 Cedex 9 France	FAOX2	Mechanical Products, Inc. 1824 River Street Jackson, MI 49202 Plant: Same address	76374
		Texas Instruments, Inc Control Products Division Precision Controls Department 34 Forest Street Attleboro, MA 02703-0964	82647
E-T-A Circuit Breakers 1551 Bishop Ct Mount Prospect, IL 60056-6039 Plant: E-T-A Elektrotechnische Apparate GmbH Industriesr. 2-8 D-90518 Altdorf Germany	D8885	Plant: Same address	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:06Z
Check the source to verify that this is the current version before use.