NOT MEASUREMENT SENSITIVE

MIL-DTL-41819/9H
16 November 2022
SUPERSEDING
MIL-DTL-41819/9G
10 January 2018

DETAIL SPECIFICATION SHEET

RIBBON ATTACHMENT, CLASP, CAMPAIGN AND SERVICE MEDAL FOR U.S. NAVY, U.S. MARINE CORPS AND U.S. COAST GUARD

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-R-41819.



DASH NO.
-1: Regular size
-2: Miniature Size

MATERIAL: (-1 and -2) Red Brass 85/15 (UNS Alloy No.C-230)

FINISH: (-1 and -2) Brass, Matte Finish, Polished Highlights and shall match The Institute of Heraldry Metal Finish Chip Number 3.

AMSC N/A FSC 8455

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:48Z
Check the source to verify that this is the current version before use.

DASH NO.	TITLE, REGULAR SIZE	USER
-1:	AISNE	A, N, MC
-2:	AISNE-MARNE	A, N, MC
-3:	CAMBRAI	A
-4:	CHAMPAGNE-MARNE	A
-5:	LYS	A
-6:	MEUSE-ARGONNE	A, N, MC
-7:	MONTDIDIER-NOYON	A, N, MC
-8:	OISE-AISNE	A
-9:	SOMME DEFENSIVE	A
-10:	SOMME OFFENSIVE	A
-11:	ST. MIHIEL	A, N, MC
-12:	VITTORIO-VENETO	A
-13:	YPRES-LYS	A, MC
-14:	DEFENSIVE SECTOR	A, N, MC
-15:	OVERSEAS	N, MC
-16:	ENGLAND	A, N, MC
-17:	FRANCE	A, N, MC
-18:	ITALY	A, N, MC
-19:	RUSSIA	A, N, MC
-20:	SIBERIA	A, N, MC
-21:	FOREIGN SERVICE	A
-22:	GERMANY	A
-23:	JAPAN	A

DASH NO.	TITLE, MINIATURE SIZE	USER
-24:	FOREIGN SERVICE	A
-25:	GERMANY	A
-26:	JAPAN	A

DIMENSIONS:

HEIGHT (Overall):

-1: 1/8 inch (REF)

-2: 3/32 inch (REF)

WIDTH (Overall):

-1: 1-1/2 inches (REF)

-2: 3 /4 inch (REF)

THICKNESS (Including embossing):

-1: 0.056 ± 0.005 inch

-2: 0.050 ± 0.005 inch

ATTACHING DEVICE:

1. The attaching device shall be two prongs.

2. The prongs shall be located on the reverse side of the ribbon attachment at the horizontal center line equidistant from each end and 3/4 inch ± 1/32 inch apart for the regular size and 3/8 inch ± 1/32 inch apart for the miniature size.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:48Z
Check the source to verify that this is the current version before use.

NOTES:

1. The term (REF) refers to the measurements taken from the Government furnished hub or die.

2. -1 through -14 and -24 will include stars.

3. -16 through -23 are service clasps.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - IH
Navy - MC

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2023-040)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:48Z
Check the source to verify that this is the current version before use.