MIL–P–9879A
1 DECEMBER 1962
SUPERSEDING
MIL–P–9879
15 APRIL 1960

MILITARY SPECIFICATION

PHOTOGRAPHING OF CONSTRUCTION/ARCHITECTURAL DRAWINGS, MAPS AND RELATED DOCUMENTS, 105MM; REQUIREMENTS FOR

This specification has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force.

1. SCOPE

1.1 **Scope.** This specification covers requirements for filmed reproduction of construction/architectural drawings, maps, and related documents by the Department of Defense or by contractors (see 6.3). The film produced in accordance with the requirements specified herein shall be 105mm camera negative film.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitations for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

L–F–340 —Film, Photographic, Direct Positive, Sensitized, Amonia Vapor Process, Negative; Wash-off Process-Negative; Photographic Brownprint; Roll and Sheet.

L–F–330 —Film, Photographic, Black and White, General Specification for.

MILITARY

MIL–F–26012 —Film, Photographic, Photomechanical, Black and White.

STANDARDS

MILITARY

MIL–STD–105 —Sampling Procedures and Tables for Inspection by Attributes.

FEDERAL

FED STD–125 —Film, Photographic and Film, Photographic, Processed, (For Permanent Record Use).

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)


2.2 **Other publications.** The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.


NATIONAL BUREAU OF STANDARDS

Sample 1010 Microcopy Resolution Test Chart

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:08Z
Check the source to verify that this is the current version before use.

JOB IDENTIFICATION AND
RESOLUTION TEST TARGET LAYOUT





NOTE: *POSITION RESOLUTION TEST TARGETS IN CORNERS SO THAT THE NUMBER "4.0" IS LOCATED ON THE TEST TARGET DIAGONAL LINE AT DIMENSION "A" AND IS RIGHT READING FROM THE CENTER OF THE TARGET.*

REDUCTION RATIO	4	5	6	7	8	9	10
DIMENSION "A"	11 5/8"	14 7/16"	18"	21 5/8"	25 1/4"	28 7/8"	32 7/16"

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:08Z
Check the source to verify that this is the current version before use.

less than 104mm in width and the length shall be 160mm ± 5mm.

3.10 Workmanship. Film produced in accordance with this specification shall contain no broken areas, surface defects, or any other defects which would detract from the data in the image area or might affect quality of reproductions made from the processed film.

3.11 Security classification. Title targets indicating security classification shall be located on film as shown on Figure 1. In addition to security marking, such targets shall include a warning note as follows:

"This material contains information affecting the national defense of the United States within the meaning of the espionage laws, Title 18, USC, Sec. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law."

3.12 Envelope. When a paper envelope is specified by the procuring activity, it shall be right end opening and shall be 5 inches in width by 8 inches in length plus or minus 1/8 inch in either dimension. The envelope so used shall be in accordance with A.S.A. Standard PH4.20-1958. Additional details and marking information for the envelope shall be provided in the contract or order. When a security classification is required for a film, the envelope containing it shall also be marked to indicate the same classification.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier's responsibilities. The supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own or any other inspection facilities and services acceptable to the Government. Inspection records of the examination and tests shall be kept complete and available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 *Certification.* Certification of all tests performed in accordance with the section shall be submitted to the procuring activity on a contractor's form similar to Figure 3.

CONTRACTOR'S CERTIFICATE

I hereby certify that all images included in this shipment have been inspected and approved as meeting the quality assurance provisions and all other requirements of MIL-P-9879A.

CONTRACTOR _____ CONTRACT NUMBER _____

SIGNATURE _____

TITLE _____

Date _____

FIGURE 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:08Z
Check the source to verify that this is the current version before use.

envelopes with adhesive closure or in paperboard or fiberboard boxes, as suitable for the number of films to be packed, and in a manner which will insure arrival at destination in satisfactory condition and which will be acceptable to the carrier at lowest rates. If a paper envelope is used, it shall have archival quality as specified in ASA PH4.20–1958, and contain no adhesive or chemical content that would produce a degenerate effect upon the film negative in storage. The envelope shall not exceed 5 inches by 8 inches in size. Stiffening boards shall be used on the top and bottom of the film or stack of films to prevent bending and damage to the films. The contents of shipping containers or the shipping container itself shall be inclosed in a waterproof wrap or bag which shall be fully sealed to provide waterproof protection.

5.2 **Marking.** Unless otherwise specified, commercial marking of exterior containers is acceptable. The marking shall be durable and legible and shall include the following information: The contractor's name and location, number of films in the container, and the requesting activity's identification. A stamped or printed statement shall also appear on the container indicating that it contains processed photographic film and should be handled with care.

5.3 **Classified films.** Films of classified data must be considered as having the same classification as the original data. Shipment of such films including classification marking must, therefore, be performed according to the security regulations applicable to the contract.

6. NOTES

6.1 **Intended use.** The film and related data acquired in accordance with this specification is intended to satisfy Department of Defense requirements for film of construction/architectural drawings, maps and related documents.

6.2 **Ordering data.** Procurement documents shall specify the following:

(a) Title, number and date of this specification.

(b) Reduction ratio required. (See 3.4).

(c) Specify examination AQL if other than specified. (See 4.3.1).

(d) Specify test AQL if other than specified. (See 4.3.2).

(e) Specify enclosure to be used if other than, or in addition to, that specified. (See 3.12).

6.3 **Definitions.**

6.3.1 *Original drawings.* Original drawings are dimensionally verifiable engineering delineations setting forth pictorial or descriptive language representations, or combinations thereof, and which record all changes or revisions, if any, made thereto since the drawing was first issued.

6.3.2 *Design activity.* A "design activity" is an activity having responsibility for the design and preparation and maintenance of engineering drawings for a given item of supply. The activity may be a Government activity or a contractor, vendor or others.

6.3.3 *Document.* "Document" applies to the specifications, drawings, sketches, lists, standards, pamphlets, reports and printed, type-written, or other information, relating to the design, procurement, manufacture, test, or inspection of items or services under the contract.

6.3.4 *Contractor.* A "contractor" is any individual, partnership, company, corporation, or association having a contract with the procuring activity for the design delineations, or manufacture of an item or items under the terms of a contract.

6.3.5 *Construction drawings.* A "construction drawing" is an engineering drawing that illustrates the design of buildings, structures and related construction, afloat or ashore, individually or in groups, and includes pertinent services, equipment, utilities and any other engineering features, as required, to establish all the interrelated elements of the design. Construction drawings, in general, present design information by pictorial plans, elevations, sections and details.

Patent Notice: Where Government drawings, specifications, or other data are used for any purpose

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:08Z
Check the source to verify that this is the current version before use.