[INCH-POUND]
A-A-55485/2C
13 November 2000
SUPERSEDING
A-A-55485/2B
21 July 1999

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-M-38527/2 for all federal agencies.

The complete requirements for procuring the mounting pads described herein shall consist of this document and the issue in effect of CID A-A-55485.

CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see notes).

A-55485	/02	-001	D
CID number	CID sheet	Dash number	Material letter

SALIENT CHARACTERISTICS.

Interface and physical dimensions. Mounting pads supplied to this CID shall be as specified herein (see figure 1).


Material. Material shall be diallyl phthalate (D) or nylon (N).

Marking. Not applicable.

AMSC N/A FSC 5999


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.005	0.13
.012	0.30
.020	0.51
.025	0.64
.036	0.91
.040	1.02
.050	1.27
.052	1.32
.075	1.90
.200	5.08
.310	7.87
.375	9.52

A-55485/02-001




Inches	mm
.005	0.13
.012	0.30
.025	0.64
.036	0.91
.050	1.27
.060	1.52
.200	5.08
.306	7.77
.375	9.52

A-55485/02-002


FIGURE 1. Configurations and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.005	0.13
.015	0.38
.045	1.14
.050	1.27
.060	1.52
.100	2.54
.130	3.30
.200	5.08
.305	7.75
.355	9.02

A-55485/02-003




Inches	mm
.005	0.13
.012	0.30
.030	0.76
.040	1.02
.070	1.78
.200	5.08
.315	8.00
.365	9.27


A-55485/02-004

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-005



A-55485/02-006


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.002	0.05
.007	0.18
.008	0.20
.028	0.71
.050	1.27
.076	1.93
.080	2.03
.156	3.96
.200	5.08
.315	8.00
.375	9.52

A-55485/02-007




Inches	mm
.005	0.13
.008	0.20
.020	0.51
.025	0.64
.036	0.91
.050	1.27
.055	1.40
.075	1.90
.230	5.84
.322	8.18
.375	9.52

A-55485/02-008


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.015	0.38
.030	0.76
.040	1.02
.250	6.35
.315	8.00
.365	9.27

A-55485/02-009




Inches	mm
.005	0.13
.010	0.25
.025	0.64
.050	1.27
.075	1.90
.100	2.54
.200	5.08
.340	8.64


A-55485/02-010

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-011



A-55485/02-012


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



A-55485/02-013

Inches	mm
.015	0.38
.017	0.43
.034	0.86
.036	0.91
.090	2.29
.102	2.59
.210	5.34
.350	8.89




A-55485/02-014

Inches	mm
.002	0.05
.010	0.25
.017	0.43
.038	0.97
.045	1.14
.060	1.52
.200	5.08
.290	7.37
.350	8.89


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.030	0.76
.045	1.14
.050	1.27
.075	1.90
.110	2.79
.200	5.08
.281	7.14

A-55485/02-015




Inches	mm
.031	0.79
.032	0.81
.045	1.14
.047	1.19
.062	1.57
.075	1.90
.0.78	1.98
.125	3.18
.200	5.08
.344	8.74

A-55485/02-016


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.030	0.76
.031	0.79
.045	1.14
.062	1.57
.075	1.90
.200	5.08
.343	8.71

A-55485/02-017




Inches	mm
.005	0.13
.020	0.51
.036	0.91
.200	5.08
.350	8.89

A-55485/02-018


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.002	0.05
.010	0.25
.021	0.53
.045	1.14
.060	1.52
.200	5.08
.350	8.89

A-55485/02-019




Inches	mm
.017	0.43
.038	0.96
.045	1.14
.050	1.27
.060	1.52
.200	5.08
.305	7.75
.350	8.89


A-55485/02-020

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-021



A-55485/02-022


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.010	0.25
.015	0.38
.028	0.71
.050	1.27
.060	1.52
.075	1.90
.200	5.08
.265	6.73
.350	8.89

A-55485/02-023




Inches	mm
.025	0.64
.028	0.71
.030	0.76
.050	1.27
.060	1.52
.085	2.16
.200	5.08
.273	6.93
.343	8.71


A-55485/02-024

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-025




A-55485/02-026

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-027




A-55485/02-028

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-029




A-55485/02-030

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-031



A-55485/02-032


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.036	0.91
.050	1.27
.055	1.40
.075	1.90
.160	4.06
.230	5.84
.320	8.13
.375	9.52

A-55485/02-033




Inches	mm
.003	0.08
.005	0.13
.025	0.64
.040	1.02
.145	3.68
.230	5.84
.350	8.89

A-55485/02-034


FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.036	0.91
.050	1.27
.055	1.40
.075	1.90
.160	4.06
.230	5.84
.320	8.13
.375	9.52

A-55485/02-035




Inches	mm
.020	0.51
.045	1.14
.062	1.57
.075	1.90
.200	5.08
.281	7.14

A-55485/02-036

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.031	0.79
.040	1.02
.075	1.90
.080	2.03
.200	5.08
.375	9.52
.395	10.03
.405	10.29

A-55485/02-037

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.012	0.30
.015	0.38
.030	0.76
.060	1.52
.090	2.29
.183	4.65
.330	8.38


A-55485/02-038

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




A-55485/02-039




A-55485/02-040

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.






A-55485/02-042

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.028	0.71
.030	0.76
.040	1.02
.045	1.14
.100	2.54
.130	3.30
.200	5.08
.300	7.62
.355	9.02

A-55485/02-043

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.





FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.025	0.64
.050	1.27
.062	1.57
.100	2.54
.300	7.62
.370	9.40

A-55485/02-046

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.030	0.76
.035	0.89
.045	1.14
.050	1.27
.075	1.90
.200	5.08
.281	7.14

A-55485/02-047

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance on height of pad shall be ±.015 (0.38 mm).
4. Unless otherwise specified, tolerances are ±.010 (0.25 mm) for decimals and ±1° on angles. A .010 (0.25 mm) radius is permissible on corners and edges. A 1° draft is permitted on sides.

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

NOTES.

Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFR's CAGE	MFR's name and address
0ZK84	Micro-Dimensional Products, Incorporated 548 North Trooper Road Norristown, PA 19403-4536 (610) 630-4658
08289	Delbert Blinn Company, Incorporated 1678 East Mission Boulevard Pomona, CA 91766-2007 (909) 623-1257 http://www.delbertblinn.com
13103	Thermalloy, Incorporated 2021 West Valley View Lane Dallas, TX 75381-0839 (214) 243-4321 http://www.thermalloy.com
21071	Globe Plastics, Incorporated 13477 Twelfth Street Chino, CA 91710-9998 (909) 464-1520
24227	Teknational Industries, Incorporated 480 Clinton Avenue South Rochester, NY 14620-1103 (716) 232-1291 http://www.teknational.com
32559	Bivar, Incorporated 4 Thomas Irvine, CA 92718-2512 (714) 951-8808 http://www.bivar.com
53174	APX Plastics Company 3407 Dalworth Street Arlington, TX 76011-6815 (817) 275-3883 http://www.apxplastics.com
54355	Accessories for Electronics, Incorporated 800 Merrick Road Baldwin, NY 11510-3593 (516) 546-1751 http://www.afeaccessories.com

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

Part number (P/N) supersession data. These CID part numbers supersede the following manufacturer's P/N's (table I) and MIL-M-38527/2 P/N's (table II) as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE I. P/N Supersession Data.

Dash number (see figure 1) A-55485/02	Manufacturers part number 1/							
	CAGE 0ZK84	CAGE 08289	CAGE 13103	CAGE 21071	CAGE 24227	CAGE 32559	CAGE 53174	CAGE 54355
001N	10198N		7717-253N	10318-1			AP-240/N	965-540N
001D	10198D			10318-2			AP-240/D	965-540D
002N	10310N			10460-1			AP-053/N	965-516N
002D	10310D			10460-2			AP-053/D	965-516D
003N	10219N			10344-1			AP-155/N	965-552N
003D	10219D			10344-2			AP-155/D	965-552D
004N	10195N		7717-122N	10316-1	4041	616-070	AP-045/N	965-563N
004D	10195D		7717-122D	10316-2			AP-045/D	965-563D
005N	10230N			10350-1			AP-262/N	965-558N
005D	10230D			10350-2			AP-262/D	965-558D
006N	10311N			10456-1			AP-386/N	965-543N
006D	10311D			10456-2			AP-386/D	965-543D
007N	10334N			10756-1			AP-153/N	965-539N
007D	10334D			10756-2			AP-153/D	965-539D
008N	10247N		7717-30N	10152-1		613-075	AP-026/N	965-576N
008D	10247D			10152-2			AP-026/D	965-576D
009N				10742-1			AP-158/N	965-551N
009D	10462D			10742-2			AP-158/D	965-551D
010N	10123N	404-340-N	7717-3N	10085-1	3001	503-075	AP-073/N	965-581N
010D	10123D	404-340-D	7717-3D	10085-2			AP-073/D	965-581D
011N	10159N		7717-238N				AP-068/N	965-627N
011D	10159D						AP-068/D	965-627D
012N					4015		AP-100/N	965-628N
012D	10279D						AP-100/D	965-628D
013N	10231N			10222-1	3027	516-038	AP-011/N	965-557N
013D	10231D			10222-2			AP-011/D	965-557D
014N	10166N	333-030-N		10054-1	3005	525-038	AP-172/N	965-508N
014D		333-030-D		10054-2			AP-172/D	965-508D
015N							AP-127/N	
015D	10076D						AP-127/D	
016N	10028N			10032-1			AP-164/N	965-614N
016D	10028D			10032-2			AP-164/D	965-614D

See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE I. P/N Supersession Data – Continued.

Dash number (see figure 1) A-55485/02	Manufacturers part number 1/							
	CAGE 0ZK84	CAGE 08289	CAGE 13103	CAGE 21071	CAGE 24227	CAGE 32559	CAGE 53174	CAGE 54355
017N	10012N	333-075-N	7717-22N	10034-1			AP-006/N	965-504N
017D	10012D	333-075-D	7717-22D	10034-2			AP-006/D	965-504D
018N	10245N		7717-15N	10144-1	3019	515-020	AP-042/N	965-503N
018D			7717-15D	10144-2			AP-042/D	965-503D
019N			7717-178N	10182-1	3034	520-021	AP-067/N	965-615N
019D	10007D		7717-178D	10182-2			AP-067/D	965-615D
020N	10127N				3005A	511-038	AP-404/N	965-630N
020D	10127D			10163-2			AP-404/D	965-630D
021N				10186-1			AP-060/N	965-511N
021D	10027D			10186-2			AP-060/D	965-511D
022N	10207N			10200-1		528-117	AP-133/N	965-532N
022D	10207D			10200-2			AP-133/D	965-532D
023N	10252N			10224-1			AP-275/N	965-575N
023D				10224-2			AP-275/D	965-575D
024N				10044-1			AP-429/N	965-594N
024D				10044-2			AP-429/D	965-594D
025N		710-019-N	7717-109N	10293-1		517-095	AP-450/N	965-507N
025D	10019-1D	710-019-D		10293-2			AP-450/D	965-507D
026N				10188-1			AP-191/N	965-530N
026D	10103D			10188-2			AP-191/D	965-530D
027N			7717-128N	10728-1	3030	527-117	AP-007/N	965-514N
027D		501-000-D		10728-2			AP-007/D	965-514D
028N							AP-463/N	965-631N
028D	10416D						AP-463/D	965-631D
029N				10332-1			AP-190/N	965-632N
029D	10051D			10332-2			AP-190/D	965-632D
030N			7717-10N	10136-1	4031	611-075	AP-121/N	965-573N
030D	10371D		7717-10D	10136-2			AP-121/D	965-573D
031N			7717-08N	10336-1		610-075	AP-459/N	965-523N
031D	10193D		7717-08D	10336-2			AP-459/D	965-523D
032N				10816-1			AP-122/N	965-596N
032D	10456D			10816-2			AP-122/D	965-596D
033N	10294N		7717-38N	10156-1	4029	615-075	AP-041/N	965-562N
033D	10294D	810-249-N	7717-38D	10156-2			AP-041/D	965-562D

See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE I. P/N Supersession Data – Continued.

Dash number (see figure 1) A-55485/02	Manufacturers part number 1/							
	CAGE 0ZK84	CAGE 08289	CAGE 13103	CAGE 21071	CAGE 24227	CAGE 32559	CAGE 53174	CAGE 54355
034N				10342-1			AP-257/N	965-549N
034D	10224D			10342-2			AP-257/D	965-549D
035N	10219N			10154-1			AP-431/N	965-634N
035D	10219D			10154-2			AP-431/D	965-634D
036N				10174-1			AP-035/N	965-565N
036D	10058D			10174-2			AP-035/D	965-565D
037N	10035N							
037D								
038N	10099N			10092-1		526-090	AP-173/A/N	965-520N
038D	10099D			10092-2			AP-173/A/D	965-520D
039N	10122N			10190-1	3005-C		AP-421/N	965-571N
039D	10122D			10190-2			AP-421/D	965-571D
040N								965-636N
040D	10316D							965-636D
041N								
041D	10454D							
042N				10811-1			AP-307/N	965-638N
042D	10343D			10811-2			AP-307/D	965-638D
043N				10666-1			AP-321/N	965-639N
043D	10328D			10666-2			AP-321/D	965-639D
044N								965-644N
044D	10041D			10274-2			AP-210/D	965-644D
045N	10240N			10218-1			AP-269/N	965-641N
045D				10218-2			AP-269/D	965-641D
046N				10418-1			AP-418/N	965-642N
046D	10276D			10418-2			AP-418/D	965-642D
047N					3006	508-075	AP-426/N	965-408N
047D							AP-426/D	965-643D

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown. For actual part marking requirements see the marking paragraph.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE II. MIL-M-38527/2 supersession information.

Superseded part number M38527/02- 1/	Replacement CID part number A-55485/02- 1/	Superseded part number M38527/02- 1/	Replacement CID part number A-55485/02- 1/
001	001	025	025
002	002	026	026
003	003	027	027
004	004	028	028
005	005	029	029
006	006	030	030
007	007	031	031
008	008	032	032
009	009	033	033
010	010	034	034
011	011	035	035
012	012	036	036
013	013	037	037
014	014	038	038
015	015	039	039
016	016	040	040
017	017	041	041
018	018	042	042
019	019	043	043
020	020	044	044
021	021	045	045
022	022	046	046
023	023	047	047
024	024		

1/ Complete PIN shall include a suffix letter to denote material.

MILITARY INTERESTS:

Custodians:
Army - CR
Navy - EC
Air Force - 11
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing activity:

DLA - CC

(Project 5999-0368)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.