MILITARY STANDARD

MIL-STD-1320-199
(NAVY)


28 AUGUST 1978

TRUCKLOADING

TORPEDO, DUMMY
MK 14/16 EJECT
MK 16 FITMENT

TORPEDO DATA

DIAMETER	21
LENGTH	246
CUBE	49.3 CU. FT.
WEIGHT	SEE TABLE I
DOT HAZARD CLASSIFICATION	INERT



INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL & LTL	2
TYPICAL FTL	3
DETAILS	4

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS. REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

TECHNICAL DIRECTION AGENT (TDA) DATE

SEA SYSCOM BY DIRECTION DATE

ORIGINATOR DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT PROVIDES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE MK 14/16 DUMMY TORPEDO (EJECT) AND THE MK 16 DUMMY TORPEDO (FITMENT) BARE, WITHOUT CONTAINER.
2. THE PROCEDURES AND PRACTICES ARE INTENDED OF FLATBED BED TRAILERS 27 FT AND LONGER. TRAILERS SHALL HAVE THEIR TANDEM AXLES LOCATED IN THE "WESTERN" POSITION (AT THE EXTREME REAR OF THE TRAILER). DOUBLE FLATBED TRAILERS MAY BE USED, STATE LAWS PERMITTING.
3. ONLY STEEL STRAPS SHALL BE USED FOR TIEDOWN. STRAPS SHALL BE 2 X .050 AND SHALL BE APPLIED AS SPECIFIED IN THE BASIC TRUCK-LOADING DOCUMENT MIL-STD-1320 (NAVY).
4. THE PADS SHOULD BE SYNTHETIC RUBBER MIL-R-6855, CL2, GR80, TY A AND BONDED TO CHOCKS WITH ADHESIVE MMM-A-1617 TYPE I.
5. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER, WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THEY WILL NOT BE EXCEEDED.
6. AFTER THE BLOCKING, BRACING AND TIEDOWNS HAVE BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO DUNNAGE IN A ACCESSIBLE AREA.
7. APPLICABLE MATERIAL SPECIFICATIONS:

   DUNNAGE LUMBER, MM-L-751
   NAILS, FF-N-105, TYPE II, STYLE 10, COMMON BRIGHT
   STRAPPING, QQ-S-781, TYPE I, HEAVE DUTY, FINISH A, B OR C
   RUBBER, MIL-R-6855, CLASS 2, GR80, TYPE A
   ADHESIVE, MMM-A-1617 TYPE I.
8. FOR GENERAL TRUCKLOADING PROCEDURES, REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY).

FTL AND LTL FLATBED TRAILERS (27 FT. MINIMUM)


1. A FULL TRUCKLOAD FOR A TRAILER 27 FT OR LONGER CONSISTS OF FOUR DUMMY TORPEDOES. LESS THAN THIS QUANTITY MAY BE SHIPPED IF REQUIRED BY MODIFYING THE TOP AND BOTTOM CHOCKS FOR THE QUANTITY BEING SHIPPED. THE METHOD AND NUMBER OF TIEDOWNS SHALL BE THE SAME IN ALL CASES.
2. PRIOR TO LOADING THE DUMMY TORPEDOES THE BOTTOM CHOCK ASSEMBLIES, DETAIL D, PAGE 4, SHALL BE PREPOSITIONED ON TRAILER FLOOR AS SHOWN IN DETAIL C, PAGE 4, AND NAILED IN PLACE.

TABLE I

TRUCKLOAD DATA

DUMMY TORPEDO	CUBE (CU. FT)	WEIGHT (LBS)	FULL TRUCKLOAD WT. (LBS)
MK 14/16 EJECT	49.3	3,180	12,720
MK 16 FITMENT	49.3	3,797	15,188


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.




DETAIL A

KNEE BRACE

8 REQUIRED






SECTION B-B

TRUCKLOAD DATA
(SEE TABLE I)

PC. NO.	DESCRIPTION	SIZE	NO. PCS REQ'D.	NAIL TO	NUMBER NAILS	SIZE
14	STAPLE	FOR 2" STRAP	12	—	—	—
13	SEAL	FOR 2" STRAP	24	—	—	—
12	PAD (STEEL STRAP)	2 X .050 X 18	6	—	—	—
11	STEEL STRAP	2 X .050 X 16 FT 6	3	—	—	—
10	CLEAT	2 X 4 X 46	3	8	4	10d
9	PAD, RUBBER	1/4 X 3 1/2 X 13	3	SEE NOTE 4		
8	CHOCK, TOP	4 X 4 X 85	3	SEE 10	—	—
7	PAD, RUBBER	1/4 X 3 1/2 X 13	3	SEE NOTE 4		
6	CHOCK, BOTTOM	4 X 4 X 90	3	SEE 5	—	—
5	BASE, CHOCK	2 X 6 X 90	3	6	8	16d
4	BRACE, CLEAT	2 X 6 X 18 1/2	8	TRAILER FLOOR	6	16d
3	BRACE, DIAGONAL	2 X 6 TO SUIT	16	1 & 4	4/JOINT	16d
2	BRACE, BACKUP	2 X 10 X 20	8	4	3	16d
1	BRACE, UPRIGHT	2 X 6 X 18 1/2	8	2	6	10d


LIST OF MATERIALS AND NAILING DATA

Source: https://assist.dla.mil — Downloaded: 2026-10-23 23:47Z
Check the source to verify that this is the current version before use.




DETAIL C

LOCATION OF BOTTOM CHOCK ASSEMBLY



DETAIL E

TOP CHOCK ASSEMBLY



NAIL TO TRAILER FLOOR W/5-16d NAILS EACH SIDE

DETAIL D

BOTTOM CHOCK ASSEMBLY

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO 8140-N363)

☆U.S. GOVERNMENT PRINTING OFFICE: 1978 – 703-122/4352

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Naval Weapons Handling Center
Code 803
Colts Neck, N.J. 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. *Fold on lines on reverse side, staple in corner, and send to* preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-STD-1320-199

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.