MILITARY STANDARD

MIL-STD 1320-200A

TRUCKLOADING

TORPEDO, DUMMY & EXERCISE
MK 37 MOD 2 AND MOD 3
IN SHIPPING & STORAGE SKID OR BARE

(NAVY)

30 MAY 1980


SUPERSEDING
MIL-STD-1320 200 (NAVY)
23 FEBRUARY 1979

TORPEDO IN SHIPPING & STORAGE SKID DATA

DIMENSIONS	175 5 L X 19 5 W X 30 25 H
TARE WEIGHT (APPROX)	227 LBS
GROSS WEIGHT (APPROX)	
W/MK 37 MOD 2	1917 LBS
W/MK 37 MOD 3	1657 LBS
CUBE	59.9 CU FT
DOT HAZARD CLASSIFICATION	INERT

TORPEDO (BARE) DATA

DIAMETER	19
LENGTH	
MK 37 MOD 2	161
MK 37 MOD 3	135
WEIGHT (APPROX)	
MK 37 MOD 2	1690 LBS
MK 37 MOD 3	1430 LBS
CUBE	
MK 37 MOD 2	33 6 CU FT
MK 37 MOD 3	28 2 CU FT
DOT HAZARD CLASSIFICATION - INERT	



INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL & LTL SHIPPING & STORAGE SKID	2 & 3
FTL MK 37 MOD 2 (BARE)	5
FTL MK 37 MOD 3 (BARE)	6
DETAILS	7

NOTES
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINER-LOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS, MIL-HDBK-236

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) — DATE 5/21/80

SIGNATURE SEASYSCOM BY DIRECTION — DATE

ORIGINATOR — DATE 21 May 80

NAVAL WEAPONS HANDLING CENTER
WIPPANY EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT PROVIDES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE MK 37 MOD 2 AND 3 DUMMY AND EXERCISE TORPEDO IN THE SHIPPING AND STORAGE SKID OR BARE ON CHOCKS

2 THE PROCEDURE AND PRACTICES CONTAINED HEREIN ARE INTENDED FOR 40 FT FLATBED TRAILERS THE TRAILERS SHALL HAVE THEIR TANDEM AXLES LOCATED IN THE "WESTERN" POSITION (AT THE EXTREME REAR OF THE TRAILER) AND HAVE NAILABLE FLOORS

3 DOUBLE FLATBED TRAILERS MAY BE USED, STATE LAWS PERMITTING, BY LOADING ONE STACK OF TORPEDOES PER TRAILER USING THE APPROPRIATE PRINCIPLES OF THIS DOCUMENT

4 ONLY STEEL STRAPS SHALL BE USED FOR TIE DOWNS STRAPS SHALL BE 2 X .050 AND SHALL BE APPLIED AS SPECIFIED IN THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320 AND PAGES 3, 5 OR 6 OF THIS DOCUMENT

5 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THEY WILL NOT BE EXCEEDED

6 AFTER THE BLOCKING BRACING AND TIE DOWNS HAVE BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO THE DUNNAGE IN AN ACCESSIBLE AREA

7 ALL READY FOR ISSUE (RFI) DUMMY OR EXERCISE TORPEDOES SHALL BE COMPLETELY COVERED WITH A WATERPROOF TARPAULIN

8 UNLESS OTHERWISE SPECIFIED ALL MATERIAL SHALL BE SPECIFIED BY THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320

9 FOR GENERAL TRUCKLOADING PROCEDURES, REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320

FTL & LTL 40 FT FLATBED TRAILER TORPEDO IN SHIPPING & STORAGE SKID


1 THE MK 37 MOD 2 OR MOD 3 DUMMY OR EXERCISE TORPEDO SHALL BE IN THE SHIPPING AND STORAGE SKID, DRAWING NO NWHC 8109


2 A FULL TRUCKLOAD CONSISTS OF EIGHT (8) SKIDS LESS THAN THIS AMOUNT MAY BE SHIPPED USING THE LOAD PATTERN IN TABLE I ADJUSTING BLOCKING WIDTH TO SUIT

3 DO NOT MIX MK 37 MOD 2 AND 3 SKIDDED TORPEDOES IN THE SAME STACK A STACK OF MOD 2 AND A STACK OF MOD 3 TORPEDOES MAY BE SHIPPED ON THE SAME TRAILER

TABLE I

LOAD PATTERN






DETAIL A

SEPARATOR ASSEMBLY

(INSTALL IN PLACE)


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.



SECTION B-B

NOTE

TARPAULIN OMITTED FOR CLARITY



TRUCKLOAD DATA

NUMBER OF TORPEDOES	8
WEIGHT (APPROX.)	
MK 37 MOD 2	15336 LBS
MK 37 MOD 3	13256 LBS

PIECE NO	DESCRIPTION	SIZE	NO PCS REQ'D	NAIL TO	NUMBER NAILS	SIZE NAILS
8	PAD (STEEL STRAP)	2 X .050 X 18	6	-	-	
7	SEAL	FOR 2" STRAP	32	-	-	-
6	STEEL STRAP	2 X .050 X 18 FT	4	-		-
5	STRUT	2 X 6 X 35	10	SEE DETAIL A		
4	CROSSMEMBER	2 X 6 X 78	4	SEE DETAIL A		
3	SLEEPER	2 X 4 X 18	16	SEE FIELD NOTE		
2	BACKUP CLEAT	2 X 6 X 35	20	SEE FIELD NOTE		
1	CROSSMEMBER	2 X 6 X 78	4	SEE FIELD NOTE		

LIST OF MATERIALS & NAILING DATA

FLAT BED TRAILER
FOR MK 37 MOD 2 & 3 FITMENT OR DUMMY TORPEDO
IN SHIPPING AND STORAGE SKID

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

FTL & LTL 40 FT FLATBED TRAILER - BARE TORPEDO ON CHOCKS

1 A FULL TRUCKLOAD FOR A TRAILER CONSISTS OF EIGHT (8) TORPEDOES (BARE) LESS THAN THIS AMOUNT MAY BE SHIPPED BY MODIFYING THE TOP AND BOTTOM CHOCKS TO SUIT THE QUANTITY BEING SHIPPED THE METHOD AND NUMBER OF TIE DOWNS SHALL BE THE SAME IN ALL CASES

2 PRIOR TO LOADING THE TORPEDOES, THE BOTTOM CHOCK ASSEMBLIES SHALL BE PREPOSITIONED ON THE TRAILER AND NAILED TO THE TRAILER FLOOR WHEN LOADING MK 37-2 TORPEDOES, USE DETAIL H FOR PROPER LOCATION OF BOTTOM CHOCK ASSEMBLIES ON TRAILER FLOOR WHEN LOADING MK 37-3 TORPEDOES USE DETAIL J

3 WHEN POSITIONING THE TORPEDOES ON THE CHOCKS, THE JOINT BANDS OF THE TORPEDO SHALL REST ON THE CHOCKS

WARNING


WHEN LOWERING THE TORPEDO ONTO THE CHOCKS, EXERCISE CARE TO SEE THAT THE BOTTOM RUNNER IS IN THE SLOT PROVIDED IN THE CHOCKS

4 WHEN SHIPPING EXERCISE TORPEDOES THE TRANSDUCER IN THE NOSE OF THE TORPEDO SHALL BE PROTECTED FROM BEARING AGAINST THE KNEE BRACE, DETAIL E OR G THIS IS ACCOMPLISHED BY POSITIONING SHIM, DETAIL C, BETWEEN TORPEDO AND KNEE BRACE WITH HOLE CENTERED AROUND THE TRANSDUCER, HAND FIT SHIM TO EXACT LOCATION AND NAIL TO KNEE BRACE WITH EIGHT (8) 10d NAILS BEFORE NAILING KNEE BRACE TO TRAILER FLOOR

WARNING

TRANSDUCER MUST BE CENTERED WITHIN HOLE OF KNEE BRACE TO PREVENT DAMAGE TO THE TRANSDUCER


5 THE RUBBER PADS SHOULD BE SYNTHETIC RUBBER, MIL-R-6855 CL 2 GR 80 TYPE A AND BONDED TO THE CHOCKS WITH ADHESIVE, MMM-A-1617 TYPE I



DETAIL C

NOSE SHIM


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.



SECTION D-D

NOTE


TARPAULIN OMITTED FOR CLARITY



TRUCKLOAD DATA

NUMBER OF TORPEDOES 8

WEIGHT (APPROX) . . . . 13,520 LBS



DETAIL F


KNEE BRACE

16 REQUIRED

PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ'D	NAIL TO	NUMBER	SIZE
					NAILS	
14	STAPLE	FOR 2" STRAP	16		–	–
13	SEAL	FOR 2" STRAP	64	–	–	–
12	PAD (STEEL STRAP)	2 X .050 X 18	16	–	–	–
11	STEEL STRAP	2 X .050 X 16 FT 6	8	–	–	–
10	CLEAT	2 X 4 X 44	8	8	4	10d
9	PAD, RUBBER	1/4 X 3 1/2 X 5	64	SEE NOTE 5, PAGE 4		
8	CHOCK, TOP	4 X 6 X 85	8	SEE 10	–	–
7	PAD, RUBBER	1/4 X 3 1/2 X 5	64	SEE NOTE 5, PAGE 4		
6	CHOCK, BOTTOM	4 X 6 X 90	8	SEE 5	–	–
5	BASE, CHOCK	2 X 6 X 90	8	6	8	16d
4	BRACE CLEAT	2 X 6 X 18 1/2	16	TRAILER FLOOR	6	16d
3	BRACE, DIAGONAL	2 X 6 TO SUIT	32	1 & 4	4/JOINT	16d
2	BRACE, BACKUP	2 X 10 X 20	16	4	3	16d
1	BRACE, UPRIGHT	2 X 6 X 18 1/2	16	2	6	10d

LIST OF MATERIALS INCLUDING DATA


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.



SECTION F-F


NOTE

TARPAULIN OMITTED FOR CLARITY



TRUCKLOAD DATA

NUMBER OF TORPEDOES	8
WEIGHT (APPROX.)	11,440 LBS



DETAIL G

KNEE BRACE


16 REQUIRED

PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ'D	NAIL TO	NAILS NUMBER	NAILS SIZE
14	STAPLE	FOR 2 STRAP	12	–	–	–
13	SEAL	FOR 2 STRAP	48	–	–	–
12	PAD (STEEL STRAP)	2 X .050 X 18	12	–	–	–
11	STEEL STRAP	2 X .050 X 16 FT 6	6	–	–	–
10	CLEAT	2 X 4 X 44	6	8	4	10d
9	PAD RUBBER	1/4 X 3 1/2 X 5	48	SEE NOTE 5, PAGE 4		
8	CHOCK TOP	4 X 6 X 85	6	SEE 10	–	–
7	PAD RUBBER	1/4 X 3 1/2 X 5	48	SEE NOTE 5 PAGE 4		
6	CHOCK BOTTOM	4 X 6 X 90	6	SEE 5	–	–
5	BASE CHOCK	2 X 6 X 90	6	6	8	16d
4	BRACE CLEAT	2 X 6 X 18 1/2	16	TRAILER FLOOR	6	16d
3	BRACE DIAGONAL	2 X 6 TO SUIT	32	1 & 4	4/JOINT	16d
2	BRACE BACKUP	2 X 10 X 20	16	4	3	16d
1	BRACE UPRIGHT	2 X 6 X 18 1/2	16	2	6	10d

LIST OF MATERIALS & NAILING DATA


FTL 40 FT TRAILER
MK 37 MOD 3 FITMENT OR DUMMY TORPEDO

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.




DETAIL H

LOCATION OF BOTTOM CHOCK ASSEMBLIES FOR TORPEDO MK 37 MOD 2




DETAIL I

LOCATION OF BOTTOM CHOCK ASSEMBLIES FOR TORPEDO MK 37 MOD 3



DETAIL K

BOTTOM CHOCK ASSEMBLY



DETAIL L

REVIEW ACTIVITY
NAVY - OS

PREPARING ACTIVITY
NAVY OS
(PROJECT NO. [illegible])

PAGE 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DoD-316

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Code 803 (R. F. Harris)
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R35

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers' vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1320-200A (NAVY)

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.