MILITARY STANDARD

MIL-STD-1320-215 (NAVY)

10 NOVEMBER 1984

TRUCK LOADING
MINE, UNDERWATER MK 67 MOD 2 (SLMM)
BODY, MAIN ASSEMBLY, MK 4 MOD 0
IN CONTAINER MK 258 MOD 0


CONTAINER DATA

DIMENSIONS	120 15/16L x 29 1/8W x 33 1/16H
STACKING HEIGHT	30 1/16
CONTAINER WEIGHT	375 LBS
CUBE	67.39 CU FT
DWG NO	LD 161995

UNIT LOAD DATA

GROSS WEIGHT	1050 LBS △
DOT HAZARD CLASSIFICATION	NONE (INERT)

△ DO NOT USE FOR SHIPPING WEIGHT



NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL & LTL NOTES	3
LOAD TABLE	3
FTI 48 FT TRAILER	4
ITI 40 FT TRAILER	5 & 6
UNITIZING PROCEDURE	7

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENT ONLY

D.S. Gray NAVSEA 10/12/84
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

C.E. Kelly 11/9/84
SIGNATURE SEASYSCOM BY DIRECTION DATE

ORIGINATOR W.L. Gardner 9/17/84
NAVAL WEAPONS HANDLING OFFICE DATE
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE MINE MAIN ASSEMBLY MK 67 MOD 2 IN THE CONTAINER MK 258

2 THE PROCEDURES AND PRACTICES HEREIN ARE INTENDED FOR FLATBED TRAILERS WITH NAILABLE FLOORS TRAILERS SHALL HAVE THEIR AXLES LOCATED IN THE "WESTERN" POSITION (AT THE EXTREME REAR OF THE TRAILER)

3 STACKED CONTAINERS MUST BE UNITIZED FOR UNITIZING INSTRUCTIONS REFER TO PAGE 7 WHEN A STACK OF CONTAINERS IS TWO HIGH, THE TOP LAYER SHALL BE SECURED TOGETHER WITH TWO 1 1/4 X 035 CROSS STRAPS THESE STRAPS ENCIRCLE THE CONTAINERS IN THE TOP LAYER SECURING THEM TOGETHER

4 STEEL STRAPS USED AS TIEDOWNS SHALL BE 2 X 050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) AND AS AS SHOWN ON PAGE 5 OF THIS DOCUMENT

5 CHAINS, FITTINGS AND LOADBINDERS USED AS TIEDOWNS SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) AND AS SHOWN ON PAGE 4 OF THIS DOCUMENT

6 PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY NAVORD OP 2165 AND REPORTED BY DD FORM 626, THE CHAINS, FITTINGS AND LOADBINDERS SHALL BE INSPECTED FOR STRETCH, GOUGING, BENT LINKS, WEAR OR ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THEY HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN AND BINDER

7 CHAINS AND STRAPS MAY BE USED INTERCHANGEABLY FOR TIEDOWNS ON A 1 TO 1 BASIS WHEN USING CHAIN THE LADING SHALL BE PROTECTED FROM DAMAGE BY THE CHAIN LINKS

8 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER AS TO THESE LIMITATIONS, AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE LOADED TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS

9 AFTER BLOCKING, BRACING AND TIEDOWNS HAVE BEEN INSPECTED ATTACH SHIPPING DOCUMENTS TO THE DUNNAGE IN AN ACCESSIBLE AREA

10 UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER, STEEL STRAPPING, STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

11 FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY)

FTL & LTL 40,42,44 & 45 FT TRAILERS (FLATBED)

1 A FTL FOR TRAILERS 42 FT AND LONGER CONSISTS OF 24 MINES WHEN SHIPPING THIS AMOUNT FOLLOW THE INSTRUCTIONS ON PAGE 4 IF SPACE AT FRONT OF TRAILER EXCEEDS 30 INCHES, FORWARD BLOCKING AS SHOWN ON PAGE 5 MAY SUBSTITUTED FOR THE FORWARD PREPOSITIONED BLOCKING LOAD TRAILER STARTING AT REAR POSITIONING CROSS BLOCKING (PIECE NO 3) AFTER STACK IS IN PLACE

2 A LTL FOR TRAILERS 42 FT AND LONGER CONSISTS OF 19 TO 23 MINES LOAD USING THE LOAD PATTERNS SHOWN IN TABLE 1 BLOCK AND TIEDOWN AS SHOWN ON PAGE 4 USE FILLER ASSEMBLY (DETAIL E, PAGE 7) IN REAR STACK WHEN SHIPPING 23 MINES INSTALL ASSEMBLY AS SHOWN ON PAGE 5 (NOTE LESSER QUANTITIES OF MINES SHOULD BE SHIPPED ON 40 FT TRAILERS)

3 A FTL FOR A 40 FT TRAILER, CONSISTS OF 18 MINES WHEN LOADING THIS AMOUNT USE THE LOAD PATTERN TABLE 1 AND FOLLOW THE PRINCIPLES SHOWN ON PAGE 5 WHEN LOADING LESS THAN 18 MINES, USE THE LOAD PATTERN TABLE 1 AND FOLLOW THE PRINCIPLES SHOWN ON PAGES 5 AND 6


NOTE

THE USE OF SHORTER TRAILERS ARE AUTHORIZED PROVIDED THE BLOCKING AND TIEDOWNS ARE IN ACCORDANCE WITH THE PRINCIPLES OF THIS DOCUMENT SHIPMENT MAY BE MADE USING "DOUBLES" WHERE AUTHORIZED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.


TABLE I

LOAD PATTERN



* REQUIRES A 42 FT OR LONGER TRAILER


NOTE: THE NUMBER IN THE BLOCKS INDICATES THE NUMBER OF CONTAINERS IN A ROW OF A STACK



DETAIL A

PREPOSITION BLOCKING FOR 42 FT OR LONGER TRAILER


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.



SECTION B-B

NOTE

THIS TRUCKLOAD ILLUSTRATES THE USE OF CHAINS AS TIEDOWNS 2 X 035 STRAPS ARE AUTHORIZED AS AN ALTERNATE SEE GENERAL NOTE 7



2 X 4 DOUBLED NAIL PIECE TO TRAILER FLOOR W/4-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER

TRUCKLOAD DATA

NUMBER OF CONTAINERS 24


WEIGHT (APPROX.) 25,200 LBS

PIECE NO	DESCRIPTION	SIZE	NO PCS REQ'D	NAIL TO	NUMBER NAILS	SIZE
9	TIEDOWN CHAIN	3/8 OR 5/16	8	-	-	-
8	PROTECTOR BOARD	2 X 6 X 72	16	DBL LAMINATE	6	10d
7	CROSS STRAP	1 1/4 X .035 X 21FT	8	-	-	-
6	UNITIZING STRAP	1 1/4 X .035 X 22FT	24	-	-	-
5	SEAL	FOR 1 1/4 STRAP	32	-	-	-
4	SLEEPER	2 X 4 X 24	32	SEE FIELD NOTE		
3	INTERMEDIATE CROSSMEMBER	2 X 4 X 84	6	SEE DETAIL A		
2	BACKUP CLEAT	2 X 6 X 30	16	SEE DETAIL A		
1	CROSSMEMBER	2 X 6 X 87 3/8	4	SEE DETAIL A		

LIST OF MATERIALS & NAILING DATA

FTL 42 FT TRAILER(FLAT)(SD)


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.



SECTION C-C

NOTE

THIS TRUCKLOAD ILLUSTRATES THE USE OF 2 X .050 STRAPS AS TIEDOWNS CHAINS ARE AN AUTHORIZED ALTERNATE SEE GENERAL NOTE



2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST IN LIKE MANNER (BOTH ENDS OF LOAD)

2 X 4 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST IN LIKE MANNER

2 X 4 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/4-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER

2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER (BOTH ENDS OF LOAD)

TRUCKLOAD DATA


NUMBER	17
WEIGHT (APPROX.)	17850 LBS

PIECE NO	DESCRIPTION	SIZE	NO. OF PCS REQ'D	NAIL TO	NUMBER NAILS	SIZE NAILS
17	SUPPORT	2 X 4 X 24 1/2	4	12	2/JOINT	16d
16	BUFFER PIECE	1 X 6 X 72	2	15	1/FT	10d
15	LONGITUDINAL	2 X 6 X 118	2	13	2/JOINT	10d
14	LONGITUDINAL	2 X 4 X 118	4	SEE 11&12	-	-
13	CROSS BRACE	2 X 6 X 24 5/8	5	11	3/JOINT	16d
12	HORIZONTAL	2 X 4 X 24 5/8	10	11	2/JOINT	16d
11	VERTICAL	2 X 4 X 28 1/4	10	14 & 15	2/JOINT	10d
10	STAKE POCKET PAD (STRAPPING)	2 X .050 X 16	12	-	-	-
9	SEAL	FOR 2" STRAP	36	-	-	-
8	TIEDOWN STRAP	2 X .050 X 24 FT	6	-	-	-
7	CROSS STRAP	1 1/4 X .035X21 FT	6	-	-	-
6	SEAL	FOR 1 1/4 STRAP	24	-	-	-
5	UNITIZING STRAP	1 1/4 X .035 X 22FT	18	-	-	-
4	SLEEPER	2 X 4 X 24	24	SEE FIELD NOTE		
3	INTERMEDIATE CROSSMEMBER	2 X 4 X 84	4	SEE FIELD NOTE		
2	BACKUP CLEAT	2 X 6 X 30	16	SEE FIELD NOTE		
1	CROSSMEMBER	2 X 6 X 84	4	SEE FIELD NOTE		

LIST OF MATERIALS & NAILING DATA

LOAD OF 17 CONTAINERS ON 40 FT TRAILER (FLATBED)


Source: https://assist.dla.mil -- Downloaded: 2026-10-25T23:48Z
Check the source to verify that this is the current version before use.



SECTION D-D

NOTE

THIS TRUCKLOAD ILLUSTRATES THE USE OF CHAINS AS TIEDOWNS 2 X 050 STRAPS ARE AN AUTHORIZED ALTERNATE SEE GENERAL NOTE 7



2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR-W/1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST IN LIKE MANNER

2 X 4 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAILS EVERY 8 INCHES NAIL 2ND PIECE TO 1ST IN LIKE MANNER

2 X 4 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/4-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER

2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER

TRUCKLOAD DATA

NUMBER OF CONTAINERS	14
WEIGHT (APPROX.)	14,700 LBS

PIECE NO.	DESCRIPTION	SIZE	NO. OF PCS. REQ'D	NAIL TO	NAILS NUMBER	NAILS SIZE
10	CROSS STRAP	1 1/4 X .035 X 21FT	4	-	-	-
9	SEAL	FOR 1 1/4 STRAP	16	-	-	-
8	UNITIZING STRAP	1 1/4 X .035 X 22FT	12	-	-	-
7	TIEDOWN CHAIN	3/8 OR 5/16	6	-	-	-
6	PROTECTOR BOARD	2 X 6 X 44	4	DOUBLE LAMINATE	6	10d
5	PROTECTOR BOARD	2 X 6 X 72	8	DOUBLE LAMINATE	8	10d
4	SLEEPER	2 X 4 X 24	24	SEE FIELD NOTE		
3	INTERMEDIATE CROSSMEMBER	2 X 4 X 84	4	SEE FIELD NOTE		
2	BACKUP CLEAT	2 X 6 X 30	18	SEE FIELD NOTE		
1	CROSSMEMBER	2 X 6 X 84	4	SEE FIELD NOTE		

LIST OF MATERIALS & NAILING DATA

LOADING OF 14 CONTAINERS ON 40 FT TRAILER (FLATBED)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.


UNITIZING PROCEDURE


USE A NAVY UNITIZING PROCEDURE

1. USING A FORK LIFT TRUCK STACK THE TOP CONTAINER ON THE BOTTOM CONTAINER BE SURE TO ALIGN STACKING FEATURES
2. SECURE CONTAINERS TOGETHER USING TIE-BARS (TWO PLACES)
3. STRAP CONTAINERS TOGETHER USING 1 1/4 X .035 STEEL STRAP. THE STRAP PASSES OVER THE TOP AND UNDER THE BOTTOM OF THE BOTTOM CONTAINER AS SHOWN. TENSION STRAPS AND SEAL WITH ONE DOUBLE NOTCHED SEAL

WARNING

WHEN LOADING/UNLOADING TRAILERS WITH UNITIZED CONTAINERS, EXTRA CAUTION SHOULD BE TAKEN TO PREVENT TOPPLING. SPECIAL ATTENTION SHOULD BE GIVEN TO APPROPRIATE BACKUP OF OUTBOARD CONTAINERS. CONTAINERS SHALL BE UNITIZED AFTER UNLOADING VEHICLE





DETAIL E

FILLER ASSEMBLY

THE FILLER ASSEMBLY IS USED TO FILL VOID OF A EMPTY CONTAINER

Source: https://assist.dla.mil -- Downloaded: 2026-10-23123:48Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge (*DO NOT STAPLE*), and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commanding Officer
Navy Weapons Station Earle
Attn: NWHC (Code 803-SRP)
Colts Neck, NJ 07722-5000

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	[ ] VENDOR
	[ ] USER
b. ADDRESS *(Street, City, State, ZIP Code)*	[ ] MANUFACTURER
	[ ] OTHER *(Specify)* _____

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.