
MILITARY STANDARD

MIL-STD-1320-265

(NAVY)

11 OCTOBER 1991

TRUCKLOADING
AMMO PAK, GFK 11/A49E-10 IN CNU-492/E AND GUN PAK, GAK 14/49E-10 IN CNU-493/E



CONTAINER DATA


DIMENSIONS	L=162 W=30 H=38 1/8
GROSS WEIGHT	SEE TABLE I
CUBE	197.2 CU FT

TABLE I

CONTAINER	GROSS WEIGHT (LBS)
CNU 492/E	1132 △
CNU 493/E	1452 △

△ DO NOT USE FOR SHIPPING WEIGHT

FOR HAZARD CLASSIFICATIONS SEE NAVSEA OP 2165



AMSC NO N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINER LOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK 236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENT ONLY.

SIGNATURE, TDA — WPNSTA EARLE — DATE 10/11/91

SIGNATURE — NAVSYSCOM BY DIRECTION — DATE 10/11/91

ORIGINATOR — DATE 10/11/91

WPNSTA EARLE NEW JERSEY

AUG 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23123:50Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE GFK 11/A49E 10 AMMO PAK IN THE SHIPPING AND STORAGE CONTAINER CNU-492/E AND THE GAK 14/49E 10 GUN PAK IN THE SHIPPING AND STORAGE CONTAINER CNU 493/E
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 FT OR LONGER FLATBED TRAILERS WITH THE TRAILER S TANDEM AXLES LOCATED IN THE WESTERN POSITION (AT THE EXTREME REAR OF THE TRAILER) DO NOT USE TRAILERS WITH ALL METAL FLOORS
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS FOR TIEDOWNS
4. STEEL STRAPPING USED AS TIEDOWNS SHALL BE 2 X .050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL STD-1320 (NAVY)
5. CHAINS FITTINGS AND LOAD BINDERS SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL STD 1320 (NAVY) EXCEPT THAT THE CHAIN/GRAB HOOKS SHALL BE ATTACHED TO THE STAKE POCKETS (NOT AROUND THE RUB RAIL)
6. PROTECTOR BOARDS (DOUBLED 2 X 6 S) SHALL BE USED UNDER THE TIEDOWNS WHEN USING STEEL STRAPPING THE STRAPS SHALL BE SECURED TO THE PROTECTOR BOARD USING 2 INCH STRAPPING STAPLES WHEN USING CHAIN THE CHAINS SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 10d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIEDOWN
7. THE MAXIMUM NUMBER OF CONTAINERS THAT CAN BE LOADED ONTO A TRAILER IS

   40 THRU 45 FT TRAILERS 12 CONTAINERS
   48 FT TRAILERS 18 CONTAINERS


8. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION REQUIRED BY NAVSEA OP 2165 AND REPORTED ON DD FORM 626 THE CHAINS FITTINGS AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH GOUGING BENT LINKS WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS FITTINGS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER
9. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER STEEL STRAPPING STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL STD-1320 (NAVY)
10. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS
10. AFTER THE BLOCKING BRACING AND TIEDOWNS HAVE BEEN INSPECTED THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS THE TARPAULINS MAY BE UNDER THE TIEDOWNS AND THE PROTECTOR BOARDS
11. AFTER THE TARPAULINS ARE IN PLACE ATTACH THE PROPER EXPLOSIVES PLACARDS TO BOTH SIDES FRONT AND BACK OF THE TRAILER AND ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA ON THE BACK DECK OF THE TRAILER
12. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL STD 1320 (NAVY)

LIST OF MATERIALS

REQ	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AR	10	SLEEPER (LTL)	WOOD	2 X 4 X 24
4	9	HORIZONTAL SPACER (LTL)	WOOD	2 X 6 X 26 1/2
4	8	VERTICAL SPACER (LTL)	WOOD	2 X 6 X 38
4	7	PROTECTOR BOARD (LTL)	WOOD	2 X 6 X 90
18	6	SEAL	STEEL	1 1/4 SIZE
18	5	UNITIZING STRAP	STEEL	1 1/4 X .035 X 12 1/2 FT
6	4	CHAIN & LOADBINDER	STEEL	
12	3	PROTECTOR BOARD	WOOD	2 X 6 X 90
24	2	CROSSMEMBER	WOOD	2 X 8 X 26 3/8
24	1	BACKUP CLEAT	WOOD	2 X 6 X 30

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

FTL 45 FT TRAILER (FLATBED)




DETAIL A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

FTL 40 CUBIC FT TRAILER (FLATBED)

NOTE


CENTRALLY LOCATE CONTAINERS ON TRAILER.




Source: https://assist.dla.mil - Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

LTL NOTES:

1. LTL SHIPMENTS MAY BE ARRANGED ON THE TRAILER USING ANY COMBINATION OF THE FOLLOWING ALLOWABLE STACK CONFIGURATIONS (SEE GENERAL TRUCKLOADING DOCUMENT FOR DEFINITION OF THE WORD "STACK")




2. THE DIAGRAMS ON THE FOLLOWING PAGE SHOW THE SUGGESTED LOAD PATTERNS FOR THE NUMBERS OF CONTAINERS TO BE SHIPPED
3. THE ILLUSTRATION BELOW SHOWS THE USE OF DETAIL B WHEN THERE ARE ONLY TWO CONTAINERS IN THE UPPER LAYER OF A THREE-WIDE STACK (FIVE CONTAINER STACK)
4. USE THE LTL BLOCKING AND BRACING PRINCIPLES SHOWN ON PAGE 7




DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.




NOTE WHEN STACKING 2 CONTAINERS ON TO THREE CONTAINERS THE USAGE OF DETAIL B IS REQUIRED SEE PAGE 5 FOR CONSTRUCTION AND USAGE

SUGGESTED LTL LAYOUTS FOR 30 THRU 45 FT TRAILERS




Source: https://assist.dla.mil -- Downloaded: 2026-10-29T23:50Z
Check the source to verify that this is the current version before use.


BLOCKING AND BRACING TECHNIQUES FOR
VARIOUS LTL COMBINATIONS



3 WIDE TO 2 WIDE STACK INTERFACE



3-WIDE TO 1-WIDE STACK INTERFACE



2-WIDE TO 1-WIDE STACK INTERFACE

NOTE

FOR END BLOCKING SEE DETAIL A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23123:50Z
Check the source to verify that this is the current version before use.


UNITIZING PROCEDURE

1 USING A FORKLIFT TRUCK CAREFULLY STACK ONE CNU-492/E CONTAINER ON TOP OF ONE CNU-483/E CONTAINER BE SURE TO ALIGN THE STACKING FEATURES

2 THREAD TWO STEEL STRAPS ITEM 5 THROUGH THE FORK POCKETS OF BOTH CONTAINERS AS SHOWN BELOW TENSION AND DOUBLE NOTCH THE SEALS ITEM 6

NOTE

THE STRAPPING TOGETHER OF CONTAINERS TO FORM A UNIT LOAD OF CONTAINERS TWO (2) HIGH IS AUTHORIZED FOR THE LOADING AND UNLOADING OF TRAILERS ONLY ANY MOVEMENT OF THESE UNIT LOADS IS LIMITED TO THAT NECESSARY TO LOAD OR UNLOAD THE TRAILER



DEUNITIZING PROCEDURE

1 CUT AND REMOVE STRAPPING

2 REMOVE TOP CONTAINER

WARNING

WHEN LOADING/UNLOADING TRAILERS WITH UNITIZED CONTAINERS EXTRA CAUTION SHOULD BE TAKEN TO PREVENT TOPPLING SPECIAL ATTENTION SHOULD BE GIVEN TO APPROPRIATE BACKUP OF OUTBOARD CONTAINERS

REVIEW ACTIVITY

NAVY AS

PREPARING ACTIVITY

NAVY OS

(PROJECT NO. 8140-N410)

Source: https://assist.dla.mil - Downloaded: 2025-10-23T20:50Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22 R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE
MIL-STD-1320-265 - Truckloading AMMO PAK in Container CNU-492/E

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes" in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 73 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.