
MILITARY STANDARD

MIL-STD-1320-268
(NAVY)
21 JANUARY 1982

TRUCK LOADING
MOTOR, 7.0 INCH ROCKET MK 22 MOD 4
(LOADED ASSEMBLY)
IN CONTAINER MK 757 MOD 0




CONTAINER DATA

DIMENSIONS	L 88 5/8 X W 14 X H 19 1/2
TARE WT	104 LBS
GROSS WT	236 LBS △
CUBE	14 CU FT

FOR HAZARD CLASSIFICATION SEE NAVSEA OP2165

△ DO NOT USE FOR SHIPPING WEIGHT

VAN LOADS SHOWN ARE RESTRICTED TO VANS 96 INCHES WIDE



AMSC NO N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK 236 (NAVY)

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM APPROVAL

FSC 8140

AUTHORIZED AND RELEASED
FOR HIGHWAY SHIPMENT ONLY.

SIGNATURE TDA WRNSTA EARLE DATE 12/20/91

SIGNATURE NAVSEASYSCOM BY DIRECTION DATE 12/20/91

INITIATOR [signature] 21 Jan 92 DATE

WRNSTA EARLE, NEW JERSEY

Source: http://assist.dla.mil -- Downloaded 2026-01-23T13:30Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING UNITIZED LOADS OF THE 5" ROCKET MOTOR MK 22 MOD 4 UNITIZED AS SHOWN IN DETAILS C & D ON PAGE 5
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 FT OR LONGER ENCLOSED TRAILERS WITH NAILABLE FLOORS. DO NOT USE TRAILERS WITH ALL METAL FLOORS.
3. THE MAXIMUM NUMBER OF UNITIZED LOADS THAT CAN BE LOADED INTO A TRAILER IS

40 FT TRAILER	33 UNITIZED LOADS
42 FT TRAILER	34 UNITIZED LOADS
44 FT TRAILER	36 UNITIZED LOADS
45 FT TRAILER	36 UNITIZED LOADS
48 FT TRAILER	40 UNITIZED LOADS

4. WHEN THE SPACE BETWEEN THE LADING AND REAR DOOR IS BETWEEN 10 AND 36 INCHES USE DETAIL B ON PAGE 4. WHEN THE SPACE IS GREATER THAN 36 INCHES USE THE BLOCKING ASSEMBLY SHOWN IN DETAIL E ON PAGE 6.
5. THE REAR BLOCKING ASSEMBLY, DETAIL B, SHALL FILL THE SPACE BETWEEN THE REAR OF THE LADING AND THE TRAILER DOORS WHEN THE DOORS ARE CLOSED EXCEPT WHEN THE SPACE IS GREATER THAN 36 INCHES.
6. UNLESS OTHERWISE SPECIFIED, DUNNAGE LUMBER, STEEL STRAPPING, STRAP SEALS, AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY).
7. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS, AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR TRAILER WILL NOT EXCEED THESE LIMITATIONS.
8. AFTER THE BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA INSIDE THE TRAILER. ATTACH THE PROPER EXPLOSIVES PLACARDS TO BOTH SIDES, FRONT, AND BACK OF THE TRAILER.
9. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY).


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

FLT TRAILER (VAN) 40FT-48FT

(40 FT SHOWN)

LOADING DATA			
40 FT–128 CONTRS	32 UNITIZED LOADS	31 416 LBS	△
42 FT–136 CONTRS	34 UNITIZED LOADS	32 368 LBS	△
44 FT–144 CONTRS	36 UNITIZED LOADS	34 272 LBS	△
45 FT 144 CONTRS	36 UNITIZED LOADS	34 272 LBS	△
48 FT–160 CONTRS	40 UNITIZED LOADS	38 080 LBS	△


△ DO NOT USE FOR SHIPPING WEIGHT



REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AR	11	SEALS (2/ UL) ALT	STEEL	1 1/4
AR	10	STRAPPING (2 UL) ALT		1 1/4 X 035 X 9 FT 6 IN
2	9	STRAPPING DETAIL D		1/4 X 035 X 24 FT
2	8	STRAPPING DETAIL C	STEEL	1/4 X 035 X 15 FT
3	7	CROSSMEMBER, DETAIL E	WOOD	2 X 6 X 9
15	6	CLEAT BACKUP DETAIL F		2 X 6 X 30
5	5	VERTICAL DETAIL B		2 X 6 X AR
2	4	HORIZONTIAL DETAIL B		2 X 6 X 90
5	3	HORIZONTIAL DETAIL A		2 X 6 X 90
5	2	HORIZONTIAL DETAIL A		2 X 6 X TW 1
4	1	POST, VERTICAL, DETAIL A	WOOD	4 X 4 X 78

LIST OF MATERIALS


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.



BULK HEAD ASSY

DETAIL A

JOIN TOGETHER W/2 10D NAILS/JOINT



REAR BLOCKING ASSY

FTL	DIM A
40FT	17
42FT	14
44FT	10 1/2
45FT	22
48FT	15

DETAIL B

JOIN TOGETHER W/2 10D NAILS JOINT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.


UNITIZING PROCEDURE

1 ALIGN TWO CONTAINERS SIDE BY SIDE AS SHOWN IN DETAIL C

2 USING A FORKLIFT TRUCK CAREFULLY PLACE TWO CONTAINERS ON TOP OF THE BOTTOM TWO CONTAINERS

3 POSITION TWO STRAPS OVER THE TOP TWO CONTAINERS AND UNDER THE BOTTOM TWO CONTAINERS IN APPROX POSITIONS SHOWN

4 SECURE CONTAINERS BY TENSIONING STRAPS AND DOUBLE NOTCHING SEALS



DETAIL C
(4) CONTAINER UNITIZING

WARNING


1 WHEN HANDLING LOADED CONTAINERS WITH A FORKLIFT TRUCK, EXERCISE APPROPRIATE CAUTION

2 TO AVOID TOPPLING SPECIAL CARE SHOULD BE TAKEN WHEN MOVING STACKS OF CONTAINERS ESPECIALLY WHEN THE SURFACE IN THE DIRECTION OF THE MOVE IS UNEVEN OR NOT LEVEL THE UNITIZING OF THE CONTAINERS IS ONLY AUTHORIZED AS PART OF THE TRUCKLOADING PROCEDURE MOVEMENT OF UNITIZED CONTAINERS SHALL BE LIMITED TO THAT NECESSARY TO LOAD OR UNLOAD THE CONTAINER

DE-UNITIZING PROCEDURE

1 CUT AND REMOVE UNITIZING STRAPS ITEM 8 BE CAREFUL NOT TO CUT STRAPPING THAT HOLDS COVER ONTO CONTAINER

2 REMOVE TOP CONTAINERS



DE-UNITIZING PROCEDURE

1 CUT AND REMOVE STRAPPING ITEM 9 BE CAREFUL NOT TO CUT UNITIZING STRAPS ITEM 8

2 REMOVE 4 CONTAINER UNITIZED LOADS

3 CUT AND REMOVE UNITIZING STRAPS ITEM 8 BE CAREFUL NOT TO CUT STRAPPING THAT HOLDS COVER ONTO CONTAINER

DETAIL D


TO AVOID TOPPLING OR SHIFTING OF LOADS THE [illegible] UNITIZED LOADS SHALL BE SECURED TOGETHER AS SHOWN IN VIEW

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

LTL BLOCKING AND ALTERNATE UNITIZING METHODS

BLOCKING


SINGLE OR REQUIREMENTS ARE FOR LTL WITH UNIT LOADS 1, 2, OR 4 HIGH AND LADING IS 36 OR MORE INCHES FROM DOOR. BLOCK ACCORDING TO DETAIL E AS SHOWN.



DETAIL E

UNITIZING (ALTERNATE METHOD)

WHEN REQUIREMENTS ARE FOR LESS THAN TRUCKLOAD, A 2-CONTAINER UNITIZED LOAD CAN BE MADE UP TWO WAYS, EITHER SIDE BY SIDE OR ON TOP OF EACH OTHER TO SUIT SPACE REQUIREMENTS (SEE DETAIL F).



DETAIL F

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL STD 1320-268 - Truckloading 5.0 Inch Rocket in Mk 757 Container

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID.

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS.

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH IS OBSOLETE. S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.