
MILITARY STANDARD

MIL-STD-1323-371
(NAVY)
1 MAY 1991

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
HARM MISSILE, AGM-88
WINGS AND FINS
IN CONTAINER, CNU-296/E

UNIT LOAD DATA

NUMBER OF WINGS AND CONTROL SURFACES PER CONTAINER....4 WINGS 4 FINS
NUMBER OF CONTAINERS PER UNIT LOAD..... 24
GROSS WEIGHT OF ONE CONTAINER..... 87.7 LBS
WEIGHT OF DUNNAGING..... 16.0 LBS
WEIGHT OF STRAPPING ..... 5 LBS
WEIGHT OF PALLET..... 94 LBS
GROSS WEIGHT OF UNIT LOAD..... 2220 LBS
CUBE ..... 58.8 CU FT




△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 3 UNIT LOADS HIGH IN STORAGE.

HAZARD CLASSIFICATION

DOT ..... NONE (INERT)
CG..... NONE (INERT)



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTE:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE — TDA, WPNSTA EARLE — DATE 5-1-91
SIGNATURE — AIR SYSCOM BY DIRECTION — DATE 5/1/91

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY).

ORIGINATOR — DATE 3/26/91

WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil — Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING. ITEM 2. BETWEEN DECK WIRES OF PALLET. ITEM 1. AS SHOWN IN DETAIL A.

(B) POSITION THE CONTAINERS ON THE PALLET DECK WITH EQUAL OVERHANG ON BOTH SIDES AND EQUAL UNDERHANG ON BOTH ENDS. HANDLES TO BE ORIENTED OUTWARDS ALONG THE 48 INCH PALLET EDGE.

(C) POSITION STRAPPING, ITEM 2. OVER THE UNIT LOAD. AND INSERT THE PREFABRICATED END BATTEN ASSEMBLIES. ITEMS 6 AND 7. UNDER THE STRAPS. POSITION THE PLYWOOD RESTRAINER ON THE END BATTEN UNDER THE LID OF THE TOP CONTAINER. AS SHOWN. TENSION AND DOUBLE NOTCH THE SEAL. ITEM 4.

(D) POSITION STRAPPING. ITEM 3. UNDER THE PALLET DECK AND OVER THE UNIT LOAD. INSERTING THE PREFABRICATED SIDE BATTEN ASSEMBLIES. ITEMS 8 AND 9. UNDER THE STRAPS. THE PLYWOOD RESTRAINER OF THE SIDE BATTEN SITS BETWEEN THE LATCHES. SNUG UNDER THE LID OF THE TOP CONTAINER. AND THE BATTEN AGAINST THE LID. AS SHOWN . TENSION AND DOUBLE NOTCH THE SEAL.

(E) SECURE THE STRAPPING TO THE SIDE AND END BATTENS WITH STAPLES. ITEM 5.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY).

NOTES:

ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE BASIC DOCUMENT, MIL-STD-1323 (NAVY).
DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.


DEPALLETIZING PROCEDURES


(A) REMOVE STAPLES
(B) CUT AND REMOVE STRAPPING.
(C) REMOVE BATTEN ASSEMBLITES.
(D) REMOVE CONTAINERS.

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	1	PALLET, MK 3 MOD 0		40 X 48 X 4-3/4
2	2	STRAPPING.SEE NOTE		3/4 X .035 X 16 FT 6
2	3	STRAPPING.SEE NOTE		3/4 X .035 X 16 FT
4	4	SEAL		3/4
16	5	STAPLE		3/4
4	6	END BATTEN		1 X 4 X 34-1/2
8	7	END RESTRAINER		3-1/2 X 7/8 X 5/8
4	8	SIDE BATTEN		1 X 4 X 35-7/8
8	9	SIDE RESTRAINER		10-3/4 X 4 X 1/4
3 PER JOINT	10	NAIL, STANDARD BOX		20
3 PER JOINT	11	NAIL, STANDARD BOX		30


Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check this source to verify that this is the current version before use.





END BATTEN ASSEMBLY

(4 REQUIRED)



SIDE BATTEN ASSEMBLY

(4 REQUIRED)

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1323-371 - Unit Load f/HARM Wings & Fins in Container, CNU-296/E

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.